

Index

- abstract of paper, 152
- acceleration due to gravity: *see g*
- acuity, vernier, 74
- algebra, checking, 148–50
- ambiguity in record, 131–2
- ampere, definition of, 191
- amplifier,
 - bandwidth of, 66, 84, 93
 - lock-in, 79–80, 82–5
 - negative feedback in, 64–7, 105
 - operational, 79, 81–3, 206
 - stability of, 67
- apparatus
 - design of, 122, 206
 - placing of, 119
- argon, discovery of, 114–15
- arithmetic, 144–51
 - checking, 146–8
 - reducing mistakes in, 145–8
- arithmetic mean: *see mean*
- atomic clock; *see caesium atomic clock*
- atomic mass unit, 151, 192
- authors, instructions to, 155–6
- average over distribution, 12
- Avogadro constant, 192, 204

- backlash, 59
- bandwidth, 66, 84, 93
 - narrowing, 84
- beats, 62–4
- best value, defined, 23
- binary counter, 80
- binomial distribution, 171–3, 183
 - standard deviation, 172–3
- Boltzmann constant, 35, 70, 192
- Brownian motion, 69–70

- caesium atomic clock, 94–6
 - fountain technique, 96
 - laser cooling, 96
- calculating devices, 144–5
- calculator, 16–17, 145
- calibration, 57
 - curve, 133, 135
 - empirical, 75
- calipers, vernier, 59–60
- calorie, 190
- candela, definition of, 191
- cathetometer, 59
- cathode rays, 153–4

- central limit theorem, 22
- c.g.s. units, 188, 190
- charge, elementary, 8, 192
- checking
 - algebra, 148–50
 - arithmetic, 146–8
- chi-squared (χ^2) distribution, 176–87
 - comments, 186–7
 - constraints, 182
 - degrees of freedom, 181–2
 - derivation, 177–80
 - goodness of fit test, 182–6
 - table of probability values, 194–5
 - worked examples, 184–6
- clarity
 - in record, 130–2
 - in scientific writing, 156
- cleaning optical equipment, 118
- Cohen and DuMond, 114n
- compensator in Rayleigh refractometer, 75–6
- computer, 17, 32–6, 144
- constants, physical, 192
- converter, digital-to-analogue, 81
- Coordinated Universal Time, 97
- copying in record, 126–7
- corrections, calculated and empirical, 109–11
- counter, binary, 80
- current generator, 81–2

- Debye theory of specific heats, 139–40
- decimal factors for units, 190
- definition, operational, 58
- degrees of freedom, 181–2
- design of apparatus, 122, 206
- deuterium, discovery of, 115
- diagrams, 127–9
 - in a paper, 155
- diffraction effect, 111
- digital-to-analogue converter, 81
- dimensions, 148–9, 150
- dispersion effect
 - in refractometer, 77–8
 - in waves, 108
- distribution, 10–14
 - average over, 12
 - binomial, 171–3, 183
 - chi-squared (χ^2), 176–87
 - function, 11–12
 - Gaussian: *see* Gaussian distribution
 - Poisson, 23, 173–5

- distribution (*contd*)
 standard deviation of, 12
 doublet method in mass spectroscopy, 202
 drift, 105
- Earth
 mean density of, 204
 radius of, 204
 electrical resistivity of copper, 203
 electrical units, 190
 electron volt, 188, 190
 empirical calibration, 75
 energy
 equipartition of, 70
 units, 190
 error
 calculations, 43–6, 50
 final quoted, 45–6
 in function, 27–30, 46–8
 indication on graph, 141–2
 parallax, 55–6
 probable, 21
 random, 6–8
 standard: *see* Standard error
 systematic, 6–8, 45, 102
 worked example, 16
 zero: *see* zero error
 errors
 combination of, 28–30, 43–6
 contributing, non-contributing, 44–5
 and experimental procedure, 48–9, 117
 independent, dependent, 27, 41
 summary of treatment, 50
 exact fractions, method of, 202–3
 expansion, thermal, 61–2, 105
 Excel[®] 33, 144
 eyepiece, cylindrical, 74–5
- feedback
 negative, 64–7, 105
 positive, 67
 filter, low-pass, 83–4
 flicker noise, 71
 fluorescent lighting, 201
 Fourier analysis, 70
 frequency,
 measurement of, 63–4
 of optical source, 116
 response of amplifier, 66, 84, 93
 standards, 94–8
 fringes, white-light, 76–8
 Froome, 110–11, 116
 function, error in, 27–30, 46–8
 fused silica, 61–2
- g*, acceleration due to gravity
 absolute measurement of, 86–94
 relative measurement of, 112–13
 tidal variation in, 93–4
 value of, 192
G, gravitational constant, 151, 192, 204
 gal, 89n
 gauge block, 58, 61
 gauss, 190
- Gaussian distribution, 18–23
 standard deviation of, 19
 validity for measurements, 22–3
 variance of s^2 for, 164–5
 Gaussian function
 evaluation of integrals, 161–3
 values of, 193
 Gaussian integral function, 19–21
 values of, 193
 General Conference of Weights and Measures, 188
 Global Positioning System, 98–101
 applications, 100–1
 correction to receiver clock, 99–100
 goodness of fit test, 182–6
 graph paper, 136–7
 graphs, 133–43
 hints on drawing, 138–40
 indicating errors on, 141–2
 scale for, 137–8
 sensitivity of, 142–3
 symbols in, 139–40
 as visual aids, 133–4
 gravimeter,
 absolute, 94
 spring, 112–13
- histogram, 10–11
 hunting, in servo system, 69
- I*, use of in scientific writing, 157
 independent errors, 27, 41
 index, 152
 instructions to authors, 155–6
 instrumental variation, 105
 integral function, 19–21
 for Gaussian distribution, 19–21
 values of, 193
 integrals of Gaussian function, 19, 161–3
 International Atomic Time, 97, 100
 International Bureau of Weights and Measures, 97
 intrinsic gain of amplifier, 64
 Invar, 61
 isolator, long-period, 90–2
- Johnson noise, 70
 Josephson, ac effect, 86
- Kater's pendulum, errors in, 51, 86
 Kaye and Laby, 129, 131, 150
 kelvin, definition of, 191
 kilogram, definition of, 191
- laser, 87–8, 116
 leap second, 97
 least squares, method of, 30–6, 88, 166–70
 Legendre, 31
 length
 measurement of, 55–62
 temperature effect, 61–2
 lenses, care of, 118
 light intensity, measurement of, 84–5
 light, speed of, 110–11, 115–16, 192

- lighting, 119
 - fluorescent, 201
- liquid, transmission of light through, 109–10
- long-period isolator, 90–2
- loose-leaf record, 125–6
- magnetic field, measurement of, 96–7
- magnetic resonance, 96–7
- magnetostriction, 105
- mass spectrophotograph, 115, 202
- mathematical material in papers, 115–16
- mathematical tables
 - chi-squared probability values, 194–5
 - values of Gaussian function, 193
- mean
 - arithmetic mean, 9–10, 12
 - and best value, 23
 - standard error in, 12–16, 20–1, 24, 196–7
- measurements
 - original, 126–7
 - repetition of, 119–21
 - sequence of, 103–4
 - trial, 117
- memory, read-only 80–1
- method of least squares, 30–6, 88, 166–70
- metre, definition of, 191
- metre rule, 55–7
- Michelson and Morley, 115
- micrometer screw gauge, 57–8
- microprocessor, 68, 206
- microscope, travelling, 59
- microwave measurements, 115–16
- Millikan, 8
- mole, definition of, 191
- MOSFET, 82
- negative feedback, 64–7, 105
- neutron lifetime, 42
- noise, 69–71
 - reduction, 83–5
- normal distribution: *see* Gaussian distribution
- notebook, 125–6
- null methods, 113–14
- Nyquist, 67
- operational amplifier, 79, 81–3, 206
- operational definition, 58
- optical equipment, 118
- optical radiation, measurement of frequency, 116
- orders of magnitude, 62, 148
 - exercises on, 150–1
- Ostwald viscometer, 111–12
- overestimate of error, 46
- paper
 - abstract of, 152
 - diagrams in, 155
 - mathematical material in, 155–6
 - plan of, 153
 - presentation of results in, 154–5
 - sections of, 153–5
 - title of, 152
- paragraphs, 157
- parallax error, 55–6
- participle, unattached, 157
- pendulum, Kater's reversible, 51, 86
- pendulums, coupled, 127–8
- permeability of vacuum, 192
- personal errors, 119
- physical constants, values of, 192
- piezoelectric effect, 94
- Planck constant, 70, 95, 97, 192
- points in pairs, method of, 36, 41–2
- Poiseuille's formula, 111–12
- Poisson distribution, 23, 173–5
 - applications of, 174–5, 185–6
 - standard deviation of, 174
- positive feedback, 67
- potentiometer, 113
- precise measurements, 114–16
- preliminary experiment, 117–18
- probable error, 21
- quartz, 94, 99–100
- random error, 6–8
- Rayleigh refractometer, 73–9
 - applications of, 78–9
 - compensator in, 75–6
 - precision of, 78–9
 - reference system in, 74
 - white-light fringes in, 76–8
- read-only memory, 80–1
- record of experiment, 125–32
 - aids to clarity in, 130
 - common faults in, 131–2
 - diagrams in, 127–9
 - tables in, 129–30
- recording measurements, 126
- refractive index
 - of gases, 78–9
 - of glass, 30, 46–7
- refractometer: *see* Rayleigh refractometer
- relative methods, 111–13
- relativity, special theory of, 115
- repetition of measurements, 119–21
- residual, 15, 31–2, 168–70
- resistivity, measurement of, 79–86
- resonance, 96–7, 120–1
- results, working out, 121–2
- retroreflector, 87–8, 100–1
- Reynolds, 133–4
- rule, metre, 55–7
- ruling of graph paper, 136–7
- Rydberg constant, 192, 204
- sample, standard deviation of, 15
- scale
 - of diagram, 128–9
 - of graph, 137–8
- scientific writing, 152–8
- second, definition of, 96, 191
- sections of paper, 153–5
- semiconductor
 - energy gap, 35–6
 - resistance–temperature relation, 33
- sequence of measurements, 103–4
- serial number of instrument, 126

- series expansion, 150
- servo system, 67–8, 89–90, 92, 105
 - stability of, 69
- shot noise, 70–1
- SI units, 188–91
- silica, fused, 61–2
- soldering, 118
- sound, speed of, 107–9, 204
- specific heats, Debye theory of, 139–40
- spectrometer, 118, 121
- speed
 - of light, 110–11, 115–16, 192
 - of sound, 107–9, 204
- spreadsheet, 33, 144
 - worked examples, 33–6, 185–6
- spring gravimeter, 112–13
- stability
 - of amplifier, 67
 - of servo system, 69
- standard deviation
 - of binomial distribution, 172–3
 - of distribution, 12
 - of Gaussian distribution, 19
 - of Poisson distribution, 174
 - of sample, 15
- standard error
 - in m and c , 32–3, 39–40, 166–70
 - in the mean, 12–16, 20–1, 24, 196–7
 - in a single observation, 12–16, 20–1, 24, 196–7
- standard frequency, sources of, 94–8
- Stern–Gerlach magnet, 95–6
- straight line, 30–6, 39–40, 166–70
- stroboscope, 71
- symbols in error theory, 24–5
- symbols, recommendations by Royal Society, 129
- symmetry
 - apparent, 102–3
 - as check in algebra, 149
- systematic error, 6–8, 45, 102
- systematic variations, 106–9
- tables
 - headings for, 129–30, 146
 - mathematical, 206
 - in a paper, 155
 - units in, 129–30
- temperature
 - effect on length measurement, 61–2
 - measurement of, 72
- temperature control, 67–9
- thermal conductivity
 - of copper, 26
 - measurement of, 102–3
- thermal expansion, 61–2, 105
- thermal noise, 70
- thermocouple, 68
- thermoelectric effect, 79, 83
- thermometer, types of, 72
- Thomson, 153–4, 156, 157
- tidal variation of g , 93–4
- time scales 97–8
 - Coordinated Universal Time, 97
 - International Atomic Time, 97, 100
- tolerances, 122
- transmission of light through liquid, 109–10
- travelling microscope, 59
- trial measurements, 117
- turbulent flow, 133–4
- unattached participle, 157
- units
 - c.g.s., 188, 190
 - convention for expressing, 129–30, 138
 - decimal factors for, 190
 - electrical, 190
 - SI, 188–91
- values of physical constants, 192
- van der Pauw theorem, 80
- variance, 12n
 - of s^2 for Gaussian distribution, 22, 164–5
- ventilation, 119
- vernier acuity, 74
- vernier calipers, 59–60
- viscometer, 111–12
- viscosity, 103–4, 111–12, 190, 204
- visual aids, 133–4
- voltage
 - generator, 79
 - standards, 86
- weighting of results, 37–8, 40, 42, 170
- Weston standard cell, 86
- Wheatstone bridge, 103, 113
- white-light fringes, 76–8
- worked examples
 - chi-squared distribution, 184–6
 - method of least squares, 33–6
 - single variable, 16
- working out results, 121–2
- writing, scientific, 152–8
- zener diode, 42, 85–6, 101
- zero error, 55–6