

## Index

Note: page numbers in *italics* refer to figures and tables.

- adaptability 15–16
  - adaptive traits 32
  - Allee effect 57
    - colonisation 288
    - deterministic threats to persistence 59
    - stochastic 67
  - alleles, advantageous
    - distribution 23–5
    - loss 25
    - selection 23–4
  - allelic diversity 22, 149
    - conservation 29
    - fragmented small-mammal populations 158–68
    - genetic erosion 158
    - neutral molecular markers 17
    - Rattus fuscipes* 187, 188, 189, 190–1, 194
  - allopolyploidy 44, 239
  - allozymes 175, 333
    - demographic processes 213
    - diversity
      - golden lion tamarins 204
      - Rutidosia leptorrhynchoides* 335, 339–41, 342, 356
      - reduced 15
      - Grevillea* 255, 256, 265
    - among-population processes 79, 81, 83
  - amplified fragment length polymorphism (AFLP) markers 253
  - Anthornis melanura* (bellbird) 244
  - Apis mellifera* (honeybee) 253
  - autogamy 261
    - enforced 314
  - autopolyploidy 44
  - balancing selection 23, 26–7
  - Banksia* 256, 258
    - mate choice 262
  - Banksia cuneata* population dynamics 330–1
  - bear, grizzly 61, 62, 63
  - bee
    - solitary 243
    - see also honeybee
  - beech, mountain 244
  - behavioural interactions, metapopulation paradigm 88–93
  - bellbird 244, 251
  - bighorn sheep, genetic population
    - structure 227–9
    - conservation genetics 236
  - data analysis 231–2
  - disease transmission from domestic livestock 227
  - DNA isolation 230
  - genetic distance between populations 234–5, 236
  - genetic drift 235–6
  - genetic relationships 232
  - genetic variation 232–5
  - microsatellite markers 228–9
  - microsatellite polymorphism analysis 230–1
  - population variation 233–4, 235–6
  - regional variation 234–5, 236
  - reintroductions 236
  - study populations 229–30
- biologists, specialisation 2
  - bottlenecks 16, 21
    - balancing selection 26, 27

- bottlenecks (*cont.*)  
 gene selection 23  
 genetic load reduction 41  
 population fitness 36  
 box, white 86
- Callitrichidae 204, 205, 206  
*Canis lupus baileyi* (Mexican gray wolf) 122  
*Chamaecrista fasciculata*  
 fitness 50, 51, 52  
 inbreeding and outbreeding depression  
 49–50, 51, 52  
 population crossing 49–50  
 Chiew Lam reservoir (Thailand) 152, 153  
 chimerism, tamarins 204  
*Chiropodomys gliroides* (pencil-tail tree  
 mouse) 149, 152, 154, 155  
 abundance 168, 169  
 allelic diversity 159, 160, 164  
 demographic collapse 169  
 effective population size 165  
 generation time 158  
 genetic erosion 169  
 heterozygosity 159, 162, 165  
 microsatellite loci 159, 160, 162, 164–5  
 chloroplast DNA markers 278–9  
 chub, bonytail  
 additional wild fish in broodstock 121–2  
 allozyme genetic data 120  
 broodstock establishment 119–22  
 egg production 120  
 F<sub>1</sub> progeny 119, 120  
 genetic variation loss 121  
 genotypes 120–1  
 mitochondrial DNA information 120,  
 121  
 proportion of egg fertilisation 120  
*Clarkia pulchella* 276  
 coadapted gene complexes 46, 48  
 disruption 46, 47, 48  
 coevolutionary processes, conservation  
 92–3  
 colonisation  
 Allee effects 288  
 colonist exports 288  
 compressed founder populations 168  
 effective population size 273  
 episodes 272  
 founding cohort  
 relatedness 283  
 selective forces 273  
 viability 274  
 inbreeding 283  
 depression 288  
 island biogeography 89  
 plants 272  
 probability and patch occupancy 83  
 processes 76, 78  
 metapopulation 77, 78  
 preservation 79  
 rate 89  
 relatedness of founders 283  
*Silene alba* 277, 279, 283  
*Synemon plana* 223–4  
 stages 287–8  
 strategies 272  
 community effects, metapopulation  
 studies 85–6  
 community structure, fragment size 85  
 connectivity 91, 94  
 conservation biology 1–2  
 applied science 114  
 molecular techniques 113–15  
 population genetics 113–15  
 studies 79, 80  
 conservation forecasting, genetics 14–16  
 conservation value, metapopulation  
 paradigm 88  
 contribution to next generation 116  
 corridors, demographic sinks 91  
 cross-fertilisation in small populations 237
- daisy *see* *Rutidosis leptorrhynchoides* (daisy)  
*Daphnia*, genetic variation 14  
 decision theory, PVA 111  
 declining-population paradigm 3, 58, 71,  
 98–9  
 false dichotomy from small-population  
 paradigm 114  
 deforestation 5  
 demographic data, population viability  
 analysis 99  
 demographic factors 3  
 demographic processes 2  
 demographic sinks 91  
 demographic stochasticity 60–1, 64, 66–7  
 demographic variance 61  
 demography 2, 3–4  
 genetic interactions 273–4  
 deterministic decline 65–6  
 deterministic processes, population  
 viability analysis 100, 101

- deterministic threats to persistence 57,  
58–9, 62, 71  
Allee effect 59
- dichogamy 39
- dinucleotide repeat microsatellite alleles  
22  
*see also* microsatellite markers
- dioecy 39
- diploidy 44  
*Rutidosia leptorrhynchoides* 339–41,  
342–4, 357, 358–9, 362
- directional selection 23, 24  
genetic variation 25–6
- dispersal  
patterns and spatial isolation influences  
273  
sex-bias 17
- disturbance in small populations 314
- DNA markers 4
- DNA sequence analysis 4
- dominance, inbreeding depression 40, 41,  
43, 44
- drift *see* genetic drift
- dry forests, Central American 293, 294
- ecological amplitude 31, 33
- ecological neighbourhoods 79–84
- ecologists 2
- ecosystem service provision 362
- edge effects 249
- edge habitats 243  
*Peraxilla tetrapetala* 247, 249–50, 251,  
252
- effective population size ( $N_e$ ) 22, 150–1,  
167  
*Chiropodomys gliroides* 165  
colonisation 273  
difference from local census count 273  
extinction rates 276  
genetic variation loss 314  
habitat fragmentation 164, 165, 167  
*Maxomys surifer* 164  
mean 115–16  
predicted 118  
red-cockaded woodpecker 136–7  
*Synemon plana* 220  
winter-run chinook salmon 115–18
- endangered species, preservation 361
- environmental stochasticity 60, 61, 64  
individual-based, spatially explicit  
simulation model 134
- persistence times 67–70  
small populations 67–70, 314, 315
- epistasis 41  
divergence of adaptive characters 48
- eucalypt trees, remnant stands 362  
*Eucalyptus albens* (white box) 86  
*Eucalyptus* forest 176
- evolutionarily significant units (ESUs)  
29–30, 33, 221  
genetic diversity reduction 31  
population variations 30
- exotic species, introduced 56
- extinction 3  
correlated probabilities for conspecific  
populations 90
- debt 87
- demographic stochastic 276
- distance-independent 90
- genetic diversity loss 29
- genetic variation 274  
*Gentiana pneumonanthe* 324, 325–7
- habitat destruction 242
- habitat loss 174
- heterozygosity relationship 170
- inbreeding 82  
depression 130
- initial population size 66
- metapopulation 83  
population  
growth rate 56  
size relationship 66
- probability 65  
patch occupancy 83
- processes 76, 78  
metapopulation 77
- processes, critical factors 4
- rate  
effective population size 276  
exceeding colonisation rate 89
- risk  
fragmentation 128  
with inbreeding 211  
small populations 5, 85, 331
- thresholds in metapopulation paradigm  
88–90
- underestimation by persistence times 65
- vulnerability of small populations 331
- family lines, loss 42
- faunal compression 167–8
- feedback loops, self-reinforcing 274

- finch, Laysan 61, 62, 66, 68, 69
- finite-population models 70
- fitness
  - components of gene diversity 18–19
  - fragmented populations 36
  - individual 363
  - loci 28
  - loss 40, 45, 47
    - local scale 48
  - measurement 37–8
- flax, Australian 92
- forest interior species 59
- founder effects, polyploidy 238
- founding populations
  - gene flow 273–4
  - relatedness 283
- fragmentation 4–5, 35, 365–6
  - animal case studies 127–8
  - consequences 51–3
  - continuum 79, 81
  - demographic processes 81–2
  - deterministic threats to persistence 58–9
  - disease impact 90
  - ecological consequences 195–6
  - ecological processes 81–2
  - extinction risk 128
  - gene flow reduction 128
  - genetic consequences 5, 175, 197–8
  - genetic differentiation as effect indicator 200
  - genetic diversity loss 84
  - genetic erosion 149–51, 363
  - genetic stochasticity 151
  - genetic variability loss 128
  - genetically compatible genotype
    - availability 36
  - historical processes 175
  - impact on gene flow in tropical trees 295
  - inbreeding 39, 44–5
    - increase 128
  - individual species studies 127
  - island biogeography theory 127
  - islands 200
  - long-term viability of systems 80–3
  - management of populations 361
  - mate location 36
  - metapopulation paradigm 82
  - metapopulation response 86–7
  - mutualism 242
  - patch isolation 94
  - persistence 82
  - plants 237–9
  - pollination 242
  - pollinator pattern disturbance 294
  - population
    - fitness 36
    - reduction of numbers 128
  - reduction of available habitat 94
  - Synemon plana* 223
  - Tumut experiment 173–6, 177, 178
  - see also* genetic erosion, fragmented
    - small-mammal populations; small populations
- frequency-dependence 26
- fritillary butterfly metapopulation 82, 83
- frog, pool 85
- gap-crossing ability 238
- geitonogamy 39, 314
- gene combinations, evolution in polyploidy 47
- gene dilution effects 47
- gene diversity 22
  - fitness components 18–19
  - marker loci 15
  - neutral molecular markers 17
- gene flow
  - adaptive traits 32
  - evolutionary consequences 273–4
  - fragmentation impact 128, 295
  - genetic differentiation 283–4
  - isolated populations 85
  - neighbouring demes 79
  - pollen dispersal 284–5
  - Silene alba* 238, 271, 276–7, 283–7, 291
  - Synemon plana* 221, 223
  - small isolated colonies 274
  - spatial structure 76
  - tracers 17
  - tropical trees 295
- genes
  - neutral 22
  - quantitative trait variation 20
  - resistance 90
  - under selection 19–20, 23
- genetic change rate 14
- genetic coadaptation 46
- genetic conservation, landscape approach 32
- genetic data modelling 110–11
- genetic differentiation
  - fragmentation effect indicator 200

- gene flow 283–4
- genetic diversity
  - historical component 11, 12, 13
  - loss
    - with extinctions 29
    - with inbreeding 35
    - pest/pathogen susceptibility 35–6
  - maintenance 361
  - population size 36
  - quantitative traits 21
  - Synemon plana* 221
- genetic drift 14, 24
  - bighorn sheep 235–6
- genetic erosion 150
  - in fragmented small-mammal populations 169–70
- genetic variation loss 314
- inbreeding 39
  - depression 40
- polyploidy 238
- small populations 315
- genetic erosion 9–13, 362
  - allelic diversity 158
  - habitat fragmentation 149–51, 363
  - heterozygosity 158
  - individual fitness 363–4
  - plant studies 237
  - polyploidy 238
  - population viability 363–4
  - prediction 23
  - Rutidosis leptorrhynchoides* 338–41, 342–3
  - rate estimation 157–8
- genetic erosion, fragmented
  - small-mammal populations 149–51
  - allelic diversity 158, 159, 160–1, 164, 165, 166–7, 168
  - area of habitat patch 167
  - demographic collapse asynchrony 169
  - demographic responses 169–70
  - detection 166–7
  - distance effects 167
  - DNA extraction 156
  - experimental approach 152–3
  - faunal collapse 152
  - faunal compression 167–8
  - genetic drift 169–70
  - genetic responses 169–70
  - heterozygosity 158, 159, 162–3, 164, 165–6
  - expected 157
  - microsatellite loci 158, 159–63, 164–6
  - microsatellite markers 151, 156
  - PCR 156–7
  - rate 167–8
  - sampling methods 155–6
  - species-specific responses 168–9
  - statistical methods 157–8
  - study site 152, 153
  - study species 153, 154, 155
  - trapping methods 155–6
- genetic factors 3
  - demography interactions 273–5
- genetic fitness 15
- genetic introgression following restocking 29
- genetic load, purging 40, 41, 42, 43–4, 52, 239
- genetic neighbourhoods 79–84
- genetic rescue 279–80
  - inbreeding depression 280
  - pollen-mediated gene flow 283
  - Silene alba* 271, 288, 290
- genetic stochasticity, habitat fragmentation 151
- genetic variants, non-neutral 22
- genetic variation
  - adaptability 15–16
  - adaptive 27–9, 33
    - conservation 32
    - surrogates 28–9
  - category sizes 13
  - classification 12
  - continued adaptation 12, 13
  - current adaptation 11–12, 13
  - depletion 276
  - directional selection 25–6
  - erosion 21–9
    - between populations 29–33
  - extinction 274
  - inbreeding depression 275
  - loss
    - bonytail chub 121
    - with fragmentation 128
  - inbreeding 314
  - individual fitness 130
  - mechanism in wild populations 130–1
  - population viability 130
  - small isolated populations 130
  - with unequal selection coefficients 26, 27
- maintenance 150
- population processes 14–21

- genetic variation (*cont.*)  
 population viability 10–11  
 quantitative 28  
 small populations 15–16  
 species 9–10  
 surrogates 33  
 viability 11–12, 13, 15–16
- geneticists 2, 3–4
- genotyping methods 151
- Gentiana pneumonanthe* 5, 237, 276  
 allozyme studies 333  
 demographic behaviour 316  
 demographic data 319  
 demographic monitoring 318–19  
 environmental stochasticity 326–7  
 extinction 324, 325–7  
 genetic variation conservation 333  
 habitat 316–17  
 heterozygosity 333  
 ID variant 313, 326, 327, 329  
 inbreeding depression 321, 324, 330, 331, 332, 333, 364–5  
 life cycle 318  
 management regime 332  
 matrix element statistical basis 319–20  
 matrix model construction 318–19, 322–3  
 population dynamics 327, 328, 329–30, 331  
 population size  
 growth 327, 329  
 peak 325–7  
 and reproductive success relationship 321  
 selfing rate and inbreeding depression relationship 321, 324  
 population viability analysis 313–18  
 RE + ID variant 313, 323, 324, 326, 327, 329–30  
 RE variant 313, 326, 327, 329  
 regeneration capacity 317–18, 324, 331, 332  
 reproductive success 332–3, 364–5  
 seed dispersal 325  
 simulation model 319–21, 322–3, 324–5, 333  
 sod-cutting 316, 319, 320, 322–3, 324, 325  
 frequency 327, 328, 329–30, 331  
 vegetation disturbance 331  
 vegetation structure 316
- Gentianella germanica* 275  
 geographic range, reduction 29
- germination rate, cross-breeding 280, 281, 282
- Gila elegans* (bonytail chub) 119
- Grevillea* 253–4  
 allozymes  
 insensitivity 265  
 studies 255, 256  
 autogamy 261  
 cross-pollination 261  
 DNA technology 255  
 dormancy strategies 256  
 fire responses 256  
 fitness effects of fragmentation 254, 258  
 fruit:flower ratios 256  
 fruit setting 262, 263  
 gene flow 266–8  
 genetic differentiation 266–8  
 genetic effects of fragmentation 254  
 genus 257  
 habitat fragmentation 265–8  
 honeybee pollination 258, 259–60, 265  
 mate choice 253–4  
 mating systems 265–6  
 preferred 261–3  
 realised 263–4  
 microsatellite markers 254  
 outcross pollen 262, 263  
 outcrossing rate 263–4  
 pollination 253, 257–61, 265–6  
 open 261  
 pollinator syndromes 256  
 pollinators 257–61  
 reproductive success 258  
 seed banks 253–4, 255, 256  
 self-compatibility index 261  
 self-pollination 261  
 skewed sex ratios 254–5  
 vulnerable species 257
- Grevillea caleyi* 267, 269  
 AFLP markers 253  
 pollinator activity 258
- Grevillea macleayana* 253  
 AFLPs 265–6  
 allozyme studies 265–6, 267–8  
 fruit set potential 259  
 genetic differentiation 267  
 genetic variation 253  
 honeybee visits 265  
 honeyeater visits 265  
 insect interference with pollination 259  
 mate choice 254

- microsatellite primers 269
- outcrossing rate 263–4, 265
- RAPDs 267
- self-compatibility 253, 254, 261, 262
- Grevillea mucronulata* 261, 262, 264
- Grevillea sphacelata* 258, 259–60
  - preferred mating system 261
- ground squirrel, Columbian 91
- growth rate, long-term positive 71
- habitat
  - destruction
    - deterministic threats to persistence 58, 59
    - extinction 242
    - Peraxilla* decline 242
  - loss
    - endangered species 55–6
    - extinction 174
  - patch area 167
  - reduction of available 94
  - suboptimal 91
  - unoccupied fragments for persistence 86
- habitat fragmentation *see* fragmentation
- hairtubes 179, 181
- Hardy–Weinberg equilibrium 10
- Hardy–Weinberg expectations
  - Rattus fuscipes* 185, 194
  - Swietenia humilis* study 299, 302
- herbivory, *Peraxilla* decline 242
- heritability estimates 21
- herkogamy 39
- hermaphroditism, selfing 39
- heron 68, 69
- heterosis 49–50
  - hybrid breakdown 48–9
- heterozygosity 15, 19
  - decline 40
  - expected 157
  - extinction relationship 170
  - fixed 44
  - fragmented small-mammal populations 158, 159, 162–3, 164, 165–6
  - Gentiana pneumonanthe* 333
  - genetic erosion 158
  - loss 149, 150–1, 164, 165, 166
    - in *Swietenia humilis* 302
  - polyploidy 238–9
  - Rattus fuscipes* 188–9, 194
- heterozygote advantage 40
- homozygosity
  - adaptation to 14
  - dominance 40
  - inbreeding 314
  - mating strategies 38–9
- honeybee 253, 258
  - Grevillea macleayana* visits 265
  - Grevillea* pollination 258–9, 260
- honeyeater birds
  - Grevillea macleayana* visits 265
  - Grevillea* pollination 258, 259
  - Peraxilla tetrapetala* opening/pollinating 243
- human activities 55–6
- hybrid breakdown 46
  - heterosis 48–9
- hybrid vigour 46
- hybridisation 47
  - coadapted gene complex disruption 46
- hybrids, outbreeding depression 45
- Hylaeus* (solitary bee) 243
- hypervariable markers 29
- Hypsipyla grandella* (shoot-tip-borer) 297
- ID variant 313, 326, 327, 329
- immigration, red-cockaded woodpecker 140–1, 146
- inbreeding 362, 364–5
  - avoidance 132–3, 145
  - biparental 38, 39
    - Swietenia humilis* 304–5
  - coefficient 280
  - colonisation 283
  - drift 39
  - extinction 82
  - fitness reduction 11
  - fragmented populations 39, 44–5, 128, 170
  - genetic erosion 150
  - genetic variation loss 314
  - homozygosity 314
  - models 364
  - offspring mortality 208
  - plant studies 237
  - population persistence 364
  - population vigour decline 36–7
  - red-cockaded woodpecker 141, 142, 143, 147
    - accumulation 144
    - avoidance 132–3, 145
    - population analysis 136–7, 139–41

- inbreeding (*cont.*)  
*Synemon plana* 219  
 small populations 314, 315  
 Wright's island model of equilibrium 145
- inbreeding depression 5, 14, 35–7, 364  
 animals 38  
 avoidance 150  
*Chamaecrista fasciculata* 49–50, 51, 52  
 colonisation 288  
 definition 37  
 dominance / dominance-based 40, 41, 43, 44  
 drift 40  
 extinction 130  
 fitness loci 28  
 fragmentation 52–3  
*Gentiana pneumonanthe* 321, 324, 330, 331, 332, 333  
 gene flow into isolated colonies 274  
 genetic basis 40–1  
 genetic load 42  
 genetic mechanisms 39–40  
 genetic rescue 280  
 genetic variation 275  
 magnitude 38  
 offspring fitness 314  
 overdominance-based 40, 44  
 partial dominance 43, 44  
 plant species 38  
 polyploidy 239  
 population performance effects 313  
 production 23  
*Rutidosia leptorrhynchoides* 344  
 red-cockaded woodpecker 131, 132–3  
   conservation implications 146–7  
 reduction 42–3  
*Silene alba* 279, 280, 281  
 selection 40  
 self-fertilisation 40  
*see also* tamarins, golden lion, inbreeding depression
- incompatibility loci, mismatch 18
- individual fitness, genetic variation loss 130
- individual-based, spatially explicit simulation model  
 behaviour simulation 134–5  
 demographic data 141  
 environmental stochasticity 134  
 red-cockaded woodpecker 133, 134–5  
 runs 135  
 social behaviour incorporation 141  
 spatial structure incorporation 141  
 territorial budding 134
- infinite-population models 70
- influenza virus phylogeny 13
- interpopulation crosses 37
- introgression, genetic diversity 29, 31
- invertebrates, demographic parameter assessment 214–15
- Ipomopsis aggregata* 275
- island biogeography theory 127, 271  
 colonisation 89
- island syndrome 168–9
- kinship in red-cockaded woodpecker 144, 145
- kinship coefficient 139, 140, 142
- lactate dehydrogenase (LDH) 19
- Leioproctus* (solitary bee) 243
- Leipoa ocellata* (malleefowl) 83
- Leontopithecus rosalia* (golden lion tamarin) 204
- Linum marginale* (Australian flax) 92
- major histocompatibility complex (MHC) loci 17–18, 19, 364  
 balancing selection 26, 27
- malleefowl 83
- management decisions, PVA 103
- management programmes  
 monitoring 29, 32–3  
 surrogates 33
- management units (MUs) 30–1, 221  
 genetic distinctiveness 362
- mate choice 262
- mate location, fragmentation 36
- mating  
 compatibility 18  
 patterns of *Swietenia humilis* 305–8, 309
- mating incompatibility genes ( *S* loci) 18, 19  
*see also S* alleles
- mating system  
 mixed 261–2  
 outbreeding depression 47  
 preferred 261–3  
 realised 253, 263–4
- Maxomys surifer* (yellow-bellied rat) 149, 152, 153, 154, 155



- allelic diversity 158, 159, 160, 164
- effective population size 164
- generation time 158, 164
- heterozygosity 159, 162, 164
- multilocus microsatellite genotypes 158, 159–60, 162, 163
- Melampsora lini* (flax rust) 92
- Melitaea conxia* (fritillary butterfly) 83
- metapopulation 272
  - coevolutionary partner interactions 92
  - coevolutionary process conservation 92–3
  - definition 77
  - dynamics 78
  - extinction risk 83
  - genetic structures 77
  - island biogeography theory 127
  - persistence 56–7, 87
  - response to fragmentation 86–7
  - Silene alba* 277
  - stability 29
  - studies
    - community effects 85–6
    - in conservation context 83–4
    - genetic effects 84–5
    - species effects 85–6
  - theory 5
  - viability 86–7
- metapopulation paradigm 75–8
  - behavioural interactions 88–93
  - conservation value 88, 94–5
  - extinction thresholds 88–90
  - fragmentation 82
  - plant species 88
  - practical applications 87–8
  - restoration ecology 88
  - spatial interactions 88–93
- Metrosideros excelsa* 237
- microsatellite markers 151, 156, 175
  - bighorn sheep 228–9
  - cross-species amplification 182
  - demographic processes 213
  - Lepidoptera 224
  - polymorphic 158, 160–1
  - Rattus fuscipes* 176, 181–3, 184, 189, 194
  - Swietenia humilis* 293, 296
- microsatellites 29
  - multilocus genotypes 158, 159–63
- migration rate of *Silene alba* 288, 289, 291
- migratory populations, parasite virulence 90–1
- minimum viable population (MVP) 314
- minisatellite loci 27
- mistletoe 243
  - see also *Peraxilla tetrapetala* (New Zealand mistletoe)
- mitochondrial DNA (mtDNA) 175
  - demographic processes 213
  - phylogeography 22
- molecular markers 4
  - neutral 17, 32–3
- molecular techniques in conservation biology 113–15
- molecular variation as surrogate for adaptive variation 28
- Monte Carlo simulation 101
  - alternative distributions 108–9
  - reporting requirements 105
- mutational load, population purging 36–7
- mutational meltdown 25, 56
- mutations, deleterious 56
- mutualism 362, 365
  - fragmentation 242
  - mistletoe 243
- native vegetation clearance 199
- natural catastrophes, persistence times 67–70
- natural selection
  - drift 24
  - genetic load removal 43
- non-indigenous species, deterministic threats to persistence 59
- Nothofagus solandri* var. *cliffortioides* (mountain beech) 243, 244, 252
- oceanic islands, predators 91
- offspring fitness, inbreeding depression 314
- Oncorhynchus tshawytscha* (winter-run chinook salmon) 116
- Ophryocystis elektroscirrha* (protozoan parasite) 90
- outbreeding depression 5, 35–7, 45–9
  - Chamaecrista fasciculata* 49–50, 51, 52
  - definition 45
  - environmental context 46–7
  - fragmentation 52–3
  - local scale 48
  - mating systems 47
  - ploidy levels 47

- outcrossing species, inbreeding depression
  - reduction 43
- overdominance 26, 40
  - inbreeding depression 40, 44
- Ovis canadensis* (bighorn sheep) 15, 227–8
- owl, northern spotted 87
- palila 61, 62, 63, 67, 68–9
- parasite virulence 90–1
- partial dominance, inbreeding depression
  - 43, 44
- patch isolation
  - fragmentation 94
  - pollinator foraging behaviour 284
- patch occupancy
  - colonisation probability 83
  - extinction probability 83
  - patch area relationship 196, 199
  - Rattus fuscipes* 186–7, 196
- patches
  - area 167
  - connected 94
  - ephemeral populations 76–7
  - movement between 91
  - size 186–7, 196, 199
  - spatial structure 85–6
- paternity
  - correlated 85
  - Rutidosia leptorrhynchoides* 345, 347
  - Swietenia humilis* 300–1, 307–8
- pathogens, movement 90–1
- pedigree analysis, red-cockaded
  - woodpecker 131, 136–7, 144–6
- Peraxilla tetrapetala* (New Zealand mistletoe) 241
  - density 247, 248
  - dispersal of fruits 247, 248, 249, 250
  - edge habitats 247, 249, 250, 251, 252
  - flower bud predation 243, 244–5, 247, 248, 249, 250
  - flower opening 243
  - fruit-set rate 247
  - germination requirements 250
  - habitat loss 251–2
  - host species 243
  - light conditions 250
  - pollinating birds 241, 243, 244, 250
  - pollination 243, 249, 250, 251
    - rate 247, 248, 249
  - reproductive requirements 243
  - seed dispersal 243
    - study site 243, 244, 245, 246
- persistence
  - deterministic threats 57, 58–9, 62, 71
  - fragmentation 82
  - habitat fragments unoccupied 86
  - metapopulation 87
    - system 56–7
  - rare catastrophic events 68, 69
  - red-cockaded woodpecker populations
    - 135–6, 137, 138, 147
  - regional 79
  - spatial structure 76
  - stochastic threats 57, 60–1, 62–3, 64
  - threats 57–61, 62–3, 64
  - threshold determination with spatial structure 88–9
- times 64–70
  - demographic stochasticity 66–7
  - deterministic decline 65–6
  - environmental stochasticity 67–70
  - natural catastrophes 67–70
  - stochastic decline 65–6
- pests, movement 90–1
- phenotypic variation 11
- Picoides borealis* (red-cockaded woodpecker) 131
- Pinus radiata* (radiata pine) 173, 176, 178, 195–6
- plant species, metapopulation paradigm 88
- plantation establishment 199
- ploidy levels
  - genetic load purging 43–4
  - outbreeding depression 47
- Poço das Antas Biological Reserve (Brazil) 203, 204–5
- Poeciliopsis* 15
- pollen dispersal
  - capability 284
  - gene flow 284–5
  - Silene alba* 284–7, 289, 290
- pollen donors, Central American dry forests 293
- pollen flow, *Swietenia humilis* 303–4, 306, 307, 309
- pollen thief 253, 258
- pollination 238
  - birds 241, 243, 244, 250
  - fragmentation 242
  - Grevillea* 253
  - Peraxilla tetrapetala* 243

- pollinators  
   distance threshold 310  
   foraging 309–10  
     behaviour 284  
   pattern disturbance by fragmentation 294  
   plant interactions 365  
   pollen dispersal 285–6  
   visitation patterns 253  
 polygyny, golden lion tamarins 205  
 polymerase chain reaction (PCR) 151, 156–7, 183, 185  
 polyploidy 43–4  
   evolution of gene combinations 47  
   plant communities 238–9  
 population  
   carrying capacity 66, 67  
   crossing 49–50  
   demographic attributes 291  
   fitness 36  
   genetic differentiation in *Rattus fuscipes* 192–3, 194–5  
   *in-situ* conservation 361–2  
   interacting 272  
   minimum viable 314  
   persistence  
     inbreeding 364, 365  
     quantitative models 213  
   processes 16–21  
   status of red-cockaded woodpecker 137  
   subdivision 271–2  
   threshold size 67  
   trajectory decline 67  
   vigour decline 36–7  
   *see also* small populations  
   population genetics  
     conservation biology 113–15  
     theory 144–6  
   population growth rate 57, 60  
   extinction 56  
   long-term 60, 61, 64, 73  
     with catastrophes 74  
     negative 66, 68, 69, 70–1  
     positive 66  
   variation 71  
   variations 60, 61  
   population size 273, 363  
   change 57  
   declining for red-cockaded woodpecker 143–4  
   extinction relationship 66  
   genetic diversity 36  
   increase 66  
   initial 65–6  
   maintenance of large 28–9  
   population viability  
     genetic erosion 363–4  
     genetic variation 10–11  
     loss 130  
   population viability analysis (PVA) 5, 97–8, 213  
   accuracy 107  
   analysis description 106–7  
   attributes 104–11  
   context 106  
   cost 102–3  
   credibility 104  
   criticisms 104–5  
   data 106  
     quality 99–100  
   decision theory 111  
   decision-support tool 104  
   description of model 106  
   deterministic processes 100, 101  
   ecological idea representation 101  
   elements 105–8  
   facilitation function 101–2  
   genetic information 110–11  
   inclusive 3  
   management decisions 103  
   output 107  
   parameters 100  
     estimation 108–9  
   quality assurance 107–8  
   *Rutidosis leptorrhynchoides* 345, 347–55  
   risk assessment 102, 105  
   roles 98–104  
   sensitivity analyses 100  
   sensitivity studies 109  
   spatial complexity 109–10  
   specification of standards 101  
   stochastic dynamic programming 111  
   stochasticity 108  
   structural uncertainty 101  
   theoretical interest 98–9  
   time required 103  
   uncertainty 108–9  
   positive selection *see* balancing selection  
   possum, brushtail 242  
   predation, flower bud of mistletoe 243, 244–5, 247  
   predators, movement 91

- preservation of endangered species 361  
 Punta Ratón region (Honduras) 297, 298  
 purging  
   genetic load 40, 41, 42, 43–4, 52, 239  
   population 36–7  
   programmes 40, 41–2, 52  
  
 quantitative trait loci (QTLs) 20–1  
 quantitative trait variation 20  
  
 rainforest fragmentation  
   genetic erosion 149–51  
   *see also* genetic erosion, fragmented  
   small-mammal populations  
 Rajapraba hydroelectric dam (Thailand)  
   152  
*Rana lessonae* (pool frogs) 85  
*Rana muscosa* (frog) 91  
 randomly amplified polymorphic DNA  
   markers (RAPD) 267  
 rat, bush *see Rattus fuscipes* (bush rat)  
 rat, yellow-bellied *see Maxomys surifer*  
   (yellow-bellied rat)  
*Rattus fuscipes* (bush rat) 173  
   allele diversity 187, 188, 189, 190–1, 194  
   data analysis 186–7  
   demographic studies 173, 174  
   DNA extraction 183  
   ecological consequences of  
   fragmentation 195–6  
   field sampling 178–9, 181, 186–7  
   genetic analysis 185–6  
   genetic consequences of fragmentation  
   197–8  
   genetic marker selection 181–3  
   genetic sampling strategy 180, 181  
   genetic variation 173–4, 187, 188, 189,  
   190–1, 194, 197–8, 200  
   geographic distance 198  
   habitat fragmentation response 175–6  
   hairtubing 179, 181, 196  
   Hardy–Weinberg expectations 185, 194  
   heterozygosity 188–9, 194  
   microsatellite markers 176, 181–3, 184,  
   189, 194, 200  
   microsatellite variation 183, 185  
   patch size/occupancy 186–7, 196, 199  
   PCR 183, 185  
   population genetic differentiation 192–3,  
   194–5  
   trapping 179, 186–7, 196  
  
 RE + ID variant 313, 323, 324, 326, 327,  
   329–30  
 RE variant 313, 326, 327, 329  
 relatedness correlation with phenotypic  
   variation 21  
 replaceability  
   genetic basis of adaptive trait 13  
   phenotypic variation 11  
 reproductive failure 364–5  
   small populations 59  
 reproductive success 313  
 rescue effect, *Silene alba* 279–80  
 restocking  
   genetic introgression 29, 31  
   local gene pool swamping 31  
 restoration ecology, metapopulation  
   paradigm 88  
*Rhinocyllus conicus* (flowerhead weevil) 59  
 riparian vegetation 199  
 risk assessment, PVA 102, 105  
 rust, flax 92  
*Rutidosis leptorrhynchoides* (daisy) 79, 335–7  
   allozyme variation 335, 339–41, 342, 356  
   biology 337  
   chromosome numbers 339–40, 355, 356  
   correlated paternity 85  
   cross-fertilisation rate 345  
   cytotypes 356  
   demographic transition probability  
   348–9, 351  
   demographic variability 351, 353  
   diploidy 339–41, 342–4, 357, 358–9, 362  
   dispersal 338  
   distribution 338  
   extinction curves 353  
   genetic erosion 338–41, 342–3  
   genetic variation 335–6, 339, 345–6, 355  
   habitat loss/fragmentation 336, 339, 357  
   heterozygosity 339, 340–1  
   inbreeding 344–5, 346, 358  
   depression 344  
   prevention 341–2  
   mate limitation 343–4, 347, 355, 358  
   mating systems 345, 346  
   metapopulation studies 85  
   outcrossing rates 345, 346  
   paternity patterns 345, 347  
   persistence time 355  
   ploidy 339–40, 355, 356–7, 358–9, 362  
   pollen pool 345  
   pollination 337–8

- polymorphism 356
- population 337
  - elasticity analysis 350–1, 352
  - gene flow 79
  - growth rate 347, 348–9, 350–1
  - re-established 355–7
  - size 342
  - viability analysis 345, 347–55
- Recovery Plan 336–7
- S alleles 342–4, 351, 355, 356, 358
- self-fertilisation prevention 341–2
- self-incompatibility 343–4
  - allele loss 341–5, 346, 347, 357
- small populations 343–4, 357–8
- stochastic matrix projection models 335
- stochastic simulation models 351, 352, 353, 354, 355
- tetraploidy 339–41, 344, 357, 358–9, 362
- triploidy 357
  
- S alleles 342–4, 351, 355, 356, 358
  - diversity 364
  - variation 18, 19
- salmon, winter-run chinook 114, 115–18, 362
  - progeny release 117–18
  - random survival 116, 117
  - return migration 116, 118
  - spawners returning 117, 118
- Salvia pratensis* 276
- Scabiosa columbaria* 276
- seed dispersal 238
  - capability 284
  - Gentiana pneumonanthe* 325
  - Peraxilla tetrapetala* 243
- selection
  - advantageous alleles 23–4
  - inbreeding depression 40
- self-compatibility 253
  - index 261
- self-fertilisation 40
- self-incompatibility 36, 39, 363
  - population size reduction 85
  - Swietenia humilis* 309
- selfing 38, 39
  - gene dilution effects 47
  - hermaphroditism 39
  - inbreeding depression reduction 42–3
  - rate 314
- sheep, bighorn 15, 227–8
- shoot-tip-borer 297
  
- short tandem repeats (STRs) *see*
  - microsatellite markers
- Silene*
  - metapopulation studies 77–8, 85
  - metapopulation viability 86
  - small populations 275
- Silene alba* 276–90
  - census 278
  - colonisation 277, 279
    - inbreeding 281–2
    - stages 287–8
  - cpDNA markers 279
  - founding event 279
  - fruit production 286, 287
  - gene flow 238, 271, 276–7, 283–7, 291
  - gene immigration pathways 279–80
  - genetic rescue 271, 288, 290
  - germination rate 280, 281, 282
  - inbreeding 276–7, 281–2
    - depression 279, 280, 281
    - metapopulation stability 287–8, 289, 290
  - metapopulation 277, 278–9
    - genetic structure 278–9
    - simulation 270, 288, 289
    - stability 287–8, 289, 290
  - migration rate 288, 289, 291
  - model system 277–9
  - pollen dispersal 284–7, 289, 290
  - pollen flow 290
  - pollinators 278, 285–6
  - rescue effect 279–80
  - seed production 277–8
- silveryeye 244
- simple sequence repeats (SSRs) *see*
  - microsatellite markers
- small populations 55–7, 274–5
  - cross-fertilisation 237
  - demographic stochasticity 66–7, 314
  - deterministic decline 65–6
  - deterministic threats to persistence 57, 58–9, 62
  - disturbance 314
  - environmental stochasticity 67–70, 314, 315
  - extinction 5, 85
    - vulnerability 331
  - genetic drift 315
  - genetic variation 15–16, 363
  - inbreeding 315
  - natural catastrophes 67–70

- small populations (*cont.*)
  - offspring fitness 275–6
  - optimal management regime 332
  - persistence
    - threats to 57–61, 62–3, 64
    - times 64–70
  - Rutidosia leptorrhynchoides* 343–4
  - regeneration capacity 331, 332
  - reproductive failure 59
  - seed production 275–6
  - stochastic decline 65–6
  - stochastic threats to persistence 57, 60–1, 62–3, 64
  - viability of isolated 275
- small-population paradigm 3, 58, 71, 98, 99
  - false dichotomy from
    - declining-population paradigm 114
- soil salination 362
- spatial complexity modelling 109–10
- spatial interactions in metapopulation
  - paradigm 88–93
  - behavioural factors 91–2
  - coevolutionary process conservation 92–3
  - extinction thresholds 88–90
  - movements of diseases/parasites 90–1
- spatial structure
  - fragmented systems with long-term
    - viability 80–3
  - gene flow 76
  - modelling 84
  - patches 85–6
  - persistence 76
    - threshold determination 88–9
  - regional 79–84
- speciation, recombinational 46
- species
  - diversity 127
  - effects in metapopulation studies 85–6
  - genetic variation 9–10
  - vulnerability 89
- Spermophilus columbianus* (Columbian ground squirrel) 91
- stochastic decline 65–6
- stochastic dynamic programming 111
- stochastic threats to persistence 57, 60–1, 62–3, 64
- stochasticity
  - founding cohort viability 274
  - PVA 108
- sun moth, golden *see Synemon plana* (golden sun moth)
- survivorship, golden lion tamarins 203
- Swietenia humilis* 293
  - biology 296–7
  - biparental inbreeding 304–5
  - conservation status 296–7
  - flowering patterns 305–7
  - flowers 296, 297
  - fruit 296
  - fruiting patterns 307–8
  - gene flow 300, 303–4
    - interfragment 308–9
    - measures 303–4
  - genetic differentiation 303–4
  - genetic diversity 298–303
  - genetic structure 304–5
  - heterozygosity loss 302
  - local adaptation 302–3
  - mating patterns 309
    - individual tree 305–8
  - microsatellite markers 293, 296
  - near-neighbour interactions 303–4, 306
  - paternity 300–1, 307–8
  - plant material collection 298–9
  - pollen donors 307–8
  - pollen flow 303–4, 306, 307, 309–10
    - measures 300–1
  - pollinator foraging 309–10
  - population fragmentation 297
  - seed dispersal 304–5
  - seed production pattern with
    - disturbance 307
  - self-incompatibility 309
  - shoot-tip-borer attack 297
  - spatial isolation 304
  - study data analysis 299–300
  - study site 297–8
- Synemon plana* (golden sun moth) 213, 215, 362
  - adult mortality 220–1
  - biology 215–16
  - census studies 216
  - colonisation 223–4
  - effective population size 220
  - gene flow 221, 223
  - generation time 217
  - genetic distance versus geographic
    - distance 221, 223
  - genetic diversity 221, 223
  - genetic relationships 221, 222

- habitat fragmentation 223
- heterozygosity 219, 220, 221
- inbreeding 219
- larval mortality 220–1
- mating patterns 219
- population
  - distribution 217, 219
  - fragmentation 216
  - structure 221, 225
  - subdivision 219
- study methods 217
  
- tamarin, golden lion
  - allozyme diversity 204
  - chimerism between twins 204
  - co-operative breeders 205–6
  - dispersal from natal group 206
  - mating system 205–6
  - reproductive success variation 206
  - social organisation 205–6
  - survivorship 203
- tamarin, golden lion, inbreeding
  - depression
  - dispersal 210–11
  - dominance 207
  - extinction risk 211
  - inbreeding coefficients 208, 209, 210
  - natal group 210, 211
  - offspring mortality 208–9, 210
  - population viability 208
  - records 207
  - sexual behaviour 207, 208–9, 210
  - study method 206–8
  - survivorship 209–10
- territorial budding 134
- territory
  - clustering in red-cockaded woodpecker 146–7
  - individual-based, spatially explicit simulation model 134
- tetraploidy 339–41, 344, 357, 358–9, 362
- tit, great 61, 62, 63
- tree mouse, pencil-tail *see* *Chiropodomys giroides* (pencil-tail tree mouse)
- Trichosurus vulpecula* (brush-tail possum) 242
- Trilepidea adamsii* extinction 242
- tropical trees
  - adaptability to fragmentation 310
  - gene flow 295, 310
  - seed production 310
  
- Tumut experiment 173–6, 177, 178
  - conservation implications 198–9
  - habitat fragmentation consequences 195–8
  - methods 178–9, 180, 181–3, 184, 185–6
  - results 186–7, 188, 189, 190–3, 194–5
  - study area 176, 177, 178
- Tupaia glis* (tree shrew) 149, 152, 154, 155
  - allelic diversity 159, 161, 165, 166, 168
  - generation time 158, 166
  - genetic variation 168
  - genotypes 165
  - heterozygosity 159, 163, 165–6
  - population decline 169
  
- vegetation, riparian 199
- viability, genetic variation 11–12, 13, 15–16
  
- water table 362
- weevils, introduced 59
- within-population processes 77, 83
- wolf, Mexican gray 115
  - allelic frequency variation 123–4
  - captive breeding programme 123–4
  - Certified lineage 123, 124
  - founders 124
  - genetic evaluation 122–4
- woodpecker, red-cockaded 5, 58, 132
  - co-operative breeding 132
  - critical resource 132
  - data collection 133
  - declining population size 143–4
  - demographic status 135–6, 137, 138
  - dispersal of females 134
  - effective population size 136–7
  - helper males 132, 143
  - immigration 140–1, 146
  - inbreeding 128–33, 141, 142, 143, 147, 364
    - accumulation 144
    - analysis 136–7, 139–41
    - avoidance behaviour 132–3, 145
    - depression 131, 132–3, 146–7
    - individual-based, spatially explicit simulation model 133, 134–5
    - kinship 144, 145
    - coefficient 139, 140, 142
    - male behaviour 134
    - natal dispersal 132
    - new territory creation 134

Cambridge University Press

0521782074 - Genetics, Demography and Viability of Fragmented Populations - Edited by Andrew G. Young and Geoffrey M. Clarke

Index

[More information](#)438 | *Index*woodpecker (*cont.*)

- pedigree analysis 131, 136–7, 144–6
- population genetics theory 144–6
- population persistence 135–6, 137, 138
  - small populations 147
- population status 137
- related pairs 139–40, 141, 143
- study population 133
- territory clustering 146–7

territory dispersion 144

Wright's island model of equilibrium  
inbreeding 145*Zelleria maculata* caterpillars 243, 244–5,  
247

edge effects 249

flower predation 241, 247, 248, 249

*Zosterops lateralis* (silveryeye) 244