

Index

- absolute temperature 9, 139, 180
 acrosome (acrosomal vesicle) 228, 233
 reaction 228
 actin 9, 25, 244
 cortical 36, 37, 38, 40–43, 243
 cytoskeleton 12, 80, 243
 density of 36
 fiber 38, 39–49
 filament (microfilament, F-actin) 7, 25, 26, 41, 43–49, 114, 205, 244
 in actomyosin gel 245
 in postfertilization 243
 monomer (G-actin) 9, 84
 myosin complex 157
 network 128, 245
 sol-gel transition in 245
 activator
 in reaction–diffusion systems 161, 181
 transcriptional 65
 active transport, *see* transport
 active zone, *see* vertebrate limb
 actomyosin gel 244, 247
 adenosine triphosphate (ATP) 8, 13, 228
 adherens junction, *see* cell junctions
 adhesion molecule, *see* cell adhesion molecule
 aggregate 29
 embryo as 30
 multicellular 29
 spheroid 29
 allantois 224
 amphipathic molecules 39, 83
 anaphase-promoting factor (APC) 63
 angioblast 194
 angiogenesis 196–197
 animal cap (of frog blastula) 172
 animal–vegetal axis (amphibian blastula) 177
 anomalous diffusion, *see* diffusion
 aorta 190, 194
 apical ectodermal ridge (AER) 213, 216, 218
 apical contraction, *see* cell
 apical zone, *see* vertebrate limb
 archenteron 117, 131, 189
 area expansivity modulus 38
 Aristotle 1
 asters 25, 41
 astral signal 41
 distance between 42
 distance from cortex 40, 41
 mitotic spindle 40
 astral signal 40, 41, 243
 attractor, *see* fixed point
 autocrine, *see* signaling
 autoregulatory 65
 loop of TGF- β production 213
 network of transcription factors 69, 110, 125, 165, 261
 axes, embryonic
 anteroposterior axis 118, 123, 178
 dorsoventral axis 178
 formation of primary axis 162, 177
 reassigned in *Xenopus* 178
 rostrocaudal axis 178
 axon 16
 bacteria 14
 coasting 20
 basal lamina 78, 80, 105, 110, 122, 213, 251
 basin of attraction 57, 64, 69, 76, 116
 Bateson, W. 163
 beetle 260
 Bell equation 88
 Bell model 84–90
 bending energy 101, *see also* Mittenthal–Mazo model
 bending rigidity (bending stiffness) 39, 46
 beetle 256
 bifurcation 60
 Hopf 59–63, 258
 Turing 258
 binary mixture of cells 91
 binding affinity 67
 blastocoel 27, 99, 110, 111, 112, 131
 floor 224
 fluid 100
 internal cavity 110
 wall 131
 blastoderm
 definition of 27
 Drosophila 256
 blastomere 28, 99, 128–130, 159
 nuclei 53–57, 58
 blastopore 131, 156, 178
 rostral lip of 167, 178
 blastula 24, 29, 30, 51, 178
 formation 24, 27, 41, 43–49, 50, 51, 58, 224, *see also* cleavage
 Drasdo–Forgacs model of 43
 hollow 51, 58
 manifestation of multicellularity 77, 92
 mechanical properties 44
 morphogenetic structure 43
 Nieuwkoop center 182
 polarized cells in 79
 spherical 49
 unstable 49
 blood vessel formation, *see* vasculogenesis
 body cavities 250
 body plans 188, 189, 205
 of metazoa 250
 physical origin of 252–256
 Boltzmann's constant 9
 bone 132, 134, 138, 143, 151, 188, 211
 Bone Morphogenetic Protein (BMP) 125, *see also* morphogen
 branching morphogenesis 205, *see also* salivary gland morphogenesis
 Brownian motion 9, 11
 Bussolino *et al.* model for vasculogenesis 199–203, 205
 cadherin, *see* cell adhesion molecule
 calcium ion Ca²⁺ 237, 238, *see also* fertilized egg
 Ca²⁺ release induced by Ca²⁺
 intracellular stores of 237, 238, 239
 in signaling 239
 saltatory 241
 calcium ion channel 240
 calcium ion oscillation in egg 240
 calcium ion waves
 in postfertilization egg 236–241, 242–247
 reaction–diffusion (FDF) model for 239–241
 saltatory 241

- Cambrian explosion 250
 canalization (canalizing selection)
 263, 268
 capillaries 190
 cardiac looping 191, 193
 cardiovascular system
 development 190–203
 cartilage 134, 150, 188, 211, 213
 Cdc 2 58, 60, 63
 cell 7
 apical contraction of 114–115
 compressibility of 45
 contraction of 156, 157, 188
 daughters (progeny) 57, 64
 diploid 27
 electical excitability 156, 188
 eukaryotic 6, 15, 251
 follicle 227
 haploid 225
 germ 224
 migration of 201
 nurse 227
 pluripotent 51
 prokaryotic 6
 totipotent 51
 unipotent 51
 cell adhesion 30, 45, 78–80
 covalent bond in 81
 crosstalk in 152
 heterophilic 79
 homophilic 78, 79, 86
 hydrogen bond in 81
 in limb development 212, 217
 in origination of body plans 255
 ionic bond in 81
 to substratum 78
 substratum adhesion molecule
 (SAM) 78, 124
 integrins 78, 80
 steric hindrance in 81
 van der Waals force in 81, 83
 cell adhesion complex 78, 80
 cell adhesion force 81
 in Bell model 87
 cell adhesion molecule (CAM) 46, 47,
 77, 78, 95, 124
 cadherin 77, 80, 83, 95, 97, 134,
 150, 212
 immunoglobulin superfamily
 96
 in cellular Potts model 152
 N-CAM 77, 150
 selectins 77, 103
 cell aggregates (primitive) 250
 cell cycle 25, 26, 254
 and cell state
 and cell surface tension 37
 and surface contractions in egg
 243
 as component of two-oscillator
 pattern formation systems
 160, 165
 during cleavage 57–63
 in Kaneko-Yomo model 73, 75
 in sea urchin gastrulation 110
 pattern formation 158
 regulatory proteins in egg 227
 time of 20, 46–47
 cell detachment 134
 cell division 24, 26, *see also* mitosis
 and meiosis
 early 24
 late 27
 cell junction 78
 adherens junction 78, 80, 125
 desmosome 78
 focal adhesion complex 78, 80
 gap junction 78
 hemidesmosome 78
 tight junction 78
 cell membrane, *see* membrane
 cell migration as mechanism of
 pattern formation 157
 cell relay (“bucket brigade”)
 mechanism 161, 173
 cell repulsion 45
 cell sheets 46, 78, 100, 251, *see also*
 epithelia
 cell state
 alternative 254
 biochemical 52, 156
 differentiated 8, 53
 functional 53
 cell surface 78, *see also* cell
 membrane
 cell surface molecule 255, *see also*
 cell adhesion molecule
 cell type 52
 cellular automata 124, 126, 151
 cellular Potts model (CPM) 151
 for mesenchymal condensation
 151–154
 centromere 7, 25
 centrosome 7, 25, 26
 separate 25
 spindle 25
 channel, *see* protein channel
 chaos 57
 checkpoint 57–63
 in cell cycle 57–63
 Cheer *et al.* postfertilization
 mechanochemical model 245
 chemical equilibrium 54
 chemical wave 223, 234, *see also*
 calcium ion wave
 chemoattractant, *see also* morphogen
 gradient of 202
 chemokinesis 157
 chemotaxis 15, 135, 157, *see also*
 bacteria, coasting
 chicken
 cardiac looping 191, 199
 egg 228
 limb development 213
 neural retina 70
 somitic oscillator 163
 symmetry breaking in primary
 axis 184
 chromatid, *see sister* chromatids
 chromatin 7, 25, 26
 as DNA-protein complex 52
 conformation of 52
 closed 52
 open 52
 chromatin remodeling 65
 chromosome 25, 26, 58
 cilia 230
 circulatory system 189, 190
 cleavage 24, 27, 28, 30, 57, 60,
 101–102
 cell biology of 24–28
 control of cell cycle during
 57–63
 holoblastic 28, 44
 meroblastic 28
 physical models of 38, 39–49
 physical processes in 29–39
 cleavage furrow 25
 clefting (in glands) 204, 206, 210
 clefting force 209, 210
 clock and domino mechanisms 63
 clock and wavefront mechanism, *see*
 pattern formation
 cohesion energy (work of cohesion)
 32, 103
 cohesion of tissues 91, 93, 94, 95
 collagen 133
 thermodynamics of assembly 139
 fibers 143
 fibrils 143
 fibrillogenesis 139
 in ECM 139

- community effect 70, *see also*
 Kaneko-Yomo model
- compartment (in tissue) 80, 255
 in mesenchyme 132
- complex system 53
- concentration gradient, *see* gradient
 of chemical or molecular
 concentration
- condensation, *see* mesenchymal
 condensation
- conduction 16
- connective tissues 138, 143, 213
 irregular 143
 regular 143
- contact angle 32
- contractile ring 25, 41, 43
 molecular motors 25
- convective flow 16, 230
- convergence and extension, *see*
 convergent extension
- convergent extension 100, 117–122,
 189
 as pattern formation 157
 in gastrulation 109, 178, 184
 in neural plate formation 124
 Zajac-Jones-Glazier model of
 119–122, 123
- cornea 132, 142, 143
- cortex, *see* membrane
- cortical
 actin 36, 37, 40–43
 cytoplasm (amphibian egg) 177
 granules 228, 234, 237
 reaction 236–238, 239
 rotation (amphibian egg) 177, 178
 tension 34–38
 determined by 36
 measured 36
 waves (on egg surface) 238
- critical exponents 146
- curvature 44
 average 33, 46
 in cleavage 44
 local 39
 radii of 33, 35, 36, 42, 209
 definition 33
 spontaneous 39, 46, 112
- curvature energy (bending energy)
 38–39, 46
- cyclin 58, 63
- cyclin-dependent kinase (Cdk) 63, *see*
also Cdc2
- cytokinesis 25
 in cell division 25
- cytoneme 133, 148
- cytoplasm (cytosol) 12, 101
- cytoplasmic streaming or flow 16,
 243
- cytoskeleton 7, 21
- deformation 21
 compression 34, 36, 153
 elongation 21
 in cell shape 48
 shear 17, 22, 208
 strain 22
- de Gennes, P.-G. 3
- delamination, *see* gastrulation
- deoxyribonucleic acid (DNA) 24
 as template 24
 in nucleus 24
 double helix 24
 sequences of 65
 synthesis (or S-phase) 25, 57
- deshosphorylation 60
- derivative 18, 54
 definition of 18
 ordinary 18
 partial 18
- dermamyotome, *see* somite
- desmosome, *see* cell junction
- determination (of cell type or fate)
 51–52, 57, 64, 125
- developmental
 field 181
 noise 271
 program 249–250
 systems 249
 physical origin of
- differential adhesion 78–80, 251
see also cell adhesion
 as basis for pattern formation 155,
 157
 in body plan formation 255
 in compartment formation 80
 in *Drosophila* ovarian follicle
 development 94
 in lumen formation 79, 80
 in tissue engulfment 91
 sorting-out in 69, 84, 155, 251, 255
 physics of 92, 95–97
 Steinberg-Phillips model 90–97
- differential adhesion hypothesis
 (DAH) 91, 142, 150
- differential equation 54
- differentiation (of cell type) 51–52,
 53, 63–76, 78, 117
 and pattern formation 157,
 159–162
- control by transcription factors
 65
 in model of Hentschel *et al.*
 215–216, 219
 in morphogenesis 155
 in neurulation 122
 of cartilage in limb development
 211–213, 215
 of gametes 224–228
 of muscle 69
 regulation by Notch-Delta
 signaling 168–169, 187
- diffusion 8–15
 anomalous 12
 facilitated 14
 free 8–12, 251
 in Bell model 85
 in cell interior 8, 12–13
 in cell membrane 84
 in formation of body plans 252
 in Kaneko-Yomo model 72
 in lipid bilayer 84
 in mesenchyme 133
 in the presence of external forces
 11, 13–14
 of cells 14–15
 of morphogens 156
- diffusion coefficient 9, 10
 of G-actin 10
- diffusion current 14
- diffusion time 10
- digits (on limb) 211, 217
- dimensional analysis 19
 for surface tension 77, 97
 for friction coefficient 96
- diploblastic animals 99, 155
- diploid organism 25, 57, 225, *see also*
 cell
- dissipative system 54
- Donnan ratio 236–238
- dorsal aspect (of embryo) 90,
 134–138
- dorsal mesentery 224
- drag force 16, 231, *see also* viscosity
- Drasdo-Forgacs model 41, 43–49,
 102
 of cleavage and blastula formation
 25, 41, 43–49
 compared with Mittenthal-Mazo
 model 113, 126, 128
 of gastrulation 111–113, 119, 156
- drift velocity 14, 236
- Drosophila melanogaster* (fruit fly) 27,
 174, 260, 261

- segment polarity module 269, *see also* von Dassow *et al.* model
 for segment polarity
 segmentation in 256–260, 264
 dynamical system 53–57, 58, 63, 76
 dynamical state 63
 bistability 271
 multistability 64, *see also* Keller and Kaneko–Yomo models for cell differentiation
 transitions 251
 dynein, *see* molecular motor and protein
- ectoderm 99, 109, 110, 156
 limb 211, 213, *see also* apical ectodermal ridge
 Ediacaran period 256
 Einstein–Smoluchowski relation 17
 in membrane potential 236
 elastic
 energy 107
 material 21
 modulus 21
 pressure 245
 elasticity 21
 of cells 21
 of extracellular matrix 30
 of tissues 105, 107, 117, 251
 electrical gradient, *see* gradient
 electrical potential difference 14
 electrochemical gradient, *see* gradient
 embryogenesis 53
 encounter complex 85, *see also* Bell model
 endocrine cells, tissues, glands 135, 189
 endocytosis 38
 endoderm 99, 109, 172
 endogenous 136
 endothelium, endothelial cells 190, 200
 ensemble average 9, 10
 enthalpy 139
 entropy 139
 enzyme 58, *see also* protein
 in Kaneko–Yomo model 72
 protease 134
 protein kinase 58, 60
 epiblast 131, 224
 epidermis 172
 epigenetic 64
 inheritance 64
- state 64
 system 264
- epithelia 100
 physical properties of 100–108
 proliferation of 204
 Mittenthal–Mazo model 104–108
 epithelial–mesenchymal interaction 189, 204, 211, 215
 epithelial-to-mesenchymal transformation 134, 190
 equilibrium constant 85
Escherichia coli 63
 eukaryotic cell, *see* cell
 evolution 187, 261, 271
 evolutionary experiments (in the model of Salazar-Ciudad *et al.*) 266
 evolutionary innovation 261
 evolvability 272
 excitable medium 240, 244
 chemical 101, 249, 254
 electrical 51
 mechanical 115, 116
 mechanochemical 244
 exocytosis 37, 38, 228, 234
 exogastrulation, *see* sea urchin
 exogenous 135
 exoskeleton 189
 extracellular component 46
 extracellular effectors 119
 extracellular gradients 156, 161, 165, 167, 168–169, 173
 extracellular layer 44
 extracellular matrix (ECM) 6, 7, 78, 81, 94, 100, 103, 189
 and mesenchymal condensation 152
 as communication medium 133
 composition of 138–139
 in epithelial–mesenchymal interactions 204
 in gastrulation 110, 131
 in haptotaxis 135, 225
 in model of Hentschel *et al.* 217
 in Kerszberg–Changeux model 125
 in limb development 211–212, 220
 in Lubkin–Li model 206
 in mesenchymal morphogenesis 131–132
 in model mesenchymal tissues 132, 138, 141, 200
 in neural crest pathways 136–138, 139
 in single-celled organisms 249
- in tissue contraction 157, 167, 205
 mineral in 81
 networks and phase transitions in 134, 148
 of egg vitelline membrane 228, 233
 of fertilization membrane 234
 percolating cluster of fibers in 148
 proteoglycans of 138
 receptors 83
 secretion of 99, 110, 188
 streaming in 138
 viscoelastic properties of 133
 extracellular portion of membrane proteins
 extracellular signaling molecules 125
 extracellular space 13, 29, 135, 161, 167
 extracellular transport 46
 extraembryonic membrane 27
- facilitated diffusion, *see* diffusion
 fate map 178
 sea urchin 111
Xenopus 179
 feather bud tracts 161, 190
 feedback loops (in the model of von Dassow *et al.*)
 negative 271
 positive 271
 feed-forward, *see* pattern formation, hierarchical inductive
 fertilization 25, 177
 envelope 110, 223, 231, 237
 polyspermy 223
 processes in 223
 fertilized egg 4, 8, 237, *see also* zygote
 biochemical oscillator in extracts of 57
 Ca²⁺ waves in 236–241
 cortex of 243
 cytoskeleton in 12
 diploid genome of 234
 liquid drop model of 29
 membrane resting potential 234–236
 release of Ca²⁺ stores in 238–239
 subdivision during cleavage 29
 shape of 12
 surface contraction waves in 242–247
 mechanochemical model for 244–247
 surface tension and division of 29–30

- FGF receptors 213
 FGFR1 213
 FGFR2 213
 FGFR3 213
 fibroblast growth factor (FGF) 160,
 213, *see also* morphogen
 in limb development 216, 218
 in somitogenesis 163
 fibronectin 138
 in cellular Potts model 152
 in limb development 212, 216
 in matrix-driven translocation 142
 in mesenchymal condensation
 150, 211
 filamentous algae 250
 filopodia 36, 37, 110, 131, 225
 fire-diffuse-fire (FDF) model 239–241
 first passage time 10, 11
 fixed point (or node) 55
 basin of attraction of 57
 stable or attractor 55, 57, 60
 unstable 55
 fluid mosaic model 84
 focal adhesion, *see* cell junction
 follicle cell, *see* cell
 fractals 197–199, 200, 250
 free diffusion, *see* diffusion
 friction 14
 due to extracellular matrix 46
 internal 16–17
 frictional coefficient 14, 19
 of tissues 96, 97
 frictional motion 19, *see also* bacteria,
 coasting
 frozen zone, *see* vertebrate limb
 fruit fly, *see* *Drosophila melanogaster*
 furrow 42
 G1-phase, *see* interphase
 G2-phase, *see* interphase
 gametes 223, 227, 244
 gametogenesis 224
 gap junction 78, 133
 gastrulation 24, 27, 78, 108–122
 and convergent extension 100,
 117–122
 and evolutionary scenario 255
 and Meinhardt reaction-diffusion
 model 181–184
 and mesoderm induction 162
 and Notch-Delta pathway 162,
 168–169
 definition of 69, 99
 delamination in 109
 epiboly in 109
 epithelial to mesenchymal
 transformation during 134,
 190
 formation of Caudal gradient in
 156
 formation of mesenchyme in 111,
 131, 132
 hierarchical determination of cell
 specification during 272
 in sea urchins 110–116, 117
 Drasdo-Forgacs model 111–113,
 119
 model of Odell *et al.* 113–116, 119
 ingression in 109
 initiation of 58, 178
 invagination in 109, 194
 involution in 109
 transport of mesenchymal cells
 during 142, 148
 gel 12, 42, 146
 gelation, gelation transition 145–147,
see also sol-gel transition
 gene 8, *see also* cell adhesion
 molecule, morphogen,
 transcription factor
 constitutively active 64
 developmentally regulated 52,
 64
 gap 260
 homeobox 257, 260–261
 housekeeping 52, 64
 Hox 257
 maternal 46
 pair-rule 256, 260
 segment-polarity 256
 template-competent 52
 transcribable 52
 zygotic 46
 gene expression 4, 8, 39, 64, 156, 167,
 178
 in animal cap cells 173, 178
 asymmetric 191
 axis-associated 178, 184
 computational approaches to
 measurement 248
 differential 2, 248
 pair-rule 261
 profile of 64
 stripes in 258, 265
 zygotic 239
 gene-gene coupling constant (in
 model of Salazar-Ciudad *et al.*)
 264
 generic physical mechanisms 22,
 188, 249
 genetic networks 255, *see also*
 transcription factor
 germ-band (of insect embryo) 268
 intermediate 260
 long 256, 261
 short 256, 261
 germ cell, *see* cell
 germ layers 99, 155, 189 *see also*
 ectoderm, mesoderm,
 endoderm
 germ-line cell 94, 224
 germ plasm 224
 germinal vesicle 227
 Gibbs free energy 139
 glycocalyx 46, 79, 81
 glycolipids 83
 glycoproteins, *see* proteins
 glycosaminoglycans 138
 heparin 150
 hyaluronan 143, 211
 in membrane proteins 81
 in proteoglycans 81
 gonads 224
 gradient 156
 electrical 14
 electrochemical 14, 234–236
 in evolutionary scenario 251, 252,
 253, 256
 in particle current 235
 in sedimentation of yolk platelets
 108, 254
 of surface tension 40
 velocity, at liquid-liquid interface
 209
 gradient of chemical or molecular
 concentration 13, 14, 15, 69,
 157, 161, 168–169, 173, *see also*
 morphogen
 as gate 164, 254
 chemotactic, produced by egg 232
 formation by emergent
 mechanism 254
 generation by diffusion in tissues
 174–176
 in Kerszberg-Changeux model of
 neurulation 125, 156
 induction of mesoderm by
 171–173
 of adhesive molecules (haptotactic)
 135, 150, 157
 of Dpp in the *Drosophila* wing disk
 174, 176

- of FGF8 in somitogenesis 164
 of fibronectin in precartilagel condensation 219
 of gap gene products in the *Drosophila* embryo 257, 261
 of maternal gene products in the *Drosophila* embryo 260, 261, 257
 of TGF- β -like molecule in Nieuwkoop center 184
 of VEGF-like molecule in vasculogenesis 201
 grasshopper 260
 segmentation in 257
 gravity 108, 177, 253
 gut (digestive tube, intestine) 172, 186, 224
- haploid cell, *see* cell
 haptotaxis 135, 157, 219, 225
 He-Dembo model for cleavage 43
 heart 179, 190
 four-chambered 191, *see also* cardiac looping
 heart muscle 191, 199
 hemangioblast 194
 hemidesmosome, *see* cell junction
 Hensen's node 131, 184, 186
 Hentschel *et al.* model for limb development 213–215, 220
 hindbrain 95
 Holtfreter–Townes experiment 90
 homologs of chromosome 225
 homophilic, *see* cell adhesion
 Hookean regime 21
 Hooke's law 21
 Hopf bifurcation, *see* bifurcation
 horseshoe crab 256, 258
 human genes 52
 humerus 211, 217
 hyalin (protein) 233
 hyaline layer (of egg) 30, 44, 46
 hydrophilic 39, 82
 hydrophobic 82
Hydra 90, 155
 organizer in 178
 hypoblast 131
- ideal gas 16
 imaginal disc 104, 173
 immiscible liquids 34, 142
 immunoglobulin superfamily, *see* cell adhesion molecule
- in vitro systems 2, 58, 95, 133, 205–206
 induction
 of mesoderm 156, 162
 of neural plate 122
 of vertebral column 117
 inertial motion 19, *see also* bacteria, coasting
 inhibitor, *see* morphogen
 inner cell mass 27
 inositol trisphosphate (IP₃) 239, 244
 receptors 240
 integrin, *see* cell adhesion molecule
 interaction energy of cells 45
 intercalation 111–113, 119
 interfacial energy 30, 31, 103, 121
 interfacial tension 30, 34, 210
 in MDT 141
 intermediate filament 7, 12
 internal friction, *see* friction
 interphase 26
 DNA synthesis (S-phase) 25
 time gap 1 (G1-phase) 25
 time gap 2 (G2-phase) 25
 intussusceptive growth 196
 invagination 36, 37, 101, 109, 116, *see also* gastrulation
 isologous diversification, *see* Kaneko–Yomo model
- juxtacrine signaling, *see* signaling
- Kaneko–Yomo model for cell differentiation- 52, 69–76
 community effect in 70
 isologous diversification 70, 254
 Kartagener (immotile-cilia) syndrome 230
 Keller model for cell differentiation 65–69, 254, *see also* autoregulatory network
 Kerszberg–Changeux model for neurulation 125–126, 127, 156, *see also* neurulation
 compared with Drasdo–Forgacs model 126
 compared with Mittenthal–Mazo model 126
 kidney 204
 tubules 134, 152, 189
 kinesin, *see* molecular motor and protein
 kinetic energy 9
- kinetochore 25, 26
 tension 25
- Lagrange multiplier 33
 lamellipodia 36, 37
 laminin 138
 Lander *et al.* model of morphogen diffusion 174–176
 Laplace pressure 33, 34, 36, 42
 Laplace's equation 33, 34, 35
 lateral aspect (of embryo) 135
 left–right asymmetry 160, 161, 162, 168–169, 191
 Lewis model for somitic oscillator 164–168
 ligand 83
 limb 148, *see also* vertebrate limb
 bud 148, 211
 fore 148
 hind 148
 limit cycle 55
 in Tyson–Novak model 59
 in cell cycle 59
 MPF cycle 59
 phase of 63
 linear stability analysis 55, 99, 128–130, 170, 171, 219
 lipid bilayer, *see* membrane
 lipid membrane, *see* membrane
 liquid crystals 132
 “liquid” tissues 94, 100, 105, 189, 206, 251, *see also* Steinberg–Phillips model and Mittenthal–Mazo model
- lobules (of glands) 204, 211
 loss angle 147, 151
 in MDT 147
 loss modulus 145, *see also* viscoelastic moduli
 Lubkin–Li model, for salivary gland morphogenesis 205–210
 lumen formation 79, 99, 100, 194, 251
 lungs 189, 204
 lymphocytes 84
- matrix-driven translocation (MDT) 133, 139, 141, 142
 M-phase, *see* mitosis
 M-phase promoting factor (MPF) 58
 mechanical wave 223
 mechanochemical coupling 244
 medial 135

- Meinhardt model
 for primary-axis formation 181–184, 185
 for breaking of left–right symmetry 184, 185
- meiosis or meiotic division 57–58, 226, 238, *see also* cell division
 meiosis I 58, 225
 meiosis II 58, 225
- meiotic division, *see* meiosis
- membrane of 7, 81–83
 channel 83
 composition of 81–83
 cortex 42
 energy of 38
 lipid bilayer in 15, 82, 83
 nanotube 36
 plasma 13, 25, 29, 36, 38, 80–81, 82, 83, 114, 228, 233
 semi-permeable 15
 stretching of 45
 tether 36
- membrane potential 7, 14, 234, 235
- membrane resting potential, *see* membrane potential
- mesenchymal condensation 95, 133, 150–154, 189, 204, 211
- mesenchymal-to-epithelial transformation 134, 152, 190
- mesenchyme, *see also* tissue
 phase separation in 148
 primary (of sea urchin embryo) 110
- mesoblast
 limb 211
 trilaminar embryo 131
- mesoderm 109
 extraembryonic 224
 induction of 171–173
 paraxial (presomitic, PSM) 162, 163, 164
 somitic 117
- metaphase 58
- metazoa 7
 as excitable media 251
 body plans of 250
 origin of 250–252
- microarrays 248
- microenvironment (of cells) 69, 81, 101, 138, 156, *see also* extracellular matrix *and* glycocalyx
- microfilament 26, *see also* actin
- microfingering flow 136–138
- micropipette aspiration 36, 37
- microspikes 36, 37
- microtubule 7, 12, 26, 40, 243
 and molecular motors 9
 asters 25
 centrosome 25
 kinetochore 25
 mitotic spindle 25
- microtubule organizing center 25
- microvilli 7, 36, 37
- midblastula transition 27, 58, 63
- migration, *see* cell migration
- mitosis or mitotic division 25, 26, 58, *see also* cell division
 oriented, as mechanism of pattern formation 157, 159
- mitotic apparatus, *see* mitotic spindle
- mitotic division, *see* mitosis
- mitotic spindle (mitotic apparatus) 25, 40
- Mittenthal–Mazo model for epithelial morphogenesis 104–108, 110–116, 117, 126
- modules
 biochemical 6
 definition of 268
 developmental 258, 266, 268–271, 272
 genetic networks organized as 266
 segment polarity of 258, 268–271, 272
 tissue 162
- molecular clock 27
- molecular motor 8
 dynein 25, 186, 230
 LRD mutation of 186
 kinesin 25
 rotary 20, 230
 translational 230
- monocilia 186
- Monte Carlo simulation 47–48, 112, 153
- morphogen 125, 156
 chordin 173
 Derriere 182
 FGF family 160, 173, 213
 FGF8 163
 Hedgehog 269
 inhibitory 161, 173, 184, 213, 252
 Lefty 184
 Nodal 179, 184, 186
 noggin 173
 proto- 252
 Sonic hedgehog (Shh) 125, 179, 186, 217
- TGF- β superfamily 160, 173
- VEGF 197
- Wingless 268, 269
- Wnt-7A 217
- Xnr 156, 161, 168–171
- morphogenesis 156, 157, 189
 cell movement in 46
- morphogenetic field 125
- motion 8
 active 8
 irregular 9, *see also* Brownian motion
 passive 8
 random 9, 10, *see also* Brownian motion
 thermal 9
- muscle 156, 211
 contractility 188
 differentiation 160
 limb 211
 origin in somites 162
- N-CAM, *see* cell adhesion molecule
- nanotubes 143
- natural selection 1, 2, 7, 252, 263, 264
- Navier–Stokes equation 18, 208
- neo-Darwinism 261
- neovascularization 196
- Nernst–Planck equation 234–236
- nerve 211
- nerve cells 156, 188
- neural crest
 cephalic or cranial 136
 compared with primordial germ cells 225
 dispersal, migration, translocation 78, 134–138, 152, 189
 epithelial–mesenchymal transformation 190
 derivatives of 135
 fluid properites of 136
 trunk 135, 138
- neural
 folds 123, 189
 groove 122–126
 plate 122–126, 156, 160, 168–171, 194
 tube 100, 122, 123, 136
- neurulation 100, 122–126, 189
 Kerszberg–Changeux model of 125–126, 127
- neutrophil 38
- Newton 1
 law of gravity 1

- first law 19
 second law 19, 32, 33, 201, 207, 208
 third law 230
 Nieuwkoop organizer, *see* organizer
 nodal flow 186
 node, *see* fixed point
 Notch-Delta signaling system 125, 160, 164–165, 168–169, 173, 255
 in axial symmetry breaking in chicken 184
 in model of Sherratt *et al.* 169
 notochord 117, 136, 178, 189, 204
 nuclear envelope 7, 25
 in cell division 25
 nucleoplasm 12
 nurse cell, *see* cell

 Odell *et al.*, model for gastrulation 113–116, 119
 compared with Drasdo–Forgacs model 113
 oocyte 52, 58, 225
 oogenesis 27, 58, 94, 159, 225–228
 oogonia 225, *see also* germ-line cell
 open system 54, 251
 orbit 55
 ordinary derivative 18
 organ rudiment 189
 organizer 180, 252
 in *Hydra* 178
 Nieuwkoop center 177, 180, 182
 proto- 252, 254
 Spemann–Mangold 173, 178, 180, 182
 vegetal pole 173, 180
 oscillating viscometer 146
 oscillator, *see also* Tyson–Novak model *and* Lewis model
 Bateson's hypothesis 163
 biochemical 57, 258, 260, 261
 in formation of body plans 254
 c-hairy1 163
 somitic 164, 165
 osmosis 15–16
 osmotic pressure 7, 15, 16
 in Cheer *et al.* model 245
 oviduct 230

 pancreas 190
 paracrine, *see* signaling

 parallel plate tensiometer 95
 parasegments 258, 259, 268
 partial derivative 18
 particle current 14
 pascal 17, 21
 pattern formation, multicellular 108, 122, 158
 by juxtacrine signaling 173
 by mitosis 159
 by paracrine signaling 172
 by reaction–diffusion systems 173–174
 cell autonomous 157, 159–160
 clock and wavefront mechanism 157, 164, 167
 in cell condensation 151
 inductive 157
 emergent 161, 177, 254
 hierarchical 161, 252, 254
 morphodynamic 177
 morphogenetic 156, 157, 177
 two-oscillator mechanism 160, 165, 254
 percolation 134, 142–148, 197–199
 spanning cluster 143
 threshold 145
 transition 145
 periodic processes 27
 phase plane 53
 phase transition
 liquid crystal 132
 paramagnetic 180
 percolation 145
 phospholipids 82
 phosphorylation 60
 phyla 250
 piston as viscous element 22
 planar cell polarity, *see* polarity
 plants 250
 plasticity (of cell type) 254
 Plato 1
 plasma membrane 7, *see also* membrane
 polar body 58, 227
 polarity of cell
 basolateral 44, 78, 194, 251
 planar 113–116, 119, 122, 157
 polycystic kidney disease 194
 polyspermy 223, 234, *see also* fertilization
 fast block to 234, 236
 slow block to 234, 236–238
 positional information 176
 posterior growth (proliferative) zone
 in arthropod segmentation 256, 258
 in somitogenesis 163, 165
 power law 145, 146, *see also* scale-free systems
 for behavior of viscoelastic moduli 147
 for viscosity 145
 for Young's modulus 145
 precartilaginous mesenchyme 211, *see also* mesenchyme
 pregastrula 99
 pressure force 208
 primitive streak 131
 primordial germ cell (PGC) 224
 see also cell
 prokaryotic cell, *see* cell
 promoter (of gene) 65, 260
 stripe-specific 261
 pronucleus 233
 protease, *see* enzyme
 protein 8
 see also enzyme, extracellular matrix, molecular motor, morphogen, and transcription factor
 cytoskeletal 21
 cytoplasmic 9, 12
 homeodomain 256
 glycoproteins 81, 228
 integral membrane 83
 transmembrane 21
 protein channel 7, 83, 234
 protein kinase, *see* enzyme
 proteoglycan 138
 proximodistal progression of limb development 211
 pseudomorphism 263
 pulmonary
 artery 190
 vein 190

 radius and ulna 211, 217
 random networks 143
 rate constant 59–63
 reaction–diffusion systems 161, 173–174, 181, 251, 252, 254, 261, *see also* pattern formation
 diffusion-limited 241
 in evolutionary scenario for insect segmentation 264
 in model of Cheer *et al.* 245
 in model of Hentschel *et al.* 217, 218, 219

- in model of Lander *et al.* 175
 in models of Meinhardt 181
 random fluctuations in 186
 reaction-limited 240, 241
 receptor 83
 FGF 213
 IP₃ 240
 Patched 269
 VEGF 201
 repressor, *see* transcription factor
 ribonucleic acid (RNA)
 mRNA or messenger RNA 69
 transcript 52
 robustness (of development) 222,
 263, 264
 in model of Salazar-Ciudad *et al.*
 267
 in model of von Dassow *et al.* 271
 saddle points 42
 salamander 137, 211
 Salazar-Ciudad *et al.* model for
 evolution of development
 264–267
 salivary gland morphogenesis 190,
 204–210, 211
 epithelial theory of 205
 mesenchymal theory of 206
 Lubkin–Li model for, *see*
 Lubkin–Li model
 scale-free systems 145, 146
 scaling law 147
Schistocerca, *see* grasshopper
 sclerotome, *see* somite
 sea urchin 20, 27, 28
 acrosome reaction 233
 archenteron elongation in 111,
 189
 as radially symmetric 188
 as triploblasts 99, 109, 117
 cleavage in 40, 111
 White–Borisov model 37, 40–43
 Drasdo–Forgacs model 41, 43–49
 exogastrulation 112
 fertilization 223
 fertilization wave 239
 gastrulation in 110–116, 117
 Drasdo–Forgacs model 111–113,
 119
 model of Odell *et al.* 113–116, 119
 and Notch–Delta pathway 162,
 168–169
 hierarchical determination of cell
 specification 272
 larva 110
 jelly coat of egg 228
 primary mesenchyme 110, 131,
 135
 secondary mesenchyme 131
 size of egg 228
 surface contraction waves 242–243
 transitions between cell types 68
 sedimentation (as a pattern-forming
 process) 108, 253, *see also*
 gravity
 segment polarity module 258,
 268–271, 272
 segmentation 95, 162–168, 256–260,
 see also somite formation
 clock 258
 evolution of 257, 260–261
 in long germ-band insects 256
 in *Drosophila* 257
 in short germ-band insects 256
 molecular mechanisms of 256–260
 physical mechanisms of 257,
 260–261
 selectin, *see* cell adhesion molecule
 self-organization 101, 178, 191, 197,
 200, 234, 251, 254
 semi-permeable membrane, *see*
 membrane
 separation of time scales 219
 separatrix 57
 shear 17, *see also* deformation
 shear modulus 22
 shear rate 17
 shear stress 22
 Sherratt *et al.* model for juxtacrine
 pattern formation 169–171
 Sierpinski carpet 191, 199
 signaling, signal transduction 69
 autocrine 161
 inside-out 83
 juxtacrine 133, 160, 255, 83 *see also*
 Notch–Delta signaling system
 outside-in 69, 83
 paracrine 133, 160–161, *see also*
 morphogen
 Wnt pathway 182
 sister chromatids 25, 26, 58,
 225
 separation of 25, 26
situs inversus 186, 230
 skeletal pattern
 vertebral column 162
 vertebrate limb 161
 skeleton 211
 soft matter 3, 248, *see also*
 viscoelastic material
 sol–gel transition 145, 147, 245, *see*
 also gelation
 solid blastula, *see* stereoblastula
 somatopleure 191, 192
 somite 135, 136, 162, 163
 boundaries 161, 163, 167
 dermamyotome 162
 formation (somitogenesis) 160,
 162–168
 Lewis model for 164–168
 intrasomitic space 136
 number 162
 sclerotome 162
 somitic oscillator, *see* oscillator
 Sonic hedgehog (Shh), *see* morphogen
 sorting-out, *see* differential adhesion
 Spemann–Mangold organizer, *see*
 organizer
 sperm 52, 229, 243, 244, *see also*
 spermatozoon
 capacitated 225
 entry point of 177, 178, 239, 240,
 243
 flagellum of 228
 locomotion of 228–232
 motility of 228–232
 viscous drag on 232
 spermatocyte 225
 spermatogenesis 58, 225–228
 spermatogonia 225, *see also* germ-line
 cells
 spermatozoon 228
 spermiogenesis 228
 S-phase, *see* DNA synthesis
 spider 258
 spinal cord 109, 117, 122
 splanchnopleure 191, 192
 spring, as elastic element 21
 spring constant 21
 standing waves (chemical) 260,
 see also reaction–diffusion
 systems
 state space 53, 57
 state variable 54
 stationary state (steady state) 55
 steady state, *see* stationary state
 in the Keller model 68
 Steinberg–Phillips model 90–97, *see*
 also differential adhesion
 hypothesis
 stem cells 160
 stereoblastula (solid blastula) 27

- stiffness 21
 stochastic force 46
 Stokes' formula 18
 storage modulus 146, *see also*
 viscoelastic moduli
 strain, *see* deformation
 strange attractor 56
 stress 21
 stripe pattern
 in *Drosophila* syncytium 256
 Engrailed 258
 pair-rule gene product 258
 pigment, in skin 161
 precartilaginous condensations, in
 vertebrate limb 221
 submandibular glands, *see* salivary
 gland morphogenesis
 substrate adhesion molecule, (SAM)
 see cell adhesion
 substratum 32
 surface
 concave 33
 convex 33
 surface energy 30, 31
 surface density 32
 liquid 32
 solid 32
 surface tension 29, 30–33, 251
 anisotropic 36
 apparent 30
 definition of 30, 31, 32, 77,
 103
 gradient of 40
 in tissue cohesivity 77, 95
 isotropic 40
 membrane–cytoskeleton adhesion
 36
 nondimensional 210
 of cell 29, 36
 of collagen solutions in MDT
 142
 of lipid membrane 36, 38
 of liquid 29, 32
 of spheroid 29
 of tissue 91–95, 206
 uniformity of 42
 surface tension waves, *see* cortical
 waves
 symmetry breaking 179
 synapsis 225
 syncytium in *Drosophila* embryo
 256
 syngamy 233
 systems biology 249
 tendons 132, 143
 TGF- β in limb development 213,
 see also morphogen
 thermal energy 9
 Thompson D. W. 249
 tight junction, *see* cell junction
 timelag or delay (in Lewis model)
 156, 165
 tissue
 as liquid 91–95
 cohesivity of 77, 95
 engulfment of 91, 92, 155
 epithelial 81, 94
 epithelioid 81
 mesenchymal or mesenchyme 81,
 131
 connective 81, 94
 titration (as regulatory mechanism)
 27
 topology (of gene regulatory
 networks), *see also* pattern
 formation
 in model of Salazar-Ciudad *et al.*
 266
 in model of von Dassow *et al.* 271
 tracheal system (in insect) 189
 tractional forces 134
 trajectory 55
 in phase plane 55
 transcription 65
 transcription factor 65
 activator 65
 Bicoid 260
 caudal gene product 156
 c-hairy1 163
 Cubitus interruptus 269
 Engrailed 258, 260, 268, 269
 Even-skipped 258, 261
 Foxp4 191
 fushi tarazu gene product 258, 261
 Giant 260
 her1 and *her7* gene products 165
 Hox class 217, 257
 Hunchback 260
 Krüppel 260
 network of transcription factors
 65, *see also* autoregulatory
 network
 repressor 63, 65
 VegT 182
 transdifferentiation 70
 transmembrane protein, *see* protein
 transport
 active 16
 diffusive along cytoskeleton 12, 13
 intracellular 12–13
 viscous 19
Tribolium, *see* beetle
 triploblastic animal 99, 109, 162
 trophoblast 27
 tubes and tubules
 branched 189
 cardiogenic (heart-forming) 190,
 191, 192, 193
 epithelial 204
 formation of, morphogenesis 101,
 194, 196
 by budding, sprouting 194
 by cavitation 191
 by cell hollowing 194
 by cord hollowing 194
 by wrapping 194
 in primitive metazoans 256
 kidney 194
 networks 189, 190, 191
 Turing, A. M. 156
 Turing mechanism, *see* bifurcation
 and reaction–diffusion
 systems
 tyrosine 58, 60
 Tyson–Novak model 59–63
 van de Waals forces, interactions, *see*
 cell adhesion
 vascular system 189, *see also*
 circulatory system
 vasculogenesis 160, 194, 195
 network formation in 197
 vector field 55
 vegetal
 plate (of sea urchin blastula) 110, 116
 pole (of frog blastula) 108, 110,
 112, 172
 organizer 173
 VEGF, *see* morphogen
 vena cava 190
 ventral aspect (of embryo) 135
 vertebral column 99, 117
 vertebrate limb 95, 148, 161, 190, *see*
 also skeletal pattern
 core mechanism for development
 214, 216–217
 development 210, 212
 active zone 216
 apical zone 213, 216
 frozen zone 216
 Hentschel *et al.*, model for
 213–215

- fore 148, 211
 hind 148, 211
 limb bud 132, 213
 vimentin filaments 21
 viscoelastic
 behavior in gelation 146
 forces 114
 material 22, 98, 249
 moduli, in MDT 146, 147
 viscoelasticity 21
 viscosity 13, 16–19, 231
 definition of
 of cytoplasm 7, 16–19, 247
 of tissues 206, 210, 251
 relation to loss modulus 146
 viscous drag 16, *see also* viscosity
 on sperm 228–232
 viscous transport, *see also* transport
 of cells 19
- of spermatozoa 230
 vitelline membrane 228, 233
 von Dassow *et al.* model for segment
 polarity 268–271
- water of hydration 34
 wetting 32
 complete 32
 partial 25
 White–Borisy model 37, 40–43
 wiring diagram (for gene network) 65
 work of adhesion 102–104, 120
- Xenopus laevis* 58
 axis formation in 177–179
 cardiac looping in 191
 cortical contraction waves in
 zygote 243
 egg 108, 228
- fate maps 178
 mesoderm induction in 161,
 171–173
 muscle differentiation 69
 primordial germ cells 225
- yolk 28, 108, 228
 yolk sac 191, 224
 Young's equation 32, 34
 Young's modulus 21
 relation to storage modulus 146
- Zajac–Jones–Glazier model 119–122,
 123, *see also* convergence and
 extension
 zebrafish, somitogenesis in 165
 zona pelucida 30, 228, 233
 zygote 8, 24, 27, *see also* fertilized egg
 formation of 234