

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

## Index

Note: page numbers in *italics* refer to figures and tables.

- abalone 12
- aggregation 296
  - fertilisation 289, 291–2
  - sea urchin interactions 361
  - white 291–2, 295–6, 344
- aboriginal people
  - biota alienation 466
  - Canadian Arctic 424, 429
  - hunter's knowledge 435
  - hunting importance 435
  - kangaroo use 412
  - land alienation 466
  - survey technique distrust 432
  - wage-earning 433
  - see also* local people
- Abudefduf troschelii* 288
- abundance
  - exploitation 334
  - index 120, 121
- abundance estimates 112, 120–1
  - grey whales 117
  - whale harvest quotas 135
- adaptive management 34–5
- ADMADE programme 452
- Africa
  - biomass distribution 214, 215, 216
  - economic conditions 441
  - forest type 213–14
  - game harvest estimates 222–3, 224–8, 229–30
  - game hunting 216, 217, 218–22
  - harvestable forest mammal biomass 210–14, 215
  - hunting 224–8, 232
    - techniques 218
  - mammals
    - assemblages 207–9, 211, 210
    - biomass 211
    - body mass 208
    - preservation 466
    - primates 208, 212–14
    - rain forest 204–5, 206
    - rural poor 448–9
    - see also* southern Africa
  - age at maturity
    - cod 334, 335, 339
    - fish 333
    - heritability in fish 330
    - selective exploitation 335
    - see also* maturity, age at
  - age differences 259, 274
  - aggregation 284, 286
    - Allee effect 295
    - conspecific 263
    - spawning 293–4, 357
    - white abalone 296
  - Agouti paca* (*paca*) 218
  - agricultural development 485
  - agricultural transformation 465
  - agriculture spread 440
    - wildlife impact 449
  - Aikake's information criterion (AIC) 114–15, 136
  - Alaskan and Inuvialuit Beluga Whale Committee 430–1
  - Alces alces* 77–80, 307, 314, 333
  - algae
    - biomass 354
    - coral reefs 352, 361
  - alien species introductions 370
  - Allee effect xix, 260, 264–5, 274, 275–6, 281–96
    - component 265, 283
    - conservation 295–6
    - definition 282–3
    - demographic 265, 283, 285, 286, 294–5
    - density dependence 12, 13, 265
    - exploitation covariance 295
    - external fertilisation 289–92
    - extinction 69

- Allee effect (*cont.*)  
 fisheries 283–4, 285–7  
 free-spawning populations 291–2  
 habitat degradation 295  
 infrequency 294–5  
 low population density 293  
 passenger pigeon 284–5  
 pollen limitation 292  
 population-level 294–5  
 reproductive success 289  
 seabird colonies 285–7  
 small populations 295  
 white abalone 295–6
- allele fixation 284
- Allium tricoccum* 305
- Alouatta* (howler monkey) 212
- Amazon, upland 478
- Amazona viridigenalis* (red-crowned Amazon parrot) 185
- Amazona vittata* (parrot) 190–1
- American Fisheries Society (AFS) 163
- American Ornithologists' Union 194
- Ammodramus maritimus nigrescens* (dusky seaside sparrow) 293
- Ammodytes* (sand-eels) 353
- Anas penelope* (wigeon) 267
- Anas platyrhynchos* (mallard) 315
- Aniba duckei* 247
- Anodorhynchus hyacinthinus* (hyacinth macaw) 185
- Anolis lizards 349
- Anser albifrons* (white-fronted goose) 263
- Anser brachyrhynchus* (pink-footed goose) 266
- Anser erythropus* (lesser white-fronted goose) 263
- antlers 330–1, 332–3  
 quality 332–3
- apes 219  
 exploitation 442–3  
*see also* monkeys; primates
- arable revenues 451
- Arctic ecosystems xix, 424–36  
 caribou 10  
 circulation anomalies 425  
 climate 425  
 change 433–4  
 commercial harvesting 429, 430, 433  
 contaminants 433–4  
 environmental variability 431–2  
 forage availability 425  
 heavy metals 434  
 herbivore populations 425, 426  
 hunting  
 restriction regulations 429  
 threat to wildlife conservation 431–3  
 wildlife management 424  
 organochlorines 434  
 population decline detection 432  
 socioeconomic factors 432–3  
 subsistence harvesting 429, 430, 433  
 survey techniques 432  
 threats from outside 433–4  
 vegetation 425  
 wildlife management structures 429–31  
*see also* bear, polar; Canadian Arctic;  
 caribou; muskox; whale, beluga
- arils 247
- armadillo 218
- arrowheads, neurotoxic 218
- aspen, quaking 244
- Atelus paniscus* (spider monkey) 381
- Australian Wildlife Protection (Regulation of Exports and Imports) Act (1982) 413
- autotrophy 243
- aviculture 182, 192
- avoidance, localised 267
- babirusa 99  
 extinction 102, 103  
 refuges 106, 107
- Babyrousa babyrousa* (babirusa) 99
- badger 89
- Balaenoptera acutorostrata* (minke whale) 125, 433
- Balaenoptera musculus* (blue whale) 5, 262
- Balaenoptera physalus* (fin whale) 262, 433
- bamboo 244
- bang-bang harvest 32
- Barents Sea, Arctic cod 338–9
- bass, largemouth 354
- bat  
 frugivorous 382  
 greater horse-shoe 170–1
- Bayes factor 122, 123
- Bayesian statistics 115–24, 136  
 Beluga whales 119–24  
 fuzzy logic relationship 126  
 hierarchical modelling 287  
 probability distribution 118–19, 129  
 uncertainty 117, 119
- bear  
 black 472  
 brown 68, 75–7, 316  
 demography 76  
 management strategies 77  
 population size estimation 76  
 problems with livestock 76  
 grizzly 471  
 polar 425, 427  
 contaminants 434  
 environmental variability 431  
 fat reserves 434  
 management 430  
 quotas 430
- behaviour xix, 259–80, 275  
 exploiters 260, 270–2

- human 27
- non-target species 262
- population growth rate/density
  - relationship 260
- risk-taking 27
- species differences 263
- behavioural mechanisms, Allee effect 264
- behavioural models 275
- Benguela upwelling 353
  - food web 346, 356
- Bering Sea 353
- bet-hedging 150
- Beverly-Qamanirjuaq Caribou
  - Management Board 431, 435
- bias 112, 137
- biodiversity
  - agricultural transformation 465
  - conservation 387, 462, 469–70
    - sustainable exploitation 370, 371
  - ecosystem 490–1
  - forests 359
  - loss 35
  - political solutions to loss 462
- bioeconomic modelling 52–3, 90
  - ecological/economic components 90
  - spatial structure 90–1
- biological community modification 370
- biological factors
  - exploitation 442
  - sustainability 443–5, 446, 447
- biological relevance 114
- biomass
  - Cape hake 47
  - catch rate 43
  - distribution in tropical forests of South
    - America/Africa 214, 215, 216
  - harvesting 224–8
  - maximum sustainable yields 43, 44
  - species 8
  - sustainable yield 46
- bionomic equilibrium 17, 27–8
- biotic impoverishment 370
- bird(s)
  - carrying capacity 188
  - demographic factors 190
  - demographic rates 190
  - density dependence 188
  - environmental variation 190
  - export level setting 188–90
  - frugivorous 9
  - habitat 188–90
    - destruction 185
  - harvest level setting 188–90
  - human disturbance 189–90
  - life history differences of species 185, 187
  - population trends 188
  - sustainable harvesting 183
  - threatening processes 4
- bird trade xviii, 13, 182–3
  - aviculture 195–6
  - captive breeding 182, 183, 195–6
  - disease risk 194–5
  - ethical consistency 195
  - export/import permits 183, 184
  - feral population potential 195
  - guiding principles 193–6
  - illegal 184, 197
  - impact 185, 186, 187–8
  - imports of wild stock 182
  - international xviii, 182, 183
  - magnitude 183–5
  - market forces 196–7
  - mortality
    - in captivity 182, 184, 193
    - poaching 196
  - national 182, 184, 185
  - pets 184
  - poaching 196–7, 199
  - practice 196–7, 198, 199
  - pre-export mortality 184, 185
  - quarantine 194–5
  - quotas 199–200
  - regulations 195
  - smuggling 184, 197
  - species 184, 185
  - sustainability 194
  - United States 197, 199
- birth function 314
- Bison bison athabasca* (American bison)
  - 348–9
- blowguns 218
- body length 151
  - heritability in fish 330
  - selective exploitation 335
- body size
  - abundance decline 346–7
  - dominance of small-bodied 347
  - egg production relationship 327–8
  - male mortality 293
  - mammals 347
  - removal of large-bodied 347
  - selection 324–5
- body weight
  - fish 333–4
  - heritability in fish 330
- Bombus* (bumblebee) 382
- bootstrap distribution 128–30, 136
  - beluga whales 130
  - cod stocks 129
  - posterior distribution 129
  - probability distribution 128
- Brazil, conservation legislation 231
- Brazil nuts 242, 254
- Brazilian Amazon paved road network 231
- break-even point 11
- breeding season, hunting 304
- brittlestars 358

- brood reduction 192  
 Bruntland Commission (1987) 486  
 buffalo, savannah assemblages 451  
 buffer effect 260, 263–4, 274, 379  
 bumblebee foraging 382–3  
 burning 359  
   forests 356  
 bushmeat xviii–xix, 3  
   commodity 343  
   consumption 223, 229  
   exploitation 442–3  
   extraction 222–3  
   marketing 229–30  
   trade 232, 440  
   value 443  
 by-catch 12, 125  
   fish species 148, 162, 353, 357–8  
   fisheries 12, 125, 137, 148, 162  
   marine mammals 137  
   skate 162  
   sponges/soft corals 360  
  
 cadmium 434  
*Caesalpinia echinata* 247  
*Calamus caesius* (rattan) 247  
*Calamus manan* (rattan) 247  
 CAMPFIRE programme (Zimbabwe) 420,  
   452–3, 454, 455–6  
   hunting revenues 455  
   meat supply 453  
   population movements 456  
   tourism 453  
   USAID support 478  
 Canadian Arctic  
   aboriginal people 424, 429  
   co-management 429, 430–1  
   Fourth World economy 433  
   land claim settlements 429  
   Local Management Agreements 430  
   total allowable harvest 429  
*Canis lupus* (wolf) 347  
*Canis lupus dingo* (dingo) 403  
 cannibalism 353, 356  
 canopy structure 214  
*Capreolus capreolus* (roe deer) 332–3  
 capture  
   economics 12  
   prey 270  
   rate 272  
   risk 259  
 carcasses  
   poaching 356  
   retention devices 361–2  
   salmon 357, 361  
 caribou 10, 314, 425  
   barren-ground 427, 429–30  
   breeding 425  
   calf survival 431–2  
   environmental variability 431–2  
  
   global warming effects 434  
   harvest management 429–30  
   hunting 432  
     recovery action 435  
   management advisory boards 435  
   Peary 426, 427, 433, 434, 435  
   population  
     decline 424  
     trends 426–7, 428  
   pregnancy rate 431  
   selective feeding 425  
*Caring for the Earth* (IUCN/UNEP/WWF,  
   1991) 6  
*Carollia perspicillata* (frugivorous bat) 382  
 carrion 356, 358  
 carrying capacity 149, 150  
   birds 188  
   harvesting excess individuals 81  
   tropical forests 372  
 cash crops 449  
 catch  
   data 48  
   limits 53  
   setting 52, 53  
   sustainable 41  
 catch per unit effort (CPUE) 46, 48  
 catch hake 50, 51  
 catch rate 43  
   biomass 43  
   regression 47  
   stock abundance 59  
*Ceiba pentandra* 247  
 cellular automata models 89, 90  
 Central Africa, bushmeat exploitation  
   442–3  
 central place foraging 270, 271  
*Centrocercus urophasianus* (sage grouse)  
   305, 306  
*Cephalophus* (duiker) 212  
*Cephalophus dorsalis* (bay duiker) 223  
*Cephalophus monticola* (blue duiker) 221  
*Cephalophus ogilbyi* (Ogilby's duiker) 221  
*Cercocebus* (mangabey) 214  
*Cercopithecus* (guenon) 214  
 cervids  
   African 208  
   phenotypic change 332–3  
   South American 208  
*Cervus elaphus* (red deer) 94, 330  
*Chamaepetes unicolor* (black guan) 380  
 chevrotain, water 222  
 CITES 182, 440, 444, 477  
   Appendices I and II 183, 197, 444–5  
   Article IV 444, 490  
   export/import permits 183, 184  
   listing 391, 489  
   non-detriment finding 444–5  
   trade regulation 452, 485  
   wild bird trade 183, 197, 199

- see also* trade
- clam, giant 292
- Clark's dynamic theory 22–5
- Clethrionomys glareolus* (bank vole) 169
- climate change, Arctic ecosystems
  - 433–4
- climbers 383
- close-canopy forests 214
- cloud forest (Central America) 380–2
  - hummingbirds 383–5
- Clovis hunters 206
- clumping 286
- Clupea harengus* (Atlantic herring) 353
- co-management in Arctic ecosystems 429, 430–1
- Coccothrinax readii* (tropical palm) 305
- cod
  - Arctic 334, 338–9
  - Atlantic 5, 129, 150, 153, 164, 264
    - age at maturity 153, 326, 333, 335
    - clumping 286
    - density-regulated population 336, 337
    - egg production 327–8
    - length-at-age 324, 336
    - political compromise 472
    - reproductive success 328
    - selection differentials 324
    - stock collapse 324–5
    - trawling 302
  - see also* *Gadus morhua*
  - Baltic Sea 324, 333
  - dispersal 363
  - Gulf of St Lawrence 325–6
  - marine reserves 363
  - mobility 363
  - Northern 325, 326, 327–8, 328, 337, 337, 339
  - population collapse 264
- colobine monkeys 212, 213
  - abundance 214
- colobus
  - black-and-white 219
  - red 219
- Colobus* (black-and-white colobus) 219
- colonial nesting species 287–9
  - infection control 289
  - reproductive success 289
  - synchrony 288
- colonialism
  - governments 448
  - imperial past 466
- commercial interests 20, 441
- commodities
  - black bear gall bladder 472
  - tradable 343
- common pool resource 26
- communication 3, 470–1
  - conservation 470–3
- community 8
  - benefits from wildlife resource use 453, 455
  - changes with exploitation 286
  - development 455
  - impacts xix
  - modification 370
  - resource management 492
  - structure
    - freshwater lakes 354, 355
    - reef fish 352
- Community-based Natural Resource Management 452–3, 454, 455–6
- competition 390
  - scramble 30
  - unregulated 67
  - see also* interference
- conditional diffusion processes theory 74
- confidence limits 113
- likelihood inference 125
- Connochaetes taurinus* (Serengeti wildebeest) 349
- conservation 110–11
  - Brazilian legislation 231
  - captive breeding of birds 196
  - coalitions with locals 478
  - communication 470–3
  - decision-making process 111
  - decisions 131–5, 136, 137
  - ecosystem 360–3, 487–8, 489, 490–1, 494
  - exploitation 440–57
  - fisheries 493–4
  - generalisations 476
  - genetic change 335–6
  - global planning 468
  - globalisation of successes 476
  - goals 6–9
  - harvester relationship 387–8
  - human livelihoods 489, 491–3
  - hunting benefits 434–5
  - life history incorporation into
    - assessments 162–5
  - local 473–4
  - local-scale projects 476
  - mammal body size and life history
    - 171–2
  - management 467
    - approaches 493–5
  - organisations 443–4
  - policy outcomes 470
  - political strategies 475–6
  - politics 462, 466
  - preservation 466
  - quantitative analysis of data 110
  - resources 488
  - respect to place 476
  - sea urchin 295
  - southern African strategies 9, 440
  - spatial structure 90–4

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

## 504 | Index

- conservation (*cont.*)  
 species 360–1, 487, 489–90, 493  
 sustainable harvesting 388  
 sustainable use 463  
 unidirectional problems 463  
 use 466
- Conservation-based Community  
 Development 452–3, 454, 455–6
- conservation biology 16
- conservation science 467  
 biology 469  
 blame for fisheries depletion 479  
 coalition-building 469  
 field-based strategies 469  
 language 470–1  
 political dimensions 468–9  
 political ramifications 466
- conservationist view of developing world 442
- Conservative Sustainable Harvest Model 189, 191–3
- conspecific facilitation 286
- constant catch strategy 52
- constant effort 70
- constant harvest strategy 69, 70, 82
- constant quota 18–20
- consumer population reduction 375, 377
- consumption  
 commercial 473, 475  
 global 465
- contaminants in Arctic ecosystems 433–4
- Convention on Biodiversity 76, 488
- Convention on International Trade in Endangered Species of Wild Fauna and Flora *see* CITES
- convergent evolution 207
- Cook Inlet (Alaska) 120  
 beluga whale population decline 122–4
- coral  
 Great Barrier Reef 291  
 growth 360, 361
- coral reefs  
 algal growth 352, 361  
 fish conservation 361  
 sea urchins 349, 352, 361  
 target species exploitation 349, 352  
*see also* reef fish
- corridors 87
- cost–benefit analysis 22
- coupled map lattices 89–90  
 wild pigs 101–2, 106
- Cree Indians 271
- cropping, wildlife 451
- crops 449
- cross-pollination 245
- culling  
 directional selection 333  
 selective, of deer 338
- cultivation, land clearance 452
- cultural concepts of wildlife 435
- cultural significance of hunting 435
- cultural tensions 11
- curlew, Eurasian 263  
 slender-billed 263
- Cyanopsitta spixii* (Spix's macaw) 185
- Cyrinodon macularius* (desert pupfish) 472
- damsel fish 287
- darner, snail 472
- decision analysis 133–5  
 beluga whale 134–5  
 expected loss 133
- decision rules 57–8, 58
- decision theory 111, 114, 132–5
- decision-making process 111  
 formal procedures 131–5
- decisions, conservation 131–5, 136, 137
- deer  
 antlers 330–1  
 roe 332–3  
 selective culling 338  
 white-tailed 331, 338, 388  
*see also* red deer
- deforestation 465  
 abusive 474  
 African rain forest 206  
 game species 203
- Delatidium* (mayfly) 354
- Delphinapterus leucas* (Beluga whale) 119–24, 430–1
- demographic stochasticity 68, 69, 81  
 Allee effects 294–5
- density  
 decrease 390  
 kangaroos 409–10
- density dependence 10, 18, 260, 262, 275  
 Allee effect 12, 13, 265  
 birds 188  
 consequences 267  
 disturbance 267, 270  
 fertilisation 289  
 fish exploitation 334  
 harvesting strategies 80  
 hunting mortality 317  
 inverse 13, 283  
 kangaroos 409–10  
 moose 80  
 parrots 191–2  
 sex ratio 315  
 spatial distribution 286  
 strength 267
- depensation *see* Allee effect
- depletion 260, 261  
 rates 275
- deterministic models 30, 68
- deterministic theory 29
- developing world  
 conservationists 442

- human survival 440–2
- underemployment 441
- development agencies 476
- Diadema antillarum* (sea urchin) 290
- Diceros bicornis* (black rhinoceros) 262
- diet
  - bumblebee 382
  - collective 377
  - individual differences 382
  - switching 352, 353
- differential model 376, 379–85
  - sustainable harvesting of wildlife 385–92
- diffusion models 68–75
- dilution effect 262–3, 274
- dingo 403, 405
- dioecious trees 244
- dip netting 304
- Dipturus batis* (common skate) 148
- Dipturus laevis* (barndoor skate) 148, 324
- Dipturus oxyrinchus* (long-nose skate) 161
- discount factors 22, 23, 24
- discounted net returns maximisation 26
- discounting 260, 272–4, 276
  - exponential 273, 274
  - hyperbolic 273–4
- discrete lattice models 89–90
- disease 262
- dispersal
  - density-dependent 95
  - red deer 95, 98
- displacement, local 267, 270
- disturbance 276
  - density dependence 267, 270
  - human 265–7, 268–9, 270
  - localised avoidance 267
  - localised effect 266–7, 268–9
  - population size reduction 270
- dolphin, spotted 125
- domestic livestock 449
  - economic value compared with wildlife 451
  - needs 465
  - overgrazing 417
- domestication 173
  - trees 331
- dominance 260, 261–2, 275
- drift nets 357
- drought 408, 410, 411
  - climate change 441
  - kangaroo harvest rates 413
  - relief 453
  - Zimbabwe 450
- duck
  - eider 135, 314–15
  - mallard 315
- duiker 212, 217
  - age class 222
- bay 223
- blue 221
- Ogilby's 221
- dynamic theory 22–5
- eagle, bald 357
- ecological apartheid 448
- economic activity 492
- economic conditions
  - adverse 441
  - structural readjustment programmes 441
- economic discounting 260, 272–4, 276
  - rate xv, xvi, 26
- economic rationality 26
- economic return 27–8
- economists 272, 274
- ecosystem 8
  - alteration 370
  - biodiversity 490–1
  - conservation 360–3, 487–8, 489, 490–1, 494
  - elimination 370
  - exogenous forces 478
  - financially competitive 452
  - functional role of species 344–5
  - functional/structural redundancy 494
  - impacts
    - fishing 41
    - genetic change 335–6
    - management 494
    - productivity 390
    - see also marine ecosystems
  - Ectopistes migratorius* (passenger pigeon) 284–5
  - egg predation 288
  - egg production 327–8
  - eider, common 314–15
    - spectacled 135
  - eigenvalue equation 309
  - elasmobranchs, life histories 158–62
  - elasticity 307–11
    - analysis 186, 187–8
  - elephant
    - African 169–70, 209, 210, 212, 262, 294, 331–2
      - campaign against culling 478
      - conservation status 472
      - destruction of environment 450
      - hunting 105, 219, 453
      - pest status 472
      - phenotypic change 331–2
      - protection 448
      - savannah assemblages 451
      - tusks 294
    - Asian 332
    - Elephas maximus* (Asian elephant) 332
  - emperor fish 349, 360
  - empty forest 371, 372, 375

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

## 506 | Index

- Endangered Species Act (US, 1969) 162, 292, 485
- endemism 207
- energy subsidies 356–9
- ecosystem conservation 361–2
- killing non-target species 357–9
- Enhydra lutris* (sea otter) 360–1, 372
- environmental impact of sustainable development 470
- environmental modification, plants 283
- environmental quality 287
- environmental stochasticity xiv, 10, 68, 69, 81
- Allee effects 294–5
- exploitation levels 260
- moose 78, 82
- parrot harvest rate 188
- spatial concentration of individuals 295
- environmental sustainability 477
- environmental variability of Arctic ecosystems 431–2
- environmental variance 112
- environmentalism, international 477
- Epinephelus striatus* (grouper) 293
- epiphytes 383
- equilibrium distribution of wild pigs 101
- equilibrium models 390
- errors
- Type I 134–5
- Type II 134–5, 471
- estuaries 267
- temperate 360
- Eubalaena glacialis* (North Atlantic right whale) 115
- eukaryotic species, total number xiii
- Euler–Lotka equation 160
- Eumetopias jubata* (Steller sea lion) 130
- European Community
- Falklands squid fishery 478, 479
- sealskin ban 433
- eutrophication 358
- exploitation xvii
- abundance 334
- benefits 7, 8
- biological factors 442
- biotic impoverishment amelioration 370
- components 90
- conservation 440–57
- constant rate 17, 32
- controlling xvii
- costs 7, 8
- covariance with Allee effect 295
- discounting 272
- economic 440
- economic returns to exploiters 27
- effort 7
- evolutionary responses 172–3
- extinction amelioration 370
- goals xviii, 6–9, 68
- level 7, 8, 174
- maximum sustainable 260
- metapopulation models 91
- net returns 28
- non-sustainable 281
- phenotypic change 331–5
- population declines 5
- rate 20, 21, 27, 28
- population decline 29
- selective 323–40
- socioeconomic circumstances 441
- spatially structured populations 87–8
- subsidies 28
- susceptibility 259, 274
- sustainability mismatch 302
- trait preference 329
- wildlife 3
- see also* harvest; hunters/hunting; overexploitation; sustainable exploitation
- exploiter behaviour 260, 270–2
- extinction 8, 373–5
- babirusa 102, 103
- biological community modifications 370
- bird species 185
- extinction (*cont.*)
- cascading effects 371, 372–3, 374, 382, 385
- sustainable harvesting 388
- complications 374–5
- duration of final decline 74
- ecological 374, 387–8
- economic rationality 26
- endemic species 359
- exploited populations 22
- fish species 147
- global 373–4
- game species 203–4
- imminent of abalone 292
- local 373–4
- mass xiii
- passenger pigeons 284–5
- prevention 67
- prey 343
- probability 274, 295
- estimation 130
- projection methods for rates xiii
- risk 68, 69, 72, 81
- mammals 174–5, 179
- minimising 71, 110
- parrots 185
- small populations 281
- species abundance 285
- threats 67
- timber 247
- types 373–4



- Falkland Islands squid fishery 478, 479  
 FAO precautionary approach to fisheries management 56–7  
 fecundity  
   age-specific 151  
   density-dependent 270  
   fish species 147  
   sex ratio 314  
   skates 161  
 feedback control decision rules 57–8  
 feeding  
   rates 284  
   strategy 353  
*Felis concolor* (mountain lion) 472  
 fertilisation  
   broadcast spawning 295  
   density dependence 289  
   dynamics 281  
   external 281, 289–92  
   sea urchin 289–91  
   success 289  
 fertility, female 314  
 fighting 261  
 Fiji, reef fishing 156–7  
 finches 184, 185  
   biological information 190  
   overharvesting susceptibility 187  
   US imports 197, 198, 199  
 fir, Douglas 25  
 fish  
   age at maturity 150–62, 333  
   body growth rate 151, 152  
   body size 150–65  
   commercial stocks 333–4  
   community shifts 158–9  
   discarded 358  
   elasmobranchs 158–62  
   exploitation 388–90  
   herbivorous 361  
   heritability of production-related traits 330  
   life histories 147–8  
   parameters 151–2  
   trait correlations 150–2  
   nesting colonies 288  
   North Sea bottom-dwellers 347  
   ontogenic changes in diet 352  
   phenotypic change 333–5  
   phylogeny 153–7  
   piscivorous 353, 354  
   planktivorous 354  
   populations xv  
   responses to exploitation 147–8  
   spatial structure 92–3  
   predatory 353–6  
   reproductive output 152  
   sex change 293, 294  
   stocks  
     assessment 44–5  
     bootstrap distribution 129  
     fuzzy logic 128  
     life history correlations with population changes 156, 157  
     life history variables 153  
     maturity 153–6  
     phylogeny 153–6  
     potential rate of population increase 164–5  
     recovery 165  
     risk analysis 129  
     vulnerability prediction 152  
     *see also* reef fish  
 fisheries/commercial fisheries 3, 10, 35  
   Allee effect 283–4, 285–7  
   animal feed 465  
   blame for depletion 479  
   cascading effects 389–90  
   catches 17  
   communal 476  
   conservation 493–4  
   dip netting 304  
   feedback control decision rules 57–8  
   government subsidies 30  
   harvesting in breeding season 304  
   life history characteristics shift 158  
   management 20, 35, 52–3, 471  
   FAO precautionary approach 56–7  
   plans 57, 58, 59  
   politics 54  
   social factors 52, 53  
   uncertainty 59  
   maximum sustainable yields 41–2  
     origins 42–6  
   open-access 67  
   overexploitation 17, 67  
   overfishing 465  
   overinvestment 29–30  
   political influence 30  
   population size control 164–5  
   purse seine netting 304  
   reference points 55–6  
   risk analysis 58–9  
   risk assessment 131–2  
   selection differentials 324–5  
   size targeting 13  
   sustainable yield 42–6  
   temperate marine 353  
   tropical reef 148, 156–7  
     marine reserve protection 157  
   waste 357–8  
   *see also* by-catch  
 fishing  
   artisanal 287, 357  
   behaviour 28  
   bottom 358  
   capacity reduction 54  
   carrion production 358  
   ecosystem impacts 41

## 508 | Index

- fishing (*cont.*)  
   effort 41, 43  
     Cape hake 47  
     moving average 47  
     tropical reef fishing 156–7  
   habitat change 362  
   intensity 43  
   marine environment 359–60  
   mortality rate 43, 45, 48, 54, 150–62  
     fish life histories 150–52  
     maximum sustainable yields 49, 55  
     reproductive success 328  
     skates 159  
     sustaining 150  
     yield-per-recruit analysis 48–9  
   nearshore 287  
   no-take areas 92  
   overcapacity 54  
   pressures 13, 20  
   quotas 53–4, 131–2  
   recreational 313  
   spatial behaviour 93, 271–2  
   spawning aggregation sites 293  
   technological advances 54  
 fishing boats, spatial pattern 271–2  
 fishing gear  
   selection 41  
   selectivity 324  
   towed 357  
 fishing nets, mesh size 162, 362  
 flatfish 358  
 Florida Everglades 478  
 flower choice  
   bumbees 382–3  
   hummingbirds 383, 384  
 food  
   availability information 288  
   chain 242  
   choices 378  
   intake 260–1  
   food web 346  
     Benguela upwelling 346, 356  
     marine 9, 345  
     theory 391  
     tropical 349  
   forage availability 425  
   foragers  
     bumbees 382–3  
     conspecific 378  
   foraging behaviour  
     differences 378  
     monkeys 214  
     pollinators 292  
     theory 270, 275, 276  
     optimal foraging 275, 377–8  
   forests  
     age-structured 25  
     burning 356  
     cascading effects 388  
     damage by moose 78  
     economic investment 24  
     fragmentation 209  
     habitat loss 359  
     harvesting 345  
     overcutting of old growth 25  
     population estimation 25  
     private concessions 474  
     species diversity 359  
     supersaturated 388  
   *Forpus passerinus* (green-rumped parrotlet) 186, 188, 191  
   Fourth World economy 433  
   Framework Convention on Climate Change (FCCC) 477  
   frequency distribution  
     beluga whales 130  
     risk analysis 129  
   frequentist statistics 113  
     sampling distribution 128  
   fresh waters  
     predator/prey dynamics 355  
     predator removal 353–4  
   frugivores, tropical forest 380–2  
   fruit(s) 247–9  
     collection 247–9  
     dispersal 246  
     set 292  
     size 249–50  
     traits 381  
   fuelwood 242  
   *Funisciurus* (squirrel) 223  
   fuzzy logic 125–8, 136  
     Bayesian statistics relationship 126  
     fish stocks 128  
     probability theory 126–7  
     uncertainty 126  
     IUCN classifications 127–8  
   fuzzy numbers 125–8, 136  
     beluga whales 121, 127  
     triangular 125–6, 127  
   *Gadus morhua* (Atlantic cod) *see* cod, Atlantic  
   game  
     antipredator responses 218  
     body mass 216  
     consumer pressure 232  
     density decline 220–1  
     extraction 230–3  
     harvests 203, 222–3, 224–8, 229–30  
     hunting 203–4, 216, 217, 218–22  
     kangaroo 413, 419  
     management 388  
     marketing 229–30  
     meat 203  
     overexploitation 222  
     pests 472

- spatial aspects of hunter behaviour 94
- species 216, 217, 218–22
  - deforestation 203
  - habitat loss 203
  - population dynamics 221–2
  - traps 218
  - trophy animals 472
- gametes, free-spawned 289
- gap succession 209
- gaps, canopy 214
- Gasterosteus aculeatus* (three-spined stickleback) 266
- gene pool changes xiv
- General Agreement on Tariffs and Trade (GATT) 197; *see also* trade; CITES
- genetic change
  - conservation 335–6
  - directional 323
  - ecosystem impacts 335–6
  - management 335–6
  - random 323–4
  - reversibility 335
- genetic drift 284, 323–4
- genetic variation 329–31
  - erosion 323–4
  - loss 323
  - loss by trees 381
- Georges Bank 353
- gestation length in mammals 178, 179
- Global Positioning System 54
- global warming 35, 434
- godwit, black-tailed 267
- goose
  - lesser white-fronted 263
  - pink-footed 266–7
  - white-fronted 263
- gorilla 217
- government subsidies 27–8
  - fisheries 30
- grasshopper density 349
- grasslands 405
- grass-sedge communities 425
- grazers, harvesting 345–9, 350–1, 352–6
- grazing
  - bird impact 355
  - livestock on shortgrass steppes 354–5
  - plant community structure 348
  - pressure 355, 417
  - quality 349
  - rehabilitation 417–18
- great apes 442–3
- Great Barrier Reef coral 291
- Grias peruviana* 247–9
- groupers 17, 156, 157
  - spawning aggregations 293
- groups, predation on 263
- grouse, sage 305, 306
- growth, determinate/indeterminate 312
- growth rate
  - abundance decline 346–7
  - low 24
  - patterns 301
  - slow 304, 307, 309–11
- Guadua weberbaueri* (bamboo) 244
- guan, black 380–2
  - hunting pressure 381
- guenon 214, 217
- gulls 288
- gum collection 250
- habitat
  - agricultural pressures 440
  - burning 359
  - change 359–60, 362
  - degradation 3, 281, 359–60
    - Allee effect 295
    - mammal exploitation 177
  - destruction 35
    - rain forest wildlife 343
  - erosion 16
  - fragmentation 87, 385
  - heterogeneity 93
  - loss xiii, 281
    - game species 203
    - mammal exploitation 177
  - management for ecosystem
    - conservation 362–3
  - mosaics 491
  - selection 263–4, 275
    - density-dependent 379
- haddock 154
- Haematopus ostralegus* (Eurasian oystercatcher) 261
- hake, Cape 42
  - biomass 47
  - catch per unit effort 50, 51
  - fishing effort 47
  - maximum sustainable yields 46–8
  - production model assessment 44
- half-empty field 382–3
- half-empty forest 372
  - differential model 376, 379–85
  - harvesting 388
  - uniform model 375, 376, 377–9
- half-empty ocean 388–90
- Haliaeetus leucocephalus* (bald eagle) 357
- Halichoerus grypus* (grey seal) 306
- Haliotis sorenseni* (white abalone) 291–2, 344
- harvest/harvesting xiv, xvii
  - annual variation 82–3
  - capacity limiting 83
  - conservation relationship 387–8
  - constant 32
  - cumulative 8
  - dynamics 6
  - economic discounting 67

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

## 510 | Index

- harvest/harvesting (*cont.*)  
 effort 21  
 enforced minimum sizes 312–13  
 excess individuals 81  
 exploitation rate 28  
 factors in assessing management of  
   regimes 445, 446–7  
 fixed-rate 413  
 fluctuation 17  
 forests 345  
 goal 71–2, 81  
   harvesting strategies 71  
   maximisation of mean annual 73  
   optimal threshold 74  
 grazers 345–9, 350–1, 352–6  
 habitat change 362  
 half-empty forest 388  
 high reproductive value adults 305  
 income sharing 83  
 kangaroos 403–4, 405  
   mortality 410  
 limited capacity 73–4, 81–2  
 limits 303  
 optimal 312  
 optimal threshold harvesting strategies  
   71–4, 79–80  
 population response 494  
 predators 345–9, 350–1, 352–6  
 prey 345  
 profit saving 83  
 proportional 20–1  
 rates at small population sizes 72  
 red deer  
   model 95–7  
   optimal mortality rate 97  
 restraint 486  
 sea urchin 289  
 sex-specific 315, 316  
 size-selective 173  
 source–sink populations 91  
 steady 31  
 stochastic theories 30  
 storing 83  
 strategies 68, 69–75  
   classical 69–70  
   density dependence 80  
   harvesting goal 71  
   moose 78–80  
   optimal 81–3  
 theory and spatial structure 90–4  
 total allowable 429  
 transition stage 311–12  
 trees 25  
 trophic cascade prediction 355  
 trophic level potential 345  
 variance reduction 68  
 wild pig  
   costs 102, 106  
   model 101–2, 105–6  
 wildlife 420  
   *see also* catch; exploitation;  
   hunters/hunting; sustainable  
   harvesting; threshold harvesting  
 hatching asynchrony 192  
 heavy metals 434  
 herbivores  
   Arctic populations 425, 426  
   reef fish 349, 352  
 heritability 329–31  
   antler conformation 330–1  
   estimates xix  
   fish traits 330  
 hermaphroditism  
   plants 243–4, 245  
   protogynous 293  
 herring 353  
*Hevea* (rubber) 250  
 hides  
   impact of EC sealskin ban 433  
   kangaroo 413, 415, 416  
   polar bear 427  
 hierarchical modelling 287  
 hit and run xviii, 8  
*Homarus americanus* (lobster) 389–90  
 home range of mammals 171  
   red deer 95  
 House of Lords (UK) 479  
 Humane Society USA (HSUS) 478  
 humans  
   African forests 206  
   Arctic ecosystems 424, 426  
   behaviour 27  
   consumption 465  
   decision-making 24  
   disturbance 265–7, 268–9, 270  
   tropical forests 209  
   economic development 9  
   exploitation of species xiii  
   livelihood conservation 489, 491–3  
   localised effect of presence 265–7,  
   268–9  
   population  
     growth 465  
     trends 3, 4  
   reef fishing 349  
   social development 9  
   South American forests 206–7  
   species choice 343  
   subtle effects 390–2  
   survival in developing world 440–2  
   *see also* aboriginal people; Inuit people;  
   local people  
 hummingbirds 383–5  
 hunter–gatherers 206  
 hunters/hunting 263  
   aboriginal life 435  
   adult-biased 307  
   age class impact 222

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

Index | 511

- benefits to wildlife conservation 434–5
- biomass harvesting 224–8
- breeding season 304
- caribou 432
- commercial 3, 204, 229, 441
  - tropical forests 386
- commercialisation of wild meat 229
- consumer population size 219
- cultural significance 435
- decisions 218, 219, 270
- deer mortality 333
- disturbance response 260, 266
- efficiency 271, 272
- elephant 453
- extinction threats 67
- financial aims 218–19
- frugivore population reduction 381
- game 203–4, 216, 217, 218–22
- habitat modification 359
- harvest rate 229
- impact of past 218
- indirect techniques 216
- juvenile-biased 307
- knowledge use 435
- large-bodied species targeting 219, 223
- mammals 174
  - numbers 224–8
- market participation 219
- mean body mass 221
- mortality 203, 311, 312–13, 317
- native 120
- non-target species 262, 263
- political context 231–2
- presence 265
- pressure 220
  - mammals 171
- prey 472
  - choice decisions 218
  - risks from large 219
  - shifts to smaller 221
- quotas for moose 78–9
- recreation 359
- religious taboos 99, 105–6
- restriction regulations 429
- revenues 455
- sea otters 360–1
- spatial behavior xviii, 93–4
- spatial distribution 11
- spatial pattern 271–2
- sport 451, 453
- subsistence 3, 204, 343, 357, 441
- success rate 343
- sustainable programme xix
- technology 218, 219, 343
- terrestrial 357
  - tropical biodiversity 343
- tropical xviii–xix
- tropical forest fauna 386
- wild pigs 101, 102, 103–4, 105–6
- wildlife management 424
- hydrogen cyanide 246
- Hyemoschus aquaticus* (water chevrotain) 222
- ideal free distribution 270, 271–2, 378
- immunocontraceptives 418–19
- inbreeding 323–4
  - depression 284
- individual preferences 272
- industrial development 485
- infection control in colonial nesting species 289
- information theory 115
- Inga ingoides* tree 381
- insects, herbivorous 349
- integrated conservation and development projects 476
- interference 260, 261, 275
- international accords 462, 486
- International Council for the Exploration of the Sea (ICES) xv, 162
- International Ivory Ban 477
- International Monetary Fund 441
- international trade *see* CITES; General Agreement on Tariffs and Trade; trade
- International Whaling Commission xv, 45, 477
  - Comprehensive Assessment of grey whales 117
  - management quotas 110
  - maximum sustainable yield management 51–2
  - Revised Management Procedure 135, 137
  - Scientific Committee 59
- Inuit people 426
- Inuvialuit Final Agreement (1984) 426, 435
- invertebrates, marine
  - benthic scavengers 359
  - sessile 12
- investment
  - economic 24
  - patterns 27–30
  - returns 451
- irreversible investment theory 29–30
- IUCN 4
  - bird species listing 185
  - bird trade control 183
  - classifications
    - Bayesian methods 135
    - uncertainty 127–8
  - criteria for threatened species 489
  - General Assembly 487
  - mammal threat status 174, 175
  - Red List* 163, 174

- IUCN (*cont.*)  
 Species Survival Commission 445,  
 446–7  
 strategy for sustainable use 487
- kangaroos xix, 10, 403–21  
 abundance 405–6, 407, 408  
 animal welfare 416  
 conservation status 404  
 damage 416–17  
 density 409–10  
 distribution 405–6, 407, 408  
 eastern grey 405, 414  
 economic value 415  
 grey 411  
 harvest mortality 410  
 harvest rates 413, 414–15  
 harvest take-off 413–14  
 harvested species 405  
 harvesting 403–4, 405  
 commercial 412–16  
 process 415–16  
 hides 413, 415, 416  
 hygienic handling 416  
 immunocontraceptives 418–19  
 industry 418–19  
 leather 415  
 management 404, 411–12  
 meat 413, 415, 416  
 market 419–20  
 ownership 419–20  
 pasture consumption 417–18  
 pests 416–20  
 control 418–19  
 pet food 415, 416  
 population 405–6, 407, 408–11  
 increase potential 410  
 monitoring 410–11  
 processes 408–10  
 quotas 403–4, 411–12, 414–15, 418  
 red 405, 411, 414  
 redefinition of status 404  
 resource status 419–20  
 sexual dimorphism 410  
 sheep competition 418  
 shooters 415, 416  
 species 404  
 tagging 420  
 tourism 415  
 western grey 405, 414  
 wildlife harvesters 416
- kelp beds 360–1, 372–3  
 Kenya, wildlife cropping 451  
 keystone species 494  
 salmon 357  
 wolves 347–8  
 killing, intentional 265
- lake ecosystems 353–4, 355
- Lampornis castaneiventris* (hummingbird)  
 383, 384
- land clearance 452  
 marginal 449  
*see also* deforestation; settlement of land
- land degradation 404, 449–50, 465  
 landholders, conservation incentives 451  
 larval recruitment of sea urchins 290  
 latex tapping 246, 250  
 lattice models 89–90  
*see also* coupled map lattices
- leaf damage 349  
*Lepomis macrochirus* (bluegill sunfish) 288,  
 289
- Leslie matrix, age-structured 160  
 licensing 467  
 life cycles, matrix notation 308–9  
 life histories xviii, xix, 301–17  
 assumptions 112  
 conservation assessments 162–5  
 correlations with population changes  
 156–9  
 fish 147–8  
 community shifts 158  
 elasmobranchs 159, 160, 161–2  
 parameters 151–2  
 trait correlations 150–2
- invariants 151  
 levels of threat 163–5  
 mammals 169–79  
 extinction risk 174, 175  
 fast–slow continuum 169, 170, 172,  
 178, 179  
 patterns 169–72  
 slow 169–71, 174
- maturity 151–2  
 modelling 311  
 natural selection 312  
 population dynamics 149  
 population productivity 150  
 rays 158–62  
 sex ratios 313–16  
 sharks 158, 160  
 skates 159, 160, 161–2  
 surrogate measures 150–1  
 susceptibility to decline 347  
 sustainability 148–50  
 trade-offs 150, 151–2, 301, 302–3, 317  
 traits 301  
 age-dependent 336  
 correlations 150–2  
 heritability 329  
 quantitative 329, 331  
 selection on 326–9
- LIFE programme 452  
 likelihood curve for beluga whales 125  
 likelihood function 118  
 likelihood inference 124–5, 136  
 likelihood theory 115

- limit reference point 56, 58  
*Limosa limosa* (black-tailed godwit) 267  
lion 448  
  mountain 472  
  savannah assemblages 451  
livestock *see* domestic livestock  
lizards 349  
lobster 389–90  
local knowledge 476  
Local Management Agreements 430  
local people 473, 474–5  
  coalitions with conservationists 478  
  wildlife management 452  
  *see also* aboriginal people; rural poor  
local-scale projects 476  
logging 465  
  ecological impacts 247  
  habitat change 362  
  low level selective 250  
logistic population growth 18, 87, 149, 302  
*Loligo gahi* (squid) 479  
long lines 357  
*Lophocheilus* (mangabey) 214  
loss function 133–4  
  expected loss 133  
*Loxodonta africana* (African elephant) 169,  
  212, 262, 294, 331–2, 448  
Luangwa Valley (Zambia) 105  
*Lutjanus campechanus* (red snapper) 312
- macaw 185  
mackerel 353  
  chub 304  
*Macropus* (kangaroo) 405; *see also*  
  kangaroos  
maize 465  
mallard 315  
malnutrition 448  
mammals  
  Amazonian 347  
  body mass in forests 208, 216  
  body size 170, 171  
  domestication 173  
  extinction risk 174, 175  
  selection for smaller 172  
  evolutionary responses to exploitation  
  172–3  
  exploitation level 174  
  extinction risk 174–6  
  associated factors 175–6  
  gestation length 179  
  species 176–7  
  gestation length 178, 179  
  harvestable forest biomass 210–14, 215  
  home range 95, 171  
  hunting 171, 174  
  interbirth interval 178, 179  
  intercontinental differences in  
  assemblages 207–9, 211, 210
- large-bodied 171–2, 347  
life histories 169–79  
  extinction risk 174, 175  
  fast–slow continuum 169, 170, 172,  
  178, 179  
  patterns 169–72  
  slow 169–71, 174, 177  
marine 137  
maturity age 172  
mortality differences 171  
overexploitation vulnerability 173–5  
reproductive rate 171  
threatening processes 4  
tree colonising species 209  
trophic level 174
- management 110–11  
  adaptive 30–2, 34–5, 445  
  analysis methods 110  
  Arctic ecosystems 429–31  
  management (*cont.*)  
  community involvement 11  
  conservation 467  
  decision-making process 111  
  ecosystem-based 494  
  failures 110  
  genetic change 335–6  
  hunter's knowledge 435  
  kangaroos 404, 411–12  
  maximum sustainable yields  
  44–6  
  natural resources 22–5, 463  
  optimal 22  
  performance of schemes 135, 137  
  plans 11  
  plant species exploitation 254  
  quantitative analysis of data 110  
  selective exploitation 336–9  
  simulation models for performance  
  testing of schemes 135, 137  
  species 493–4  
  sustainable xv  
  trophic cascade prediction 355–6  
  wildlife 493–4  
  *see also* fisheries/commercial fisheries;  
  marine reserves; maximum  
  sustainable yields; protected areas;  
  quotas; resources; sustainability
- mangabey 214  
*Manihot esculenta* (manioc) 246  
marginal land clearance 449  
marginal value theorem 270, 271  
marine ecosystems 359–60  
  cascading effects 389–90  
  predator removal 345, 352–3, 354  
  *see also* fish; fisheries/commercial  
  fisheries; fishing  
marine food webs 9  
  predator removal 345  
marine invertebrates 12, 359

## 514 | Index

- Marine Mammal Protection Act (US) 137, 490
- marine mammals, fisheries by-catch 137
- marine reserves 91–3, 362, 467, 485
- evaluation 41
- fish stock protection 157
- high density refuges 291, 295
- management 362
- non-marine influences 363
- size 362
- spatial structure 92
- markets 441
- access 451–2
- mates
- availability 314
- finding 265, 289
- mathematical bioeconomics 22
- matrix notation, life cycles 308–9
- matrix population models 186, 187–8
- maturation
- delayed 326
- life histories 151–2
- maturity
- age at 153, 158, 159, 161
- mammals 172
- elasmobranchs 158–62
- fish stocks 153–7
- sustainable harvesting selective force 173
- maximum average yield (MAY) 55
- calculation 260–2
- maximum constant yield (MCY) 55
- maximum economic yield 52
- maximum likelihood estimate 125
- maximum sustainable yield (MSY) xv, xviii, 7, 11, 17, 18–20
- biomass 43, 44
- calculation 260–2
- Cape hake 46–8
- catch setting 52, 53
- criticisms 46–55
- estimation 46–52
- fisheries
- management 41–2
- origins 42–6
- fishing mortality 49, 55
- harvesting strategies 68
- International Whaling Commission
- management regime 51–2
- kangaroos 411
- management strategies 44–6
- political use 471–2
- red snapper 312
- retrospective analysis 50
- species management 493
- stock assessment 50
- surplus production model 46–8
- uncertainty 50
- yield-per-recruit analysis 48–50
- mayfly larvae 354
- meat
- commercialisation of wild 229
- kangaroo 413, 415, 416, 419–20
- supply with CAMPFIRE programme 453
- see also bushmeat; game
- Melanogrammus aeglefinus* (haddock) 154
- Meles meles* (badger) 89
- mercury 434
- Merluccius* (Cape hake) 42
- metapopulation models 89, 91
- Micropterus salmoides* (largemouth bass) 354
- migration
- bison 348–9
- caribou 425
- salmon 357, 361
- millinery trade 288
- minimum critical size 471
- minimum viable population (MVP) 372, 374
- political use 471–2
- model error 112
- monkeys
- African 212
- foraging plasticity 214
- frugivores 214
- howler 212
- South American 212
- spider 381
- see also apes; primates
- Monodon monoceros* (narwhal) 431
- monoecious trees 243
- monogamy 314
- monopsonies 475
- Montreal Protocol 477
- moose, Fennoscandian 68, 77–80
- body mass decline 333
- density dependence 80
- environmental stochasticity 78, 82
- forestry damage 78
- harvesting strategies 78–80, 82
- hunting age policy 307
- hunting quotas 78–9
- sex ratios 314
- moose, wolf density and 348
- morphological traits 329
- mortality
- accidental 260
- age-dependent rate 326
- hunting 203, 311, 312–13, 317
- male differential 293
- per capita 263
- seedling 246
- size-dependent rate 326
- slow growth rate population 307
- see also bird trade; fishing; red deer



Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

Index | 519

- overexploitation 349, 352
- sea urchin control 360
- sex change 293, 294
- site fidelity 363
- reef formation by oysters 360
- regulatory agencies 67
- religious taboos on hunting 99, 105–6
- renewable resources management 16
- reproduction
  - age-dependent rate 326
  - Allee effects 281
  - delayed 151
  - female roles 313
  - induction 289
  - male roles 313, 315
  - patterns 301
  - size-dependent rate 326
- reproductive capacity xiv, 289
- reproductive output of fish 152
  - heritability 330
- reproductive rate 284
- reproductive success 289
  - Allee effect 289
  - fishing mortality 328
- reproductive value 303–5, 306, 307–13, 317
  - changes
    - with age 304–5, 306, 307
    - over season 304
  - cull of lowest 336–7
  - elasticity 307–11
  - high 305
  - plants 305
  - population growth reduction 311
  - sensitivity 307–11
  - young animals 305, 338
- reserves 27, 485
  - design 91
  - extractive 476
  - investment 449
  - size/shape 87
  - see also* marine reserves; protected areas
- resin collection 250
- resources
  - access 445, 451–2, 485
  - age-structured 25
  - availability 495
  - collapse 67
  - conservation 67, 488
  - consumption 379
  - defended 287
  - depletion rates 260
  - exploitation xix, 11
  - extraction 67
  - long-term sustainability 68
  - management 16, 453, 493, 494–5
    - agencies 67
    - alienation 478
    - management models
      - constant quota 18–20
      - sustainability 17
  - monitoring 445
  - obtaining 286–7
  - preference 379
  - renewable 16
  - sustainable xv
  - tenure 445
  - total availability 491–2
  - use 266, 485
    - Arctic ecosystems 424–36
      - pattern 376, 377–8
      - sustainable xv, 486–8
  - value 335
    - by people 487
  - see also* natural resources
- retrospective analysis of maximum sustainable yields 50
- revenues
  - hunting 455
  - wildlife 451, 453
- rewards
  - future 272, 273–4
  - prediction 272
- rhinoceros 12
  - black 262
  - hunting 105
- Rhinolophus ferrumequinum* (greater horse-shoe bat) 170
- rice 465
- rifles, automatic 218
- Rio Conference (1993) 486
- riparian vegetation 357
- risk analysis
  - decision-making 111
  - fish stocks 129
  - fisheries 58–9, 131–2
  - frequency distribution 129
- risk-taking behaviour 27
- rodents 217, 221
- Rostroraja alba* (white skate) 161
- rubber 242
- Rum, island (Scotland) 94–9
- rural communities
  - wildlife management/use 452
  - see also* local people
- rural poor 448, 473, 474–5
  - African 448–9
- Salmo salar* (Atlantic salmon) 330
- Salmo trutta* (brown trout) 354
- salmon
  - Atlantic 330, 333
  - carcasses 357, 361
  - hatchery-reared 361
  - nutrient vectors 357
  - overexploitation 357, 361
  - Pacific 333, 357
  - pink 334, 335

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

## 520 | Index

- salmon (*cont.*)
  - spawning aggregations 357
- Salvelinus fontinalis* (brook trout)
  - 313
- sampling distribution 128
- sampling error 112, 137
- sand-eels 353
- savannah, wildlife assemblages 451
- sawtimber 242
- scallops 292
- Scientific Committee for Wildlife Use (Australia) 411
- scientific research, conservation-oriented 464
- Scomber japonicus* (chub mackerel) 304
- Scomber scombrus* (mackerel) 353
- sea bed
  - disturbance 334, 358
  - removal 360
- sea cucumber 292
- sea lion, Steller 130
- sea tenure 467
- sea urchins
  - abalone interactions 361
  - abundance 349, 360
  - conservation 295
  - coral recruitment prevention 352
  - coral reefs 349, 352
  - die-off 290
  - fertilisation 289–91
  - green 290
  - harvesting 289
  - kelp bed destruction 361, 373
  - larval recruitment 290
  - predator removal 352
  - sperm numbers 291
- seabirds
  - active searching for carrion 359
  - colonial nesting 287–8
  - fishing carrion 358, 359
  - population increase 362
- seal
  - grey 306
  - hunting 433
  - population decline 305, 306, 307
  - ringed 306, 434
- seed dispersal 360
- frugivores 381, 382
- seedlings
  - establishment frequency 249
  - mortality 246
- seeds
  - collection 247–9
  - dormancy 244
  - germination 244
  - set 292
- selection
  - body size 324–5
  - differentials 324–9
  - generation 329
  - directional 329, 336–8
  - life history traits 326–9
  - quality enhancement 338–9
  - response 331
  - selective exploitation 323–40
    - management 336–9
  - self-fertilisation 245
  - self-interest 10–11
  - selfing 292
  - sensitivity 307–11
  - Serengeti National Park
    - poacher spatial distribution 94
    - wildebeest 349, 360
  - set theory 126
  - settlement of land
    - land clearance 452
    - wildlife impact 449
  - sex change in fish 293, 294
  - sex differences 259, 274
  - sex ratio 313–16
    - biased 293, 294
    - skewed 293
  - sexual maturation, fish 333
  - sexual selection, directional 331
  - sexual traits, exaggerated 330–1
  - sharks
    - bonnethead 306
    - life histories 158, 160
    - mortality rate 160
    - Pacific 160
  - sheep
    - alternative species 404
    - bighorn 324, 331
    - competitors 404
    - Dall 314
    - horn size 331
    - kangaroo competition 418
    - number reduction 419
    - rangelands 417
    - replacement 419
  - shellfish exploitation 313, 360
  - shoot-and-let-lie permits 418
  - shrub communities 425
  - silviculture 254
  - site fidelity 363
  - skates
    - age at maturity 161
    - barndoor 148, 162, 163, 324
    - body size 163
    - common 148, 158–60
    - fecundity 161
    - fishing mortality 158–62
    - life histories 158–68
    - mortality rate 158–62
    - see also* rays
  - skins *see* hides
  - small populations 281, 323–4
    - genetic effects 284

- isolated 87
  - see also* Allee effect
- smuggling, bird trade 184
- snappers 17, 157
  - red 312
  - spawning aggregations 293
- snares, cable 216, 218
- snowfall 434
- snowmobiles 427
- social behaviour 284
  - sex-specific harvesting 316
  - social grouping 295
- social factors in fisheries management 52, 53
- social nesting species 287–9
  - reproductive success 289
- social systems, exogenous forces 478
- socioeconomic circumstances 441
- soft-coral 360
- softwoods xv
- Solea solea* (North Sea sole) 334, 358
- Somateria fischeri* (spectacled eider) 135
- Somateria mollissima* (eider duck) 314–15
- source–sink populations 91
- South America
  - biomass distribution 214, 215, 216
  - game harvest estimates 222–3, 224–8, 229–30
  - game hunting 216, 217, 218–22
  - harvestable forest mammal biomass 210–14, 215
  - hunting 224–8, 231–2
    - techniques 218
  - mammal body mass 208
  - mammalian assemblages 207–9, 211, 210
  - mammalian biomass 211
  - megafauna overkill 209
  - primates 208, 212–13, 214
  - rain forests 204–5, 206–7
  - wildlife exploitation 231
- southern Africa
  - conservation incentives for landholders 451
    - preservationist policies 448
    - racial inequality 448
- sparrow, dusky seaside 293
- spatial behaviour of hunters xviii, 93–4
- spatial distribution, density dependent 286
- spatial location 87
- spatial mismatches 11
- spatial population dynamics 89
- spatial structure
  - conservation 90–4
  - decision-making of exploiter 106
  - harvesting theory 90–4
  - marine reserves 91–3
  - modelling 88–90
  - red deer 94
  - partial differential equations 88–9
  - population hunted 106
  - populations 87–8
  - spawner stock size 49
- spawning
  - aggregations 293–4
    - salmon 357
  - Arctic cod 338–9
  - broadcast 289–92, 295
  - free-spawning populations 291–2
  - synchronised 289–90, 291
- species
  - biomass 8
  - collecting 3
  - conservation 360–1, 487, 489–90, 493
  - diversity erosion 16
  - extraction 3
  - interactions 372, 375
  - loss effect on ecosystem 390
  - management 493–4
  - web of interspecies interactions xv
- sperm
  - limitation 294
  - numbers in sea urchins 291
  - provision 315
- Sphyrna tiburo* (bonnethead sharks) 306
- sponges 360
- squid fishery, Falkland Islands 478, 479
- squirrel 223
- statistical methods 112–14
  - frequentist 113
  - statistical significance 114
- Stenella attenuata* (spotted dolphin) 125
- stickleback, three-spined 266
- stochastic dynamics 73, 81, 413
- stochastic population models 82
- stochastic theories
  - harvesting 69
    - perfect information 30–2
    - see also* environmental stochasticity
- stock abundance 48
  - catch rate 59
- stock assessment 50
  - Bayesian algorithms 135
  - methods 58
- stock size, optimal 24
- stock–recruit relationship 31
- stocks
  - life history correlates of population changes 155–62
  - phylogeny 153–6
- Strongylocentrotus droebachiensis* (green sea urchin) 290
- subsidies *see* government subsidies
- subsistence hunters 357
- subsistence hunting 441
  - tropical forest 386
- sugar beet consumption 266

- Sulawesi (Indonesia)  
 road network 102, 104  
 wild pigs 99, 100, 101–2, 103–4, 105–6
- sunfish, bluegill 288
- 2-support interval 125
- surgeonfish 287
- surplus production 42–4  
 model 46–8
- survival  
 density-dependent 270  
 patterns 301  
 rate 112, 284
- Sus celebensis* (Sulawesi wild pig) 99
- susceptibility 259, 274
- sustainability 8  
 biological factors 443–5, 446, 447  
 commercial interests 20  
 debate 466  
 definition 487  
 environmental 477  
 exploitation mismatch 302  
 global perceptions 477  
 global scale consumption 465  
 indicators 489, 492, 495  
 lack 463  
 life histories 148–50  
 long-term 68  
 management 26–7, 31, 445  
 goals 487–93  
 maximisation 19  
 mismatch 302  
 resource management models 17  
 socioeconomic dimensions 440  
 threshold harvesting 82  
 of use 442
- sustainable catch 41
- sustainable development 35, 470
- sustainable exploitation xviii, 6  
 biodiversity conservation 370, 371  
 difficulties 9–12  
 levels 260  
 limits to control 10–12  
 limits to knowledge 10  
 politics 9, 11  
 population-based approaches xviii
- sustainable harvesting xiv  
 age classes 192  
 conservation 388  
 ecological extinction 387–8  
 extinction cascades 388  
 long-term goals 82  
 marketing time 193  
 model 191–3  
 parrots 188–93  
 productivity increase 193  
 selective forces 173  
 wild birds 183  
 wildlife 192–3, 385–92, 403
- sustainable hunting programme xix
- sustainable management xv
- sustainable offtake 303
- sustainable return xv
- sustainable use xviii  
 conservation 463  
 economic theories 22–5  
 efficacy for conservation 391  
 exploited population conservation 485–96  
 kangaroos 403–21  
 policy 467  
 programmes in Zimbabwe 440  
 resources xv, 486–8  
 understandings 488
- sustainable yield xv, 17  
 biomass 46  
 calculation xviii  
 fisheries 42–6  
 maximisation 19  
 optimal harvesting 312
- Sylvagus brasiliensis* (forest cottontail rabbit) 222
- Syncerus caffer* (buffalo) 451
- Tanzania, wildlife resources 440–1
- tapir 208, 210, 218
- target reference point 56
- target species 391  
 fish 353  
 habitat change 362  
 population reduction 375  
 viability of population 387
- targeted species 343–4  
 population decline 344–5
- taxonomic non-independence 153–5; *see also* phylogenetic analysis
- Tayassu pecari* (collared peccary) 222
- technological developments 3  
 fishing 54
- tenure, secure 473, 474
- terns 288
- terrestrial ecosystems 347–9  
 salmon as keystone species 357
- territoriality 260, 261, 262, 275
- threat level classification 163–5
- threshold harvesting 69, 70–4, 81  
 moose 79  
 proportional 70–1, 83  
 sustainability 82  
 threshold setting 82  
 threshold reference point 56
- Thunnus thynnus* (bluefin tuna) 5
- Thylogale billardieri* (Tasmanian pademelon) 405
- tiger 12
- timber 247  
 extinction 247  
 harvesting 254

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

Index | 523

- high-grading 250
- wood products 242
- time scales 11
- total allowable catch (TAC) 54, 55, 58
- tourism
  - Africa 449
  - kangaroos 415
  - lodges 455
  - wildlife 451
  - Zimbabwe 453
- trade 3
  - beneficial 452
  - bird conservation xviii
  - extinction threats 67
  - international 485
  - regulation 485
  - see also* CITES; General Agreement on Tariffs and Trade
- tragedy of the commons xv, 10, 27, 219, 467
- transition matrix 307, 308, 309, 311
- transportation 3, 102–6
- trawlers
  - beam 334
  - North Sea 358
  - seabed disturbance 334, 358
- trawling 302
- trees
  - clearing 403, 405
  - conspicuous 381
  - deciduous 244
  - density 292
  - felling 246
  - genetic variation loss 381
  - growth and wolf density 348
  - harvesting 25
  - less preferred 381
  - marginal 381
  - replacement 250
  - reproduction 243–4
  - wood volume 331
  - see also* cloud forest; logging; rain forest; timber; tropical forests; wood
- triggerfish 349, 360
- trophic cascades 347, 349, 350–1, 391
  - freshwater lakes 353–4
  - marine ecosystems 353
  - prediction 355
- trophic interactions xix
- trophic levels
  - abundance decline 346–7
  - harvest potential 345
  - polar bears 434
- tropical forests 204–7, 371–2
  - biomass distribution 214, 215, 216
  - carrying capacity 372
  - close-canopy 214
  - commercial hunting 386
  - commodity harvesting 475
  - diversity 205
  - ecological interactions 386
  - fauna 204, 386
    - decrease 387
    - population density 386
  - flora 205
  - frugivores 380–2
  - gap succession 209
  - harvest rate per unit area 216
  - intactness 473
  - mammalian biomass 211
  - structure 209, 210, 214
  - subsistence hunting 386
  - trees 292
    - harvesting 301
    - vegetation profiles 210
  - see also* cloud forest; rain forest
- trout
  - brook 313
  - brown 354
- tuna 17
  - bluefin 5
- tusklessness 332
- tusks
  - elephant 294, 331–2
  - genetic basis 332
- Tympanuchus cupido* (prairie chicken) 472
- UN Fish Stock Agreement (UN, 1995) 56, 57–8
- uncertainty 10
  - Bayesian analysis 117, 119
  - conservation decisions 131–5, 136, 137
  - exploitation levels 260
  - exploited populations 110–11
  - fisheries management 59
  - fuzzy logic 126, 127–8
  - incorporation methods 114–30
  - IUCN classifications 127–8
  - maximum sustainable yields 50
  - optimal harvesting strategy 81
  - population dynamics 33
  - population size estimation 74–5
  - probability distribution 116
  - quantitative analysis 111, 113
  - types 112–13
- understorey plants 382, 383
- ungulates
  - hunting in breeding season 304
  - optimal strategy 413
- uniform model 375, 376, 377–9
- United Nations 467
- United States bird trade 197, 199
- Uria aalge* (common murre) 288
- Ursus americanus* (black bear) 472
- Ursus arctos* (Scandinavian brown bear) 75, 316
- Ursus maritimus* (polar bear) 425

Cambridge University Press

978-0-521-78733-8 - Conservation of Exploited Species

Edited by John D. Reynolds, Georgina M. Mace, Kent H. Redford and John G. Robinson

Index

[More information](#)

## 524 | Index

- vegetative reproduction 244
- vegetative tissues 247
- Vicugna vicugna* (vicuña) 305
- vole, bank 169–70
- von Bertalanffy growth parameters 151, 327
- wallaby
  - red-necked 405
  - whiptail 405
- wallaroo 405, 411
- water
  - fresh 465
  - quality 360
- water trough electrification 418
- waterfowl hunting 304
- watering points 403, 405
- whale
  - beluga 119–24, 125, 127, 130, 133–5, 430–1
  - blue 5, 262
  - co-management in Canadian Arctic 430–1
  - fin 262, 433
  - grey 117, 119
  - management 425
  - minke 125, 433
  - North Atlantic right 115
  - population decline 301–2
  - species collapse 110
- whaling boats, spatial pattern 271–2
- whaling quotas 110, 135, 137
- wheat, demand 465
- wigeon 267
- Wild Bird Conservation Act (US, 1992) 197, 198, 199, 488
- wildebeest, Serengeti 349, 360
- wildfowl, hunting disturbance 266
- wildlife 3
  - agricultural pressures 440
  - agriculture spread 449
  - asset 453
  - commercial use 440
  - cropping 451
  - cultural concepts 435
  - durable product exports 452
  - economic value 403
  - exploitation 3, 485
  - harvesting 420
  - hunting benefits 434–5
  - income for rural poor 443
  - integration with people 492
  - investment in parks 449
  - management 493–4
    - Arctic ecosystems 424
  - proprietorship 456
  - public confusion over symbols 478–9
  - revenue 451, 453
  - savannah assemblages 451
  - settlement of land 449
  - social construction 472
  - sustainable harvesting 192–3, 385–92, 403
  - value 450–2
- wolves
  - keystone species 347–8
  - population density fluctuations 348
  - predation on caribou 433
- wood
  - demand 465
  - products 242
  - volume 331
- World Bank 441, 467, 468
  - sustainable development 470
- World Conservation Monitoring Centre 184
- World Conservation Strategy* (IUCN/UNEP/WWF, 1980) 6, 486
- World Conservation Union *see* IUCN
- World Wide Fund for Nature 468
- World Wildlife International 183
- Yellowstone Park ecosystem 471
- yield-per-individual 43
- yield-per-recruit analysis 43, 45, 48–50
  - life histories 148
- yields
  - exploitation effort 7
  - maximum constant 55
  - maximum economic 52
  - maximum prior to extinction xviii
  - optimum 53
  - see also* maximum average yield; maximum sustainable yields; surplus production; sustainable yield
- Zimbabwe
  - drought 450
  - sustainable use programmes 440
  - wildlife revenue 451
  - see also* CAMPFIRE programme
- zoning, complex 467
- zooplankton 354
- zoos, bird trade control 183