

## Index

- abelian group, 505
- Abrikosov vortex lattice, 561, 571, 662
- absolute solid-on solid (ASOS) model, 644, 662
- acoustic phonons, harmonic lattice, 367-8
  - See sound modes
- adatoms, 78, 601, 662
  - crystal and liquid phases, 78
- Airy stress function, 535, 589
- amphiphilic molecule, 68, 71, 662
- amplitude ratios, 236-7
- Angstrom, 17
- angular momentum, 420, 425, 441
- anharmonicities
  - nonlinear *sigma* model, 341
  - see nonlinearities
- Anisotropic-Next-Nearest-Neighbor Ising (ANNNI) model, 186-8, 662
- anisotropy
  - anisotropic lattice, 54,
  - anisotropic molecules, 58, 62
  - cubic, 267
  - energy, 177
  - field, 177, 662
  - quadratic, 269
- ANNNI, see Anisotropic-Next-Nearest-Neighbor Ising model
- antibonding orbital, 22
- antiferromagnet
  - antiferromagnetic phase, 87, 176, 346
  - conjugate field, 136
  - Heisenberg model, 435
  - hydrodynamics, 438-9
  - model G, 437
  - order parameter (staggered magnetization) 136, 177, 435
  - phase transitions, 135
  - spin waves, 438
- argon, 3, 7-8, 178
- ASOS see absolute solid-on solid model
- atomic form factor, 31, 662
  
- bands in metals, 25
- basin of attraction, 245, 253-4, 662
- basis, crystalline solids, 43, 48, 662
  
- BCC see body-centered cubic lattice
- bend, 299, 301, 662
  - expulsion from smectic phase, 312
- Bernal model, 40, 662
- biaxial nematic, 16, 135-7, 662
- binding energy, 18
- bipartite lattice, 135-7, 662
- block-spin variable, 238-40, 662
- Blume-Emery-Griffiths model, 179
- body-centered cubic (BCC) lattice, 53-6, 87, 135, 189-94, 515-17, 662
  - defects, 515-17
- Bose particles, 123
- Boltzmann constant, 11, 216, 376
- Bohr magneton, 25
- bond-angle (bond orientational) order, 58, 66, 328-9, 534, 556, 663
- bonding orbital, 22, 663
- Bragg scattering 47-9, 663
  - cylinder, TGB phase, 568
  - and Debye-Waller factor, 49, 322
  - law, 29-33, 663
  - and long-range order, 61, 136
  - peaks, 48, 75-6, 663
  - satellite, 31
  - and adsorbed monolayers, 325
  - and antiferromagnetic order, 88, 136
  - and incommensurate systems, 80-1
  - and quasicrystals, 82
  - and quasi-long-range order, 61, 313, 325
  - sheets, 75
  - spot, 10, 77
- Bragg-Williams theory, 146-151, 663
- Bravais lattice, 43, 50-5, 663
- breakdown of mean-field theory, 208, 214-17, 225
- Brillouin scattering, 452, 458, 663
- Brillouin zone, 46, 47, 100, 136, 256, 258-9, 663
- broken symmetry, 2, 10, 14, 132-4, 433, 663
  - broken continuous symmetry, 10, 12, 14, 137-8
  - broken discrete symmetry, 135-137
  - and defects in systems with discrete symmetry, 590
  - and elasticity, 288

686 *Index*

- and Goldstone mode, 432, 434
- helium, 460-4
- magnetic order, 85-90
- phase, 10-15, 419
- and topological defects, 495
- variables, 417-419
  - hydrodynamic variable, 427
- Brownian motion, 375, 663
- buckling instability, 315
- bulk modulus, 320, 663
  - see compressibility
- Burgers vector, 663
  - dislocation, 508-9, 513, 534
  - lattice, 514
- c-director, 64, 506
- Cahn-Hilliard model (model B), 448, 468, 664
- Callen-Welton theorem, 387, 664
  - see fluctuation-dissipation theorem
- canonical ensemble, 119
- canted spin order, 87
- Cantor set, 604, 664
- causal, 355, 664
- charge-density response function, 205
- chemical potential, 110, 117
- chiral liquid crystal, 561
  - see cholesteric liquid crystal
- chiral molecule, 60-1, 664
- cholesteric (chiral) liquid crystal, 58-61, 87, 299, 561, 569, 665
- cholesterol nonanoate, 64
- CI see commensurate-incommensurate
- classical plasma, 205
- climb, 521, 664
- clock model, 139, 664
- close-packing, 9, 52, 56-7, 664
  - see FCC, HCP, and random-close-packed lattices
- closure, 44
- coarse graining process, 217-19, 239, 664
- coarsening, 483, 490
- codimension, 499, 664
- coexistence, 117, 159, 161, 170, 178, 180, 664
- coherence length, 231
  - see correlation length
- coherent cross-section, 404-6
- coherent and incoherent scattering, 404-5, 664
- columnar discotic phase, 68, 664
  - homework problem, 103
  - lyotropic systems, 71
- commensurate
  - ANNNI model, 187
  - Frenkel Kontorowa model, 602, 604, lattice, 78, 665
  - magnetic wave vector, 77-82, 89
  - overlayer, 254
  - see incommensurate
- commensurate-incommensurate transition, 77-82, 89, 603-7, 640-3
  - dislocations, 640-3
  - and the Frenkel-Kontorowa model 601-20
- commutation relation, 120, 218, 434, 461
- completeness relation, 98
- compressibility, 5, 114, 116, 162, 328, 451, 488, 664
  - in adsorbed overlayers, 639
- Compton scattering, 88, 665
- conjugate field, 134, 139
- conjugate variables, 111, 665
- conservation laws, 2, 418
  - angular momentum, 420
  - density, 369, 418
  - and diffusion, 369
  - energy, 420, 438, 440-41
  - and hydrodynamic modes, 418
  - mass, 441, 445, 453
  - and model B, 468
  - and model C, 469
  - momentum, 441
  - and model H, 476
  - spin and models E & F, 476
  - spin and models G & J, 477
- conservative dislocation motion, 520, 665
- constitutive relation, 418, 425, 665
- continuous symmetries, groups, 135, 137-9, 157, 288, 495, 665
  - hydrodynamics and broken, 418
- continuous transition, 13, 15, 665
  - see second-order transition
- conventional unit cell, 51, 53, 665
- cooperative diffusion, 376-8
- core energy of a topological defect, 526, 665
- corrections to scaling, 241, 665
- correlation functions, static, 123-132, 226, 231, 243, 260, 383
  - density-density, 34-36
  - and compressibility, 126
  - direct pair correlation function, 126
  - displacements in an isotropic solid, 322, 324, 533
  - displacements in a smectic liquid crystal, 313
  - and long-range order, QLRO, and disorder, 295
  - mean-field order parameter, 157
  - nematic director, 306
  - pair distribution function, 36
  - pair correlation function, 36, 40
  - spin-spin 130,
    - in KT transition, 577
  - static scaling of, 252

- static structure factor, 36, 42
  - of a crystal, 48
- structure function 32, 62, 66
  - 2D crystal, 325
  - Smectic-*A* liquid crystal, 313
  - 1D crystal, 323
- and susceptibility, 131
- transverse in systems with broken continuous symmetry, 292
- correlation functions, dynamic, chapter 7, 353-83
- classical fluid, 452-53
  - and cross-sections, 405-6
  - Brownian particle, 383-4
  - density-density correlation function, 354, 372, 374, 405
  - dynamic scaling, 469
  - and fluctuation-dissipation theorem, 387, 397
  - and inelastic scattering, 404-8
  - rigid rotor, 430
  - self-diffusion (problem), 416
  - see response functions
- correlation length, 154-5, 213, 214, 228, 231, 244, 262, 341, 665
- correlation length exponent  $\nu$ , 155, 231, 228, 262, 266, 269, 665
- Coulomb attraction, 18, 19
- Coulomb gas, 546, 584, 588-9
- covering surface, 511, 665
- creep, 12, 665
- critical density, 5, 159, 665
- critical dimensions,
  - dynamic, 471
  - lower  $d_L$ , 15, 227, 295, 313, 322
  - upper  $d_c$ , 15, 213, 226, 263, 283, 285-6
- critical endpoint, 180, 665
- critical exponents, 230, 665
  - tables of, 231, 237
  - $z$  (dynamic scaling) 469-71
  - $\alpha$  (specific heat), 231, 233-4, 237
  - $\beta$  (order parameter), 153, 167, 174, 231, 237
  - $\gamma$  (susceptibility), 153, 174, 227, 231, 237, 285
  - $\gamma_{\text{eff}}$ , 273
  - $\delta$ , 154, 174
  - $\Delta$  (gap exponent), 324, 341
  - $\eta$  (critical point), 231, 232, 237, 268, 286
  - $\eta$  (order parameter in 2D  $xy$ -model), 296
  - $\eta_c$  (smectic liquid crystal), 313, 640
  - $\eta_G$  (2D crystal) 325
  - $\eta_u$  and  $\eta_h$  (polymerized membranes), 431
  - $\eta_6$ , hexatic QLRO, 558
  - $\lambda$  (external field scaling), 324, 340
  - $\lambda_t = 1/\nu$  (thermal), 240
  - $\nu$  (correlation length), 155, 174, 231, 237, 240, 251, 262, 266, 269, 286, 284
  - $\omega$  (field scaling), 238
  - $\omega_c$  (energy density scaling), 240
  - $\phi$  (crossover), 235, 270
  - percolation from one-state Potts model, 286
  - universality, and scaling, field theory, 230-7
  - Yang-Lee edge, 286
- critical isobar, 160
- critical isochore, 159, 162-5
- critical isotherm, 160
- critical nucleus, 480
- critical opalescence, 4, 5, 165, 665
- critical point, 4, 5, 118, 159, 162-5, 666
- critical pressure, 162
- critical slowing down, 4, 465, 666
- crossover exponent, 235, 269, 270
- crossover functions, 216, 228, 270-3
- crystalline solids, 43-5
  - Bragg scattering, 47-9
  - close packed structures, 56-7
  - disclinations, 517-8
  - dislocations, 513-17
  - growth, 522
  - hydrodynamics, 459
  - order parameter and transition to, 187-98
  - periodic functions, 46-7
  - reciprocal lattice, 45-6
  - space groups, 57-8
  - strength, 518-22
  - three-dimensional Bravais lattices, 53-6
  - topological defects, 506-26
  - two-dimensional Bravais lattices, 50-3
- crystallographic point group, 51, 666
- cubic, 328, 666
- cubic anisotropy, 267, 666
- cubic fixed point, 268, 666
- cubic lattice, 52-7
- Curie spin susceptibility, 243, 666
- curvature, 623-5, 666
  - mean, 625, 676
  - and elasticity of smectic liquid crystals, 311
- cutoff, 221, 226, 256, 294, 666
- dangerous irrelevant variables, 273-5, 666
- Debye-Hückel screening length, 204, 206, 558, 666
- Debye-Waller factor, 49, 294, 322, 407, 666
- decimation, 245-8, 667
- de Gennes energy, 566
- de Gennes-Taupin length, 628, 630, 667
- delocalization energy, 25
- density functional theory, 195-8
- density operator, 34-8
- destructive interference, 29, 667
- devil's staircase, 603-5, 667
- dielectric constant, 20, 206-7, 546, 551

688 *Index*

- diffraction  
 see Bragg scattering
- diffuse rings, 60
- diffuse scattering, 48, 60, 77, 667
- diffusion, 369-8, 383, 667  
 cooperative vs self, 376-8  
 particle, 353  
 on a lattice, master equation, 378-81  
 directed, 415, 668  
 director in nematic liquid crystal, 456  
 external potentials and the Einstein relation, 373-5  
 Fick's law, 369-70, 373, 671  
 Green function, and dynamic response, 370-1  
 hydrodynamic mode, 425, 429, 438, 449, 451, 454  
 and Langevin theory, 383-85  
 mass, 454  
 model B, 468  
 model C, 469  
 permeation, 617  
 phason, 617  
 response function, 371-3  
 spin, 438  
 thermal, 425, 429, 438, 451, 454  
 vacancy, 459
- diffusion limited aggregation (DLA), 97, 668
- dilation, 317
- dilation symmetry, 90, 668
- Dirac delta function, 204
- direct lattice, 43-5, 668
- direct pair correlation function, 195
- directed diffusion, 415, 668
- director, 59, 168, 420, 506, 668  
 see also Frank director
- disclinations, 495, 668  
 in crystal, 517, 519, 534  
 density, 534  
 and the KT transition, 558  
 loops, 527  
 in hexatic liquid crystals, 526  
 in nematic liquid crystals, 524-6  
 in smectic-C films, 506, 509  
 twist, 519  
 Volterra construction, 517, 519  
 wedge, 519
- discommensurations, 590, 602-3, 613, 668
- disconnected diagram, 279
- discontinuous transition, 13  
 see first-order phase transition
- disclotic liquid crystals, 15, 68, 668
- discrete Gaussian model, 578, 584, 645, 668
- discrete symmetry, group, 13, 135-7, 590, 668
- dislocations, chapter 9, 12, 13, 49, 495, 510, 520, 531, 640-3, 668
- Burgers vector, 508-9, 513, 534  
 and CI transition, 640-3  
 in crystals, 531  
 edge, 514-5  
 energies, 531-6  
 screw, 514-5  
 density, 521  
 and grain boundaries, 522-4  
 in hexagonal and close-packed lattices, 515  
 mediated melting, 555, 555-9  
 in periodic solids, 512-17  
 in smectic liquid crystals, 507, 308, 507-12, 561-73  
 Volterra construction, 515, 683
- dissipation, 361, 365-6, 394-5, 419, 446-8, 668
- dissipationless flow, 445-8, 668
- dissipative dynamics, 466-9
- domain walls, chapter 10, 15, 590, 668  
 in mean-field theory, 595-601  
 fluctuating, 635
- dual lattice, 50, 580, 668
- duality  
 lattice Coulomb-gas model, 582-4  
 Potts models, 579-82  
 Villain model, 578-9, 582-4  
 xy-model, 582-4
- dynamic models,  
 see models, stochastic
- dynamic scaling, 469-72
- dynamic upper critical dimension, 471
- dynamic modes, 2, 359, 362-68  
 see hydrodynamics, diffusion, sound
- $\epsilon$ -expansion, 263-276, 286
- easy-plane ferromagnet, 138
- edge dislocations, 13, 510, 520, 640-3  
 loops, 512
- effective critical exponent, 273
- Einstein relation, 373-5, 385, 668
- elastic constants, tables of, 319, 320
- elastic continuum, 366
- elastic variable, 288
- elasticity, chapter 6  
 of classical harmonic lattices, 332  
 free energy, xy-model, 289-90  
 Eulerian stress tensor, 338-41  
 fluctuations, 293-5  
 and light scattering, 306-8  
 frank free energy, of nematic liquid crystals, 298-300  
 Josephson scaling relation, 292-3  
 Lagrangian elasticity, 330-4  
 Lagrangian stress tensor, 334-7  
 nonlinear sigma model, 341-7

- $O_n$  symmetry and nematic liquid crystals, 298-306  
 smectic liquid crystals, 308-16  
 of solids, 316  
   bond-angle and translational order, 328  
   density functional theory, 329  
   elastic free energy, 318-19  
   fluctuations, 321-2  
   isotropy, and cubic solids, 319-21  
   one-dimensional crystals, 322-4  
   vacancies and interstitials, 325-8  
   two-dimensional crystals, 324-6  
 stress-strain relations, 337-8  
 xy-model, 289-97  
 polymerized membranes, 632  
 elasticity of sterically stabilized phases, 638-40  
 electron scattering, 409  
 energy density, 240  
 energy of a surface, 625-6  
 enthalpy, 113  
 entropy, 3, 111, 119, 146, 424-5  
   density, 424, 427  
   of mixing, 146  
   steric, 635  
 entropy production equation, 444-5  
 equations of state, 116-17  
   mean-field, 153  
   scaled, 234-5  
   Van der Waals, 683  
 equipartition theorem, 10, 123, 223  
 escape, to third dimension, 501  
 Euclidean group, 39, 668  
 Euler characteristic, 626, 669  
 Euler-Lagrange equation, 301-2, 485, 538, 597, 671  
 Eulerian coordinates, 331, 446  
 Eulerian elasticity, 338-41  
 Euler's equation, 448, 669  
 exchange interaction, 21-5  
 excluded volume, 46, 94  
 exclusion principle, 7, 23  
 extensive variable, 111  
 external Hamiltonian, 134
- $f$ -sum rule, 372, 670  
 face-centered cubic structure, 9, 41, 53-7, 190-4, 669  
   defects, 515-17  
 facets and faceting, 8, 648-55  
 fan spin order, 87  
 FCC see face-centered cubic structure  
 FeCl<sub>2</sub>, crystal structure, 175-82  
 Fermi gas, 122  
 Fermi pseudopotential, 402-4  
 Fermi's Golden Rule, 30, 400-2, 669
- ferrimagnet, 87, 130  
 ferroelectric phase, 81, 138  
 ferromagnet  
   conjugate field, 128  
   ferromagnetic phase, 87, 128  
   hedgehog defect for  $O_3$ , 500  
   Heisenberg model, 127, 435  
   hydrodynamics, isotropic, 439-440  
   model J, 477  
   order parameter, 128  
   spin waves, 440  
 ferromagnetic exchange, 25  
 Fick's law, 369-70, 373, 669  
 field theory, 213-83  
   construction, 217-26  
   gaussian integrals, 221-3  
 Ising model  
   hypercubic lattice, 248-52  
   one-dimensional Ising model, 242-5  
 Landau-Ginzberg-Wilson, 465  
 lattice field theories, continuum limit, 219-21  
 mean-field theory, from functional integrals, 223-5  
 $n$ -vector model, 228-30  
 self-consistent field approximation, 226-30  
 first homotopy group, 504  
 first law of thermodynamics, 109-11  
 first-order phase transition, 144  
   bicritical point, 183  
   and harmless staircase, 605  
   liquid-to-solid, 187-198  
   nematic-isotropic transition, 168-172  
   and nucleation, 480-82  
   Potts model, 202  
   tricritical point, 174  
 five-fold symmetry, 50, 82-5  
 fixed point, 245, 251, 262, 267-9, 671, 548, 573, 634, 669  
   cubic, 268  
   Gaussian, 262, 268  
   high  $T$ , 245, 262  
   Heisenberg, 266, 268  
 Ising  
   1D, 245  
    $1+\epsilon$  Migdal-Kadanoff, 251  
    $4-\epsilon$ , 268  
   Kosterlitz-Thouless, 548, 573  
   polymerized membrane, 634  
   Potts lattice gas, 256-7  
 FK see Frenkel-Kontorowa  
 floating phase, 601  
 Flory parameter, 671  
 Flory theory, radius of gyration of a polymer, 94, 669  
 fluctuating walls, 635-40

690 *Index*

- fluctuation-dissipation theorem, 353, 374, 387, 397-9, 664  
 see Callen-Welton theorem
- fluctuations, 15  
 and break-down of mean field theory (Ginzburg), 214-17, 225-6  
 and corrections to mean-field theory, 294  
 and correlation functions 35, 125, 131  
 and destruction of long-range order, 294  
 and Debye-Waller factor, 294, 322, 407, 666  
 dynamic, 355, 387, 397  
 of elastic variables, 293, 306, 312, 321  
 of fluid membranes, 626  
 in harmonic approximation, 626-9  
 in mean-field theory, 154, 157  
 and scattering, 405-8  
 and susceptibilities, 120, 132
- fluid hydrodynamics, 441-53
- fluids, 38-43  
 internal energy, 109  
 thermodynamics, 108-17  
 two-component, 453  
 see also superfluids; water
- Fokker-Planck equation, 388-9, 473
- four-state Potts model, 256
- Fourier transforms, 10, 97-100  
 transforms on a lattice, 100
- fractals, 91-7
- Frank director, 168, 302, 311, 328  
 see also director
- Frank free energy, 298-300, 311, 316, 455, 567, 669
- free standing smectic-C films, 506
- Fredericksz transition, 302-4, 670
- freezing, 8-15  
 Hansen-Verlet criterion, 192, 671
- Frenkel-Kontorowa model, 601-20
- frustration, 7, 112, 670
- functional integral, 218
- functional derivatives, 140-1, 672
- fundamental group, 504, 670
- Galilean transformation, 441-2
- gap exponent  $\Delta$ , 234
- gas partition function, Coulomb, 588-9
- gaseous state, 3-5, 38-43
- gauge symmetry, 135, 670
- Gauss-Bonnet theorem, 626, 670
- Gaussian critical point, 262, 670
- Gaussian curvature, 624, 625, 670
- Gaussian fluctuations, 224, 670
- Gaussian integrals, 221-3
- Gaussian model, momentum shell renormalization group, 261-3
- generalized force, 110
- generalized Heisenberg models, 435-6
- de Gennes free energy for the smectic-A phase, 566
- de Gennes-Taupin length, 628, 630, 667
- genus, 626-7
- Gibbs free energy, 112, 114
- Gibbs' paradox, 119, 670
- Ginzburg criterion, 214-7, 225, 670
- Ginzburg length, 215, 228
- Ginzburg parameter, 572
- Ginzburg temperature, 215, 225-6, 228, 272
- Ginzburg-Landau model, time-dependent, 466, 682
- glaciers, 12
- glass, 112, 671
- Glauber model, 466, 671
- glide, 12, 520
- glide plane, lattice, 57
- global packing constraints, 7
- global symmetry, 135, 671
- Glossary**, 662-84
- gold, fractal aggregate, 95
- golden mean, 51, 83, 671
- Goldstone mode, 432, 471
- Goldstone theorem, 432, 434
- good solvent, 93, 673
- grain boundaries, 522-3, 589, 671
- grand canonical ensemble, 120, 125
- grand potential, 113
- graphite, lattice, 78-9
- gravity, 335
- Green function, 477-8  
 diffusion, 370-1, 376, 531  
 and dynamic response, 370-1  
 and mode-mode coupling, 477-8
- ground state manifold, 502
- groups  
 first fundamental group, 504, 672  
 homotopy, 504-5, 524  
 see also symmetry group
- gyration, radius of, 91, 680
- Hameker constant, 553
- Hansen-Verlet criterion, 192, 671
- hard cutoff, 219, 671
- hard-sphere  
 close-packing, 671  
 interaction, 40  
 model, 7  
 solid-liquid phase transition, 43  
 fluid, 38
- harmless devil's staircase, 605
- harmonic lattice, acoustic phonons, 367-8
- harmonic oscillator, 359-66  
 fluctuation-dissipation, 387

- Hartree approximation, 226, 672  
 Hausdorff dimension, 97, 672  
 heat, 109  
 heat capacity, 114  
 heat current, 424, 427, 445  
 Heaviside unit step function, 355  
 heavy wall, 602, 672  
 hedgehog, 500-3, 527, 585, 674  
 Heisenberg fixed point, 266, 269  
 Heisenberg model, 14, 127-9, 140, 202, 435, 672  
 Heisenberg operator, 392  
 Heitler-London theory, 20, 25, 672  
 helical magnetic phase, 91  
 helical spin order, 87  
 helicity modulus, 290-1  
 helium  
    $\text{He}^3$ , 117, 179  
    $\text{He}^3$ - $\text{He}^4$  mixtures, 179  
    $\text{He}^4$ , 177, 179  
   helium films, 551-5  
   Kosterlitz-Thouless transition, 551-2  
   superfluids, 138, 289, 460-4  
 Helmholtz free energy, 112, 194, 200, 672  
   density, 115, 122, 126-7, 327  
 hexatic phases, 65-8, 672  
   liquid crystals, 65-8, 70, 138, 289, 524-6, 657  
   2D crystals, 78, 558  
 hexagonal close-packed solid (HCP), 41, 56-7, 105, 515-17, 672  
 hexagonal lattice, 57, 69, 191, 515-17  
 hexatic-*B* phase, 66, 138  
 Hg, chain salts, 322-4  
 homogeneity, 230  
 homogeneous fluid, 118  
 homogeneous functions, 115-16, 672  
   and scaling, 230-6  
 homotopy, 495, 503-4, 672  
   groups, 504-5  
 honeycomb lattice of walls, 638  
 Hubbard-Stratonovich transformation, 276-7, 588, 672  
 Hund's rule, 25, 672  
 hydrodynamics, chapter 9, 418-92  
   conserved and broken-symmetry variables, 417-419  
   crystalline solids, 459-60  
   dissipationless, 445-8  
   equations, 2  
   films, fluid, 494  
   fluid hydrodynamics, 440-54  
   nematic liquid crystals, 454-56, 493  
   modes, 449-52, 673  
     of a fluid, 11  
   and nucleation, 479-91  
   rigid rotors on a lattice, 419-34  
   smectic liquid crystals, 456-9, 493  
   spin systems, 434-40  
   and spinodal decomposition, 479-91  
   superfluid helium, 460-4, 493  
     films, 553  
     variable, 288  
     water, 418  
   see models, stochastic  
 hydrogen bonding, 3, 7  
 hydrogen molecule, 20-2, 25-8  
 hydrophilic and hydrophobic, 68, 673  
 hypercubic lattice, Ising model, 248-52  
 hyperscaling relation, 233, 673  
 hysteresis, 171, 673  
 ice, edge dislocation, 12-13  
 icosahedral order, 190, 193  
 icosahedral packing, 7  
 icosahedral symmetry, 82, 673  
 icosahedric, 328, 673  
 ideal gas, 112-3  
 ideal polymer chain, 90, 673  
 incoherent cross-section, 404-6  
 incommensurate, 77-91  
   devil's staircases, 603-6  
   dynamic modes, phasens, 615-7  
   FK model, 602-5  
   quasicrystals, 83-5  
 incommensurate crystal lattice, 77-82, 322, 673  
 Ho, 89-91  
 Kr on graphite, 80  
 Lifshitz points, 184  
 $\text{NaNO}_2$ , 79  
 reciprocal lattice, 82  
 striped phase, 618  
 TGB phase, 563  
 2D solitons (Pokrovsky-Talapov), 635  
 see commensurate  
 inelastic scattering, 399-408  
 inertia, 428  
 inertial term, 361  
 infrared singularities, 313, 673  
 intensive variable, 111, 673  
 interfacial stiffness, 626, 674  
 intermediate function, 406, 674  
 internal energy, 109  
 interstitials, 325, 674  
 inviscid flow, 325, 445, 674  
 ionic salt, 18  
 irreducible representation, 134, 674  
 irrelevant field, 241, 253, 674  
 Ising critical point, 256  
 Ising Hamiltonian, 139, 151  
 Ising model, 14, 139-40, 161, 166, 674  
   Bragg-Williams mean-field theory, 203



692 *Index*

- fixed point,
  - 1D, 245
  - $1 + \epsilon$ , 251
  - $4 - \epsilon$ , 268
- kinetic, 466
- kink, 591-2
- Landau mean-field theory, 152-6
- Migdal-Kadanoff renormalization group, 248-52
- nucleation, 481
- one-dimensional, exact, 242-5
- spin, 15, 177
- and spinodal decomposition, 481
- square lattice, 250
- topologically distinct states, 591-4
- walls, 593
- see also ANNNI model
- Ising symmetry, 135-7, 139, 152, 231, 259, 470
- isobar, isochore, isotherm, 159-60, 674
- isotropic fluids, 15, 16, 38-43, 307, 674
  - hydrodynamics of, 440-53
- isotropic fractals, 91-7
- isotropic phase
  - of liquid crystals, 58-61
  - metastability, 170
  - nematic-to-isotropic transition, 191
- isotropic solids, elasticity, 319-22
- Jacobian, 342
- Josephson scaling relation, 293, 437, 528, 674
- Josephson tunneling, 158
- $K_2NiF_4$ , 346
- Kadanoff construction, 237-42
- kinematic viscosity, 449
- kinetic, Ising model, 466
- kinetic energy, 3, 122
- kinks, chapter 10
- Kirchhoff's laws, 381
- Kosel crystal, 644, 654, 674
- Kosterlitz-Thouless (KT) transition, 296, 495, 544-51, 578, 647, 674
  - correlation length, 550
  - of striped phases, 642
  - integration of the KT recursion relations, 573-5
  - longitudinal and transverse response, 575-7
  - and roughening, 648
  - spin correlation function, 577-8
- Kosterlitz-Thouless-Halperin-Nelson-Young (KTHNY) transition, 555-61
- Kramer's equation, 415
- Kramers-Kronig relation, 357-8
- krypton
  - on graphite, 79-80, 253, 558
  - incommensurate phases, 635
  - Lennard-Jones (L-J) potential, 256
- KT see Kosterlitz-Thouless transition
- KTHNY melting transition, 555-61
- Kubo formulae, 432-3, 447, 454, 675
- Lagrangian
  - of classical fluid, 443
  - of rigid rotor, 421-6
- Lagrangian coordinates, 331, 446
- Lagrangian elasticity, 330-40
  - FK model, 607, 615
- lambda line, 173-4, 179, 183, 270, 675
- Lamé-coefficients, 320, 557, 675
- lamellar phase (of lyotropic liquid crystals), 71, 637, 640, 675
- Landau free energy, 151, 193, 219
- Landau gauge, 573
- Landau mean-field theory, 151-2, 675
- Landau theory, chapter 4
- Landau and Placzek, 452
- Landau-Ginzberg-Wilson, field theory, 465
- Landau-Ginzburg free energy, 571
- Landau-Peierls instability, 311
- Landau-Placzek formula, 452, 675
- Langevin theory, 353, 381-90, 675
- Laplace pressure, 487, 675
- Laplace transform, 356, 370, 430
- Laplace's equation, 528, 531
- Laplacian Green function, 531, 545
- latent heat, 144, 170
- lattice
  - anisotropic, 54, 267
  - basis, 43, 662
  - bipartite, 135-7
  - body-centered cubic (BCC), 53-6, 87, 135, 189-94, 515
  - cubic, 52-7
  - direct, 43
  - dual, 50, 580
  - face-centered cubic (FCC), 9, 41, 53-7, 190-4, 515-17, 671
  - hexagonal, 57, 69, 191, 515-17
  - reciprocal, 45, 46, 187
  - simple cubic (SC), 53
  - triangular, 51-3, 255, 520
  - vector, 43
- Laue condition, 47-8, 675
- law of rectilinear diameters, 166, 675
- LCAO, 26
- Legendre transform, 112, 653
- Lennard-Jones potential, 24, 39, 78, 192, 256, 676
- lever rule, 484
- Levi-Cevita symbol, 317



- Lifshitz point, 184-7, 236, 283, 676  
 Lifshitz-Slyozov law, 490, 676  
 light scattering  
   Brillouin peaks, 452  
   from a nematic liquid crystal, 306-8  
   Rayleigh peak, 452  
 light wall, 602  
 limit of metastability, 170, 171, 480  
 linear combination of atomic orbitals (LCAO), 26  
 lipids, 72  
 liquid crystals, 58-71  
   discotic phases, 15, 68, 668  
   display device, 304  
   hexatic phases, 65-8, 70, 672  
   isotropic, nematic and cholesteric phases, 58-61  
   lyotropic liquid crystals and microemulsions, 68-71  
   mesophase, 15  
   see cholesteric, nematic, and smectic liquid crystals  
 liquid-gas transition, 5, 136, 167, 230, 468  
 liquid structure, 38-43  
 local packing rules, 7  
 local symmetry, 135  
 lockin, 89, 601, 676  
 long-range order (LRO), 10, 15, 58, 61, 130, 295, 341, 544, 555, 627, 676  
   fluctuation destruction of, 294  
   orientational order, 66, 86, 627, 631  
   of fluid membranes, 627  
   of polymerized membranes, 631  
   positional order, lack of in fluid membranes 627  
   see quasi-long-range order  
 long-time tail, 414, 676  
 longitudinal strain, 321  
 Lorentzian peak, 323, 327, 363, 367, 676  
 low-angle neutron scattering, 94  
 lower critical dimension, 227, 295, 313, 322  
 lower critical field, 564-6  
 lyotropic liquid crystals, 58, 68-71, 314, 637, 640  
  
 macroscopic variable, 1  
 magnetic Bragg peaks, 87, 89  
 magnetic bubble domain, 518  
 magnetic dipole interaction, 87  
 magnetic order, 85-90  
   see ferri, ferro, and anti-ferromagnet  
 magnetic scattering, 407-8, 676  
 magnetization, 87, 127, 177-9, 436-9  
 magnon, 676  
   see spin wave  
 Maier-Saupe theory, 211  
  
 mass density, 115, 441  
 mass density wave, 136  
 matching rule, 85  
 Mathieu operator, 567  
 Maxwell displacement vector, 206  
 mean curvature, 625, 676  
 mean-field theory, chapter 4, 15, 144-209  
   Bragg-Williams theory, 144, 146-51  
   breakdown, 214-16, 225-6  
   first-order transition, 168-72, 173-5, 187-98  
   from functional integrals, 223-5  
   Ising and  $n$ -vector models, 152-9  
   Landau theory, 145, 151, 156, 159  
   liquid-gas transition, 159-69  
   liquid-solid transition, 187-98  
   multicritical points, 172-87  
   nematic-to-isotropic transition, 168-72  
   variational mean-field theory, 198-204  
     Debye-Hückel theory, 204  
      $O_n$  classical model, 202  
      $s$ -state Potts model, 201  
 mean-field transitions, examples of, 157-9, 216  
 mean-free path, 33, 417, 677  
 memory function, 412, 677  
 meniscus, 4, 159, 677  
 mercury chain salts, 322-4  
 Mermin-Wagner-Berezinskii theorem, 294  
 mesophase, 15  
 metamagnet, 175-9, 677  
 metastable state, 480, 677  
   see limit of metastability  
 micelles, 70, 73-4, 677  
 microcanonical ensemble, 119  
 microemulsions, 71, 75, 635-40  
 Migdal-Kadanoff procedure, 248, 248-56, 253, 262, 345, 677  
 mirror plane, 60, 677  
 $MnF_2$ , 183  
 $MnO$ , neutron diffraction, 90  
 MNTSF-TCNQ, 76-7  
 mobility, 360  
 mode, 359, 677  
 mode-mode coupling, 477-91  
 models for phase transitions  
   Absolute solid-on-solid (ASOS), 644  
   anisotropic dipolar magnet, 284  
   ANNNI, 186  
   for bicritical and tetracritical points, 181, 209  
   Blume-Emery-Griffiths, 179  
   Chen-Lubensky, 210-1  
   clock, 140  
   discrete Gaussian, 584, 645  
   Frenkel-Kontorowa, 590, 601-20  
   Gaussian, 261  
   Heisenberg, 127

- anisotropic, 435
- Ising, 139, 146, 152-6, 160, 238, 242, 251, 590-4
- for Lifshitz points, 185, 283
- for liquid-solid transition, 188
- Maier-Saupe, 211
- for metamagnets, 177
- nonlinear sigma, 341-6
- Potts, 140, 201-2, 284, 579-82, 593
  - four state, 592
  - lattice gas, 254
  - one-state and percolation, 285
- rigid rotors on a lattice, 419-34
- solid-on-solid (SOS), 645
- for tricritical point, 173, 283
- Villain, 583, 645
- Yang-Lee edge, 287
- $O_3$  (Heisenberg), 288, 503
- $n$ -vector ( $O_n$ ), 140, 156-57, 202
  - with cubic anisotropy, 267
  - limit  $n \rightarrow \infty$ , 228
- $xy$ , 140, 289-98, 495, 506, 526, 582, 544
- anisotropic, 347
- models, stochastic
  - dissipative models
    - model A (Glauber), 466, 483
    - model B (Cahn-Hilliard), 468, 488
    - model C, 469
  - with Poisson brackets, 475-7
  - models E&F, (planar ferromagnet and superfluid He), 476
  - model G (anti-ferromagnet), 477
  - model H (liquid-gas critical point), 476
  - model J (isotropic ferromagnet), 477
- modulated phase, 186, 677
- molecular field, 148, 677
- molecular orbital approximation, 25, 677
- momentum density, 1, 441
- momentum shell renormalization group, 256-75
- Monge gauge, 620-1, 625-6, 677
- multicritical point, 172-5, 209-10, 235-6, 678
- multiple scattering, 33-4, 678
  
- $n$ -dimensional orthogonal group  $O_n$ , 228
- $n$ -vector elastic energy, 298
- $n$ -vector models, 140, 152-4, 228-30, 267, 298
- $\text{NaNO}_2$  and incommensurate crystal, 79
- natural function, 112, 426
- natural variables, 112
- Navier-Stokes equations, 448-9, 678
- nematic liquid crystals, 14, 58-63
  - fluctuations and light scattering, 306
  - Frank elastic energy, 298-300
  - Fredericksz transition, 302-4
  - homotopy group, 524
  - hydrodynamics, 434-6
  - order parameter, 168, 307, 420
  - rigid rotor dynamics, 417-34
  - topological defects, 524-27
  - transition to isotropic phase, 168-72
  - transition to smectic phase, 210, 315
  - twisted nematic (cholesteric) 60, 64
  - twisted nematic display, 304
  - cells with non-uniform, 300-2
- nematogens, 171, 678
- Nernst theorem, 111, 678
- neutron scattering, 7, 33-4, 87, 91, 97, 400-7
- Newton's laws, 441
- noise sources, 382
- non-symmorphic space group, 57
- nondissipative coefficients, 418
- nonlinear sigma model, 341
- nonlinearities
  - elasticity of solids, 331
  - renormalization in fluid membranes, 629-30
  - smectic elasticity, 315
- nonlocal susceptibility, 154-6
- normal plane, section, 623-4
- normal-to-superconducting transition, 157, 571-3
- normal-to-superfluid transition, 173
  - Kosterlitz-Thouless in 2D films, 551-5
- nucleation, 13, 480-3, 678
  - conserved order parameters and spinodal decomposition, 484
  - with a nonconserved order parameter, 480-3
  - symmetric unstable quench with modal A dynamics, 483-4
- number density operator, 34
  
- $O_2$  model,
  - see models,  $xy$
- $O_2$  symmetry, 137, 289
- $O_3$  symmetry, 138
- $O_3$  model, 288, 503
  - see models,  $O_3$
- $O_3$  order parameter space, 501
- octahedron, 189
- $O_n$  model, 202
  - see models,  $n$ -vector
- $O_n$  symmetry, 140, 235, 298, 343, 344, 682
  - and nematic liquid crystals, elasticity, 298-306
- one-dimensional chains, 72
- one-dimensional crystal, 322
- one-dimensional order, 15
  - Ising model, 242-5
  - in three-dimensional materials, 71-7
- one-loop approximation, 224
- one-particle reducible diagrams, 279
- one-phonon scattering, 407
- Onsager reciprocity theorem, 492, 678
- Onsager relation, 454, 678

- opalescence, 4, 165
- order parameters, 128, 133, 231
- antiferromagnetic, 136, 177, 435
  - crystal, 48, 177, 435
  - exponent  $\beta$ , 233, 682
  - ferromagnetic, 168, 420
  - hexatic, 68
  - Ising, 152
  - liquid-gas, 161
  - modulated, 186
  - with more than two components, 499-501
  - nematic, 168, 420
  - $O_2$ ,
    - see *xy*
  - $O_3$ 
    - see ferromagnetic
  - $O_n$ , 156
  - smectic, 65
  - spaces and homotopy, 501-6
  - superfluid helium, 460
    - see *xy*
  - and symmetry, 139
  - $U(1)$ 
    - see *xy*
  - xy*, 139, 289, 460
- order-disorder transition, 135, 230
- ordered systems, thermodynamics of 127-32
- organic conductor, 77
- Ornstein-Zernicke theory, 156, 165, 679
- orthogonality condition, 98
- osmotic compressibility, 488
- overdamped oscillator, 361
- pair correlation function, 37
- pair distribution function, 36, 39, 679
  - noninteracting gas, 125
- paramagnetic phase, 87, 176, 679
- paramagnetic state, 128
- partial dislocations, 516
- partition function, 120
- Pauli exclusion principle, 20
- Pauli spin operator, 25
- Penrose tile, 83, 679
- percolation, 202, 285, 679
- Percus-Yevick equation, 40
- periodic boundary condition, 98
- periodic solids, 2, 43, 47, 512-5
  - see crystalline solids
- permeation mode, 458
- persistence length, 628, 679
- perturbation theory, diagrammatic, 277-83
- phase space, 117-22
- phasons, 615-6, 679
  - pinned, 617-8
- phonons, 679
  - see sound
- photons, 33-4, 88
  - see X-ray and light scattering
- planar curve, 621
- planar magnet, 436-8
- plaquette, 249, 250, 578
- plasma, classical, 205
- plate-like molecule, 68
- plumbers' nightmare, 71, 74, 327, 679
- point scatterers, 76
- Poisson bracket, 218, 359, 393, 428, 465, 472-7, 475-7, 679
  - commutation, relation, 432
- Poisson ratio, 378, 533, 680
  - negative, 338, 632
- Poisson summation formula, 582, 589, 680
- Pokrovsky-Talapov free energy, 636, 648, 680
- polarized light, scattering intensity, 307
- pole structure and dynamic response, 396-8
- polymerized membranes, 633
- polymers, 90-7
- poor solvent, 93, 671
- Potts critical end-point, 256
- Potts lattice gas, 253-6
- Potts model, 140, 201-2, 579-82, 592-3, 680
  - four states, 592-3
  - and percolation, 285-6
- power spectrum, 355, 683
- power-law peak, 325
- pressure, 110, 116-17, 335, 340, 344, 444, 449, 455, 459, 462
  - Laplace, 487, 675
- primitive translation vector, 43
- primitive unit cell, 43
- "problems", 103-7, 209-12, 283-7, 347-52, 411-6, 492-4, 585-9, 656-61
- quadratic anisotropy, 269
- quantized flux, 572
- quantum fluctuation, 10
- quasi-Bragg peak, 61, 313, 325
- quasi-crystals, 82-5, 563, 570
- quasi-elastic scattering, 32
- quasi-long-range order (QLRO), 61, 296, 322, 341, 555, 680
  - see long-range order
- quasi-periodic structures, 77
  - see incommensurate
- quasi-static process, 110
- quench, 483
- radial distribution function, 37, 40, 93
- radius of gyration, 91, 680
- random close packed lattice, 105
- random forces, 381-3

696 *Index*

- random isotropic fractals, 90-7
- random phase approximation, 226
- random walk, 4, 90, 375, 680
- random-close-packed spheres, 41
- Rayleigh peak, 452, 680
- Rayleigh scattering, 377-8
- reactive couplings, 428
- reactive current, 427
- reciprocal lattice, 45, 46, 187
  - incommensurate, 80, 83, 614
  - quasicrystal, 85
- rectilinear diameters, law of, 166
- relevant field, 241, 253
- renormalization group, 242-75, 681
  - fluid membranes, 624
  - Kosterlitz-Thouless, 542-50, 554-57
  - nonlinear  $\sigma$  model, 314-17
  - polymerized membranes, 625
  - see also momentum shell renormalization group, Migdal-Kadanoff procedure
- resistors, 381
- response functions, 325, 362-5, 371-3
  - diffusion, 372
  - dissipation, 394-5
  - fluctuation-dissipation theorem, 387, 397-8
  - harmonic oscillator, 362-5
  - helium films, 554
  - hydrodynamic, 425, 430, 452
  - response to external fields, 390-2
  - spectral representations, 395-7
  - sum rules, and moment expansions, 398
  - symmetry properties of response functions, 392-4
  - see correlation functions, dynamic
- rigid rod, 58
- rigid rotors on a lattice, 419-33
- rigidity, 10
  - see elasticity
- rod-like molecule, 68
- rotational invariance, 35
- rotationally isotropic, 38
- roughening and faceting, 648-55
  - Gaussian model, 645-6
  - roughening transition, 646-8
  - solid-on-solid model, 645-6
- runaway, 268
- saddle point, 223-4, 624
- scaled equation of state, 234
- scaling, 213
  - corrections to, 241
  - dynamic, 469
  - energy density, 240
  - in critical phenomena, 230-4
- scattering, chapter 2, 29-33, 399-410
  - see Bragg scattering, diffuse scattering
  - scattering potential, 47
  - Schrödinger equation, 390, 394
  - Schrödinger operator, 567
  - screening in a classical plasma, 207
  - screw axis, 57
  - screw dislocation, 509, 522, 532
    - energy of, 532-3, 539
  - SDS-pentanol-water lamellar smectic, 314
  - second law, thermodynamics, 111, 119, 424
  - second-order phase transition, 5, 144, 213-83
    - bicritical-tetracritical, 181-3, 209
    - commensurate-incommensurate, 77-82, 89, 603, 640-3
    - dislocation mediated melting, 555-9
    - EuO, 235
    - FeCl<sub>2</sub>, 175
    - He<sup>3</sup>-H<sub>3</sub><sup>4</sup> mixtures, 179
    - hexatic-isotropic fluid, 558
    - Ising, 146-52, 153-6, 248-53
    - Kosterlitz-Thouless, 542-54
    - Landau point in biaxial nematics, 212
    - Lifshitz, 184-87, 211
    - liquid-gas, 159-67
    - nonlinear  $\sigma$  model, 314-6
    - $O_n$  ( $n$ -vector) 156-7, 202-4, 263-73
    - percolation, 202
    - Potts lattice gas, 253-5
    - roughening, 643
    - self-consistent field, 226-30
    - superconducting, 158, 571-3
    - TGB-cholesteric, 556-8
    - TGB-smectic-A, 565-6
    - tricritical, 173-5, 209
  - self-avoiding random walk (SAW), 93-4, 140
  - self-consistent field approximation, 226-30
  - self-diffusion, 376-8
  - self-similar, 90, 681
  - shear distortion, 8, 317-18
  - shear modulus, 320, 555
  - shear (transverse) sound mode, 2, 369, 459
  - shear viscosity, 447
  - short-range order, 58, 322
  - short-time behavior, 385-7
  - simple cubic (SC), lattice, 53
  - sine-Gordon, 589
    - soliton, 599
  - single scattering, 33
  - singular continuous function, 604
  - slip, 520
  - smectic liquid crystals, 58-65, 681
    - smectic-A liquid crystals, 15, 61-5
    - dislocations, 308, 507-12, 561-73
    - elastic free energy, 309-12, 536
    - elasticity, 308-16

- fluctuations, 312-14
- hydrodynamics, 456-9
- nonlinearities, 314-15
- order parameter, 61, 308, 315
- order parameter space, 509
- transition to nematic phase, 315-16
- transition to smectic-*C* phase, 158, 216
- types I and II, 564, 682
- smectic-*B* phase, 66
- smectic-*C* phase, 61-4
  - disclinations, 506, 509
  - order parameter, 64, 506
  - smectic-*F* and -*L* phase, 68, 70
- Smoluchowski equation, 388-9, 473
- sodium nitrite, 79, 81
- soft mode, 290
- solid-on-solid (SOS) models, 645
- solitary wave, 681
  - see also solitons
- solitons, 590, 600, 681
  - sine-Gordon, 599
  - see also walls, kinks and solitons
- solvents, 93, 671
  - $\theta$  solvent, 94, 96
- sound, 429
  - first in superfluid helium, 464
  - second in superfluid helium, 454
  - longitudinal in isotropic fluid, 450
  - longitudinal in crystal, 460
  - longitudinal in elastic continuum, 367
  - in model rotator system, 429
  - transverse in crystals, 460
  - transverse in elastic continuum, 367
  - third in superfluid helium films, 553
- sound velocity, 429
- spatial dimension, 15
- spatial homogeneity, 38
- specific heat, 115, 231, 425
  - exponent  $\alpha$ , 233
- spin correlation function, 295, 577-8
- spin dynamics, 434-5
- spin systems
  - antiferromagnet isotropic, 438-9
  - ferromagnets isotropic, 439
  - generalized Heisenberg models, 435-6
  - planar magnet, 436-8
- spin waves, 434, 440, 681
- spin-density wave, 136, 681
- spin-flip, 15, 24
- spin-flop transition, 182, 681
- spin-orbit interaction, 177
- spin-spin correlation function, 130
- spin-wave stiffness, 290, 341, 346, 542-4, 681
- spinodal curve, 484, 681
- spinodal decomposition, 484-9, 681
- splay, 299, 681
- stability of homogeneous fluids, 113-5
- stability exponents, 268
- stable fixed point, 245, 669
- static cross-section, 31
- static scattering, 32
- stationary state, hydrodynamic, 422
- steam, 3
- steric entropy, 635-8
- sterically stabilized phases, 638-40, 642
- stochastic models,
  - see models, stochastic
- stochastic variable, 375
- Stokes' law, 360, 682
- strain, 11, 316, 682
  - inverse compressibility, 328
- strain rate, 447, 682
- strain tensor
  - linearized, 317
  - Lagrangian, 331
  - Eulerian, 331
- strength
  - of crystals, 518
  - of vortex, 497
- stress, 682
- stress tensor, 334
  - Lagrangian, 334-7
  - Eulerian, 338-41
- stress-strain relations, 340
- striped phase, 618
- structure factor, 33
- structure function, 32
- structure and scattering, 29-103
- sum rules, 357, 398-9
  - and moment expansions, 398
- superconductivity, 135, 216-17, 571
- supercooling, 171
- superfluids, 123, 575
  - density, 290, 460
  - free energy density, 575-6
  - helium, 138, 289, 460-4, 551-5
  - hydrodynamics, 460-4
    - third sound in thin films, 553
  - Kosterlitz-Thouless transition in thin films, 551-4
  - longitudinal and transverse response, 575-7
  - velocity, 460-4
    - and *xy* symmetry, 138
- superheating, 171
- superlattice peaks, 87
- surface tension, 481, 486, 635-8
- surfactants, 636, 638
- susceptibility, 231, 341
  - critical exponent, 154, 228
- symmetrics, and order parameters, 139

698 *Index*

- symmetry group, 39, 133
  - Euclidean, 39, 670
  - $O_0$ , 139, 231
  - $O_2$ , 137, 139, 231, 289
  - $O_3$ , 138, 156, 230, 231
  - $O_n$ , 138, 156, 202, 298
  - $U(1)$ , 137
  - $Z_2$  (Ising) 135, 139, 152, 231
  - $Z_N$  137, 139
- symmetry, order parameters, and models, 132-9
  - continuous symmetries, 137-9
  - discrete symmetries, 135-7
- symmorphic space group, 57
- tangent plane, 623
- TDGL model, 466, 682
- temperature quench, 483-4
- tension, 335
- tetracritical point, 181-2, 235, 253, 682
- tetrahedra, 7, 191
- TGB see twist-grain-boundary phase
- thermal conductivity, 425
- thermal equilibrium, 381-3
- thermal fluctuation, 10
- thermodynamic
  - critical field of the TGB phase, 564-5
  - equilibrium, 417-9
  - laws of, 109-12
  - stability, 321
  - sum rule, 357, 365
- thermodynamics of homogeneous fluids, 108-17
- thermotropic liquid crystal, 68, 682
- thermotropism, 58
- $\theta$  solvent, 94, 96, 682
- three-phase coexistence, 174
- third sound, 553
- time reversal, 133, 359, 361
- time translations, 133
- time-dependent Ginzburg-Landau model, 466, 682
- time-of-flight measurements, 409
- topological defects, 12, 495-585, 682
  - characterization, 495-506
  - crystals
    - disclinations, 517-18
  - dislocation mediated melting, 555-9
  - energies of 526-42
  - examples, 506-26
  - Kosterlitz-Thouless transition, 542-55
  - nematic and hexatic liquid crystals, 524-6
  - order parameters spaces and homotopy, 501-6
  - periodic solids, 512-15
  - see dislocations, disclinations, and vortices
- torus, 626
- transfer matrix, 242
- translation vector, 43
- translational invariance, 35, 329
- transport coefficients, 425
- transverse strain, 321
- triacontahedron, 190
- triangular, lattice, 51-3, 255, 520
- tricritical point, 173-5, 180, 181, 236, 253, 682
  - three-state Potts critical point, 256
- turbidity of nematics, 307
- twist, 299-306, 561, 687
- twist disclination, 519
- twist wave vector, 89
- twist-grain-boundary phase, 561-73, 682
  - analogy with superconductivity, 571-3
  - X-ray scattering, 568-71
- twisted nematic
  - see cholesteric liquid crystal
- twisted nematic display, 304
- two scale factor universality, 234
- two-component fluids, 453
- two-dimensional order, 15
  - Bravais lattice, 50
  - charge-density wave, 80
  - smectic, 311
  - hexagonal solids, 321
  - orthogonal group  $O_2$ , 137
  - in three-dimensional materials, 71-7
- two-fluid model, 461
- $U(1)$  symmetry, 289
  - see  $xy$  symmetry
- undamped oscillator, 359
- undulations, smectic, 315
- unit cell, 43-6
- universality class, 213, 230, 683
- unstable fixed point, 245
- up-down symmetry, 230
- upper critical dimension, 213, 215, 228, 264, 683
- upper critical field, 564
- Ursell function, 35-6, 124, 195-6
- vacancy, 49, 325, 683
  - diffusion, 459
- Van der Waals attraction, 18-20, 683
- Van der Waals equations of state, 144, 683
- Van Hove theory, 465, 471, 683
- variational mean-field theory, 198
- velocity correlation function, 385
- vesicle, 70, 73, 683
- vicinal surface, 648
- Villain model, 583, 645, 683
  - duality, 578-9
- viscosity, 387, 447-8, 683
  - table of common materials, 448
  - kinematic, 449

- viscous force, 360  
 Volterra construction, 515, 517, 519, 683  
 vortex energy, 526  
 vortices, 495-9, 504-6  
   analogy with magnetism, 530-1  
   energy, 526-30  
   helium films, 551-5  
   Kosterlitz-Thouless transition, 544-51  
   and the spin-wave stiffness, 542-4  
   superfluid helium films, 551-5  
   vortex pairs, 499-500  
   in *xy*-models, 506-7
- walls, kinks and solitons, 590-656  
   domain walls in mean-field theory, 595-601  
   dynamics, 599-601  
    $\phi^4$  kink, 597-9  
   fluctuating walls, 620-35  
     arrays, 635-43  
   Frenkel-Kontorowa model, 601-20  
   soliton, sine-Gordon, 599  
 wandering exponent, 594, 629  
 water  
   as example of condensed matter, 3-15  
   ice crystals, 8  
     dislocations, 12-13  
   Navier-Stokes equation, 448  
   phase diagram, 4  
   viscosity, 448  
 wave number cutoff, 152, 666  
 wedge disclination, 519  
 weight function, 221  
 Weiner-Khintchine theorem, 355, 683  
 Weiss molecular field theory, 144, 148, 683  
 white noise source, 383, 466  
 Wigner-Seitz cell, 44-6, 50, 52, 683  
 winding number, 497, 503-5, 528, 603  
 wine bottle, 289  
 work hardening, 521, 683  
 Wulff construction, 653  
 Wulff plot, 654, 684  
 wurtzite, 9
- X-ray diffraction and scattering, chapter 2, 33,  
 67, 613-14  
   from TGB phase, 568-71  
   See scattering, Bragg scattering, and diffuse  
   scattering  
 X-ray structure factor, 325  
 xenon, 79  
   electron scattering, 560  
   on graphite, 77, 324-6, 560  
     incommensurate phases, 635  
*xy*-model, 288, 289, 495, 502, 506, 524, 544-5,  
 684  
   elasticity, 289-90  
   longitudinal and transverse response, 575-7  
   shear modulus, 555  
   vortex energy, 526-30  
   vortex unbinding, 555  
*xy*-symmetry, 137
- Yang-Lee edge, 286, 684  
 yield stress, 12, 518, 684  
 Young's modulus, 337, 533, 557, 684  
   2-D, 632
- $Z_3$  symmetry, 137  
 $Z_N$  symmetry, 289, 684