

Index

- Acidic domains of transcription
 activators, 121
- Actin transcripts, visualization of,
 186–187, 186f, 187f
- Adenylate kinase,
 NTP-binding domain, 60f
- Adenine, 14, 16f
- Alanine, 3f
- Allolactose, 87
- Alpha helix of proteins, 3, 3f
- Alu sequences, 243
- Amino acid, 3, 3f
- Aminoacyl-tRNA, 194
- Aminoacyl-tRNA synthetase, 194
 classes, 199
 3-D structure, 195, 197f, 198f
 t-RNA charging, 194
- cAMP,
 in *lac* operon activation, 90
- Amphipathic helix in leucine zipper, 144,
 144f
- Antibiotics, rRNA interactions with,
 229, 239, 240f
- Anticodon,
 peptide in RFs, 238
 in tRNA, 193, 194f, 195f
- Antitermination, 85
- Archaea,
 RNA polymerase, 78f
- Architectural transcriptional factors,
 10–13, 11f, 12f, 13f
- Attenuation, *trp* operon regulation by,
 in *Bacillus subtilis*, 103, 102f
 in *E. coli*, 101
- AUG codon, 203
- Autonomously replicating sequence
 (ARS), 28–29, 29f
- Bacillus subtilis*,
 DNA replication termination proteins,
 67
trp operon of, 101
- Bacteriophage, 434, 92
 lambda, 95
- Ball-and-stick model for protein
 structure, 4f
- Bases, of nucleic acids, 14, 16f
- Base-amino acid interactions, frequency
 of, 152
- Beta-pleated sheet, 4, 3f
 strand, in proteins, 4
- C1pAP protease, 255
- CAP. *See* Catabolite activator protein, 90,
 91f
- Cap, capping, 172
 2'-O-methyl group addition, 176
 by nucleoside
 2'-O-methyltransferase, 176; 3-D
 structure, vaccinia protein VP39,
 177f
 7-methyl-guanosine, 172

- Cap (*cont.*)
 binding proteins, eIF-4F, 204, 204f
 enzymes involved,
 GTP-RNA guanyltransferase,
 173–175, 175f
 RNA 5' triphosphatase, 173,
 173f, 174f
 RNA (guanine-7-)
 methyltransferase, 172
 steps,
 3-D structure, 174–175, 175f
- Catabolite activator protein,
 cAMP binding, 91f
 DNA binding, 91f
 in *lac* operon, 90
- CCAAT box, of class II promoters, 115
- Cdc6p,
 in DNA replication, 29, 29f
- Cdc45p,
 in DNA replication, 29, 29f
- CDT domain in RNA polymerase II, 105,
 119f
- Chameleon sequences in MAT α 2
 homeodomain, 130
- Chaperones, 247–255
 eukaryotic,
 CCT, 249, 248f
 Hsp 40, 249, 248f
 Hsp 60, 249, 248f
 Hsp 70, 249, 248f, 3-D structure, 250f
 prefoldin, 252, 3-D structure, 253f
 Ssb in yeast, 248f
 prokaryotic,
 DnaJ, 251, 248f, 3-D structure, 251f
 DnaK, 249, 248f, 3-D structure, 250f
 GroEL, 252, 248f, 3-D structure, 254f
 GroES, 252, 248f, 3-D structure, 254f
 GrpE, 247, 251, 248f, 3-D structure,
 252f; ATPase domain, 252f;
 interactions with DnaK, 252
- Chromatin,
 higher order, 6–7, 7f
 transcription regulation, 128–130
- cI* gene in lysogeny, 95
- cII* gene in lysogeny, 95
- cIII* gene in lysogeny, 95
- Cleavage and polyadenylation specificity
 factor (CPSF), 178
- Cleavage factors, 178
- Cleavage stimulating factors, 178
- Codons, 192
 anticodon base pairing, 194
 initiation, 203
 termination, 237
- colE1*, unidirectional DNA replication in,
 28
- CPK model for protein structure, 4f
- cro* gene,
 in lysogeny, 91
- Cro,
 helix-turn-helix motif,
 interactions with operator, 94, 95f
 of lambda phage, 97
 of phage 434, 95, 95f
- Cysteine bridges, in protein folding, 253
- Cytocine, 14, 16f
- DEAD/DEAH sequences, 157
- Decoding center of the ribosome, 232
- 16S rRNA,
 helix 27 (switch helix), 219, 221f
 helix 44, 219, 221f, 222f; codon-
 anticodon interactions, 232, 233f,
 234f
ram phenotype, 233, 235f
 restrictive phenotype, 233, 235f
 S4, 233, 235f
 S5, 233, 235f
 S12, 233, 206f, 235f
 S-turn of switch helix, 3-D structure
 of, 233f
 3-D structure, 220, 221f, 222f
- Deoxyribonucleic acid. See DNA, 14
- Diffraction, x-ray, 2
- Diploid cell, in yeast, 130
- Disulfide bond, 253
- DNA, 14–19
 A form, 15, 19f
 antiparallel strands of, 15, 16f
 B form, 15, 19f
 base pairs, 14, 16f
 gyrase, 61, 67
 ligase, 46, 47f
 looping,
 in telomeres, 24, 24f
 in enhancer-promoter interactions,
 121
 major groove, 15, 18f
 minor groove, 15, 18f
 polymerase I, 30–36

- polymerase II, 30,
 polymerase III holoenzyme, 30, 40,
 41f
 alpha subunit, 41f
 beta subunit, 41f
 gamma complex (clamp loader),
 41
 epsilon subunit, 40
 tau subunit, 40
 theta subunit, 40
 Z form, 17, 19f
 DNA ligase, 46, 47f
 in DNA replication, 46
 3-D structure, 47f
 DNA polymerases,
 eukaryotic, 31
 alpha, 31; RB69, 3-D structure, 36,
 37f
 beta, 36–38; 3-D structure of human,
 38f, 39f; in base excision repair,
 36–37
 delta, 31
 epsilon, 31
 gamma, 31
 processivity, 31, 42
 prokaryotic, 30
 DNA pol I, 31–36, 3-D structure of
 T7, 32f, 33f, 34f, 35f
 DNA pol II, 30
 DNA pol III, 30, 40; gamma/delta
 complex, clamp loader, 40, 41;
 interactions with primase, 45,
 50f; structure of beta subunit,
 41f
 DNA replication, 27, 27f
 bi-directional, 27f
 initiation, 28–30
 mismatch, 36, 38, 35f, 40f
 origin,
 in eukaryotes, 28, 29f
 in prokaryotes, 28, 29f
 RNA primer, 42
 DnaG, 42, 3-D structure, 44f;
 interactions with SSB, 45;
 interactions with helicase, 45f
 rolling circle, 28
 termination, 67, 70f
 DNA supercoil, 58, 60f
 DnaA protein, 28
 DnaB protein, 28
 DnaC protein, 28
 DnaG protein. *See also* primase, 42
 DnaJ, 251
 3-D structure, 251f
 DnaK, 249
 3-D structure, 250f
 Double helix,
 of DNA, 16f, 19f
 EBV (Epstein-Barr virus) transcripts,
 visualization of, 187, 187f
 Elongation factor G (EF-G), 210
 23S rRNA interaction with, 229, 228f
 structure, 213, 213f
 in translocation, 213, 217, 214f, 215f,
 218f
 Elongation factor Ts, 210
 Elongation factor Tu (EF-Tu), 210, 212
 23S rRNA interaction with, 229, 228f
 3-D structure, 212f
 Elongation factors. *See also* Translation
 elongation, 210
 in eukaryotes,
 eEF-1a, 210
 eEF-1bg, 210
 eEF-2, 210
 in prokaryotes,
 EF-G, 213
 EF-Tu, 212
 EF-Ts, 210
 Endoplasmic reticulum, 241
 Enhancers, 121
 ETS (External Transcribed Sequences) in
 rRNA genes, 111, 112f
 Exo domain,
 in DNA polymerase, 32f, 37f, 40f
 FEN-1 in processing of Okazaki
 fragments, 45–47, 46f, 47f
 Fluorescent *in situ* hybridization, 185
 N-Formyl-methionyl-tRNA, 203
 GAL4 protein,
 3-D structure, 142, 143f
 regulation of eukaryotic galactose
 metabolism, 122
 Beta-galactosidase, 87
 Galactoside permease, 87
 Galactoside transacetylase, 87
 G-domain of Ffh protein, 243

- Gli, 137
 3-D structure, 138f
 interactions with DNA, 138f, 139f
- Glucocorticoid nuclear receptor, 124
- Glutamyl-tRNA synthetase, 195
 3-D structure with t-RNA^{Gln}, 197f
 discriminator base, 196
 disruption of U1:A72 pairing, 196, 198f
 domains, 195
- Growth hormone, 124
- GrpE, chaperone,
 3-D structure, 251, 252f
- GTP-guanylttransferase,
 in capping, 173
 3-D structure, 175f
- Guanine, 16f
- Gyrase, 61, 67
- Hammerhead ribozyme, 167
- Helicase in DNA replication, 50–58
 Hexameric, 53
 association with primase, 45f
 binding change mechanism, 58, 59f
 mononucleotide-binding domain,
 57f; similarities with RecA, 53, 57f
- PcrA, 53
 3-D structure, 55f, 56f; inchworm
 model, 56f; interactions with
 DNA, 53, 56f
- Rep, 51–53
 3-D structure, 52f; rolling
 mechanism, 54f
- Helix (alpha helix), 3, 3f
- Helix O, of DNA pol I, 33–34, 32f
- Helix-loop-helix motif, 135
- Helix-turn-helix motif, 133
 in homeodomains, 133f
 engrailed, 133f
 MATA1/alpha2, 130–131f
 in IRF-1, 135, 136f
 in M-domain of SRP, 244, 245f
 in prokaryotic gene regulation, 87
 in RAP1, 20, 22f
- Histones, 7
 acetylation-deacetylation, 129–130,
 129f
 in chromatin folding, 7–8, 8f
 in nucleosomes, 8–10, 9f, 10f
 in repression of transcription, 129, 129f
- Histone fold, 8, 9f
- HMG domain, 10
- HNF-1 (hepatocyte nuclear factor 1), 121
- Homeoboxes, 124
 in *Drosophila*,
 expression, 125, 126f
 in mammals,
 expression, 125, 126f
 role in limb development, 127f
- Homeodomains, 124, 133
 helix-turn-helix motif, 133f
 engrailed, 133f
- Hormone responsive elements, 123
- Hormones, nuclear receptors for, 123
- HoxB1, 134
 3-D structure, 134f
 interactions with Pbx1, 134f
- Hox cofactor Pbx1, 133
 3-D structure, 134f
 interactions with HoxB1, 134f
- HoxD13,
 alanine expansion, 135
 in digit development, 125, 127f
- HRE (hormone responsive elements),
 123
- Hs1VU protease, 257
- Hsp 40 chaperone, 249, 248f
- Hsp 60 chaperone, 249, 248f
- Hsp 70 chaperone, 249, 248f
 3-D structure, 250f
- HU protein, 10
 3-D structure, 11f
- Hypoxanthine, 89
- ICR (internal control region), 112
 in class III promoters, 113f
- Immunoglobulin fold,
 in NFAT, 146
 in STAT, 152
 in T-domain, 148
- 30S initiation complex, 203, 204f
 70S initiation complex, 203, 204f
- Initiation factor 1, 203, 204f, 205, 206f
 Initiation factor 2, 203, 207, 204f, 208f
 Initiation factor 3, 203, 205, 204f, 207f
 Initiation factor 1 and 1A (eukaryotic),
 205, 209, 209f
 Initiation factor 2 and 2B (eukaryotic),
 203, 204f
 Initiation factor 3 (eukaryotic), 203
 Initiation factor 4A (eukaryotic), 204

- Initiation factor 4B (eukaryotic), 205
 Initiation factor 4E (eukaryotic), 204, 207, 208f
 Initiation factor 4F (eukaryotic), 207
 Initiation factor 4G (eukaryotic), 207
 Initiation factor 5 (eukaryotic), 207, 208f
 Initiation factor 6 (eukaryotic), 203, 204f
 Initiator tRNA, 203
 Inosinate,
 in purine metabolism, 89
 Integration Host Factor (IHF), 12f
 DNA bending induced by, 12
 Interferon, 183
 Interferon regulating factor (IRF-1), 135, 136f
 Introns,
 splicing of,
 group I, 163
 group II, 160
 group III, 154
 nuclear pre-mRNA, 155
 types, 154
 group I, 3-D structure, 166f, 167f;
 catalysis, 164, 167f; domains, 163,
 164f, 165f; exon-intron pairing,
 164f; free G gateway, 164, 166f;
 splicing by tyrosyl-tRNA
 synthetase, 170; NDI, 170f; LSU,
 171f
 group II, 160, 3-D structure, 164f;
 catalytic domains, 161, 162f, 163f
 group III, 154
 pre-mRNA, 155; major type, 156;
 minor type, 156; splicing events,
 159
 IRES (internal ribosome entry sites) in
 initiation of protein synthesis, 205
 ITS (Internal Transcribed Sequences),
 in class rRNA genes, 111, 112f
 Jun-Fos heterodimer, 146
 Klenow fragment, 30
lac operon, 87
 Lac repressor,
 3-D structure, 88f
 LacI, 87
 Lactose, 87
lacZ gene, 87
 Lambda phage, 95–98
 Lariat structure in splicing, 155
 LEF-1, 13
 DNA binding, 13f
 Leucine zipper, 144
 in amphipathic helices, 144, 144f
 in C/EBR protein, 144
 in Jun/Fos, 146
 3-D structure, 146f
 interactions with DNA, 146–147,
 147f
 Lysogeny, phage, 90–91
 CI, 95
 CII, 96
 CIII, 96
 Cro, 91
MAT genes in yeast cell fate, 130
MAT α 2, 130
 3-D structure, 131f, 132f
 interaction with *MAT* α 1, 131f
 interaction with MCM1 and DNA,
 132f
MAT α 1, 130
 3-D structure, 131f
 interaction with *MAT* α 2 and DNA,
 131f
 MCM1, 130
 interaction with *MAT* α 2, 132f
 M-domain of Ffh protein, 243
 3-D structure, 245f
 HTH motif, 244, 245f
 interactions with 4.5S RNA, 243, 245f,
 246f, 247f
 signal peptide recognition site, 246,
 247f
 Mediator, 127, 128f
 Methylation,
 of mRNA. *See also* cap; capping, 172
 Mini chromosome maintenance protein
 (MCM),
 in DNA replication, 29, 29f
 Mismatch repair,
 in DNA replication, 36
 Nascent chain associated complex
 (NAC), 247
 in peptide folding, 248f

- NFAT (nuclear factor of activated T cells), 145
 3-D structure, 146, 147f
 Rel homology regions, 146
 in IL-2 regulation, 145
 NFAT-AP1-DNA complex, 145, 146f
- Nitrogenase Fe protein,
 NTP-binding domain, 60f
- NMR, 2
- NOE, 2
- NOESY, 2
- NTP-binding proteins, 58, 60f
- Nucleosides, 14
- Nucleosomes, 8–10, 9f, 10f
- Nucleotides, 14
- O helix,
 of T7 DNA polymerase, 33–34, 32f
- OB fold,
 in eIF-1, 209
 in eIF-1A, 209
 in IF-1, 205, 206f
 in Rho, 99, 100f
- Okazaki fragments, 30, 45
- OnTEBP, 19–20
 interaction with DNA, 20f, 21f
- Operator, 86
- Operons, 86
Lac, 87
Trp, 101
 Attenuation, 101; of *Bacillus subtilis*,
 103; of *E. coli*, 101
- oriC, 28
- Origin recognition complex (ORC), 29,
 29f
- p21(CIP),
 in DNA replication, 42
 interactions with PCNA, 42, 43f
- Pab1p,
 interactions with eIF-4G, 204, 204f
- Palindromes,
 in HRE, 124
 in liver-specific promoters, 121
 in UAS, 122
- Paromomycin,
 interactions with helix 44, 240,
 240f
 in protein synthesis, 239
- Pax-6, 4, 4f
- Pbx1, Hox cofactor, 133
 3-D structure, 134f
 interactions with HoxB1, 134f
- Peptide bond, 3f
- Peptide bond center, 236
 23S rRNA,
 domain V, 226f
 helix 74, 229, 230f
 50S ribosomal subunit, 236, 236f
- Peptide bonds,
 in elongation, 210, 211f, 236
- Peptidyl transferase, in elongation, 210,
 230f
- Penultimate helix, 219, 206f
- Phage 434, 92–95
 Cro protein, 92–95
 helix-turn-helix motif of repressor, 96f
 operator, interactions, 93f, 94f
 repressor, 92
 3-D structure, 93f
- Phage lambda, 95–98
 Cro protein, 95–98
 helix-turn-helix motif of repressor, 96f
 operator, interactions, 96f, 97f
 repressor, 95–98
 3-D structure, 96f
- Phage P22, 91
- Phage T7,
 DNA polymerase, 31
 RNA polymerase, 108
- Pi helix, 4
- Poly(A), 178
- Poly(A) polymerase, 178
- Poly(A)-binding protein, 178, 179
 3-D structure, 179f
 RRM motifs, 179
- Pab1p,
 interactions with eIF-4G, 204, 204f
- Polyadenylation,
 AAUAAA sequence, 178
 factors involved, 178
 mechanism of, 178
- Position effect variegation (PEV), 128
 in eye color of *Drosophila*, 128,
 129f
 in gene silencing, 128
 in X-chromosome inactivation, 129
- locus control regions (LCRs), 128
- Post-transcriptional events,
 capping, 172
 polyadenylation, 178
 RNA editing, 181, 181f, 182f

- RNAi, 182
- Primase, 42
- DnaG,
3-D structure, 42
association with helicase, 45f
association with SSB, 45
- Proliferating cell nuclear antigen, PCNA,
42, 43f, 47f
- Promoters,
class I, 112, 112f
class II, 115
class III, 111
- Proteases, in protein degradation, 255
eukaryotic,
prokaryotic, 256f; C1pAP, 3-D
structure, electron microscopy,
255f; Hs1VU, 3-D structure,
electron microscopy, 255f
proteasome, 255, 255f; 20S protease,
3-D structure, electron
microscopy, 255f; Ntn family, 257;
threonine proteases, 257;
ubiquitin, 257, 256f
- Protein disulfide isomerase, 253
- Protein synthesis. *See* translation and
ribosome, 191
- Prp (pre-mRNA processing) proteins, in
splicing, 159
- Pur repressor, 89
interactions with operator, 88, 89f
3-D structure, 89f
- ram* phenotype in protein synthesis, 233,
235f
- Ran, in t-RNA export, 200
- RAP1, 20–23
DNA binding, 21f
- Ras p21,
NTP-binding domain, 60f
- RecA, 53
3-D structure, 57f
mononucleotide-binding fold,
57f
- Replication,
editing, 38
elongation, 30
factories, compartmentalization of,
188, 189f, 190f
prereplicative complex,
eukaryotic, 28, 29f
prokaryotic, 28, 29f
- primer synthesis, 42
primer removal, 45
termination, 67
in *Bacillus subtilis*, 70; replication
termination protein, 70, 3-D
structure, 70f, contra-helicase
activity, 71, 70f
in *E. coli*, Tus protein, 71
- Repressor, 86
- Restrictive phenotype in protein
synthesis, 233, 235f
- Rho,
3-D structure, 100f
in prokaryotic transcription
termination, 99
- Ribonucleoprotein (RNP), small nuclear
(snRNP), 156
U1, 156, 158, f, 159
U2, 157, 158f, 159, 160
U4, 157, 158f, 159
U5, 157, 158f, 159
U6, 157, 158f, 159, 160
U7, in maturation of histone mRNAs,
180, 180f
- Ribonuclease H, 45
- Ribosomes, 200, 201f, 202f
A (aminoacyl) site; L7/12, 201, 201f,
216f
aminoacyl-tRNA binding, 222, 223f,
224f, 229, 228f
assembly, 200
central protruberance, 201f, 230, 231f
decoding center. *See* decoding center
of ribosome, 232
dissociation, 203
E (exit) site; L1 protein, 201, 201f
P (peptidyl) site. *See also* peptide bond
center, 210, 211f, 230f
- 5S rRNA,
3-D structure, 231f
interaction with L25, 231f
aminoacyl-tRNA cross-linking to,
230, 231f
- 16S rRNA,
2-D structure, 220, 221f
3-D structure, 222f; helix 23 (690
helix), 219, 221f; helix 24 (790
helix), 219, 221f; helix 27 (switch
helix), 219, 221f, 233f, 235f; helix
44 (penultimate helix), 219, 206f,
221f, 233f

- Ribosomes (*cont.*)
 aminoacyl-tRNA cross-linking to, 222, 223f
23S rRNA,
 2-D structure, 223, 225f, 226f; core, 224, 225f, 226f, 227f, 236f; domains, 225f, 226f, 227f
 3-D structure, 227f, 236f
 aminoacyl-tRNA cross-linking to, 228f, 229
 sacrin-ricin loop, 229
30S subunit,
 interactions with the 50S subunit, 219, 220f
 interactions with tRNA, 222, 223f
 decoding center. *See* decoding center of ribosome, 232
50S subunit,
 3-D structure, 227; A-site, binding of EF-G, 229, 228f, binding of tRNA, 229, 228f; P-site, exiting channel, 229, 230f, interactions with peptide, 229, 230f; helix 74, 229, 239f; binding of tRNA, 229, 230f
 interactions with 30S subunit, 219, 220f
 interactions with tRNA, 228f
 proteins, L6, L11, L14, 229, 228f
70S maturation, Noc proteins, 200
80S, 200
T-site, 210, 211f
Ribosome recycling factor, 239, 239f
Ribosome releasing factors, 237, 238f
Ribozymes. *See also* introns, 160
 Hairpin, 167
 Hammerhead, 167
 3-D structure, 168f, 169f
 splicing, 168
 hepatitis delta virus, 167
 Rnase P, 167
RNA
 chemical constituents, 74
7SK RNA, 112
7SL RNA, 112
gRNA, in RNA editing, 181
mRNA,
 capping of, 172
 polyadenylation of, 178
 splicing of, 155
 shuttling of, 188
 transport from the nucleus, 185
rRNA,
 antibiotic interaction with, 239, 240f
 genes, organization, 111, 112f
 processing, 111
 regulation, 113f
 tRNA interactions with, 223f, 228f, 231f
 RNA polymerase I production of, 111
tRNA,
 acceptor stem, 193, 194f, 195f, 199f
 aminoacyl-tRNA synthetase, interactions with, 195, 197f
 anticodon loop, 193, 194f
 anticodon stem, 193, 194f, 195f
 charging of, 194
 cloverleaf structure, 194f, 195f
 dihydroxyuracil loop, 193, 194f
 export, 200
 genes, 111
 mRNA binding, 203, 204f
 rRNA interactions with, 223f, 228f, 231f
 RNA polymerase III production of, 111
 structure, 193
 T ψ loop, 193, 194f
 variable loop, 193, 194f
RNA editing,
 in apolipoprotein B gene, 181, 181f
 in trypanosome COX genes, 181
 mechanism of, 181
 models of, 182f
RNA (guanine-7-) methyltransferase, in capping, 172
RNA interference, 182–183
RNA polymerases in eukaryotic transcription. *See* RNA polymerase I, II, III, 105
RNA polymerase in prokaryotic transcription, 74
 core, 74
 3-D structure, 77f
 interactions with promoters, 76f
 holoenzyme, 74
 3-D structure, 77f
 sigma factor, 75
 interactions with promoters, 75, 76f
RNA polymerase (RNAP) from *T. aquaticus*, 77
 domains, 77, 78f
 regions, 77, 78f

- sequence comparison, 78f
- 3-D structure, 77
 - alpha subunit, 79f
 - beta subunit, 79f, 80f; flexible flap, 80f; rif site, 81f
 - beta' subunit, 79f; coiled coil, 83f; rudder, 79f, 85f
 - catalytic site, 77, 81f
 - omega subunit, 79f
 - secondary channel, 81f
 - sigma factor contacts, 83–84, 83f
- RNA polymerase from phage T7, 108
 - 3-D structure, 109f
 - DNA scrunching, 109, 110f
- RNA polymerase I,
 - promoter recognition, 111
 - rRNA transcription by, 111, 112f,
- RNA polymerase II from yeast, 105
 - 3-D structure, 105, 106f, 107f
 - common subunits 105–106
 - core subunit, 105
 - phosphorylation, 105
 - promoter recognition, 115
- RNA polymerase II holoenzyme, 105
- RNA polymerase IIA,
 - phosphorylation of, 105
- RNA polymerase Iio, 105
- RNA polymerase III,
 - promoter recognition, 111–113
 - transcription role of, 111–114
- RNA recognition motif (RMM),
 - in polyA-binding protein, 179
 - in splicing, 157
- RNA 5'-triphosphatase,
 - 3-D structure, 173, 173f, 174f
 - in capping, 172
- Rolling circle,
 - mechanism of replication, 28
- Sac7d, 12–13
 - kinking of DNA induced by, 13f
- Sacrin-ricin loop of 23S rRNA, 229
- Serine proteases, 257
- Sheet (beta), 4, 3f
- Shine-Dalgarno sequences, 203
- Shuttling factors, 188
- Sigma factor, 75
 - in RNA polymerase, 75
 - regions, 75
 - structure of, 75
 - in transcription, 75, 76f, 83f, 84
- Signal peptide, 242
- Signal recognition particle, SRP, 243
 - eukaryotic,
 - 7S RNA, 243
 - Alu domain, 243; 3-D structure, 244f
 - S-domain, 243
 - prokaryotic,
 - 4.5S RNA, 243
 - Ffh protein, 243; M-domain, 3-D structure, 244, 245f; interactions with 4.5S RNA, 244, 245f, 246f
- Signal recognition particle receptor, 242, 243f
- Single-stranded binding proteins, in
 - DNA replication, 48
 - 3-D structure, 49f
- SL1,
 - in RNA polymerase I preinitiation complex, 111
- Sm proteins, 156
- Snurps. *See* spliceosome, 156
- Spacefill model for protein structure, 4f
- Spliceosome,
 - components, 156
 - core proteins, 156; 3-D structure, 157f
 - proteins, 156
 - snRNPs, 156; 3-D, electron micrographs, 158f
 - U RNAs, 156
- Splicing factors,
 - in transcription compartmentalization, 185, 185f
- STAT proteins (signal transducers and activators of transcription), 148
 - 3-D structure, 148, 150f
 - immunoglobulin fold, 152
 - interactions with DNA, 151, 151f
- SH2 domains,
 - Dimerization, 150f
- Steroid hormone receptors,
 - classes, 140
 - estrogen receptor,
 - 3-D structure, 142f
 - HRE, 124
 - RAR, 123
 - RXR, 123, 129

- Steroid (*cont.*)
 THR, 124
 VDR, 123–124
- Strand (beta) in proteins, 4, 3f
- Surface representation model for protein structure, 4f
- T7 DNA polymerase, 31, 32f, 33f, 34f, 35f
- T7 RNA polymerase, 108–110, 109f, 110f
- TAFs (TATA-associated factors), 115, 116
 histone fold, 116f
 interactions with TBP, 116f, 117f
 in SL1, 111
- Taq polymerase, 31
- Tamoxifen,
 DNA interactions, 71f
 in mutations, 72
- TATA box, 75, 111
- TATA box-binding protein-associated factors. *See* TAFs, 115
- TBP (TATA box-binding protein), 116–118
 3-D structure,
 interactions with TAFs, 116–117, 116f, 117f
 interactions with TFIIB, 119, 119f
 interactions with TATA box, 117f
 stirrup, 117
- T domain, 148
 3-D structure, 149f
 immunoglobulin fold, 148
 interactions with DNA, 149f
- Telomerase, 17
- Telomeres, 17–25
 binding proteins,
 OnTEBP, 19–20, 20f, 21f, 22f
 RAP1, 20–23, 22f, 23f
 D-loop, 25, 24f
 G-quartet structure, 21, 23f, 24f
 three-dimensional structure, 24f
 t-loop, 24, 24f
- Terminal deoxynucleotidyl transferase,
 in RNA editing, 181–182
- Termination codons, 237
- Termination replication protein. *See* Replication termination, 67
- Thioredoxin,
 in T7 DNA replication, 32f
- Threonine proteases, 257
- Thiostrepton, 218
- Thymine, 14, 16f
- Thyroid hormone receptor, 123
- Topoisomerases, 58–69
 Topo I, 58
 3-D structure of human, 61, 62f
 cleavage, mechanism of, 61–65
 controlled rotation, 66f
 covalent complex, 65f
 non-covalent complex, 64f
 Tyr-723, 61
 Topo II, 65
 3-D structure of yeast, 65, 68f, 69f
 catalytic action, model of, 69f
 cleavage, mechanism of, 69f
 gyrase (prokaryotic), 61, 67
- Transcription,
 eukaryotes, 104
 prokaryotes, 73
- Transcription activators,
 acidic domains, 121, 122
 bHLH motif, 153
 glutamine-rich domains, 121
 homeodomains, 124, 133–135
 chromosomal arrangement, 125, 126f
 HTH motif, 133
 in limb development, 125, 127f
- NFAT, 145
 STAT, 148
 T-domain, 148
 zinc fingers, 135–143
- Transcription compartmentalization, 188, 190f
- Transcription factories, 188
 compartmentalization, 190f
- Transcription factors, class I,
 SL1, 111
 UBF, 111, 112f
- Transcription factors, class II, 115
 TFIIA, 118
 3-D structure, 118f
 interactions with TBP, 118, 118f
- TFIIB, 119
 3-D structure, 119f
 interactions with TBP and DNA, 119f
- TFIID, 116–118
 3-D structure, 116f
 TAF, 116f
 TBP, 116, 116f

- interactions with TATA box, 117, 117f
- TFIIE,
 - in relation to RNA pol and TFIIB, 119f
- TFIIF, 115–116
 - subunits, RAP 34, 115; RAP 74, 115
- TFIIH,
 - 3-D structure, 120f
 - CAK complex, 120
 - core subunits, 120
- TFIIJ, 115
- TFIIS in transcription elongation, 116
- Transcription factors, class III,
 - TFIIIA, 112, 113f
 - 3-D, interactions with 5S rRNA promoter, 114f
 - 3-D, zinc fingers, 114f
 - TFIIIB, 112, 113f
 - TFIIIC, 112, 113f
- Transcription initiation,
 - basal apparatus, *see* class II transcription factors, 115
- Transcription elongation, 116
- Transcription regulation in eukaryotes,
 - in GAL metabolism, 122–123
 - by homeodomains, 124–127
 - in liver, 121–122
 - by steroid hormone receptors, 123–124
- Transcription regulation in prokaryotes,
 - attenuation, 101
 - operons, 86
 - phages, 90–98
- Transcription termination,
 - eukaryotic,
 - class I, 111
 - class II. *See* Polyadenylation, 178
 - prokaryotic,
 - attenuator, 101–103; *trp* operon in *Bacillus subtilis*, 101; *trp* RNA-binding attenuator protein (TRAP); 3-D structure, 102f; binding *tpr* codon sequence, 103; *tpr* operon in *E. coli*, 101
 - Rho-dependent, 98, 99, 99f
 - Rho-independent, 98, 99, 99f
 - Rho factor, structure of, 98, 99, 100f; preference for cytosines, 99, 100f
- Transesterification,
 - in charging of tRNA, 196f
 - in peptide bonding, 210, 211f
 - in RNA editing, 181, 182f
 - in splicing, 155
- Transfer RNA. *See* RNA
- Translation, elongation. *See also* ribosome, 210
 - aminoacyl-tRNA binding, 210, 211f
 - elongation factors,
 - eukaryotic, 210
 - prokaryotic, EF-G, 213, 3-D structure, 213f; EF-Tu, 212, 3-D structure, 212f; ET-Ts, 210
 - peptide bond formation. *See also* peptide bond center, 211f, 236
 - peptidyl transferase, 210, 236f
 - translocation, 213, 214f, 215f, 216f, 217f, 218f
- Translation, initiation. *See also* ribosome, 202
 - eukaryotic,
 - initiation factors, eIF1, 209, 3-D structure, 209f; eIF1A, 209, 3-D structure, 209f; eIF2, 203, 204f; eIF2B, 203, 204f; eIF-3, 204, 204f; eIF4F, 204; 4A, 204; 4E, 207, 3-D structure, 208f; cap binding, 207, 208f; 4G, 207; eIF-5, 207, 3-D structure, 208f; eIF6, 203, 204f
 - scanning model, 205, 204f
 - prokaryotic,
 - 30S initiation complex, 203, 204f
 - 70S initiation complex, 203, 204f
 - initiation factors, IF1, 205, 3-D structure, 206f, interactions with H44 of 16S rRNA, 205, 206f; IF2, 207, 3-D structure, 208f; IF3, 205, 3-D structure, 207f, initiator tRNA, 206
 - Ribosome dissociation, 203
- Translation termination,
 - codons for, 237
 - release factors, 237
 - 3-D structure of human RF1, 238f
 - role in hydrolysis, 238, 238f
 - stop codon preference, 238
 - ribosome recycling factor, 239
 - 3-D structure, 239f

- Translocation,
 elongation factor G (EF-G) in, 217
 conformation changes during, 218,
 218f
 hybrid states model of tRNA in, 210,
 211f
- Trigger factor,
 binding of polypeptides, 247, 248f
- trp* attenuator, 101
- Trp repressor, 89
 3-D structure with operator, 90f
- trp* operator, 90f
- trp* oreron,
 of *Bacillus subtilis*, 103
 of *E. coli*, 101
- trp* RNA binding attenuation protein
 (TRAP), 102f, 103
- Tryptophan,
 in *trp* operon regulation, 101
- Tus protein in DNA replication
 termination, 71
- Twintrons, 154
- U6 RNA, transcription, 105, 111
- UAS,
 in eukaryotic GAL regulation, 122, 143
- UBF,
 binding class I promoters, 111, 112f
- Ubiquitin in protein degradation, 257,
 255f, 256f
- UCE,
 in class I promoters, 111, 112f
- Vaccinia protein VP39,
 3-D structure, 177f
 in cap methylation, 176
- X-ray crystallography, 2
- Yeast,
 cell types, 130
 development, 130
 MAT genes, 130
- Zif268 protein, 136
 interactions with DNA, 137f
 structure, 137f
 zinc finger, 137f
- Zinc fingers,
 class I, 136
 Gli, 3-D structure, 138f, interactions
 with DNA, 139f, 140
 TFIID, 3-D structure, 114f,
 interactions with DNA, 114f
 Zif268, 3-D structure, 137f,
 interactions with DNA, 137f
 class II, 140
 C2C2 motif 1 and 2, 140, 141f
 estrogen receptor, 141, 3-D
 structure, 142f interactions with
 DNA, 142f
 in steroid hormone receptors, 140
 class III, 142
 GAL4, 3-D structure, 143f
 Prp1, 3-D structure, 143f