

Index

- $I = \sum_j |j\rangle\langle j|$, 38
 $\Pr(\cdot)$: $\Pr(E)$, 73
 $\Pr(\cdot | \cdot)$: $\Pr(A | B)$, 74
 $\text{Tr}(\cdot)$: $\text{Tr}(A)$, 42
 $\text{Tr}_{\mathcal{B}}(\cdot)$: $\text{Tr}_{\mathcal{B}}(D)$, 90
 $|\cdot\rangle$: $|\psi\rangle$, 27
 $\langle \cdot |$: $\langle \omega|$, 29
 $\langle \cdot | \cdot \rangle$: $\langle \omega | \psi \rangle$, 29
 $\langle \cdot | \cdot \rangle$: $\langle \phi | A | \psi \rangle$, 31
 $\langle \cdot \rangle$: $\langle V \rangle$, 79–80
 $\langle \cdot \rangle_{\rho}$: $\langle A, \bar{A} \rangle_{\rho}$, 210
 $\langle \cdot \rangle_k$: $\langle A, \bar{A} \rangle_k$, 214
 $[\cdot]$: $[\phi] = |\phi\rangle\langle \phi| / \langle \phi | \phi \rangle$, 34
 \sim : $\sim P = \bar{P} = I - P$, 35
 \wedge : $P \wedge Q$, 58
 \vee : $P \vee Q$, 58
 \odot : $\mathcal{H}_1 \odot \mathcal{H}_2$, $F_1 \odot F_2$, 112
 \otimes : $\mathcal{A} \otimes \mathcal{B}$, $|a\rangle \otimes |b\rangle$, $A \otimes B$, 82–87
 \dagger , *see* dagger operation
- adjoint, **33–34**, 39
 Aharonov, Y., 375
 alpha decay (toy model), **105–107**, **131–134**, **171–173**
 Born rule, 132
 consistent family, 172
 with detector, 131, 172
 exponential decay, 133
 time of decay, 172
 unitary dynamics, 106–107, 132
 AND, *see* conjunction
 antilinear, **28**, 30
 approximate, *see* consistency conditions, energy,
 momentum, position
 aspects, 365
 atoms, *see* interferometer for atoms
 average, **79–80**
 from density matrix, 80, 204
 of indicator, 79
 as linear functional, 79
 of observable, 130
 quantum, 80
- badminton, 265
- base, *see* contextual
 baseball, 108
 basis, *see* orthonormal
 beam splitter, 159
 classical analogy, 245, 248
 and detectors, **243–246**
 conditional probabilities, 245
 consistent family, 245
 unitary dynamics, 243
 inside box, 252–255
 movable, 263, 273–282, 343–348
 See also: toy beam splitter
 Bell inequalities, **332–335**, 375
 Bell, J. S., 297, 329, 332, 374, 375
 Berndl, K., 375
 biorthogonal, *see* Schmidt decomposition
 Birkhoff, G., 7, 61, 372, 374
 Blank, B., 371
 Bohm, D. J., 310, 329, 375
 See also: EPR, hidden variables
 Bohr, N., 8, 371, 372
 Boolean algebra, **65–71**
 Boolean lattice, *see* Boolean algebra
 Born rule, **126–131**, 137, 373
 as fundamental postulate, 126
 limitations of, 130, 133, 245
 and measurements, 128
 probabilities, 126–130
 weights, 126, 137
 See also: generalization
 Born, M., 373, 374
 bra, 29
 branch dependence, 196, 197
 Bransden, B. H., 371
 Brownian motion, **108–109**, 110, 373
 diffusion equation, 125
 as quantum process, 111
 single-time probabilities, 125
 Brun, T. A., 358, 376
 Bub, J., 375
- Cartesian product, 81

cause, 164, 168, 278–279, 289
follows effect, 248
See also: contextual
center-of-mass wave function, 13
chain kets, 154–155
chain operators, **137–140**
mutually orthogonal, 141
pure states, 138
time ordering, 138
channel projectors, 180
chaos, 358, 366
choice of framework, 193, 219, 278, 295, 325, **364–365**
does not influence reality, 364
not a law of nature, 255
See also: multiple frameworks
CHSH inequality, **332–333**, 375
Chuang, I. L., 372
classical dynamics, **94**, 358
deterministic, 94, 108, 359, 362
classical limit, 226, **356–359**, **365–366**
classical mechanics, 11, 349, 357
Clauser, J. F., 332, 375
coarse graining, 357
See also: phase space
coarsening, *see* decomposition of identity, sample space
codependent, *see* contextual
Cohen-Tannoudji, C., 371, 372
coherent, *see* decoherence, superposition state
coin, 65, 109, 265–267
as quantum object, 111
See also: quantum coin
collapse of wave function, 168–169, **246–249**
classical analogy, 248
consistent family, 247
from failure to detect, 168, 246, 374
leads to paradoxes, 261
misleading, 289
nonlocality, 246
not a physical effect, 168, 248
not needed, 9, 249
spin singlet, 317
unsatisfactory features, 246, 249
See also: EPR, Lüders rule
collective coordinates, 357
colored slips of paper, 316
column vector, 38
common refinement
consistent histories, 147
decompositions of identity, 71
commuting, *see* Hermitian operators, projectors, unitary operators
compatible decompositions, 71
compatible frameworks (families), 147, 224
compatible properties, 61
complement
of projector ($\sim P$ or \tilde{P}), 35
of set ($\sim P$), 54
See also: orthogonal complement
complementary (Bohr), 372

complete, *see* sample space of histories
composite systems, **81ff (Ch. 6)**
compound event, 65
compound history, 110, 116
conditional density matrix, **213–215**, 258, 259
pure states, 215
time dependence, 214
unconditional, 214
conditional probability, *see* probability
conjunction (AND), **57–59**, 66
of histories, 114
consciousness, 262, 369
consistency
from decoherence, 356–357
See also: consistency conditions, quantum reasoning
consistency conditions, **140–142**, 148, 373
approximate consistency, 142, 356
and Born rule, 143–144
chain kets, 155
checking, **148ff (Ch. 11)**
using density matrix, 210, 211, 214
and dynamical laws, 142, 145
final projectors, **149–151**, 155
fixed initial state, **152–155**
Heisenberg representation, 151, 153
initial projectors, 149
two times, 149
weak consistency, 141
See also: chain operators
consistent family, **141**
refinement, **146–147**
support, **149**
See also: compatible, consistency conditions, framework, incompatible, split
consistent histories, **137ff (Ch. 10)**
See also: consistent family, consistency conditions, framework
consistent set, *see* consistent family, framework
contextual (dependent), 93, **192ff (Ch. 14)**, 215
base, 192
vs. caused by, 193, 200, 201, 289, 291
classical analogies, **193–195**
codependent, 196
and conditional probability, **195–196**
definition, **192**, **195**
dependence on
earlier events, 196–198
initial event, 196
later events, 190, 198–201
events in histories, **196–201**
irreducible, 194, 198
vs. nonlocal influence, 328
contradiction, 10, 225, 305, 324, 328, 336–348
correlated photons, 329
correlations, *see* spin singlet
counterfactual, **262**, **265–272**, 374, 376
ambiguous, 267
dependence on framework, 271
dependence on pivot, 271
(*continued*)

- counterfactual (*cont.*)
 diagram, 266, 268
 measurement, 268
 if no measurement, 271
 MQS, 271, 281, 289, 292
 node, 265, 268
 null, **266**, 270
 pivot, **266–267**, 269
 quantum, **268–272**
 question, 265
 spin measurement, **268–272**
 stochastic (classical), 265
 worlds, 265
See also: EPR, Hardy paradox, null, single-framework rule
- d'Espagnat, B., 374
 dagger operation †, **30–34**, 83
 data, *see* initial data
 de Broglie, L., 329
 decoherence, 142, 187, **349ff (Ch. 26)**, 376
 definition, 350
 density matrix, 352–355
 measure of, 352
 model for, 350
 partial, 188
 produces consistency, 356–357
 decoherence conditions, 141
 decoherent histories, 142
 decoherent set, 141
 decomposition of identity, **36**, 68
 coarsening, **71**, 78
 generated by operator, 42
 generated by two decompositions, 72
 history Hilbert space, 116
 refinement of, 70, **71–73**
 trivial, nontrivial, 69
 ultimate, 71
 decomposition of projector, 36
 DeGroot, M. H., 372
 delayed choice paradox, **273ff (Ch. 20)**
 consistent families, 276–281
 counterfactual, 274, 279–282
 unitary dynamics, 275–276, 279
See also: indirect measurement paradox
 delocalized states, 18, 25
 density matrix, **44**, **202ff (Ch. 15)**
 diagonal basis not special, 206
 eigenvalues, 202
 equations of motion, 208
 as initial condition, **211–213**
 from initial probability distribution, 212
 isolated system, **211–213**
 mixed state, 202
 partial description, 202, 212, 213
 as pre-probability, 203–204
 pure state, 202
 subsystem, *see* reduced density matrix
 support, 44
 thermal equilibrium, 211
 time dependent, 212
- See also*: average, conditional, consistency conditions, reduced
 dependent, *see* contextual
 destructive measurement, **229**, 231, 233, **240–242**
 conditional probabilities, 241
 consistent family, 241
 general decomposition of identity, 241
 unitary dynamics, 240
 detector, *see* beam splitter, toy, weak
 diagonalization, *see* Hermitian operators, unitary operators
 Dicke, R. H., 375
 die, 65, 110
 Dirac notation, **27ff (Ch. 3)**
See also: bra, dyads, ket, matrix element
 Dirac, P. A. M., 371
 disjunction (OR), **59–60**, 66
 of histories, 115
 problem of interpretation, 60, 69, 115
 dot product, 12
 double slit, **174–177**, 373
 analogy with Mach–Zehnder, 177–190
 which-slit detector, 175
 Dowker, F., 143, 373
 dual space, **29**, 31
 dyads, **31–33**, 34
 adjoint, 32
 projector $|\phi\rangle\langle\phi|$, 34
 trace, 42
 dynamics, *see* classical, unitary
- eigenvalue, 40
 degenerate, 40
 multiplicity, 40
 eigenvector, 40
 Einstein, A., 8, 310, 371, 375
See also: EPR
 elementary event, 65
 elementary history, 116
 elementary indicator, 67
 Elitzur, A. C., 375
 energy, approximate, 54
 Englert, B. G., 375
 ensemble, **73–75**, 79
 subensemble, 74, 75
 entangled state, **83**, 310
 physical interpretation, 92
 entropy, 236, 237
 environment, 95, **349–359**
 random, 354–356, 359
See also: decoherence
 EPR (Einstein–Podolsky–Rosen), **310**, **323ff (Ch. 24)**, 375
 Bohm version, **323–329**
 collapse of wave function, 324, 326
 counterfactual, **326–329**
 locality, 329
 nonlocal influence, 329
 paradox, **323–326**
 event algebra, **65–71**
 classical, 65
 quantum, 68

event(s), *see* compound, contextual, elementary
 exclusive, *see* mutually exclusive
 exponential decay, *see* alpha decay
 extension of history, *see* history
 extension of operator: $A \otimes I$, 88

faith, 360, 370
 physicist's, 361
 false, *see* incompatible vs. false, meaningless,
 true/false
 family of histories, **116–118**
 based on initial state, 117
 product of samples spaces, 116
 refinement, **118–119**
 many possibilities, 118
 not a physical process, 119
 two times, 126
 See also: compatible, consistent family, framework,
 incompatible, unitary
 Feller, W., 372, 373
 Fetter, A. L., 372
 Feynman, R. P., 175, 187–190, 371–374
 Fine, A., 375
 Fourier transform, 21, 52
 framework, **141**
 errors due to changing, 307
 See also: choice, compatible, consistent family,
 incompatible, multiple, quasi-classical,
 single-framework rule
 free choice, 262
 French revolution, 200
 functions of operators, *see* operators
 future influences past?, 274, 278, 279, 281, 291, 334

Gaussian wave packet, 19, 22
 Gell-Mann, M., 358, 373, 374, 376
 generalized Born rule, **144**
 ghosts, 261
 GHZ (Greenberger–Horne–Zeilinger), 336, 376
 Gieres, F., 371
 Giulini, D. E., 376
 Greenberger, D. M., 336, 374–376
 Griffiths, R. B., 372–376
 Gudder, S., 372

Hajek, A., 375
 Halmos, P. R., 371, 372
 Hamiltonian, **94–95**
 with “classical” field, 231
 Hermitian operator, 94
 Hardy paradox, **336ff (Ch. 25)**
 counterfactual, 343
 first paradox, **338–343**
 conditional probabilities, 339–340
 original version, 341, 342
 resolution, 341–343
 statement of paradox, 340
 interferometer, 336
 and nonlocality, 342, 346
 and relativity, 341

second paradox, **343–348**
 resolution, 344–348
 statement of paradox, 343
 unitary dynamics, 337–338
 Hardy, L., 336–348, 375, 376
 harmonic oscillator
 classical, 11, 53, 55, 94
 dynamics, 97
 energy, **53–54**, 56, 58, 70
 Hamiltonian, 77
 histories, 111
 Hartle, J. B., 358, 373, 374, 376
 height of table, 228
 Heisenberg chain operator, 151
 Heisenberg projector, 151
 Heisenberg representation, **151–152**, 153, 155
 Heisenberg uncertainty principle, 22–23
 Hermitian operators, 33, 39, 43, 76–77
 commuting, 42, 297, 298
 diagonalization, **40–42**
 observables, 76
 hidden variables, **329–332**, 362, 375
 and Bell inequalities, 333
 Bohm theory, 329, 334, 375
 deterministic, 331
 instruction set, 330
 local, 334
 nonlocal, 334
 Hilbert space, 13, 23, **27ff (Ch. 3)**, 371
 infinite-dimensional, 4, 5, 371
 See also: history
 Hiley, B. J., 375
 history, **108ff (Ch. 8)**, 373
 classical, **109–111**
 definition, **110, 111**
 entangled in time, 118
 extension of, 112
 of Great Britain, 164
 Hilbert space, **112**, 373
 logical operations on, **113–115**
 projector $F_1 \otimes F_2 \otimes \dots$, **112**
 of quantum mechanics, 371
 weight
 additivity, 140
 from chain operator, 137, 139
 using density matrix, 211
 Heisenberg representation, 151
 See also: compound, family, jumps, probabilities,
 unitary, zero weight
 Holt, R. A., 332
 hopping (toy) model, **103–105**
 with detector, 104
 See also: alpha decay, toy beam splitter, toy
 detector, toy Mach–Zehnder
 Horn, R. A., 371–373
 Horne, M. A., 332, 336

identical particles, 82, 372
 identity operator, 34
 incompatibility, 372

- incompatibility paradox, **296ff (Ch. 22)**
spin half, 296
- incompatible decompositions, 71–73, 75
- incompatible descriptions, 128
- incompatible vs. false, **61–62**, 365
- incompatible frameworks (families), **147**, 217
cannot be combined, 221
interpretation, 164, **224–227**, **362–365**
and measurements, **252–257**
no contradictions, 225
which is correct?, 221
See also: single-framework rule
- incompatible measurements, 254, 257
- incompatible properties, **60–64**, 129
- incompatible sample spaces, 128
- incompatible wave functions, 16
- inconsistent family, 142–144
- inconsistent history, 141, **157–158**, 182, 342
- independent reality, 369
- indicator (function), **47**, 57, 66–67
elementary or minimal, 67
- indirect measurement, 316
- indirect measurement paradox, **284ff (Ch. 21)**
consistent families, 287–292
counterfactual, 286, 291–293
delayed choice, 285, **290–293**
unitary dynamics, 286
- influence, *see* nonlocal, superluminal
- initial condition or state, *see* density matrix, family of
histories
- initial data, **218**, 219
- inner product, 12, **28**
See also: operators, toy model
- instruction set, *see* hidden variables
- interaction-free measurement, 246, **293–294**, 375
- interference, **174ff (Ch. 13)**
- interferometer, *see* double slit, Hardy paradox, (toy)
Mach–Zehnder, neutron
- interferometer for atoms, 350
- intrinsic inconsistency, *see* inconsistent history
- inverse, *see* operators
- irreversibility (thermodynamic), 233, 237, 349
- Isham, C. J., 373
- isolated system, 95
- isometry, 98
- Jammer, M., 371–375
- Joachain, C. J., 371
- Johnson, C. R., 371–373
- jumps in histories, 156
- Kent, A., 143, 373
- ket, 27
phase of, 29
scalar multiple of, 48
sum of other kets, 49, 134–135
- Kochen, S., 297, 375
- Lewis, D., 374
- lightning, 131
- linear algebra, *see* Hilbert space
- linear functional, 29
- locality, *see* EPR, nonlocal influences
- location, *see* position
- logical operations, *see* conjunction, disjunction,
negation
- long-range, *see* nonlocal, superluminal
- Lorentz frame, 341
- Lorentz invariance, 342
- Lüders rule, 259
- Lüders, G., 374
- Lütkepohl, H., 372, 373
- Mach–Zehnder, **176**, 273, 284, 350, 373
See also: toy Mach–Zehnder
- macro projector, **236–239**, 245, 250, 264, 287
- macroscopic measurement, **233–240**, 260
conditional probabilities, 235, 238
consistent families, 235, 237–238
initial density matrix, 239
initial probabilities, 239
unitary dynamics, 234, 237
- macroscopic quantum superposition, *see* MQS
- map of city, 360
- matrix, 39
determines operator, 40
- matrix element, 31, 39
- matrix product, 40
- McElwaine, J. N., 373
- meaningless, **61–63**, 142
vs. false, **62**, 307
- measurement, **8–9**, 22, **228ff (Ch. 17)**, **243ff (Ch. 18)**,
374
classical, 228
disturbs system?, 105, 252, 257
idealizations, 229
not a fundamental principle, 9, 369
of incompatible properties, 61
outcome, 228
and paradoxes, 261
of prior property, 228, 231, 369
problem, 9, 374
produces correlation, 228, 231
repeated, **243–252**, **255–257**
of spin, 230–240
See also: collapse of wave function, counterfactual,
destructive, Heisenberg uncertainty principle,
incompatible, interaction-free, macroscopic,
nondestructive, partial, pointer basis, spin
singlet, Stern–Gerlach, toy detector, von
Neumann
- Mermin, N. D., 299, 330, 375, 376
- Merzbacher, E., 371
- Meyer, D. A., 372
- mirror, movable, 284–295
- Mittelstaedt, P., 374
- mixed state, *see* density matrix
- momentum
approximate, 21–22, 53
representation, 21
wave function, **20–23**, 52
See also: probability, toy model

- movable, *see* beam splitter, mirror
- MQS (macroscopic quantum superposition), **134–136**
 observation of, 367
 vs. pointer states, 185, 235, 238, 276–278
 toy version, 166, 184–185
See also: counterfactual, Schrödinger cat
- multiple descriptions, 363
- multiple frameworks (families), 217
 interpretation, **224–227**
See also: incompatible frameworks
- museum, 266
- mutually exclusive, 14, **15–17**, **59**, 63
 classical vs. quantum, 216
See also: sample space
- negation, **54–57**, 66
 classical vs. quantum, 56–57
 of history, 113
 of projector ($\sim P$ or \tilde{P}), **35–36**, 55–57
- neutron interferometer, 177, 350, 374
- Newtonian mechanics, 366
- Nielsen, M. A., 372
- noncommuting, *see* projectors
- nondestructive measurement, **229**, 231, **257–260**
 conditional probabilities, 258
 consistent family, 258
 unitary dynamics, 257
See also: Stern–Gerlach (nondestructive)
- nonlocal influences
 do not exist, 10, 292, 295, 316, 318, 329, 369
See also: EPR, superluminal
- nonlocality, 10, 334
See also: collapse of wave function, Hardy paradox
- nonorthogonal projection, 35
- norm, normalized, **28**
See also: wave function
- NOT, *see* negation
- null, *see* counterfactual
- observables, *see* Hermitian operators
- Omnès, R., 358, 372–374, 376
- one dimension, **11–22**, 51–54, 56
- one-dimensional subspace (ray), 34
- open system, 95, 209
- operators, **30–34**
 acting to the left, 31
 commuting, 32
 functions of, **45–46**
 inner product of, **139**, **210**
 inverse, 32
 linear space of, 139
 mutually orthogonal, 139
 products of, 31–32
See also: adjoint, dyads, extension, Hermitian,
 orthogonal, positive, projectors, unitary
- OR, *see* disjunction
- orthogonal complement, 36
- orthogonal kets, 29
See also: orthonormal basis
- orthogonal operators, 139
- orthogonal projection, 35
- orthogonal projectors, **36–37**, 59
 collection of, **36–37**
- orthogonal wave functions, 12
- orthonormal basis, **37–38**
See also: decomposition of identity
- overview of book, **1ff (Ch. 1)**
- paradoxes, 9–10, 261–262
 methods for analyzing, 282
See also: delayed choice, double slit, EPR, Hardy,
 incompatibility, indirect measurement,
 Schrödinger cat
- partial measurement, 284
- partial trace, 90–91
- Pauli matrices, 299
- Peres, A., 375
- phase, *see* ket, random, toy Mach–Zehnder, wave
 function
- phase shifter, *see* toy Mach–Zehnder
- phase space, 11, 47, 81
 coarse graining, 66
- photograph, 360
- physical property, *see* property
- physical variable, 47, **76–79**
See also: Hermitian operators
- pivot, *see* counterfactual
- Podolsky, B., 310, 375
See also: EPR
- pointer, 233–238
 basis, **133**, 184, 240
 states, 166, 185, 189
See also: MQS
- position, **17–20**, 22–23
 approximate, **18–20**, **52**, 58
 not precisely defined, 17–18
 representation, 21
See also: delocalized, probability, toy model
- positive operators, **43–45**
 support, 44
 $\text{Tr}(BA)$ positive, 45
See also: density matrix
- $\text{Pr}()$, 73
- pre-probability, 20, **129–131**
 limitations of, 131
See also: density matrix
- probabilities, **73–75**, 372
 of compound event, 73
 conditional, **74–75**, **195–196**
 of histories, **121–131**, **137–143**
 for momentum, 22
 one or zero, *see* true/false
 for position, 20
 in quantum theory, 74–75
 specific to framework, 217, 226
See also: average of indicator, Born rule, ensemble,
 pre-probability, single-time
- product, *see* operators, tensor product
- projectors, **34–37**
 analogy with indicator, 48
 commuting, 57, 72
 (*continued*)

- projectors (*cont.*)
 geometrical interpretation, 34
 noncommuting, **60–64**
 refinement of, 36
See also: complement, decomposition, macro,
 negation, orthogonal
- property, 19, **47ff (Ch. 4)**
 classical, 47, 54–55
 definition of, 47
 logical operations on, **54–60**
 possessed by system, 48
 prior, *see* measurement
 true or false, 54
 undefined for system, 48, 62
See also: incompatible, physical variable
- pure state, 34
See also: density matrix
- quantum coin, 262, **262–265**, 268
 consistent family, 264
 simplified, 265
 unitary dynamics, 263
- quantum logic, 7, **61**, 372
- “quantum probabilities”, 6, 75
- quantum reasoning, **216ff (Ch. 16)**, 374
 vs. classical reasoning, 217, 226, 307
 consistency of, **222–223**
 context is important, 115
 general principles, **216–219**
 probabilistic, 218
 relative to sample space, 218, 226
 strategy for, 223
 using refinement, 219–220
See also: incompatible frameworks, incompatible
 properties
- quasi-classical framework (family), **358–359**, 366
 single framework sufficient, 366
- radioactive decay, *see* alpha decay
- random environment, *see* environment
- random phases, 355
- random process, *see* stochastic process
- random variable, **76–79**
- random walk, 110, **121–125**, 373
 conditional probabilities, 123
 dynamics, 121
 history, 110
 hopping probabilities, 121
 initial data, 122
 probability distribution, 122
 refinement rule, 122
 sample space, 110, 121
 weights, **122–124**
 compound histories, 124
See also: single-time probabilities
- ray, 34
- realistic interpretation, 268
- reality, **360ff (Ch. 27)**
 macroscopic world, 365–368
 and measurement, 362
 and physical theories, 360
- quantum vs. classical, **361–362**, **368**
 similarities, 368
 stochastic dynamics, 362
- reasoning, *see* quantum reasoning
- Redhead, M., 376
- reduced density matrix, **204–210**
 definition, 205
 as initial condition, **209–210**
 lacks correlation information, 207
 time dependence, **207–209**
- Reed, M., 371
- refinement, *see* common, decomposition of identity,
 family, projector, sample space
- relativity (special), 286, 334, 361, 362, 366
 compatible with quantum theory?, 9, 10, 247,
261–262, 343
See also: Lorentz frame, Lorentz invariance
- Renninger, M., 374
- Rosen, N., 310, 375
See also: EPR
- Ross, S. M., 372, 373
- row vector, 39
- safety net, 265
- sample space, **65–71**
 coarsening, 71
 of histories, **116–117**
 (dynamically) complete, **149**, 153
 refinement of, **71–73**
See also: decomposition of identity
- sawing off branch, 307
- scalar, 27
- Schmidt decomposition, **85**, 206, 372
- Schrödinger cat, **134–135**, 373
 toy version, 166
See also: MQS
- Schrödinger equation, **94–98**
 preserves inner products, 98
 time-independent H , 97
See also: time development operators
- Schrödinger representation, 151
- Schrödinger, E., 373
- Schwabl, F., 371
- self-adjoint, *see* Hermitian
- servomechanism, 263
- Shankar, R., 371, 372
- Shimony, A., 332, 376
- Simon, B., 371
- simultaneous values, **296–297**, 310, 323
See also: value functional
- single family, *see* single framework
- single-framework rule, 70, 136, **217**, 221, 222, 225,
 226
 applications, 277, 290, 295, 305–307, 325, 328,
 341–342, 344–348
 and classical physics, 217, 226
 counterfactual, 268
 and measurements, 229
 and nonlocal influences, 369
 and paradoxes, 295

single-time probabilities, **124–125**, 131
 difference equation, 124
 singlet, *see* spin singlet
 Specker, E. P., 297, 375
 spin half, **50–51**, **60–62**, 69
 angular momentum operator, 77
 different components incompatible, 128
 dynamics, 97
 trivial, 127
 histories, 111, 114, 117
 jump in orientation?, 128
 ket for general direction w , **50–51**
 in magnetic field, 97
 three spin-half particles, 87
 two spin-half particles, 87
See also: spin singlet
 value between measurements, 256
See also: counterfactual, measurement, spin singlet, Stern–Gerlach
 spin one, 304
 spin singlet, **310ff** (**Ch. 23**)
 correlations, **311–313**, 319
 histories, **313–315**
 conditional probabilities, 313, 314
 inconsistent family, 314, 322
 measurements, **315–322**
 conditional probabilities, 315, 318, 319, 321
 wave function, 311
See also: collapse of wave function, EPR
 spinning body (classical), 195, 363, 364
 split in consistent family, 164–165
 state, *see* density matrix, ket, stationary, superposition, wave function
 stationary state, 98
 statistical mechanics, 202, 203, 211, 236
 Stern–Gerlach, 197, **230**
 conditional probabilities, 232
 consistent families, 231–232
 nondestructive, **249–252**
 apparatus, 249
 conditional probabilities, 251–252
 consistent families, 251
 unitary dynamics, 230
 stochastic process, 108
 quantum vs. classical, 109
 Strang, G., 371
 strong detector, 188
 subjective, 364
 subspace, 19, **34**, 48, 55, 372
See also: orthogonal complement, projector, ray
 superluminal influence, 10, 261, 286, 334, 369
See also: nonlocal, relativity
 superposition state, 164, 274, 350
See also: MQS, Schrödinger cat
 support, *see* consistent family, density matrix, positive operator
 tails of wave packet, 20
 tape measure, 228
 teacup, 224
 telescope, 8

tennis, 265
 tensor product, **81ff** (**Ch. 6**), 372
 definition, **82–85**
 operators, **87–91**
 matrix elements, 89–91
 product of, 88
 product of bases, 84
 product of decompositions, 93
 product of sample spaces, 93
 product operators $A \otimes B$, 87–89
 physical significance, 92
 product properties, 92
 product state, 83
See also: entangled state, history Hilbert space, partial trace
 thermal equilibrium, *see* density matrix
 three-box paradox, **304–307**, 375
 incompatible frameworks, 304, 306
 time development operators $T(t, t')$, **100–102**
 inverse, 101
 Schrödinger equation for, 102
 time-independent H , 102
 $P = T(t, t')P'T(t', t)$, 101
 toy beam splitter, **159–165**
 channel projectors, 161
 hopping between channels, 161, 162
 periodic boundary conditions, 159
 unitary dynamics, 159
 with detector, **165–169**, **219–221**
See also: channel projectors
 toy detector, **104–105**
 time-elapsed, **169–171**
See also: weak detector
 toy Mach–Zehnder, **178–191**
 with detector, **183–188**
 phase shifters, 179
 unitary dynamics, 178
See also: Mach–Zehnder
 toy model, 69, 71, 372
 inner product, 24, 25
 internal degree of freedom, 86
 momentum, 25–26
 position, **23–25**, **49**, 55
 position operator, 78
 properties, **48–50**
 time-dependent, **102–103**
 time-independent, 23–26
 two particles, 85
 wave packet, 180
See also: alpha decay, hopping model, toy beam splitter, toy detector, toy Mach–Zehnder
 $\text{Tr}()$, 42
 trace, **42–43**
 product of operators, 43
 $\text{Tr}(C^\dagger C)$ positive, 44
See also: partial trace
 transition amplitudes, 138
 true/false, 66
 probability $1/0$, 218, 220, 224

- truth
 depends on framework, **226**
 quantum vs. classical, 309
 of theory, 360
See also: true/false, truth functional
- truth functional, **301–304**, **308–309**, 375
 classical, 301
 conditions for, 303
 determines value functional, 302
 histories, 308
 quantum, 302
 universal, **303–304**
 for histories, 308
 nonexistent, 304, 308
- two slit, *see* double slit
- two-spin paradox, **299–301**, 375
- uncertainty relation, *see* Heisenberg uncertainty principle
- unicity, **363**, 368
- unique exhaustive description, 363
- unitary dynamics, **94ff** (Ch. 7), 372
See also: time development operators
- unitary extension, **156–157**
- unitary family, **120**
 consistency, 144
- unitary history, **119–120**, 136, 155
- unitary operators, **99–100**, 372
 adjoint, 99
 commuting, 100
 diagonalization, 100
 eigenvalues, 100
 inverse, 99
 map of orthonormal basis, 99
 matrix, 99
 product of, 99
- unitary time development, *see* time development operators, unitary dynamics
- universal, *see* truth functional, value functional
- Vaidman, L., 375
- value functional, **298–299**
 classical, 298
 preserves relationships, 298, 300
 quantum, 298
 universal, **299–301**
 nonexistent, 297, 301
See also: truth functional
- values, *see* simultaneous, value functional
- vector, 27
See also: column, row
- Venn diagram, 58
- von Neumann, J., 7, 61, 168, 216, 372–374
 theory of measurement, 8, 229, **246–249**, 373, 374
- Walecka, J. D., 372
- Wannier, G. H., 373
- wave function, **11ff** (Ch. 2)
 norm, 13
 normalized, 15
 phase of, 15
 physical interpretation, **13–23**
 scalar multiple of, 14
 sum of other wave functions, 25
See also: center-of-mass, collapse, ket, momentum, orthogonal, position, zero
- wave packet, 243
See also: Gaussian, tails, toy model
- weak consistency, *see* consistency conditions
- weak detector, **188–191**
- weight, *see* history, zero
- Wheeler, J. A., 371, 374
- Wigner, E. P., 374
- Wolf, E., 374
- worlds, *see* counterfactual
- Zeilinger, A., 336
- zero ket, 27
- zero operator, 30
- zero vector, 27
- zero wave function, 13
- zero weight histories, **139**, 149, 153, 157
- Zurek, W. H., 371, 376