

## Subject index

(Page references for boxes with definitions of the main terms and concepts are shown in bold type.)

- arithmetic mean, *see* mean
- asymptotic significance, 222(n.7)
- autocorrelation, 312–6, 325(n.2), 326(n.3), 439
  - in cross-section data, 313–4
  - see also* Breusch–Gordon test, Cochrane–Orcutt correction, Durbin–Watson test, Hildreth–Liu correction
- autoregression, 291(n.), 316, 447–8
- Ballantine, 110–111, 112(n.4,5), 240–2, 255(n.1), 303–5, *see also* pullout, p.527
- bar charts, 36
- Benjamin–Kochin (unemployment) data set, 101, 177, 248, 274, 307, 319, 343, 437, 438–45, 501–3
- beta coefficients, *see* standardized beta coefficients
- BLUE (best linear unbiased estimator), 267–8, 300–1, 309
- Boyer (Poor Law) data sets, 8, 11, 33, 36, 40(n.), 120, 126, 139(n.), 249, 263, 280, 313–4, 463–80, 496–7, 498–9
- Breusch–Gordon test for autocorrelation, 316, 448
- Breusch–Pagan test for heteroscedasticity, 311, 453
- causation, 72, 82, 93–5, *see also* reverse causation
- censoring, 384, 385, 423–28
- Central Limit Theorem, 122–5, 138, 190
- central tendency, measures of, 42–6
- chi-square distribution, 207–8, 223(n.9), 416, 415(n.), 448, 450, 455, 490
- $\chi^2$ -test,
  - of goodness of fit, 216, 217, 224(n.15)
  - of homogeneity, 223(n.11)
  - of statistical significance, 186, 206, 202–10, 218
- $\chi^2_{calc}$ , 209
- Chow test, 307–8, 442–5, 461(n.5)
- class intervals, 34–40, 65(n.1)
- classical linear regression (CLR)
  - models, 266, 300–26, assumptions of, 300–2, *see also* error term
- Cochrane–Orcutt correction for autocorrelation, 315, 373
- coefficient of correlation ( $r$ ), 76, 76–86, 106–9
  - partial coefficients, 248, 248–54
  - test statistic for, 174
  - see also* rank correlation
- coefficient of determination ( $r^2$ ), 105, 103–7, 110–1
- coefficient of multiple correlation ( $R$ ), 254
- coefficient of multiple determination ( $R^2$ ), 233, 232–3, 373–4, 439, 447, 453, 471, 478
  - effect of multicollinearity, 322
  - relationship to  $F_{calc}$ , 269, 271
- coefficient of multiple determination, adjusted ( $R^2$ ), 233, 245, 439
- coefficient of variation (CV), 50–51
- collinearity, 239(n.), 242, 307(n.), *see also* multicollinearity
- compound rate of growth, *see* growth rates
- confidence intervals, 136–43, 149
  - for a mean, 138, 136–40
  - for other sample statistics, 140–4, 441
  - for a prediction of the mean value of  $Y$ , 274, 273–6
  - for a prediction of a specific value of  $Y$ , 276, 276–7
  - for logit coefficients, 395
- contingency coefficient ( $C$ ), 218–9
- contingency tables, *see* cross-tabulations
- control category, for dummy variables, 281
- correlation, 71–4
  - and causation, 72, 326(n.4)
  - see also* coefficient of correlation

- covariance (COV(XY)), 80, 79–81, 89(n.1), 111  
 Cramer's V, 218–21  
 critical point, 136, 209  
 critical region, 156, 156–9, 162–3, 168–9, 193, 199  
 critical value, 136, 157, 187, 193, 199, 208–9, 217, 442  
 cross-section models, 464, 471–3, 476–80  
   and correlation, 83  
   and error specification, 310, 313  
   and model specification, 262, 307  
   and variable specification, 322  
   *see also* panel data sets  
 cross-section variables, 8–9  
 cross-tabulations, 203–5, 221  
 cumulative distribution functions (cdf), 388–9, 429(n.3)
- d*, 315, *see also* Durbin–Watson test  
 deciles, 46–7  
 degrees of freedom (df), 132, 133, 180(n.4), 187, 207, 209, 211, 216, 246, 442  
 dependent and explanatory variables, 93–4, 108, 111(n.1), 321, 324–5  
   *see also* dependent variables, explanatory variables  
 dependent variables,  
   binary, 385, 387, 390, 429(n.1), 430(n.9)  
   censored, 384, 385–6, 423–28  
   continuous, 384, 385  
   dummy, 385, 430(n.9)  
   limited, 384–9  
   multi-response, 422–3  
   qualitative, 384  
 deviations from the regression line, *see* residuals  
 dfBeta test for outliers, 317, 444  
 dfFits test for outliers, 317, 444  
 dispersion, measures of, 47–51  
 distributed lag models, 290–1, 292–4  
 disturbance term, *see* error term  
 Divisia index, 517–8, 519(n.)  
 double logarithmic models, 343–5, 347–50, 353, 368, 476  
 dummy variables, 11, 280–9, 319, 372, 377(n.11)  
   and regression coefficients, 473  
   as a change in the intercept, 283–5, 286, 306–8  
   as a change in the slope, 286–89, 306–8, 441–2, 443  
   as dependent variables, 385  
   use in fixed effects models, 454–5, 462(n.11)  
   use in seasonal adjustment, 356–8  
   with two categories, 280–1, 484  
   with more than two categories, 280–3, 484–5  
 dummy variable trap, 281, 322, 484  
 Durbin–Watson (DW) test for  
   autocorrelation, 315–6, 326(n.3), 373, 439, 444(n.), 447–8  
 Durbin's two-stage correction for  
   autocorrelation, 315  
 DW statistic, *see* Durbin–Watson test
- efficiency of a test, 156  
 elasticities and regression coefficients, in OLS models, 349–51, in logit models, 406–11, in probit models, 419–21  
 endogenous and exogenous variables, 324, 465–70, 491–4  
 error-correction mechanisms, 377(n.9)  
 error in hypothesis tests, two types of, 154, 153–6, 158, 161  
 error sum of squares (ESS), 442(n.), *see also* residual sum of squares  
 error term (*e*),  
   and non-linearity, 341(n.)  
   assumptions of classical linear regression (CLR), 264–8, 300  
   errors of measurement and specification, 261–2, 320–2  
   in random effects models, 455  
   non-zero means, 308–9  
   stochastic errors, 262–3  
   violation of CLR assumptions, 300, 308–19, 371–8, 429(n.2), 477  
 expected frequencies, 205, 209–10, 216  
 expected values, 385, 386, 396  
 explanatory variables, 93–4, 99, 108, 111(n.1) and CLR models, 261–3, 301–2  
 effects in logit and probit models, 399–413, 415–8, 420–2  
   impact of additional variables, 235–45  
   lagged values, 289–94  
   multiple relationships, 231–5, 248–52  
   non-linear relationships, 347–51, 360–72  
   *t*-tests for regression coefficients, 175–9  
   use of dummy variables, 280–9  
 exponential constant (*e*), 16, 31(n.4), 56, 390–1  
 exponential curves, *see* models, exponential  
 exponents, 14, 16, 17
- F*-distribution, 269–72  
*F*-test, 185(n.), 269, 271, 307, 309, 442  
   effect of multicollinearity, 323  
   *F*<sub>calc</sub>, 269, 271–2, 273  
 first differences, 362, 370  
 first-order partial correlations, 249, 251–3  
 Fisher Ideal index, 517–8, 524  
 Fisher's exact test, 206  
 Fisher's *z*, 142–3, 145(n.9)  
 fitting trends, *see* trends  
 fixed effects model, 454–5, *see also* random effects model  
 fluctuations, 21–2, 25–7, *see also* trends  
 frequency curves, 40–2  
 frequency distributions, 33–42, 125  
   cumulative, 34–5, 37, 42, 198–200, 217  
   relative, 34–5, 40–2, 198–200  
 frequency polygons, 40–2
- geometric curves, *see* models, geometric  
 geometric mean, 43(n.), 44(n.)  
 Goldfeld–Quandt test for heteroscedasticity, 311  
 Goodman and Kruskal's tau, 219–20

- goodness of fit,  
 of a regression line, 102–6, 261  
 of logit models, 413–4, 414(n.), 415  
 one-sample non-parametric tests, 216–7
- grouped data, 51–3, 418, 430(n.12)
- growth rates, 352, 354–5, 359
- Hadi's test for outliers, 319, 443
- Hatton–Williamson (emigration) data set, 44,  
 173, 248, 292, 313, 316, 322, 343, 361,  
 437, 445–60, 497, 499–501
- HETERO, test for heteroscedasticity, 453, 455
- heteroscedasticity, 309–11, 387, 431(n.2)  
*see also* Breusch–Pagan test,  
 Goldfeld–Quandt test, HETERO,  
 Lagrange multiplier test, White test
- Hildreth–Lu correction for autocorrelation,  
 315
- histograms, 36–40, 58
- homogeneity, test of, 223(n.11)
- homoscedasticity, 301, 309, *see also*  
 heteroscedasticity
- hypothesis testing, 149–79, 186–7
- impact effect,  
 in logit models, 399, 400, 400–2, 404–6, 410,  
 411, 412, 430(n.9)  
 in probit models, 420–2
- impact multiplier, 351
- independence of irrelevant alternatives, 423
- independent variables, *see* explanatory  
 variables
- index number problem, 513, 515–20
- index numbers, 19–20, 507–25  
 chained index numbers, 518–9
- instrumental variables, 321, 325, 470(n.)
- interaction variables, 286–9, 295(n.1), 441–2,  
 456, 462(n.12)
- intercept term (a), 14, 246–8, 283–6, 306–9  
 in a logit model, 395(n.)
- interval estimate, 123(n.), 137, *see also*  
 confidence intervals
- interval level data, 10, 31(n.1)
- Irish emigration data set, *see*  
 Hatton–Williamson data set
- Kolmogorov–Smirnov test (KS Z), for two  
 independent samples, 198–201,  
 223(n.9,10)  
 of goodness of fit, 216–7,  
 Koyck distributed lag, 295(n.3), 316  
 Koyck's transformation, 293–4, 295(n.4)
- lagged dependent variables, 291–2, 372, 447
- lagged variables, 13, 289–94, 321, 361, 446–9
- Lagrange Multiplier (LM) test for  
 heteroscedasticity, 448–453
- Laspeyres (price and quantity) index numbers,  
 510–3, 514–5, 524
- levels of measurement, 9–10
- Levene's test for equality of sample variances,  
 172(n.)
- leverage points, 316, 318, 443, *see also* outliers
- lin-log models, *see* semi-logarithmic models
- logarithms, 16–9  
 use in non-linear models, 342–51, 360–1  
*see also* double logarithmic models, semi-  
 logarithmic models
- logistic curves, *see* models, logistic
- logistic distribution functions, 388–9
- logit coefficients, 391, 395–6, 403, 404–6, 410,  
 411  
 comparison with probit coefficients, 419,  
 431(n.13), 490–1  
 in model of decision to leave home, 485–8
- logit functions, value of, 396–7, 403, 405, 411
- logit models, 387–9, 390–418  
 derivation, 390–1  
 with grouped data, 418, 430(n.12)
- logit model of decision to leave home, 483–91
- log-likelihood ratio ( $-2\log\lambda$ ), 414, 415, 419,  
 490, 491
- log-lin models, *see* semi-logarithmic models
- log-log models, *see* double logarithmic models
- log odds ratios, 397, 403–5, 410–1, 485
- longitudinal data, 9, *see also* panel data
- long-run multipliers, 351, 377(n.5), 449–50
- Mann–Whitney *U*-test, 195, 193–8, 199, 202,  
 222(n.4,5,6,8)  
 standardized test statistic for, 195
- marginal effect,  
 in logit models, 399, 399–404, 406, 410, 411,  
 412  
 in probit models, 421
- maximum-likelihood models, 392–5
- McFadden's  $R^2$ , 414, 415, 419, 491
- mean ( $\bar{X}$ ), 43–4  
 with grouped data, 51–2  
 weighted, 44–6
- mean deviation, 47–8
- measurement errors, 261–2, 374–5  
 systematic, 320–1  
 stochastic, 320–1
- measures of association,  
 non-parametric, 86–9, 218–21,  
*see also* coefficient of correlation
- median, 43–4  
 with grouped data, 51–2
- mode, 43–4
- models,  
 exponential, 335, 337, 345, 351  
 geometric, 335, 336, 343, 368  
 logistic, 335, 339–41, 359, 367, 378(n.17),  
 388, 390–1  
 quadratic (parabola), 335, 339, 342, 359,  
 369  
 reciprocal (inverse), 335, 338, 342  
*see also* non-linear models
- model specification, 259, 301, 302–8, 325(n.2),  
 359–72  
 best-practice procedures, 372–6
- modelling relationships  
 choice of functional form, 360–2  
 general principles, 362–3  
 historical illustrations, 363–72

- moving average, 22–25
- multicollinearity, 242, 291, 321–3, 377(n.8)
- multinomial logit or probit models, 423, 431(n.17)
- multiple regression, *see* regression
- multi-response models
- ordered, 422, 431(n.16)
  - random, 422–3
- natural logs, 16, 347(n.)
- nominal level data, 9, 186
- non-linear models, 302–3, 333–76, 388–9, 440
- choice of functional form, 360–3
  - estimation by OLS, 341–7
  - see also* RESET test
- non-parametric tests, 153, 185–224
- criteria for choice of, 201–2
  - for two independent samples, 187–202
  - when to use, 185–6
- non-rejection region, 157, 168–9
- normal distribution
- properties, 56–61
  - and theoretical probability distributions, 128–31
  - and probit models, 388–9, 419
- null hypothesis ( $H_0$ ), 152, 151–63,
- in  $t$  and  $Z$ -tests, 165–70
  - in non-parametric tests, 188, 190, 193, 194, 196–7, 198–201, 208–9, 212, 214, 215, 216, 217
  - implications of rejecting, 155
- observed frequencies, 205, 209–10, 216
- odds ratios, 396, 403, 405, 410–1, 415–6, 418, 485
- odds-ratio coefficients, 415–6
- ogive, 42, 388
- omitted and redundant variables, 303–5, 371
- one-tailed tests, 158–9, 190(n.), 198, 212, 215, 217
- ordinal level data, 9–10, 86, 186
- ordinary least squares regression (OLS),
- comparison with logit coefficients, 395–6, 401
  - effect of outliers, 316, 319
  - in linear regression, 98–9, 102, 242–3, 244, 266, 267–8
  - in non-linear regression, 341–2, 477–8
  - when not appropriate, 384, 387–8, 422, 424–5, 429(n.2), 466, 468
- orthogonality, 239(n.), 241, 242(n.), 304(n.)
- out-of-sample prediction, 375, 443
- outliers, 74–75, 316–9, 443–4, 461(n.5), *see also* dfBeta, dfFits, Hadi's test
- Paasche (price and quantity) index numbers, 509–11, 520–5
- panel data sets, 9, 451–3, 454–60
- parameter stability, 305–8, 325(n.1), 440–3, 461(n.5), *see also* Chow test
- parametric tests, 185–7,
- criteria for choice of, 201–2
- partial correlation coefficients, *see* correlation coefficients
- partial regression coefficients, *see* regression coefficients
- Pearson product-moment correlation coefficient, 76
- percentiles, 46–7
- $\phi$  (phi), measure of association, 218–9
- piecewise linear regression, 308, 441
- point elasticity,
- in logit models, 406–9, 408, 410, 411, 412
  - in probit models, 421–2
- point estimate, 123(n.), 137
- polynomials, 335(n.), 359, 377(n.6)
- pooled data, 9, 453, 454–5, *see also* panel data
- Poor Law data set, *see* Boyer data sets
- population, 10–11, 117–9
- characteristics, symbols for, 120
  - finite and infinite, 224(n.12), 263
  - parameters, 11, 119–20, 122–5, 263–4
- power of a test ( $1-\beta$ ), 156, 201, 202(n.)
- powers, 14, 16
- probability density function, 129
- probability distributions, 125, 128–36, 164, 207–8, 269, 270, 272
- probability of an event, in logit models, 386, 390–1
- average predicted value ( $\hat{P}_Y$ ), 398
- probit index,  $\Phi$  (upper case phi), 420–2, 431(n.15)
- probit models, 387–9, 419–22, 428, 490–1
- with grouped data, 431(n.14)
- prob-value, 161, 162, 168, 187, 201, 215, 460(n.1), 471, *see also* significance levels
- pseudo  $R^2$ , 413, 415, 491
- p-value, 162, *see also* significance levels
- quadratic curves, *see* models, quadratic
- quantity indices, 19
- quantity relatives, 19, 507–8
- quartiles, 46–7
- quartile deviation, 47
- random effects model, 454–5, *see also* fixed effects model
- randomness, one sample runs test, 210–5
- range, 47
- rank correlation coefficient ( $r_s$ ), 86–9, 174(n.), 202, 218
- reduced form models, 465–6, 469, 471–2, 491–4
- reference category, for dummy variables, 281
- regression
- bivariate (simple) linear, 93–111
  - fitting the least square line, 96–100
  - fitting the least squares plane, 242–3, 244
  - multiple (multivariate) linear, 231–55
  - non-linear, 333–59, 477–81
- regression coefficients (b), 99
- interpretation in linear and non-linear models, 347–9, 448–51, 455–60, 461(n.9), 471, 473–5, 478–80
- partial, 234, 234–45

## INDEX

543

- relationship to correlation coefficients, 106–9, 111
- test statistic for, 176
- research hypothesis ( $H_1$ ), 152, 154–5, 158, 170, 198, 208, 212
- RESET test of non-linearity, 361(n.)
- residual sum of squares (RSS) 105, 442, 448(n.)
  - see also* variation
- residuals, 96–8, 102–6, 272, 302, 374
  - and heteroscedasticity, 311
  - and outliers, 319(n.)
- reverse causation, 94, 326(n.4), 439–40
- robust regressions, 319, 444
- rogue observations, 317–9, 443, *see also* outliers
- runs tests,
  - Wald–Wolfowitz, 188–93, 214
  - of randomness, 210, 212–5
- s-shaped (sigmoid) curves, 388–9, 419, 481, *see also* models, logistic
- sample characteristics, symbols for, 120
- sample size, 48(n.), 122, 124, 133–4, 187, 190, 195–6, 198–9, 201–2, 209, 217, 218, 221(n.2)
- sample statistics, 11, 119–20
  - and confidence intervals, 136–44
- sample variances, 269
- samples, 11, 117–9
  - independent, 187–8
  - random, 11, 153
  - related, 187(n.), 188
  - truncated, 386(n.)
- sampling, 126–7, 144(n.1)
  - and replacement, 11, 126–7, 145(n.5)
- sampling distributions, 120–5, 122, 151, 163–4, 190–1, 194–5, 198, 269–71
- sampling error, *see* confidence intervals
- sampling independence, 126, 145(n.5)
- scatter diagrams, 72–3
- seasonal adjustment, 21–2, 27–30, 356–8
- semi-logarithmic models, 343, 345–51, 353, 358–9, 365, 378(n.18), 447
- serial correlation, 311–6, *see also* autocorrelation
- sign of the regression coefficient, 96, 232, 439, 467, 471, 476
  - in logit and probit models, 395, 415, 416, 428
- significance level ( $\alpha$ ), 155–8, 156, 160–62, 168–9, 190, 192–3, 194–5, 196–7, 198–201, 217
- significance tests, *see* *F*-test, *t*-test, *Z*-test
- simultaneity, 324–5, 326(n.4), 461(n.3), 465
- simultaneous-equation models, 465, 466–7, 468, 471–3, 491–4
- skewed distributions, 53–5
- skewness, measures of, 55
- Smirnov test, *see* Kolmogorov–Smirnov test
- Spearman, *see* rank correlation coefficient
- specification, *see* model specification
- spurious correlation, 72, 249
  - in cross sections, 477, 494(n.6)
  - in time series, 361, 370
- standard deviation (*s*), 49–50, 50
  - with grouped data, 52–3
- standard error (SE), 123, 123–5, 138–44, 165
  - of a correlation coefficient, 142–3
  - of a regression coefficient, 143–4
  - of a sample mean, 124, 124–5, 138–40
  - of a sample proportion, 141
  - of logit coefficients, 391, 395
  - of the difference between sample means, 172–3
- standard error of the estimate (SEE), 272–7, 273
- standard normal distribution, 61–5, 128, and probit models, 388–9, 419
- standardized beta coefficients, 243, 243, 255(n.2)
- standardized rates, 45–6
- statistical significance, 160, 170, 210, *see also* significance levels
- statistical significance of the regression as a whole, *see* *F*-tests
- Steckel's (leaving home) data set, 281, 480–91, 502–5
- stepwise regressions, 323
- stochastic factors, 262–3
- strength of association,
  - non-parametric measures, 218–21
  - see also* correlation
- structural change, 307–8, 325(n.1)
  - see also* parameter stability, Chow test
- structural models, 465, *see also* simultaneous-equation models
- Student's *t*, 132, *see also* *t*-tests
  - t*-distributions, 132–6, 138, 145(n.6,7), 164–5
  - t*-ratios, 167, *see also* *t*-tests
  - t*-statistics, *see* *t*-tests
  - t*-tests, 164–79, 185–6, 309, 374
    - effect of multicollinearity, 322
    - for a correlation coefficient, 174, 173–5, 180(n.5, 6)
    - for a difference of means, 170–3, 179(n.3), 202
    - for a regression coefficient, 175–9, 176, 180(n.7), 442, 447, 460(n.1), 471
    - for logit and probit coefficients, 391, 395, 416, 419
    - $t_{calc}$ , 166, 167
- test statistics, 166, 163–9, 190, 193, 194, 196, 198–9, 209
- time, as an explanatory variable, 100–2, 352–355, 356–8, 361–440
- time-series models, 446–51, 458–60
  - and correlation, 83
  - and error specification, 309–10, 312, 314
  - and model specification, 261, 307
  - and variable specification, 322
- time-series variables, 8–9
- tobit coefficients, 426–7
- tobit models, 387, 424, 425–8
- trends, 21–30, 440

- linear, 100–2, 352(n.)
- log-linear, 351–2, 354–5, 356–8, 502(n.)
- non-linear, 352–3, 358–9
- two-part censored models, 427–8
- two-stage least squares technique (2SLS), 324–5, 465, 468, 470
- two-tailed tests, 158–9, 208, 217, 222(n.5)
- Type I and Type II errors, 153–6, 154, 155, 158, 161
- unemployment data set, *see* Benjamin–Kochin data set
- unit elasticity,
  - in logit models, 406–9, 409, 410, 411, 412, 430(n.10), 485–9
  - in probit models 421–2
- variables
  - categorical, 9, 385, 422
  - continuous, 10, 56,
    - discrete, 10, 56, 128
    - lagged, *see* lagged variables
    - pre-determined, 465
    - random, 56, 125, 128, 129
  - variance ( $s^2$ ), 48, 48–9
    - with grouped data, 52–3
  - variation, explained and unexplained, 102–6, 232–3, 442
  - volume indices, 19(n.)
- Wald–Wolfowitz runs test, 188–93, 191, 210, 214
  - standardized test statistic for, 191
- White test for heteroscedasticity, 311, 453
- Wilcoxon rank sum test, 194, 196, 197
- Z-distributions, 61–5, 131–4, 165
- Z-tests, 164–5, 185–6
  - $Z_{calc}$ , 166(n.), 191, 193, 195–7, 221(n.2)
- zero-order correlation, 249, 250, 251, 253

Cambridge University Press

0521806631 - Making History Count: A Primer in Quantitative Methods for Historians

Charles H. Feinstein and Mark Thomas

Index

[More information](#)

## Name Index

- Ackerberg, Daniel A., 431(n.17)  
 Alesina, Alberto, 372  
 Alt, James E., 379(n.22)  
 Anderson, Michael, 223(n.10)  
 Arminger, Gerhard, 430(n.12)  
 Armstrong, Alan, 224(n.15)  
 Ashton, T. S., 32(n.8)  
 Attack, Jeremy, 378(n.15)  
 Aydelotte, William O., 221(n.1)
- Baines, Dudley, 505(n.3)  
 Beattie, J. M., 379(n.21)  
 Beck, E. M., 379(n.20)  
 Bell, Frances N., 368(n.)  
 Benjamin, Daniel K., 7(n.), 19, 27(n.), 94,  
 112(n.3), 177, 183, 343(n.), 380, 439(n.),  
 501, 506(n.5.6)  
 Bergson, Abram, 525(n.2)  
 Blalock, H. M., 31(n.3)  
 Blaug, Mark, 464, 494(n.1), 505(n.1)  
 Bloom, Howard S., 295(n.2), 371  
 Bogue, Allan C., 221(n.1)  
 Botticini, Maristella, 431(n.17)  
 Bowden, Sue, 378(n.17)  
 Boyer, George R., 7(n.), 9(n.), 144(n.2), 153,  
 256, 282(n.), 283(n.), 326, 463, 494(n.2),  
 497, 505(n.2)  
 Brenner, Y. S., 378(n.12)  
 Broadberry, S. N., 378(n.15)  
 Burns, Arthur F., 32(n.8)  
 Burns, Eveline, 506(n.7)
- Callahan, Colleen M., 431(n.16)  
 Cantor, D., 370(n.)  
 Caradog Jones, D., 227  
 Castellan Jr., N. John, 175, 201(n.)  
 Chapman, Agatha L., 506(n.7)  
 Chapman, Janet G., 525(n.2)  
 Childers, Ben D., 223(n.10)  
 Cochran, W. G., 144(n.1)  
 Cockburn, J. S., 379(n.19)  
 Cohen, Gerald D., 372(n.)  
 Cohen, Jacob, 112(n.4)  
 Cohen, Patricia, 112(n.4)  
 Cole, W. A., 31(n.6)
- Collins, Michael, 506(n.5)  
 Costa, Dora L., 429(n.1)  
 Crafts, N. F. R., 31(n.6), 378(n.15), 445(n.),  
 506(n.5), 518(n.), 525(n.4)  
 Crockett, Alasdair, 251–3
- David, Paul A., 31(n.5), 255(n.2)  
 Deane, Phyllis, 31(n.6)  
 Digby, Anne, 204(n.), 205, 464, 494(n.1)  
 Di Matteo, Livio, 378(n.14)  
 Dimsdale, Nicholas H., 377(n.10), 445(n.),  
 461(n.7), 506(n.5)  
 Dornbusch, Rudiger, 377(n.7)  
 Durkheim, Émile, 362
- Edelstein, Michael, 255(n.2)  
 Eichengreen, Barry, 345(n.), 445, 506(n.5)  
 Eldridge, J., 376(n.1)  
 Elliott, C. M., 32(n.10)  
 Engerman, S., 445(n.), 506(n.5)  
 Erikson, Robert S., 379(n.22)
- Farr, William, 368  
 Feinstein, Charles H., 506(n.4), 513(n.),  
 520(n.)  
 Ferenczi, Imre, 506(n.4)  
 Field, Simon, 370(n.)  
 Floros, Nicos, 506(n.5)  
 Floud, Roderick, 376(n.1), 377(n.10)  
 Fogel, Robert W., 221(n.1), 278(n.1)  
 Ford, A. G., 32(n.13)  
 Foreman-Peck, James, 378(n.15)  
 Frickey, Edwin, 31(n.6)
- Galenson, David, 378(n.11)  
 Gattrell, V. A. C., 90(n.3)  
 Gayer, A. D., 32(n.8)  
 Gemery, Henry A., 345(n.)  
 Gilbert, David, 90(n.3)  
 Gillis, A. R., 379(n.20)  
 Goldin, Claudia, 286(n.)  
 Gould, J. D., 505(n.3)  
 Granger, C. W. J., 32(n.10)  
 Griffin, Larry J., 375(n.)  
 Griliches, Z., 378(n.16)

Cambridge University Press

0521806631 - Making History Count: A Primer in Quantitative Methods for Historians

Charles H. Feinstein and Mark Thomas

Index

[More information](#)

546

## INDEX

- Hadden, T. B., 90(n.3)  
Haines, Michael R., 368(n.), 369(n.)  
Hamilton, Gillian, 364  
Hanes, Christopher, 378(n.13)  
Harrison, Mark, 379(n.19)  
Hatton, Timothy J., 7(n.), 343(n.), 378(n.13), 461(n.7,8), 475, 499, 506(n.3,5)  
Hay, Douglas, 94  
Hoffmann, Walther G., 31(n.6)  
Hopkins, Sheila V., 20, 31(n.5), 520(n.)  
Hopplit, Julian, 28, 30, 356  
Horrell, Sara, 429(n.1)  
Horsewood, Nicholas J., 377(n.10), 461(n.7)  
Hoskins, W. G., 224(n.14)  
Houthakker, H. S., 366  
Humphries, Jane, 429(n.1)  
Huzel, J. P., 476, 494(n.5), 505(n.1)
- Isaac, Larry W., 375(n.)
- Jackson, Robert V., 31(n.6)  
James, John A., 378(n.15)  
Jarausach, Konrad H., 430(n.12)  
John, A. H., 90
- Kaelble, Hartmut, 378(n.12)  
Kearl, J. R., 378(n.14)  
Kennedy, Peter E., 112(n.4), 133, 246(n.), 321(n.)  
Keynes, John Maynard, 362, 377(n.10), 502(n.)  
Kilby, Peter, 378(n.15)  
Knight, I., 376(n.1)  
Kochin, Levis A., 7(n.), 19, 27(n.), 94, 112(n.3), 177, 183, 343(n.), 438(n.), 501, 506(n.5,6)  
Koeller, C. Timothy, 379(n.20)  
Kramer, Gerald H., 379(n.22)  
Kussmaul, Ann, 179(n.3), 220–1  
Kuznets, Simon, 359
- Land, K. C., 370(n.)  
Layard, Richard, 377(n.7)  
Lee, Chulhee, 429(n.1)  
Lewis, W. Arthur, 31(n.6)  
Loschky, David, 223(n.10)
- Maddala, G. S., 431(n.15)  
Maddison, Angus, 91  
Magee, Gary, 224(n.15)  
Malthus, Thomas, 463, 476, 478, 497  
Margo, Robert A., 431(n.17)  
Markus, Gregory B., 379(n.22)  
Marris, Robin, 525(n.4)  
McCloskey, Donald N., 180(n.7), 377(n.10)  
McDonald, Judith A., 431(n.16)  
Metcalf, David, 506(n.5)  
Millward, Robert, 368(n.), 378(n.15)  
Mitchell, W. C., 32(n.8)  
Mosley, Paul, 372(n.)
- Neal, Larry, 180(n.7)  
Nickell, Stephen J., 377(n.7), 461(n.7), 506(n.5)  
Nielsen, Randall, 215(n.)
- O'Brien, Anthony Patrick, 431(n.16)  
Offer, Avner, 378(n.17)  
Ogburn, W. F., 83(n.)  
O'Leary, Richard, 251(n.)  
Ormerod, P. A., 440–1, 443, 461(n.2,4), 506(n.5)
- Persson, Karl Gunnar, 215(n.)  
Phelps Brown, Henry, 20, 31(n.5), 520(n.)  
Pope, Clayne L., 378(n.14)  
Prais, S. J., 366  
Pressnell, L., 90(n.)  
Preston, Samuel H., 368(n.)  
Price, H. Douglas, 295(n.2), 371
- Rostow, W. W., 32(n.8)  
Roubini, Nouriel, 372(n.)  
Rowntree, Seebohm, 365
- Salter, W. E. G., 525(n.3)  
Schofield, R. S., 23, 31(n.3), 32(n.12), 479  
Schonhardt-Bailey, Cheryl, 429(n.1)  
Schwartz, A. J., 32(n.8)  
Scola, Roger, 226(n.)  
Sheflin, Neil, 379(n.20)  
Shorter, Edward, 379(n.20)  
Siegel, Sidney, 175, 201(n.)  
Solar, Peter, 31(n.5)  
Solomou, Solomos, 32(n.9)  
Southall, Humphrey, 90(n.3)  
Spraos, John, 31(n.7)  
Stamp, Sir Josiah, 319  
Steckel, Richard H., 7(n.), 281(n.), 494(n.7,8), 495(n.9,10), 503, 505  
Stevenson, S. J., 379(n.19)  
Stock, James H., 222(n.8)  
Sundstrom, William A., 255(n.2)  
Szreter, Simon, 87
- Takaishi, M., 376(n.1)  
Tanner, J. M., 376(n.1)  
Thomas, Brinley, 32(n.13)  
Thomas, Dorothy Swaine, 83–6, 90(n.3), 180(n.6), 370  
Thomas, Mark, 378(n.12)  
Thomas, T., 377(n.10)  
Tilly, Charles, 379(n.20)  
Tobin, James, 424, 426  
Tolnay, Stewart E., 379(n.20)  
Troy, Leo, 379(n.20)  
Tucker, G. S. L., 505(n.1)  
Tufte, Edward R., 379(n.22)  
Turner, Paul, 378(n.17)
- Usher, Dan, 525(n.4)
- Vamplew, Wray, 506(n.4)



Cambridge University Press

0521806631 - Making History Count: A Primer in Quantitative Methods for Historians

Charles H. Feinstein and Mark Thomas

Index

[More information](#)

## INDEX

547

- Vernon, J. R., 506(n.4)  
von Tunzelmann, G. N., 378(n.16)  
Voth, Hans-Joachim, 216(n.), 223(n.8)
- Whitehouse, R. H., 376(n.1)  
Willcox, Walter F., 506(n.4)  
Williamson, Jeffrey G., 7(n.), 32(n.13),  
343(n.), 475, 499, 506(n.3,4)  
Wimmer, Larry T., 378(n.14)  
Winter, Jay, 90(n.3)
- Wonnacott, R. J., 72  
Wonnacott, T. H., 72  
Woods, Robert, 377(n.6), 378(n.18)  
Worswick, G. D. N., 440–1, 443, 461(n.2,4),  
506(n.5)  
Wrigley, E. A., 23, 31(n.3), 32(n.12), 90(n.2),  
215, 479
- Zecher, J. Richard, 180(n.7)