

Index

- abdominal circumference (AC) 153
- abdominal decompression 163–5
- abscess, cerebral 341
- academic function, asphyxia outcomes 844
- acidemia 239–40, 403, 598
 - detection 240–1
 - isovaleric (IVA) 403
 - methylmalonic (MMA) 403
 - propionic (PA) 403
- acidosis 9–11, 58, 96–8, 593–607
 - fetal compromise and 83, 96–8, 105
 - hypoxic–ischemic brain injury and 602–7
 - lactic acidosis 401–3, 602–3
 - management 137
 - bicarbonate use in neonatal resuscitation 683–4
 - metabolic acidosis 593
 - effect on cerebral blood flow 598–9
 - effect on cerebral metabolism 601–2
 - hypoxic–ischemic brain injury and 602–4
 - long-term outcome 840–1
 - outcome relationships 83
 - respiratory acidosis 593
 - effect on cerebral blood flow 593–8
 - effect on cerebral metabolism 599–601
 - hypoxic–ischemic brain injury and 604–6
- aciduria
 - fumaric 401
 - glutaric 403
 - 3-hydroxyisobutyric 403
 - mevalonic 400, 404
- acquired immunodeficiency syndrome (AIDS) 377, 378, 385–6
 - development time 382–3
 - see also* human immunodeficiency virus (HIV)
- activin, neuroprotective role 723
- acute fatty liver of pregnancy (AFLP) 259, 261
- Addison's disease 196
- adenosine
 - neuroprotective role 718
- persistent pulmonary hypertension treatment 642

- adenosine triphosphate (ATP) 58–61, 62
adrenal disorders, maternal 196–7
 congenital adrenal hyperplasia 196–7
adrenaline *see* epinephrine
Aicardi syndrome 440
 EEG recordings 440
AIDS *see* acquired immunodeficiency syndrome
alanine aminotransferase (ALT) 545
alcohol abuse 199–200, 276–9
 alcohol in breast milk 278–9
 fetal alcohol syndrome (FAS) 200, 277–9
 intoxication 276
 teratogenic effects 277–8
 see also substance abuse
alcohol ingestion 276
 IUGR and 151
alkalemia 598
alkalosis 593
 effect on cerebral blood flow 593–9
 effect on cerebral metabolism 599–602
 hypoxic-ischemic brain damage and 604–6
 ventilator management 640
alloimmunization 201
alpha-ketoglutarate dehydrogenase deficiency 401
altitude, birth weight and 152
Americans With Disabilities Act (1990) 866
aminophylline, hemodynamic effects 499
21-aminosteroids 709
amnioinfusion, labor management 137, 138
amniotic fluid embolism (AFE) 261–3
 clinical manifestation 262
 differential diagnosis 263
 management 263
 outcome 263
 risk factors 262–3
amphetamine abuse 288–9
anemia
 Diamond–Blackfan anemia 202
 Fanconi's anemia 202
 IUGR association 157
 management 697–8
 sinusoidal patterns and 237
anencephaly 111–13, 123
 termination period 111
aneurysms, congenital 122
angiotensinogen (AGT) gene 257–8
animal models
 asphyxia
 brief repeated asphyxia 92–3
 pathological determinants of injury 98
 fetal responses to hypoxia 86–8, 216
 hypoglycemia 563–4
 hypoxic-ischemic encephalopathy 30–53, 65
 excitotoxic mechanisms 36–7, 47
 glutamate transporter defects 37–41
 Na,K-ATPase defects 45–8
 neuronal cell death 48–51
 neuronal signal transduction mechanisms 32–6
 NMDA receptor phosphorylation elevation 41–5
 striatal neuronal degeneration 37–48, 99, 100
 pulmonary injury 643
 annexin V radionucleotide scans 484–5
antibiotic treatment
 chorioamnionitis 309–10
 congenital syphilis 365–6
 neonatal meningitis 341–4
 choice of antibiotics 342–3
 duration of treatment 343–4
 neonatal sepsis 318
 Escherichia coli 326–7
 group B streptococcus 322
 prophylaxis 324–5
antidepressant drugs 199
antiepileptic drugs (AEDs) 197–8, 775–7
 discontinuation 776–7
 efficacy 776
 see also epilepsy; seizures
antiphospholipid (aPL) antibodies 204–5, 206
antiviral therapy
 herpes simplex 371–2
 HIV 385, 386
Apgar score 6, 239, 763
apnea of prematurity 498
apoptosis 48–51, 72–6, 716–17
 apoptosis–necrosis continuum 51–3
 see also cell death; neuronal degeneration
aprosencephaly 116–17, 123
L-arginine, persistent pulmonary hypertension treatment 642
arteriovenous malformations (AVMs) 121
intracranial hemorrhage 176
aspartate aminotransferase (AST) 545
asphyxia 3–5, 85, 129, 392, 395–6
 biochemical markers of 544–5
 causes of 83–4
 chorioamnionitis association 307
 correlative signs of 9–11
 fetal/neonatal blood gas levels 9–11
 meconium 9
 electronic fetal monitoring role in prediction 237–40
 fetal adaptations 85–6, 103–4
 fetal responses to 83, 84, 88–96, 232–3
 acute-on-chronic asphyxia 93–6
 maturation changes 93–6
 progressive asphyxia 91
 uterine contractions and brief repeated asphyxia 91–2
 follow-up 829–52
 incidence 6–8
 IUGR association 154–5

- laboratory correlated 11–12
- magnetic resonance imaging 465
- misuse of term 879–80
- multiple organ dysfunction 16–17
- nutritional support 798
- outcomes 6–9, 834–51
 - academic function 844
 - case studies 849–51
 - cerebral palsy 835–7
 - cognitive ability 837–8, 843–4
 - early childhood outcome 834–40
 - epilepsy 838–9
 - growth 841
 - hearing loss 839–40
 - life expectancy 851
 - long-term outcome 841–51
 - microcephaly 840
 - motor skills 841–3
 - neonatal neurological examination related to early outcome 832–3
 - outcome measurements 834–5
 - psychoeducational ability 845–9
 - vision loss 839
- pathogenesis of cell death 84–5
- pathophysiological determinants of injury 98–103
 - hypotension 98–9, 105
 - metabolic status 102
 - premature brain injury 100–2
 - repeated insults 99
 - temperature 102–3
- seizure etiology 760–3
- timing of 534, 540–8, 626–9
 - EEG studies 543
 - fetal heart rate monitoring 542, 627
 - imaging studies 546–7
 - laboratory findings 543–5
 - meconium-stained amniotic fluid 542–3
 - neuropathological evaluations 547
 - newborn neurological evaluations 545–6
 - placental pathology 547
 - prepartum evaluation 541
 - seizures 543
 - types of 5–6
 - see also* hypoxia; hypoxic–ischemic encephalopathy (HIE)
 - aspirin, IUGR prevention 165
 - ataxia telangiectasia 202
 - atelencephaly 116–17
 - atropine, neonatal cardiac output enhancement 685
 - auditory stimulation, hemodynamic effects 501
 - autistic disorder, meconium-stained amniotic fluid association 617
 - autoimmune disorders, maternal 202
 - see also* systemic lupus erythematosus (SLE)
 - avascular villi 522
- ‘Baby K’ case 860
- bacteremia, neonatal meningitis and 336–7
 - see also* sepsis, neonatal
- bacterial vaginosis 305
- Bacteroides bivius*, chorioamnionitis 305
- barbiturates
 - abuse 288
 - hypoxic–ischemic encephalopathy management 415, 706–7
- basal ganglia lesions 417–18
- benign familial neonatal seizures 773
- benzodiazepam, seizure management 775–6
- benzodiazepines
 - abuse of 288
 - seizure management 775
- β -oxidation of fatty acid disorders 260–1, 401–2
- bicarbonate, neonatal resuscitation and 683–4
- bilirubin neurotoxic effects 571–3
 - see also* hyperbilirubinemia
- bilirubin-induced neurologic dysfunction (BIND) 571
- biophysical profile (BPP) 153, 220–1
- biparietal diameter (BPD) 153
- bipolar disease, maternal 199
- birth asphyxia *see* asphyxia
- birth weight 145
 - altitude relationship 152
 - determination 132
 - smoking effects 279–80
- blood culture 316–17
- blood gas levels 9–11
- blood sugar measurement 553, 556
 - see also* hyperglycemia; hypoglycemia
- blood transfusions
 - exchange transfusion
 - hyperbilirubinemia management 575
 - polycythemia therapy 582
 - hemodynamic changes 500
 - transfusion-acquired HIV infection 382
- blood–brain barrier, neonatal meningitis and 337–8
- brachial plexus injury, shoulder dystocia and 266–7
- bradycardia 218, 234–7
 - response to fetal asphyxia 89–90, 104–5
- brain
 - development 112
 - EEG changes 430
 - maternal diabetes and 194
 - seizure consequences 777–8
 - time of rapid anatomical maturation 430
 - imaging, *see specific imaging techniques*
 - infarction
 - brain 17–18, 392, 416–17, 419–20
 - seizure etiology 765–8
 - malformations 111
 - diagnostic approach 123–4

890 Index

- brain (*cont.*)
 seizure etiology 768–70
 timing of 111
 vascular 120–3
see also specific malformations
- brain damage *see* asphyxia; encephalopathy; hypoxic–ischemic encephalopathy (HIE)
- brainstem lesions 418
- brainstem release phenomena 752
- breast milk, protection against necrotizing enterocolitis 803–4, 808, 809
- breastfeeding
 HIV transmission 381
 substance abuse and
 alcohol 278–9
 cocaine 286
 nicotine 280
 opioids 287–8
- breathing abnormalities 498
- bronchopulmonary dysplasia (BPD) 651, 694
- C-reactive protein (CRP)
 in chorioamnionitis 303
 neonatal meningitis and
 diagnosis 339–40
 treatment monitoring 344
 neonatal sepsis diagnosis 317
- caffeine, IUGR and 152
- calbindin, neuroprotective role 718
- calcium
 neonatal resuscitation 687–8
 overload 65–8
see also hypocalcemia
- calcium-channel blockers 708
- Campylobacter*, chorioamnionitis 305
- cannabis abuse 281–2
- capsular polysaccharide (CPS) antigens 320
- cardiac manifestations of asphyxia 16
- cardiac output
 enhancement in neonatal resuscitation 680, 684–8
 atropine 685
 calcium 687–8
 cardioversion and defibrillation 685
 epinephrine 685
 fluid resuscitation 685–7
 inotropic drugs 687
 isoproterenol 685
 fetal regulation 228–31
 maintenance in neonatal extended care 696–7
 afterload reduction 697
 inotropic drugs 696–7
- cardiac surgery 663–8
 intraoperative period 664–6
 circulatory arrest 664–5
 hypothermia 665–6
- postoperative period (reperfusion injury) 666–7
 preoperative period 663–4
 selective cerebral perfusion 668
- cardiopulmonary bypass (CPB), near-infrared spectroscopy (NIRS)
 applications 503–5
- cardiotocography *see* nonstress test (NST)
- cardiovascular surgery, near-infrared spectroscopy (NIRS)
 applications 503–5
- cardioversion, neonatal resuscitation 685
- carnitine palmitoyl transferase II (CPT II) deficiency 402
- carnitine-acylcarnitine translocase (CAT) deficiency 402
- carotid artery malformations 122–3
- causation 875
- cell death 48, 71
 biphasic 715–16
 mechanisms 716–17
 pathogenesis of 84–5
see also apoptosis; necrosis; neuronal degeneration
- cerebellar lesions 418–19
 sclerosis 418–19
- cerebral abscess 341
- cerebral artery occlusion 419–20
- cerebral blood flow (CBF)
 autoregulation 449, 666
 Doppler studies 448–9
 effects of therapies 449
 pulsatility index (PI) 449
 resistive index (RI) 448–9
 hyperventilation and 640, 644
 hypoglycemia relationship 567
 intracranial hemorrhage and 178–9
- metabolic acidosis/alkalosis effect 598–9
- near-infrared spectroscopy (NIRS) measurement 494, 495–6
 correlation with outcome 502–3
 during intensive care 498–500
- reperfusion injury 666–7
- respiratory acidosis/alkalosis effect 593–8
- responses to fetal asphyxia 88–9
- responses to fetal hypoxia 86–7, 88
- selective cerebral perfusion (SCAP) 663, 668
see also deep hypothermic circulatory arrest (DHCA)
- cerebral blood volume (CBV) 494, 496
 correlation with outcome 502–3
 during intensive care 498–500
- cerebral blood volume reactivity (CBVR) 496, 503
- cerebral edema 415, 481, 545
 computed tomography 463
 management 704–6
 corticosteroids 705–6
 hyperventilation 704–5
 mannitol 706
- cerebral metabolism
 hypothermia and 665
- metabolic acidosis/alkalosis effect 601–2
- respiratory acidosis/alkalosis effect 599–601

- cerebral oxygenation 497
 - correlation with outcome 502–3
- cerebral palsy (CP) 3, 19–21, 525–6
 - asphyxia relationship 3, 129, 411, 835–7
 - chorioamnionitis association 307–9
 - incidence 19–21, 239, 307
 - IUGR association 162–3
 - meconium-stained amniotic fluid association 614–15
 - pathophysiologic mechanisms 619
 - prematurity and 308
 - risk factors 19–21, 307–8
- cerebrospinal fluid (CSF)
 - congenital syphilis diagnosis 364, 365
 - laboratory evaluations 413
 - meningitis diagnosis 338–9
- cervical incompetence, preterm birth and 130–1
- cesarean delivery
 - preterm fetus 134–5
 - malpresentations 134–5
 - multiple gestation 135
 - see also* vaginal birth after previous cesarean section (VBAC)
- Chiari II malformation 118–19
- chickenpox 366
- chorangiosis 523
- chorioamnionitis 303–10, 522, 525–6, 527–8
 - clinical manifestations 303
 - fetal outcome 306–9
 - cerebral palsy 307–9
 - neonatal asphyxia 307
 - hyperthermia and 103
 - incidence 304–5
 - laboratory investigation 303–4
 - maternal outcome 306
 - meconium passage association 618
 - microbiologic pathogens 305–6
 - premature rupture of membranes and 131
 - risk factors 304
 - treatment 309–10
 - ultrasonographic imaging 304
- chorioretinitis, congenital toxoplasmosis and 356
- choroid plexus 447
 - hemorrhage 470
- chromosomal abnormalities, IUGR and 148
- chronic lung disease (CLD) 643–5, 653, 655
 - following extracorporeal membrane oxygenation 648, 650, 651
- cigarette smoking *see* smoking during pregnancy
- circulatory arrest, in cardiac surgery 664–5
 - see also* deep hypothermic circulatory arrest (DHCA)
- Citrobacter diversus*, neonatal meningitis 336, 340, 343
- clonic seizures 738–9
 - multifocal (fragmentary) 739
- cocaine abuse 282–6
 - cocaine in breast milk 286
 - necrotizing enterocolitis and 284, 805
 - teratogenic effects 283–5
- cognitive ability, asphyxia outcomes
 - early childhood 837–8
 - long-term outcome 843–4
- Collaborative Perinatal Study (CPS) 523–6
- colloid solutions 686–7
- computed tomography (CT) 414, 446, 471–2
 - hypoxic-ischemic injury 479–83
 - timing of asphyxia 546
- congenital adrenal hyperplasia (CAH) 196–7
- congenital aneurysms 122
- congenital diaphragmatic hernia (CDH) 652
- congenital heart disease 664, 703–4
 - see also* cardiac surgery
- congenital hypopituitarism 560–1
- congenital optic nerve hypoplasia (CONH) 560–1
- congenital syphilis *see* syphilis
- contraction stress test (CST) 214–15
 - interpretation 215
- corticosteroids
 - antenatal, intracranial hemorrhage prevention 185
 - cerebral edema management 705–6
 - necrotizing enterocolitis and 805–6
 - neonatal meningitis treatment 344–5
- counseling, with prior cesarean section 249
- craniorachischisis 112
- creatinine kinase brain isoenzyme (CK-BB) 413, 544–5
- crystalloid solutions 686–7
- Cushing's disease 196
- cytokines
 - cerebral palsy and 308, 309, 527
 - neonatal meningitis and 337
 - placental pathology and 526–7
 - preeclampsia and 527
- cytomegalovirus (CMV), congenital 358–60
 - outcome 358–60
 - infants asymptomatic at birth 358–9
 - infants symptomatic at birth 359–60
 - recommendations 360
- damages 875–6
- Dandy–Walker malformations 119
- debrancher enzyme deficiency 405
- decompression, abdominal 163–5
- deep gray nuclei lesions 417–18
- deep hypothermic circulatory arrest (DHCA) 663
 - in cardiac surgery 664–6
 - circulatory arrest 664–5
 - hypothermia 665–6
- near-infrared spectroscopy (NIRS) applications 503–5
- reperfusion injury 666–7
- defibrillation, neonatal resuscitation 685
- delivery complications 129, 135–7
 - preterm delivery management 132–7
 - fetal monitoring 134
 - malpresentation 134–5

- delivery complications (*cont.*)
 - preterm delivery management (*cont.*)
 - multiple gestations 134–5
 - route of delivery 134–5
 - demyelination 721
 - depression, maternal 198–9
 - diabetes mellitus, maternal 191, 192–4
 - gestational diabetes 194
 - type I 192–4
 - type II 194
 - diabetic ketoacidosis 192
 - Diamond–Blackfan anemia 202
 - dietary supplementation, IUGR and 149–50, 165
 - diffuse optical tomography (DOT) 509
 - diffusion-weighted imaging (DWI) 446, 479
 - disseminated intravascular coagulation (DIC) 247
 - diuretic therapy, pulmonary parenchymal disease 701
 - dobutamine, cardiac output maintenance 697
 - documentation 876–80
 - dopamine, cardiac output maintenance 696
 - Doppler ultrasound
 - cerebral blood flow studies 448–9
 - effects of therapies 449
 - pulsatility index (PI) 449
 - resistive index (RI) 448–9
 - fetal well-being assessment 221–2
 - drug abuse *see* substance abuse
 - ductal patency 455, 702
 - ductal shunting, detection of 698–700
 - duty of care 873–4
 - breach of 874–5
 - dystonia 748
 - early infantile epileptic encephalopathy 772
 - early myoclonic encephalopathy 772
 - edema
 - cerebral 415, 481, 545
 - computed tomography 463
 - management 704–6
 - hydrops 586–8
 - see also* hydrops fetalis
 - electroclinical dissociation (ECD) 752–6
 - electroencephalography (EEG) 413–14, 425–42
 - asphyxia timing 543
 - in diffuse encephalopathy 436–40
 - grading of encephalopathy 437–8
 - prognostic value of encephalopathic EEG 438–40
 - specificity of encephalopathic EEG 438–9
 - in specific disorders 440–2
 - Aicardi syndrome 440
 - encephalitis 442
 - holoprosencephaly 441
 - hyperammonemia 441
 - intraventricular hemorrhage 441
 - lissencephaly 440
 - maple syrup urine disease 441
 - maternal drug abuse 442
 - meningitis 442
 - nonketotic hyperglycemia 441
 - periventricular leukomalacia 441–2
 - pyridoxine dependency 441
 - stroke 442
 - indication for 425–6
 - maturational features 430–6
 - delta brush pattern 431
 - discontinuity of the background 431
 - midline rhythms 436
 - ontogeny of sleep stage 430
 - sharp waves 431
 - theta burst pattern 431
 - seizures and 425–6, 429, 736
 - brief rhythmic discharges 751
 - ictal EEG patterns 749–50
 - interictal EEG patterns 756–60
 - periodic discharges 750–1
 - seizure criteria 748–51
 - seizure duration and topography 750
 - serial EEGs 426
 - technical considerations 426–30
 - age of infant 428
 - artifacts 428
 - documenting behavior during recording 428–9
 - duration to obtain sleep states 427–8
 - electrodes and application 426–7
 - interpretation 429–30
 - report format 429–30
 - sedation 427
 - seizures 429
 - working in challenging environment 428
 - timing of 426
 - value of 425
 - electronic fetal monitoring (EFM) 135, 505–6
 - early studies 227
 - history of 226–7
 - preterm labor 134, 135–7
 - role in perinatal asphyxia prediction 237–40
 - see also* fetal heart rate; fetal well-being assessment
 - embryonic development 111, 112
 - see also* maturation
 - EMTALA (Emergency Treatment and Active Labor Act 1986) 860
 - encephalitis
 - EEG recordings 442
 - herpes simplex virus 369, 370
 - varicella-zoster syndrome 368
 - encephalocele 114, 123
 - anterior 115–16
 - basal 115–16
 - occipital 114–15

- sincipital 115–16
- encephalopathy 14–16, 83
 - chronology of 534–5
 - conditions causing 18
 - early infantile epileptic encephalopathy 772
 - early myoclonic encephalopathy 772
 - EEG applications 436–40
 - grading of encephalopathy 437–8
 - prognostic value of encephalopathic EEG 439–40
 - specificity of encephalopathic EEG 438–9
 - HIV 383–4
 - see also* hypoxic–ischemic encephalopathy (HIE)
 - enteral feeding 791–5
 - gastric feeding 791–3
 - guidelines 795, 809
 - late introduction of 809
 - necrotizing enterocolitis and 705, 800–2
 - rate and volume of feeds 802
 - timing of feeding 800–2
 - route of 809
 - slow advancement of 809
 - transpyloric feeding 793–5
 - enterococcal group D streptococci 327
 - ependymitis 451
 - epidermal growth factor (EGF), necrotizing enterocolitis and 806–7
 - epidural anesthesia 134
 - epilepsy
 - asphyxia outcomes 838–9
 - maternal 197–8
 - progressive neonatal epileptic syndromes 772–3
 - see also* seizures
 - epinephrine
 - neonatal cardiac output enhancement 685
 - neonatal cardiac output maintenance 697
 - Erb's palsy, shoulder dystocia and 266
 - erythroblastosis fetalis 201
 - erythropoietin overproduction, IUGR and 156
 - Escherichia coli* 325–6
 - chorioamnionitis 305
 - neonatal meningitis 335–6
 - neonatal sepsis 315, 325–6
 - etamsylate, intracranial hemorrhage prevention 184
 - ethanol abuse *see* alcohol abuse
 - exchange transfusion
 - hyperbilirubinemia management 575
 - polycythemia therapy 582
 - excitatory neurotransmitters
 - neurotoxicity 61–5
 - animal model 36–7, 47
 - receptor inhibitors 707–8
 - exogenous surfactant
 - hemodynamic effects 500–1
 - in extended neonatal management 694–5
 - persistent pulmonary hypertension of the newborn treatment 641
 - extended management 692–710
 - anemia management 697–8
 - barbiturates 706–7
 - calcium-channel blockers 708
 - cerebral edema 704–6
 - corticosteroids 705–6
 - hyperventilation 704–5
 - mannitol 706
 - consultation 710
 - cyanotic congenital heart disease 703–4
 - detection of ductal shunting 698–700
 - excitatory amino acid receptor inhibitors 707–8
 - growth factors 709–10
 - hyperoxia test 698
 - hyperoxia–hyperventilation test 700–1
 - hypothermia 709–10
 - hypoxemia management 698
 - monosialgangliosides 709
 - oxygen free radical inhibitors 708–9
 - pulmonary arterial disease 703
 - pulmonary parenchymal disease 701–3
 - referral 710
 - supporting ventilation 692–5
 - sustaining cardiac output 695–7
 - afterload reduction 697
 - inotropic drugs 696–7
 - extracorporeal membrane oxygenation (ECMO) 440
 - hemodynamic effects 500
 - hydrops fetalis 590
 - in extended neonatal management 695
 - intracranial hemorrhage 176–7
 - meconium aspiration syndrome 621–3
 - outcomes 621–3, 649
 - vs conventional medical therapy 652–3
 - with congenital diaphragmatic hernia 652
 - persistent pulmonary hypertension of the newborn treatment
 - 642–3, 647–55
 - follow-up studies 648–52
 - risks associated with 647–8
 - Fanconi's anemia 202
 - fatty acid oxidation defects 260–1, 401–2
 - Federal Rehabilitation Act (1973) 866
 - femur length (FL) 153
 - fetal alcohol syndrome (FAS) 200, 277–9
 - fetal blood sampling, scalp 240–1
 - fetal breathing movements (FBMs), hypoxia response 87–8
 - fetal deformation syndrome 131
 - fetal disruption sequence 283–4
 - fetal distress 240
 - meconium-stained amniotic fluid and 613–14
 - misuse of term 876–9
 - fetal growth
 - affecting factors 146–7

- fetal growth (*cont.*)
 affecting factors (*cont.*)
 fetal growth factors 147
 placental growth factors
 disproportional 146
 proportional 146
 see also intrauterine growth retardation (IUGR); maternal conditions affecting fetal development
- fetal growth retardation *see* intrauterine growth retardation
- fetal heart rate (FHR) 135–6, 231–7
 accelerations 231–2
 asphyxia/hypoxia and 92, 94, 104–5, 232–3
 timing of 542, 627
 baseline rate 231
 bradycardia 89–90, 104–5, 218, 234–7
 monitoring 135–7, 216, 226, 542
 patterns 226–7
 episodic decelerations 234
 management of 137–8
 sinusoidal patterns 237
 periodic patterns 136–7, 233–4, 240
 early decelerations 233, 234
 late decelerations 233–4, 235
 variable decelerations 233, 234
 physiology of 227–31
 cardiac output regulation 228–31
 fetal oxygenation 227–8
 role of autonomic nervous system 228
 tachycardia 136, 234
 variability 136, 231
 absent/minimal variability 237
 see also electronic fetal monitoring (EFM)
- fetal hydantoin syndrome 198
- fetal monitoring *see* electronic fetal monitoring; fetal well-being
 assessment
- fetal movement
 breathing movements (FBMs), hypoxia response 87–8
 cessation of 541, 627
 maternal perception of 219–20, 627
 writhing movements 541
- fetal pulse oximetry 506
- fetal weight determination 132
- fetal well-being assessment 153–4, 212–22
 biophysical profile (BPP) 153, 220–1
 contraction stress test (CST) 214–15
 Doppler ultrasound 221–2
 fetal neurologic state 214
 maternal perception of fetal movement 219–20
 nonstress test (NST) 216–18
 screening test characteristics 213–14
 vibroacoustic stimulation (VAS) 218–19
 see also electronic fetal monitoring (EFM)
- fluid attenuation inversion recovery technique (FLAIR) 472, 473
- fluid resuscitation 685–7
- crystalloid and colloid solutions 686–7
- focal brain injury 17–18, 419–20
- folinic acid-responsive seizures 399
- fontanelles 447
- forceps deliveries 138, 139, 140, 267–9
- fragile X syndrome 202
- fragmentary clonic seizures 739
- free radicals 68–9
 inhibitors 708–9
- fructose 1,6-bisphosphatase deficiency 405
- fumaric aciduria 401
- furosemide, pulmonary parenchymal disease 701–2
- GABA, neuroprotective role 718
- GABA transaminase deficiency 399–400
- GAMT deficiency 400
- Gardnerella vaginalis*, chorioamnionitis 305
- gastric feeding 791–3
- gastroesophageal reflux (GER) 652, 791
- gastrointestinal tract development 791, 792–3
 complications in premature infants 794
- genetic disorders, maternal 201–2
- genital herpes 369, 371
 see also herpes simplex virus
- germinal matrix hemorrhage (GMH) 177, 178
 diagnosis 180
 neurosonography 449–55
- gestational age determination 132
 importance for EEG interpretation 428
- gestational diabetes 192, 194
- gluconeogenesis 566–7
 disorders 405
- glucose, hypoglycemia correction 681–2
 see also hyperglycemia; hypoglycemia
- GLUT-1 deficiency syndrome 400
- glutamate 32, 36, 61–5
 excitotoxicity 36–7, 63–5
 glutamate receptors (GluRs) 32–6, 62, 64
 classification 35
 role in brain damage
 animal model 32–7
 excitotoxic mechanisms 36–7
- glutamate transporters 36
 defects, animal model 37–41, 43
- glutaric aciduria 403
- glycine-proline-glutamate (GPE), neuroprotective role 722
- glycogen storage disorders 405
- glycogen synthetase deficiency 405
- glycolysis 59, 85
- Graves disease 195
- gray matter injury, maturation effects 100–1
- group A streptococcus
 chorioamnionitis 305
 neonatal sepsis 315, 326

- group B streptococcus (GBS) 320
chorioamnionitis 305
neonatal meningitis 335–6, 340
 outcome 345–7
neonatal sepsis 315, 320–5
 clinical presentation 321
 diagnosis 322
 epidemiology 320
 outcome 322
 pathogenesis 321
 prevention 322–5, 347–8
 risk factors 321
 treatment 322
vaccination 325
- group D streptococci 327
- growth
 asphyxia outcomes 841
 following IUGR 161
 see also fetal growth; intrauterine growth retardation (IUGR)
- growth factors
 extended neonatal management 709–10
 fetal 147
 necrotizing enterocolitis and 806–7
 neuroprotective role 723
 placental 147
 see also insulin-like growth factors (IGFs)
- growth hormone (GH) 147
- Haemophilus influenzae*, neonatal meningitis 336, 344
- hair, fetal 293
 use in drug screening 293
- hashish 281
- hashish oil 281
- hearing loss 621, 622
 asphyxia outcomes 839–40
 following congenital infection
 cytomegalovirus 358–9
 toxoplasmosis 356
 following persistent pulmonary hypertension of the newborn
 646–7
- heart surgery *see* cardiac surgery
- HELLP syndrome 258–61
 definition 258–9
 epidemiology 259
 neonatal outcome 259–60
 delivery 259
 outcome studies 259–60
 pathophysiology 259
 fetal–maternal interaction 260–1
- hemangioblastoma 122
- hematocrit, increased
 effects on organ blood flow and function 578–80
- IUGR association 156–7
 see also polycythemia
- hematologic disease, maternal 201
- hemodynamics
 near-infrared spectroscopy (NIRS) 494, 495–7
 during intensive care 498–502
 see also cerebral blood flow (CBF); cerebral blood volume (CBV)
- hemorrhage
 computed tomography 472
 placenta previa and 245
 pulmonary, IUGR association 157
 ultrasongraphy 447, 449–55
 see also intracranial hemorrhage; intraventricular hemorrhage
- hemorrhagic endovasculopathy (endovasculitis) 523
- heroin 286–7
- herpes simplex virus (HSV) 368–72
 diagnosis 371
 disseminated disease 370, 371–2
 intrauterine infection 370
 manifestations and consequences 369–71
 recommendations 371
 transmission to the fetus and newborn 369
 treatment 371–2
- herpes zoster virus 368
 see also varicella-zoster virus
- HHH syndrome 404
- high-frequency ventilation (HFV) 641, 693–4
- HIV *see* human immunodeficiency virus
- holoacrania 112
- holocarboxylase synthetase deficiency 403
- holoprosencephaly 116, 768
 EEG recordings 441
- human immunodeficiency virus (HIV) 377–86
perinatal infection
 antiretroviral therapy 385, 386
 diagnosis 381, 384
 neurologic manifestations 383–5
 prognostic factors 385–6
 survival 386
 time to AIDS 382–3
- perinatal transmission 378–82
 breast milk 381
 prevalence of maternal HIV 382
 recommendations 386
 transfusion-acquired infection 382
 risk of 382
- hydranencephaly 120
- hydrocephalus 117–18
associated conditions 118–19
 Chiari II malformation 118–19
 Dandy–Walker malformation 119
- neonatal meningitis 341
- diagnosis 449
- hydrops fetalis 586–91
 antenatal management 589
 immune hydrops 586

- hydrops fetalis (*cont.*)
mechanisms of edema formation 586–8
neurologic injury 588
nonimmune hydrops 586
associated conditions 586, 587
outcome 590–1
perinatal management 589
postnatal diagnostic studies 589
postnatal management 589–90
3-hydroxyisobutyric aciduria 403
hyperammonemia 404–5
EEG recordings 441
hyperbilirubinemia
bilirubin neurotoxicity 571–3
management of 574–5
prediction of 573–4
hypercapnia
cerebral blood flow responses 593–5
cerebral metabolism responses 599–600
hyperekplexia 748
hyperglycemia 192–3, 194
ischemic neuronal injury and 602–3
IUGR association 155
hyperinsulinemia 192
hyperinsulinemic hypoglycemia 561–3
transient 559
hypernatremia, seizure etiology 765
hyperoxia test 698
hyperoxia–hyperventilation test 700–1
hypertension during pregnancy 256
see also HELLP syndrome; preeclampsia
hyperthermia
following deep hypothermic circulatory arrest 666–7
hypoxic–ischemic brain injury and 102–3, 723, 724
hyperthyroidism, maternal 195
hyperventilation 621, 640, 644, 693
cerebral blood flow and 640, 644
cerebral edema management 704–5
follow-up studies 644–6
hyperviscosity 578, 579, 637
polycythemia relationship 579
hypoalbuminemia 588
hypocalcemia
IUGR association 156
seizure etiology 764–5
treatment 775
hypocapnia
cerebral blood flow responses 595–7
cerebral metabolism responses 600–1
ventilator management 640
hypoglycemia, neonatal 193, 553–68, 681
blood glucose measurement 556
clinical manifestations 556
definition 554–6
follow-up studies 564–6
hormone deficiencies 560–1
hyperinsulinemic (organic) hypoglycemia 561–3
transient hyperinsulinemia 559
IUGR association 155
management 556–7
pathogenesis/pathophysiology 566–7
prognosis 563
animal studies 563–4
recurrent/persistent neonatal hypoglycemia 559–60
seizure etiology 764
therapy 557–9, 775
failure to respond 559
resuscitation and 681–2
hyponatremia, seizure etiology 765
hypopituitarism, congenital 560–1
hypotension, fetal asphyxia and 90–1, 93, 105
role in neuronal injury 98–9, 392–3
hypothermia
extended neonatal management 709–10
in cardiac surgery 665–6
infection susceptibility and 157
IUGR association 156
neuroprotective effect 102, 415, 723–5
in resuscitation/reperfusion 724
prolonged cooling 724–5
window of opportunity for other therapies 725, 726–7
see also deep hypothermic circulatory arrest (DHCA)
hypothyroidism, maternal 194–5
IUGR association 157–8
hypotonia 545, 764
hypovolemia 686
hypoxemia 698
hypoxia 83, 102
fetal adaptations 86
fetal responses to 86–8, 232–3
maturation changes 88
prolonged hypoxia 88
necrotizing enterocolitis etiology 804–5
pathogenesis of cell death 84–5
see also asphyxia
hypoxic–ischemic encephalopathy (HIE) 4, 58–76, 830–1
acidosis relationship 602–7
metabolic acidosis 602–4
respiratory acidosis 604–6
assessment of 411–14
EEG 413–14
general evaluation 411
laboratory evaluations 413
neuroimaging 414, 457–9, 474–5, 479–84
neurologic assessment 412–13
categories of 834
cellular/molecular biology of
cellular energy transformations 58–61

- excitatory neurotransmitter neurotoxicity 61–5
- intracellular calcium overload 65–8
- iron 70
- necrosis vs apoptosis 72–6
- nitric oxide 70–2
 - reactive oxygen species 68–9
- chronology of 534–5
- clinical features 396–7, 411–14
- management 414–16
 - neuroprotection 415–16
 - see also* extended management
- patterns of brain injury 392–6, 416–21
 - brainstem 418
 - cerebellum 418–19
 - deep gray nuclei 417–18
 - focal brain injury 419–20
 - parasagittal border-zone injury 416–17
 - periventricular/intraventricular hemorrhage 421
 - white-matter injury 420–1
- seizure etiology 762–3
- severity of 412–13
 - staging system 833, 834
- see also* animal models; asphyxia; encephalopathy; neuronal degeneration; neuroprotective mechanisms after hypoxic-ischemic injury
- immune hydrops 586
- inborn errors of metabolism 392–7, 398, 405–6
 - clinical features 396–7
 - patterns of brain injury 392–6
 - seizure etiology 770–2
 - see also* specific conditions
- incontinentia pigmenti 772–3
- indometacin
 - hemodynamic effects 499–500
 - intracranial hemorrhage prevention 184
- infant behavior, IUGR and 159
- infarction 72, 520
 - brain 17–18, 392, 416–17, 419–20
 - seizure etiology 765–8
 - neonatal meningitis and 341
 - periventricular hemorrhagic venous infarction (PHVI) 451, 455–7
 - ultrasonography 468
- infections
 - congenital 355
 - seizure etiology 768
- maternal 355
 - IUGR association 148
 - necrotizing enterocolitis and 805
 - susceptibility to, IUGR association 157
 - see also* sepsis, neonatal; specific infections
- iniencephaly apertus 114–15
- inotropic drugs
 - neonatal extended management 696–7
- dobutamine 697
- dopamine 696
- epinephrine 697
- neonatal resuscitation 687–8
 - calcium 687–8
- instrumental deliveries 139, 267–70
 - see also* operative vaginal delivery
- insulin 147, 161
- insulin resistance 163
- insulin-like growth factors (IGFs) 147
 - neuroprotective role 719–22
 - induction of 720–1
 - neuronal rescue 721
 - white-matter injury and 721–2
- intelligence quotient (IQ)
 - asphyxia outcomes 837–8, 843–4
 - IUGR and 159–60, 161–2, 163
 - maternal diabetes association 193
 - maternal thyroid disease and 195
- intensive care, appropriateness issues 859–71
 - cost of care disproportional to hoped-for benefits 867–9
 - infant with virtually no chance of survival 862–3
 - infant's quality of life following intervention 865–7
 - intervention harms disproportional to hoped-for benefits 863–5
 - see also* extended management
- intestinal trefoil (ITF) 806
- intracranial hemorrhage (ICH) 175–85
 - arteriovenous malformations 176
 - classification 449–51
 - complications 181
 - posthemorrhagic ventriculomegaly (PHVM) 181–2
 - diagnosis 180–1
 - extracorporeal membrane oxygenation (ECMO) and 176–7
 - full-term infant 175–7
 - germinal matrix hemorrhage (GMH) 177, 178, 180, 449–55
 - imaging
 - magnetic resonance imaging 476
 - near-infrared spectroscopy 507–8
 - neurosonography 449–55
 - incidence 179, 449
 - instrumental delivery and 268
 - intraparenchymal hemorrhage (IPH) 177–8
 - neonatal alloimmune thrombocytopenia and 176
 - outcome 182–3
 - pathogenesis 178–9
 - periventricular hemorrhage 421
 - seizure etiology 765
 - preterm infants 177–8
 - periventricular leukomalacia 178
 - prevention 183–5
 - antenatal prevention 184–5
 - antenatal steroids 185
 - etamsylate 184
 - indometacin 184

- intracranial hemorrhage (ICH) (cont.)
 prevention (cont.)
 pancuronium 184
 phenobarbital 183–4, 185
 preterm infant 183–4
 tranexamic acid 184
 vitamin E 184
 vitamin K 185
 protective factors 179–80
 risk factors 179–80, 449
 subdural 175
 see also hemorrhage; intraventricular hemorrhage
- intraparenchymal hemorrhage (IPH) 177–8
 neurosonography 451, 458, 465, 466–7
 outcome 182
- intrauterine growth retardation (IUGR) 145–66
 associated problems 154–8
 delayed ossification 157–8
 fetal/neonatal asphyxia 154–5
 hematologic problems 156–7
 hyperglycemia 155
 hypocalcemia 156
 hypoglycemia 155
 hypothermia 156
 necrotizing enterocolitis 157
 pulmonary hemorrhage 157
 susceptibility to infection 157
 asymmetrical 146
 brain sparing 146
 detection of 153–4
 etiology 148–53
 environmental factors 151–2
 fetal factors 148–9
 maternal factors 149–51
 placental factors 149
 smoking during pregnancy 151, 152, 279–80
 hypoxic–ischemic brain injury risk and 102
 incidence 147–8
 multiple gestation relationship 149
 neurobehavioral abnormalities 158–9
 accelerated neurological development 158
 altered behavior 159
 parental interaction 159
 outcome 159–63
 cerebral palsy 162–3
 development 161
 follow-up 162
 in adult life 163
 IQ 161–2
 learning deficits 163
 morbidity 160–1
 mortality 160–1
 physical growth 161
 prevention 163–5
 symmetrical 146
- see also* fetal growth
- intraventricular hemorrhage (IVH) 102, 416, 421
 cerebral blood flow correlation 502
 diagnosis 180
 EEG recordings 441
 full-term infant 175–6
 management 176
 neurosonography 449–55
 outcome 182, 183
 predisposing factors 176
 preterm infant 177–8
 seizure etiology 765
see also hemorrhage; intracranial hemorrhage
- iron toxicity 70
- ischemia 85
 computed tomography 462
 necrotizing enterocolitis etiology 804–5
 ultrasonography 447, 464
see also hypoxic–ischemic encephalopathy (HIE)
- isoproterenol, neonatal cardiac output enhancement 685
- isovaleric acidemia (IVA) 403
- jaundice *see* hyperbilirubinemia
- jitteriness 743–6
- kernicterus 571
 reemergence of 575–67
see also hyperbilirubinemia
- ketoacidosis 403
- ketonemia, maternal 193–4
- labor complications 129, 135–7
 preterm labor management 131–7
 fetal monitoring 134
 malpresentation 134–5
 multiple gestations 134–5
 route of delivery 134–5
 pyrexia 103
 uterine rupture 250
- lactic acid dehydrogenase (LDH) 545
- lactic acidosis 401–3, 602–3
- language skills, asphyxia outcomes 847–8
- lazaroids 709
- learning deficits, IUGR association 163
- legal issues *see* medicolegal issues
- leptin 147
- leukocytosis, in chorioamnionitis 303
- life expectancy, asphyxia outcomes 851
- Lindau syndrome 122, 202
- lipoamide dehydrogenase deficiency 401
- liquid ventilation 643
- lissencephaly 768
 EEG recordings 440
- Listeria monocytogenes*
 chorioamnionitis 305

- neonatal meningitis 335–6
- long-chain 3-hydroxyacyl CoA dehydrogenase (LCHAD) deficiency 260–1, 401–2
- LSD abuse 290
- lumbar puncture, neonatal bacterial meningitis and 333–5
- lung maturation
 - IUGR and 158
 - maternal diabetes association 193
- lymphocytes, timing of asphyxia and 534, 543
- lymphocytic interstitial pneumonitis (LIP) 386
- lysine-rich protein intolerance 405
- macrencephaly 119
- macrosomia
 - maternal diabetes and 193, 194
 - shoulder dystocia and 264–5
- magnesium sulfate 708
- magnetic resonance imaging (MRI) 414, 446, 472–9
 - asphyxia 465
 - diffusion-weighted imaging (DWI) 472, 479
 - fluid attenuation inversion recovery technique (FLAIR) 472, 473
 - functional MRI (fMRI) 478
 - gradient recalled echo (GRE) 475
 - hypoxic-ischemic injury 479–83
 - magnetization transfer imaging (MTI) 472, 473–6
 - MR angiography (MRA) 472, 475
 - MR spectroscopy (MRS) 472, 476–7
 - perfusion MRI (PMRI) 472, 477–8
 - suppression short T1 inversion recovery imaging (STIR) 472, 473
 - timing of asphyxia 546–7
- magnetic resonance (MR) proton spectroscopy 446
- malformations 111
 - antidepressant medication association 199
 - brain 111, 120–3
 - seizure etiology 768–70
 - diagnostic approach 123–4
 - IUGR and 148
 - maternal diabetes association 192, 194
 - timing of 111
 - vascular 120–3
 - see also specific malformations*
- malnutrition
 - fetal, effect on adult life 163
 - maternal 191–2
 - IUGR and 149–50, 165
- malpresentation, preterm fetus 134–5
- mannitol, cerebral edema management 706
- maple syrup urine disease (MSUD) 403–4
 - EEG recordings 441
- marijuana abuse 281–2
- maternal conditions affecting fetal development 191–207
 - adrenal disorders 196–7
 - congenital adrenal hyperplasia 196–7
 - autoimmune disorders 202–6
 - diabetes mellitus 192–4
- genetic disorders 201–2
- hematologic disease 201
- infections, IUGR association 148
- malnutrition 191–2
 - IUGR association 149–50, 165
- metabolic disorder reproductive effects 200–1
- migraine headache 198
- psychiatric disorders 198–200
- seizure disorder 197–8
- thyroid disease 194–6
- maturation
 - fetal responses to asphyxia and 93–6
 - fetal responses to hypoxia and 88
 - hypoxic-ischemic brain injury relationship 100–2
 - lung
 - IUGR and 158
 - maternal diabetes association 193
 - neurological, acceleration in IUGR 158
- mean arterial blood pressure (MABP) 498, 499, 503
- mechanical ventilation *see* ventilation
- Meckel syndrome 115
- meconium 9, 293, 525–6, 528–31
 - enigmatic causes of meconium-induced effects 531
 - historical considerations 528
 - midtrimester fetuses and 529
 - pathophysiology of meconium passage 617–18
 - pharmacopathologic concepts of 529–30
 - thick-versus-thin consistency 629–30
 - timing of meconium passage 623–6
 - use in drug screening 293
 - see also* meconium aspiration syndrome; meconium staining
- meconium aspiration syndrome (MAS) 529, 530–1, 612–13, 614
 - mechanisms of neurologic injury 620–3
 - pulmonary pathology and 528–9
 - see also* meconium
- meconium staining 522, 528
 - meconium-stained amniotic fluid (MSAF) 612–17
 - fetal distress and 613–14
 - mechanisms of neurologic injury 618–23
 - neonatal resuscitation 679–80
 - neurologic adverse outcomes 614–17
 - nonneurologic adverse outcomes 614
 - timing of asphyxia 542–3
 - seizure etiology 763–4
 - timing of meconium passage 623–6
 - see also* meconium
- medical error 785
- medical training
 - future prospects 788–9
 - historical perspective 785–6
 - new methodologies 786–8
- medicolegal issues 873–85
 - case studies 880–5
 - causation 875
 - damages 875–6

900 Index

- medicolegal issues (*cont.*)
 - documentation 876–80
 - duty 873–4
 - breach of 874–5
 - medium-chain acyl CoA dehydrogenase (MCAD) deficiency 401
 - megalencephaly 119–21
 - memory, asphyxia outcomes 848–9
 - meningitis, neonatal 333–48
 - antibody to common bacteria 340
 - complications 340–1
 - diagnosis 338–40
 - cerebrospinal fluid 338–9
 - clinical features 338
 - imaging studies 340
 - laboratory evaluations 339–40
 - EEG recordings 442
 - etiology 335–6
 - incidence 333
 - lumbar puncture 333–5
 - outcome 345–7
 - mortality 335, 345
 - neurologic sequelae 345–7
 - pathology 336–8
 - anatomical pathology 337
 - bacteremia and 336–7
 - blood-brain barrier 337–8
 - cytokines 337
 - prevention 347–8
 - maternal approach 348
 - neonatal approach 347
 - treatment 341–5
 - choice of antibiotics 342–3
 - corticosteroids 344–5
 - duration of antibiotics 343–4
 - meningoencephalitis
 - herpes simplex virus 370
 - rubella 361
 - meningomyelocele 113
 - Chiari II malformation association 118–19
 - mental retardation 3
 - asphyxia outcomes 837–8
 - definition 21
 - epidemiology 21–2
 - mercury toxicity 152
 - meroacrania 112, 123
 - metabolic disorders, reproductive effects of 200–1
 - metabolic status, hypoxic-ischemic brain injury risk and 102
 - metabotropic glutamate receptors (mGluRs) 776
 - methadone 286, 287–8
 - in breast milk 287–8
 - methamphetamine abuse 288–9
 - methylmalonic acidemia (MMA) 403
 - methylprednisolone 709
 - mevalonic aciduria 400, 404
 - microcephaly 117, 123, 124, 840
 - asphyxia outcomes 840
 - with congenital toxoplasmosis 356
 - with rubella infection 361–2
 - migraine headache 198
 - mitochondrial disorders 400, 402–3
 - monosialgangliosides 709
 - mortality 8
 - asphyxia and 8
 - IUGR and 160–1
 - neonatal bacterial meningitis 335, 345
 - neonatal sepsis 319
 - perinatal mortality rate (PMR) 212–13
 - motilin 618
 - motor skills, asphyxia outcomes 841–3
 - multifocal clonic seizures 739
 - multiple acyl CoA dehydrogenase deficiency (MADD) 403
 - multiple carboxylase deficiency (MCD) 403
 - multiple gestation
 - IUGR relationship 149
 - preterm birth and 130
 - delivery management 135
 - twin-to-twin transfusion syndrome, anemia and 157
 - multiple organ dysfunction 16–17
 - Mycoplasma hominis*, chorioamnionitis 305
 - myelomeningocele 113
 - myocardium
 - dysfunction in hydrops fetalis 588
 - injury during asphyxia 91
 - myoclonic seizures 740–3
 - myoclonus without EEG seizures 746–8
 - N*-methyl-D-aspartate (NMDA) receptors 35
 - antagonists 707–8
 - phosphorylation, animal model 41–5
 - striatal neurodegeneration and 41–5
 - Na,K-ATPase defects, striatal neurodegeneration and 45–8
 - naloxone 287
 - neonatal resuscitation and 683
 - nasogastric (NG) feeding 791–3
 - nasojejunal (NJ) feeding 793–4
 - near-infrared spectroscopy (NIRS) 490–512
 - applications 495–506
 - antenatal applications 505–6
 - cardiovascular surgery 503–5
 - cerebral hemodynamic parameter measurement 494, 495–7, 498–502
 - cerebral oxygenation parameter measurement 497–502
 - correlation with outcome 502–3
 - during intensive care 498–502
 - brain imaging 507–11
 - exogenous dyes and contrast agents 510–11
 - devices 490–3
 - future challenges 511–12
 - limitations 494–5
 - necrosis 48–51, 72–5, 716–17

- apoptosis–necrosis continuum 51–3
- pontosubicular 418
- see also* cell death; neuronal degeneration
- necrotizing enterocolitis 157, 798–808
 - clinical picture 798–9
 - epidemiology 798
 - outcome 808
 - pathogenesis 800–8
 - breast milk benefits 803–4, 808, 809
 - cocaine exposure 284, 805
 - corticosteroid role 805–6
 - enteral feeding 795, 800–2
 - immunologic considerations 803
 - infectious agents 805
 - ischemia and hypoxia 804–5
 - osmolality of feeds 802–3
 - vitamin E role 805
 - prevention 808
 - staging 800, 801
 - treatment 800
- Neisseria meningitidis* 336
- neonatal alloimmune thrombocytopenia 176
- Neonatal Medical Index (NMI) 821–4
- neonatal neurologic syndrome 14–16
- neonatal resuscitation 673–89
 - airway clearing 677–8
 - anticipation of the need for 674–5
 - cardiac output enhancement 680, 684–8
 - atropine 685
 - cardioversion and defibrillation 685
 - epinephrine 685
 - fluid resuscitation 685–687–688
 - inotropic drugs 687
 - isoproterenol 685
 - delivery room decision making 688–9
 - drug administration routes 680–1
 - following meconium staining of the amniotic fluid 679–80
 - objectives of 673–4
 - positioning of infant 678–9
 - preparation 675–7
 - equipment 676, 677
 - immediate assessment 676–7
 - personnel 675–6
 - restoration of metabolic homeostasis 681–4
 - bicarbonate 683–4
 - glucose 681–2
 - naloxone 683
 - oxygen 682–3
 - temperature effect 724
 - ventilation 679
- neonatal seizures *see* seizures
- neonatal sepsis *see* sepsis, neonatal
- neural tube closure 111
- neural tube defects 111–14
- Neurobehavioral Assessment of the Preterm Infant (NAPI) 817–26
- clinical validity 821–2
- development of 818–19
- diverse uses of 826
- examination 819–21
- external validation 825
- limitations 825
- pilot version 817–18
- predictive value 824
- training 825
- neurofibromatosis 202
- neuronal degeneration
 - animal model 37–53
 - cell death 48–51
 - apoptosis–necrosis continuum 51–3
 - biphasic 715–16
 - hypotension role 98–9
 - nitric oxide role 71
 - striatal 37–48, 99, 100
 - glutamate transporter defects and 37–41
 - Na,K-ATPase defects and 45–8
 - NMDA receptors and 41–5
 - watershed distribution 98–9, 100, 392–3, 416–17
- neuroprotective mechanisms after hypoxic–ischemic injury 715–26
 - endogenous responses 717–23
 - cellular factors 718
 - cerebrovascular responses 718–19
 - inhibitory neuromodulators 718
 - neurotrophic factors 719–23
 - postnatal hypothermia 102, 415, 723–5
 - during resuscitation/reperfusion 724
 - prolonged cooling 724–5
 - window of opportunity for other therapies 725, 726–7
- neurosonography *see* ultrasonographic imaging
- Nguyen, Ryan 859–60
- nicotine 279–80
 - in breast milk 280
 - see also* smoking during pregnancy
 - nitric oxide (NO) 70–2
 - beneficial effects of 70
 - in extended neonatal management 695
 - neuroprotective role 719
 - pathophysiological role of 70–2
- persistent pulmonary hypertension of the newborn treatment
 - 641–2
 - follow-up studies 655–6
 - outcomes 655–6
 - toxicity 621
- nitric oxide synthase (NOS) 70–2
- nitroprusside, cardiac output maintenance 697
- nonimmune hydrops 586
 - associated conditions 586, 587
- nonketotic hyperglycinemia (NKH) 398–9
 - EEG recordings 441
- nonstress test (NST) 216–18
 - basis for 216

- nonstress test (NST) (*cont.*)
 efficacy 218
 how to perform 217
 interpretation 217–18
 when to perform 216–17
- nucleated red blood cells (NRBCs) 522, 531–4
 diagnosis 532
 etiology 532
 history 531–2
 mechanisms of increased NRBCs 533
 meconium staining association 628
 neurologic injury and 628
 placental histopathology and 532
 timing of asphyxia and 534, 543–4
- nutritional support 791–809
 asphyxiated infants 798
 recommendations 809
 enteral feeding 791–5
 gastric feeding 791–3
 guidelines 795, 809
 late introduction of 809
 necrotizing enterocolitis and 795, 800–2
 route of 809
 slow advancement of 809
 transpyloric feeding 793–5
 parenteral feeding 795–8
see also necrotizing enterocolitis
- Ohtahara syndrome 772
- olfactory stimulation, hemodynamic effects 501–2
- operative vaginal delivery 138, 267–70
 fetal indications for 139–40
 instrumental deliveries 139
 maternal indications for 139
- opioid abuse 286–8
 withdrawal 287
- organic acidemias 400–1
- ossification, delayed, IUGR association 157–8
- oxidative phosphorylation 58–9
- oxidative stress, striatal neurodegeneration and 47–8
- oxygen free radicals 68–9
 inhibitors 708–9
- oxygen therapy
 maternal 165
 neonatal resuscitation and 682
see also extracorporeal membrane oxygenation
- oxygenation, fetal 227–8
- oxytocin challenge test 214
- pain relief, during labor 133–4
- pancuronium, intracranial hemorrhage prevention 184
- parasagittal border-zone injury 416–17
- parental interaction, IUGR and 159
- parenteral nutrition 795–8
- IUGR prevention 165
- patent ductus arteriosus (PDA) 455, 702
- PCP abuse 289–90
- perfluorocarbon (PFC) liquid ventilation 643
- perfusion MRI (PMRI) 472
- perinatal asphyxia *see* asphyxia
- perinatal mortality rate (PMR) 212–13
- perinatal telencephalic leukoencephalopathy 420
- periventricular hemorrhage 421
 seizure etiology 765
- periventricular hemorrhagic venous infarction (PHVI) 451, 455–7
- periventricular leukomalacia (PVL) 101, 178, 182, 420
 cystic (cPVL) 307
 EEG recordings 441–2
 neurosonography 455–47, 458–61
 outcome 183
 timing of asphyxia and 546–7
- peroxisomal disorders 400
- peroxynitrite 71
- persistent fetal circulation (PFC) 596
- persistent pulmonary hypertension of the newborn (PPHN) 619, 620–2, 636–56
 differential diagnosis 637–8
 outcomes 643–56
 follow-up studies 644–7
 with conventional medical therapy 643–4, 652–5
 with extracorporeal membrane oxygenation 647–55
 with inhaled nitric oxide 655–6
- pathogenesis 638–40
- seizure etiology 766
- treatment 640–3
 exogenous surfactant 641
 extracorporeal membrane oxygenation 642–3, 647–55
 high-frequency ventilation 641
 inhaled nitric oxide 641–2, 655–6
 liquid ventilation 643
 nonrespiratory interventions 640
 pharmacologic approaches 642
 ventilator management 640–1
- phenobarbital
 intracranial hemorrhage prevention
 antenatal prevention 185
 preterm infant 183–4
 seizure management 775, 776
- phenylketonuria (PKU), maternal 191, 200–1
- phenytoin 775, 776
- phosphocreatine (PCr) 59–61
- phosphodiesterase (PDE), persistent pulmonary hypertension treatment 642
- phosphorylase kinase deficiency 405
- phototherapy, hyperbilirubinemia management 574–5
- placenta
 growth factors 147
 indications for placental examinations 519, 520

- IUGR and 149
- preeclampsia and 257
- see also* placental pathology
- placenta abruption 245–7
 - clinical presentation/diagnosis 246
 - complications 247
 - etiology/risk factors 246
 - incidence 246
 - management 246–7
- placenta previa 244–5
 - clinical presentation/diagnosis 244–5
 - complications 245
 - etiology/risk factors 244
 - smoking during pregnancy 244, 280
 - incidence 244
 - management 245
- placental pathology 519–35
 - conditions associated with low uteroplacental blood flow 519–23, 526
 - avascular villi 522
 - chorangiosis 523
 - chorioamnionitis 522
 - fetal placental thrombi 520–2
 - hemorrhagic endovasculopathy 523
 - histopathology 519–20, 532
 - meconium 522, 528–31
 - nucleated red blood cells 522, 531–4
 - terminology 519–20
 - villitis of unknown etiology 522–3
 - epidemiologic studies 523–8
 - Collaborative Perinatal Study (CPS) 523–4
 - differences of opinions 525–6
 - era of cytokines 526–7
 - era of low uteroplacental blood flow 526
 - reliability studies 524
 - need for placental examinations 527–8
 - pathology reports 519, 521
 - timing of asphyxia and 547
 - see also* placenta
- platelet aggregating factor (PAF), role in necrotizing enterocolitis 806
- platelets, timing of asphyxia and 534, 543
- Pneumocystic carinii* pneumonia (PCP) 382, 385–6
- pneumonia, neonatal, chorioamnionitis and 306
- polycythemia 578–82
 - asymptomatic infants 582
 - blood viscosity relationship 579
 - causes of 578
 - definition 578
 - effects of increased hematocrit 578–80
 - effects on neurologic function 580–2
 - long-term sequelae 581–2
 - newborn 580–1
 - incidence 578
- organ oxygenation relationship 579
- therapy 582
- Pompe disease 405
- ponderal index 145
- pontosubicular necrosis 418
- porencephaly 120
- positron emission tomography (PET) 446
 - hypoxic–ischemic injury 483–4
- postasphyxial encephalopathy *see* hypoxic–ischemic encephalopathy (HIE)
- posterior fossa hemorrhage 469
- posthemorrhagic ventriculomegaly (PHVM) 181–2
 - diagnosis 181–2
 - management 182
 - outcome 182–3
 - prevention 182
- preeclampsia 256–8
 - cytokine role 527
 - definition 256
 - epidemiology 256–7
 - genetic basis 257–8
 - neonatal outcome 258
 - pathophysiology 257
- premature rupture of membranes (PROM) 131
 - preterm (PPROM) 131
 - chorioamnionitis and 304
- prematurity 129
 - associated factors 129–31
 - demographic factors 130
 - obstetrical factors 130–1
 - substance abuse 130
 - brain injury 100–2
 - cortical vs subcortical gray matter 100–1
 - intraventricular hemorrhage 102
 - white-matter injury 101
 - cerebral palsy and 308
 - chorioamnionitis and 306–7
 - incidence 129
 - intracranial hemorrhage and 177–8
 - prevention 183–4
 - labor and delivery management 131–7
 - fetal monitoring 134
 - malpresentation 134–5
 - multiple gestations 134–5
 - route of delivery 134–5
 - periventricular leukomalacia and 178
 - see also* Neurobehavioral Assessment of the Preterm Infant (NAPI); nutritional support
 - preterm birth *see* prematurity
 - programmed cell death (PCD) *see* apoptosis
 - progressive neonatal epileptic syndromes 772–3
 - progressive rubella panencephalitis 362
 - propionic acidemia (PA) 403
 - psychiatric disorders, maternal 198–200

- psychoeducational ability, asphyxia outcomes 845–9
- pulmonary arterial disease 703
- pulmonary hemorrhage, IUGR association 157
- pulmonary manifestations of asphyxia 16
- pulmonary parenchymal disease 701–3
- pyrexia in labor, hyperthermia and 103
- pyridoxine-dependent seizures 399, 770
- EEG recordings 441
 - treatment 775
- pyruvate carboxylase deficiency 401
- pyruvate dehydrogenase (PDH) deficiency 401
- reactive oxygen species (ROS) 47–8, 68–9
- renal manifestations of asphyxia 16
- reperfusion injury 666–7
- temperature effect 724
- resuscitation *see* neonatal resuscitation
- Rett syndrome 405
- Rhesus disease 201, 573
- sinusoidal patterns and 237
- rubella 360–3
- clinical manifestations of intrauterine infection 361
 - recommendations 362–3
 - risk of neurologic sequelae 361–2
 - transmission to the fetus 361
 - vaccination 360–1, 363
- schizophrenia, maternal 199
- screening
- congenital syphilis 364–5
 - drug abuse 292–3
 - fetal well-being 213–14
 - group B streptococcus sepsis 322–3
 - toxoplasmosis 357
- sedative-hypnotic abuse 288
- seizures 735–78
- benign familial neonatal seizures 773
 - classification 737, 738
 - clonic seizures 738–9
 - myoclonic seizures 740–3
 - tonic seizures 739–40
- consequences of on brain development 777–8
- context of 773–4
- diagnosis 735–8
- clinical criteria 736
 - differential diagnosis 760, 761
 - EEG criteria 748–51
 - subtle seizure activity 736–8
- EEG applications 425–6, 429, 736
- brief rhythmic discharges 751
 - ictal EEG patterns 749–50
 - interictal EEG patterns 756–60
 - periodic discharges 750–1
 - seizure criteria 748–51
 - seizure duration and topography 750
- etiological 760–73
- asphyxia 760–3, 838–9
 - cerebrovascular lesions 765–8
 - CNS malformations 768–70
 - drug withdrawal and intoxication 772
 - hypernatremia 765
 - hypocalcemia 764–5
 - hypoglycemia 764
 - hyponatremia 765
 - inborn errors of metabolism 770–2
 - infection 768
 - meconium staining 616, 763–4
- incidence related to criteria 756
- maternal seizure disorder 197–8
- newborn 12–14, 239
- folic acid-responsive seizures 399
 - herpes simplex virus and 370–1
 - isolated seizures 397–401
 - pyridoxine-dependent seizures 399
- nonepileptic behaviors of neonates 743–8
- dystonia without EEG seizures 748
 - myoclonus without EEG seizures 746–8
 - tremulousness or jitteriness 743–6
- prognosis 774–5
- progressive neonatal epileptic syndromes 772–3
- subcortical seizures 751–6
- brainstem release phenomena 752
 - electroclinical dissociation (ECD) 752–6
- timing of asphyxia 543
- treatment 415, 775–7
- discontinuation of drug use 776–7
 - efficacy of 776
 - see also* epilepsy
- selective cerebral perfusion (SCAP) 663, 668
- selective intrapartum chemoprophylaxis (SIC) 323–4
- selective neonatal chemoprophylaxis (SNC) 324
- sensorineural hearing loss (SNHL) 621, 622
- asphyxia outcomes 839–40
 - following persistent pulmonary hypertension of the newborn 646–7
- sensory stimuli, hemodynamic effects 501–2
- sepsis, neonatal 18, 314–27, 333
- chorioamnionitis and 306
 - clinical presentation 315, 321
 - diagnosis 315–18, 322
 - early-onset disease 314
 - epidemiology 314, 320
 - etiology 315
 - incidence 315
 - late-onset disease 314
 - organisms 319–27
 - enterococcal group D streptococci 327
 - Escherichia coli* 325–6
 - group B streptococcus 320–5
 - Streptococcus pyogenes* (group A streptococcus) 326

- outcome 319, 322
- prevention 319, 322–5, 347–8
 - chemoprophylaxis 324–5
 - immunoprophylaxis 325
- risk factors 314–15, 321
- treatment 318, 322
- shingles 366
- short-chain 3-hydroxyacyl CoA dehydrogenase (SCHAD) deficiency 401–2
- shoulder dystocia 138–9, 263–7
 - complications 265–7
 - definition 264
 - diagnosis 264
 - management 265
 - risk factors 264–5
- sickle-cell disease 201
- single-photon emission computed tomography (SPECT) 446
 - hypoxic-ischemic injury 483–4
- sleep, fetal 214, 217, 218
 - cocaine exposure and 285
 - EEG recordings 427–8, 430, 748
 - ontogeny of sleep stage 430
- small-for-gestational-age (SGA) fetus 145
 - outcome 160–3
 - see also* intrauterine growth retardation (IUGR)
- smoking during pregnancy 279–81
 - IUGR and 151, 152, 279–80
 - solvent abuse 291
- Sotos syndrome 119
- SS-A (Ro) antibodies 205
- SS-B (La) antibodies 205
- Staphylococcus aureus* 343
 - neonatal sepsis 315
- status marmoratus 418
- Streptococcus agalactiae* *see* group B streptococcus
- Streptococcus pneumoniae*, neonatal meningitis 336
- Streptococcus pyogenes* *see* group A streptococcus
- striatal neurodegeneration, animal models 37–48, 99, 100
 - glutamate transporter defects and 37–41
 - Na,K-ATPase defects and 45–8
 - NMDA receptors and 41–5
- stroke 17–18
 - EEG recordings 442
 - see also* infarction
 - subarachnoid hemorrhage, ultrasonography 459
- subdural hemorrhage 175
- substance abuse 199–200, 274–94
 - adulterants, substitutes and contaminants 291–2
 - cocaine 282–6
 - drug distribution in pregnancy 274–5
 - EEG recordings 442
 - general effects during pregnancy 275
 - IUGR and 151–2
 - LSD 290
 - marijuana 281–2
- methodologic problems 275–6
- opioids 286–8
- PCP 289–90
- polydrug abuse 275
- preterm birth and 130
- screening 292–3
- sedative-hypnotics 288
- seizure etiology 772
- sympathomimetics 288–9
- volatile substances 290–1
 - see also* alcohol abuse; smoking during pregnancy
- sudden infant death syndrome (SIDS), cocaine exposure and 285
- sulfite oxidase deficiency 399
- suppression short T1 inversion recovery imaging (STIR) 472, 473
- surfactant therapy
 - hemodynamic effects 500–1
 - in extended neonatal management 694–5
 - persistent pulmonary hypertension of the newborn treatment 641
- sympathomimetic abuse 288–9
- symphysis–fundus height (SFH) 153
- syphilis, congenital 363–6
 - diagnosis 363–4, 365
 - early congenital syphilis 364
 - manifestations 364
 - recommendations 364–6
 - treatment 365–6
- systemic lupus erythematosus (SLE) 202–6
 - effect on fetus 204–5
 - medications during pregnancy 203–4
 - pregnancy effect on course of 203
 - pregnancy management 205–6
- tachycardia 136, 234
 - in hydrops fetalis 588
- talazoline, persistent pulmonary hypertension of the newborn treatment 642
- termination period 111
- thalamus
 - hemorrhage 176
 - lesions 417–18
 - animal model 50
 - thalassemia 201
 - thiamine deficiency 150
 - thrombocytopenia 176
 - thyroid disease, maternal 194–6
 - IUGR association 157–8
 - thyrotoxicosis, neonatal 195–6
 - time-of-flight spectroscopy 492–3, 508–9
 - tobacco smoking *see* smoking during pregnancy
 - tocolytic therapy 138
 - contraindications 132
 - tolazoline, persistent pulmonary hypertension treatment 642
 - tonic seizures 739–40
 - topiramate, seizure management 776

- TORCH, seizure etiology 768
 total parenteral nutrition (TPN) 796–7
 toxoplasmosis, congenital 355–8
 outcome 356–7
 infants asymptomatic at birth 356
 infants symptomatic at birth 356–7
 prenatal diagnosis 357
 prevention 358
 recommendations 357–8
 screening 357
 training *see* medical training
 tranexamic acid, intracranial hemorrhage prevention 184
 transforming growth factor- β , neuroprotective role 723
 transpyloric feeding 793–5
 tremors 743–6
Treponema pallidum *see* syphilis
 tricarboxylic acid cycle defects 401
 trifunctional protein (TFP) deficiency 260–1
 tuberous sclerosis 202, 773
 twin-to-twin transfusion syndrome, anemia and 157

 ulegyria 416
 ultrasonographic imaging 414, 446, 447–71
 anterior fontanel approach 447–8
 chorioamnionitis 304
 germinal matrix/intraventricular hemorrhage 449–55
 hypoxic–ischemic injury 457–9, 464
 limitations 459–71
 mastoid view 448
 neonatal meningitis 340
 periventricular leukomalacia 455–7, 458–61
 posterior fontanel view 448
 timing of asphyxia 546
 see also Doppler ultrasound
 umbilical cord
 compression during labor 135
 management 137
 gas analysis 240
 meconium-induced vascular necrosis 529, 530
 prolapse 6
 urea cycle disorders 400, 404
Ureaplasma urealyticum, chorioamnionitis 305
 uterine abnormalities
 Couvelaire uterus 247
 preterm birth and 130
 uterine contractions
 contraction stress test (CST) 214–15
 fetal asphyxia and 91–2
 experimental studies 92
 fetal heart rate and 136–7, 233–4
 hyperstimulation 136
 uterine rupture
 complications of 250
 risk during vaginal birth after cesarean section 249

 vaccination
 group B streptococcus 325
 rubella 360–1, 363
 vacuum extraction 267–70
 vaginal birth after previous cesarean section (VBAC) 248–51
 candidate selection 248–9
 counseling patients 249
 labor management 249–50
 uterine rupture complications 250
 uterine rupture risk 249
 vaginal delivery
 operative 138
 fetal indications for 139–40
 instrumental deliveries 139
 maternal indications for 139
 shoulder dystocia 138–9
 preterm fetus 134–5
 see also vaginal birth after previous cesarean section (VBAC)
 varicella-zoster immune globulin (VZIG) 368
 varicella-zoster virus (VZV) 366–8
 congenital varicella syndrome 366–8
 recommendations 368
 vasa previa 247–8
 clinical presentation/diagnosis 247–8
 complications 248
 etiology/risk factors 247
 incidence 247
 management 248
 vascular malformations 120–3
 arteriovenous malformations (AVMs) 121
 carotid artery malformations 122–3
 congenital aneurysms 122
 hemangioblastoma 122
 vein of Galen malformation 121–2, 176
 vein of Galen malformation 121–2, 176
 venous occlusions 420
 venous sinus thrombosis 420
 ventilation
 extended care 692–5
 gentle ventilation 641
 high-frequency ventilation (HFV) 641, 693–4
 hyperventilation 621, 640, 644, 693
 cerebral edema management 704–5
 neonatal resuscitation 679
 ventilator management 640–1
 ventriculitis 341
 very long-chain acyl CoA dehydrogenase (VLCAD) deficiency 401–2
 vibroacoustic stimulation (VAS) 218–19
 villitis of unknown etiology (VUE) 522–3
 vision loss, asphyxia outcomes 839
 visual stimulation, hemodynamic effects 501
 vitamin E
 intracranial hemorrhage prevention 184
 necrotizing enterocolitis and 805

- vitamin K
intracranial hemorrhage prevention 185
maternal seizure disorder management 198
volatile substance abuse 290–1
von Hippel-Lindau syndrome 122, 202
- watershed distribution of neuronal injury 98–9, 100, 392–3, 416–17,
455
- white-matter injury 101, 420–1
insulin-like growth factors and 721–2
intraventricular hemorrhage and 102
- X cells 520
- Zellweger syndrome 400
- zinc deficiency 150