

Index

Note: page numbers in *italics* refer to figures and tables. Illustrations in the Plate Section are identified by ‘Fig. number (Plate)’

- afferent stimulation, repetitive 142
- alpha adrenergic neurotransmission 103
- AMPA postsynaptic receptors 5
- amphetamine, practice-induced plasticity 101–3
- amputation 205–14
 - cortical excitability changes 209
 - cortical plasticity 239–41
 - cortical reorganization 240–1
 - cortical representation of limb 207–8
 - corticospinal excitability 207, 208
 - intracortical facilitation/inhibition 211, 212
 - MEP amplitude 206
 - motor map changes 207–9
 - motor reorganization extent 240–1
 - motor thresholds 206–7
 - phantom limb pain 239–41
 - spinal cord plasticity 213–14
 - stump musculature control 207–8
 - surgical reattachment of hands 209
 - TMS changes 207, 240–1
 - transmitter systems in cortical plasticity 212–13
- amygdala 10
- anaerobiosis, metabolic switch 167
- athletes 113
- auditory cortex 238
 - plasticity in blindness 237–8
- auditory hallucinations 255
- auditory system 79
- autonomic dysreflexia 223
- badminton players 113
- Barthel Index 174, 275
- behaviour, normal 119–20
- behavioural change
 - brain plasticity 108
 - plastic change flexibility 115
- Bier’s block 212–13
- blindness
 - auditory discrimination task region 233
 - auditory plasticity 237–8
 - cortical plasticity 232–7
 - early onset 233–6, 237–8
 - embossed Roman letters reading 233
 - late onset 236–7
 - mismatch negativity 232
 - non-visual modality enhancement 232–3
 - occipital cortex activity 234
 - tactile discrimination 233
 - TMS studies 233–7
 - see also* Braille reading
- blood-oxygen level dependent (BOLD) activation 266
 - occipital cortex 119
 - pharyngeal stimulation Fig. 11.3 (Plate)
- bradykinesia 158
- Braille reading 113, 114, 115
 - cortical activation correlation with tactile stimulation of finger pads 118–19
 - cortical representation enlargement of reading finger 117–18
 - grating orientation discrimination task 118
 - occipital cortex activation 233, 236
 - sensorimotor cortex

- Braille reading (*cont.*)
 - change stability 115–16
 - representations 117, 118
 - skill acquisition 117–19
 - somatosensory perceptions 236
 - TMS studies 233–7
 - visual cortex activation 204
- brain
 - behavioural change 108
 - excitability influence by TMS 290–3
 - functional imaging 168–73
 - plasticity 107–8
 - learning 107
 - long-term reorganization 112–13
 - maladaptive 109
 - normal behaviour 119–20
 - pathological conditions 107–8
 - poststroke recovery 168
 - rapid changes 108–9, 110, 111–12
 - practice effects 107
- c-fos* 167
- Canadian stroke scale 275
- central motor conduction delay (CMCD) 69, 70
- central motor conduction times (CMCT) 175
- central nervous system (CNS)
 - plasticity 135
 - spinal cord injury-induced organization
 - changes 214
- cerebello-cortical inhibition 40
- cerebral hemispheres
 - activity-dependent competition 75, 76–8
 - asymmetry for regulation of
 - emotion/behaviour in prefrontal lobes 251–2
 - changes in intact in dysphagia recovery 239
 - interhemispheric asymmetries in stabilized stroke 183–9, 190
 - intrasubject differences 173, 174
 - progressive balancing with poststroke improvement 188–9, 190
 - sensorimotor symmetrical organization 172–3
 - transcallosal inhibition from contralateral 267
 - see also* stroke, affected hemisphere; stroke, unaffected hemisphere
- cerebral ischemia models, focal 167
- cerebral palsy, spastic
 - hemiplegic
 - corticospinal axon increase 72, 74
 - corticospinal projections 75, 76
 - inhibitive casting of affected limbs 81
 - limb restraint 81–2
 - quadriplegic 75, 76
- constraint-induced movement therapy (CIMT) 81, 180–3
- constraint-induced therapy (CIT) 276–7
- corpus callosum hypertrophy in musicians 112–13
- cortex
 - association sites for visual and somatosensory information 235
 - auditory 237–8
 - deep nuclei targeting via superficial inputs 248
 - GABA-mediated inhibition 9
 - hypometabolism in depression 295
 - injury and physical therapy in reorganization 274
 - midline structure control 270
 - neocortex 7, 8
 - orbitofrontal 255
 - parietal 127
 - primary somatosensory 168
 - pyriform 10
 - sensorimotor 63, 218
 - sensory 1, 45, 168
 - see also* dorsolateral prefrontal cortex (DLPFC); motor cortex; occipital cortex; prefrontal cortex; premotor cortex; visual cortex
- cortical inhibitory circuits 221, 222
- cortical maps *see* motor maps
- cortical plasticity
 - amputation 239–41
 - blindness 232–7
 - dysphagia 238–9
 - functional role 231–41
 - functionally beneficial effects 232–7
 - functionally detrimental effects 239–41
 - GABA-releasing cortical interneurons 212
 - sensory-induced 277–9
 - stimulation-induced 292
 - TMS influence 293–4
 - transmitter systems 212–13
- cortico-cortical inhibition/facilitation 40
- cortico-lingual pathway 271

cortico-pharyngeal projections 271–2	corticospinal system/tract
cortico-propriospinal projections, ipsilateral 270	amplitude ratio 70
cortico-reticular projections, ipsilateral 270	brain damage site in childhood 62
cortico-striatal-pallido-thalamic (CSPT) circuits 255	central motor conduction delay 69, 70
corticomotoneuronal projection persistence 71	conduction velocity 215
corticomotoneuronal system 80	descending volleys 26–7, 28
corticospinal axons 63	muscle contraction effect 30–1
competition for synaptic space 81	developmental plasticity 62–82
competitive advantage 81	in humans 65, 66, 67, 68, 69, 70, 71–82
conduction velocity development 71	in monkeys 64–5
count in medullary pyramids 74	in rat 63–4
development in humans 65, 66, 67	excitability 207, 208
diameters in humans 71	changes 205–6, 211
excitation by TES 217	training after stroke 183
fast conducting ipsilateral/contralateral from intact hemisphere 72	myelination onset in humans 67
number increase in spastic hemiplegic cerebral palsy 72, 74	perinatal lesions 80
plasticity critical period 80	plasticity 81
withdrawal in humans 69	postnatal lesions 63
withdrawal in monkeys 64	reorganization following lesions in humans 72
corticospinal fibres, ipsilateral 167, 176–7	spinal cord development effects 79
corticospinal innervation 65, 67	spinal cord injury
corticospinal neurons 214	functional reorganization induction 214
corticospinal projections	impact on transmission 214–15
cat studies of contralateral inhibition 75, 77	spinal site of adaptation 217
competition 75, 77	spinal motoneurons 204
competitive disadvantage following unilateral lesions 77–8	uncrossed axons in mature humans/monkeys 71
hypertrophy 63	
induced ipsilateral 63–4	D waves 27, 28
limb restraint effects 81	initiation 27
monkeys 64	latency 28
persistence of ipsilateral/contralateral following unilateral brain damage 73–5	recruitment 27, 30, 31, 32
reorganization following corticospinal lesions in humans 72	deafferentation 292
spastic hemiplegic cerebral palsy 75, 76	cortical area expansion 218
spastic quadriplegic cerebral palsy 75, 76	cortical plasticity 294
stroke in babies at birth 78	corticospinal excitability 207, 208
subprimate mammals 63–4	motor threshold effects 207
corticospinal synapses	rapid reorganization 210
activity-dependent competition for space 76–8	transmitter systems in cortical plasticity 212–13
activity-dependent development 80	deep brain stimulation (DBS) 295, 296
monkeys 64	depression 252
	cortical hypometabolism 295
	hemispheric asymmetry in control 252–3, 254
	rTMS 295

304 Index

- diaschisis 170
- direct current (DC) stimulation 141–2
 - kinematic cortical movement representation
 - plasticity 156–7
 - visual cortex plasticity 156
- disinhibition, stroke-lesion induced 170–1, 177–8
- dorsolateral prefrontal cortex (DLPFC)
 - obsessive–compulsive disorder 255
 - stimulation 251, 253
 - working memory process role 253–4
- dysphagia
 - cortical plasticity 238–9
 - pharyngeal representation in unaffected hemisphere 272, 280, Fig. 11.1 (Plate)
 - recovery 239, 272–3
 - unaffected hemisphere 280
- rTMS with sensory stimulation 282
- stroke patients 238–9
 - mechanism 271–2, Fig. 11.1 (Plate)
 - swallowing effects of pharyngeal stimulation in 279, Fig. 11.4 (Plate)
- dystonia
 - focal of arm 45
 - focal task-specific 111
 - rTMS
 - effects 45, 247
 - treatment 257–8, 295–6
 - task-specific 109, 111–12
- electroconvulsive shock treatment (ECT) 295
- electroencephalogram (EEG), advanced 169
- electromyogram (EMG) 36, 219
 - latency 32
- emotion regulation 252
- epilepsy 293
 - rTMS 295
 - stimulation-induced plasticity 158
- excitatory postsynaptic potentials (EPSP) 8
- F waves 37
- field potentials (FP), extracellular 8
- finger movements in stroke patients 170–1
- forced-use therapy in stroke 182–3
- frontal cortex, deep nuclei targeting 248
- GABA
 - activity
 - enhancers 35
 - stroke 177–8
 - LTP-related local inhibition reduction 143
 - LTP-related mechanisms of recovery of function 101
- GABA-mediated inhibition, cortical 9
- GABA receptors 101
- GABA-related disinhibition of intracortical networks 294
- GABA-releasing cortical interneurons 212
- GABA_A receptor blockers 155
- GABA_A receptors
 - intracortical disinhibition 177–8
 - intracortical inhibition 98–9, 152–3, 154
 - mechanisms 290
 - paired-pulse inhibition 96
 - plastic motor cortex 213
 - stimulation-induced plasticity cancellation 147–9
- GABA_B system 42, 290
- GABAergic agents 213
- GABAergic inhibition
 - LTP induction in cortical synapses 101
 - reduction 154–5
- gene knockout technique 12–13
- gene targeting 12–13
- Gilles de la Tourette’s syndrome 257–8
- glutamate 167
- glutamate receptor activation 213
- glutamatergic activity, intracortical disinhibition 177–8
- grating orientation discrimination task 118
- guitar playing, dystonia 111–12
- H reflexes 37, 138
 - amputation 206
 - spinal cord injury 216
- hand
 - motor output area 173
 - replantation and corticospinal excitability 207, 208, 209
 - sensorimotor areas
 - control 171–3
 - function in poststroke recovery 167

305 Index

- primary 172
- stroke 173
- heat shock genes 167
- hemiplegia development after stroke in babies at birth 78
- hippocampus
 - learning 10
 - long-term potentiation 8–9
 - neurogenesis 7
- horizontal fibres 3–4
 - modification 8–9
- horizontal pathways, intrinsic 4
- hsp* 70 167
- hyperglycemia 167
- hyperthermia 167
- I-wave facilitation 40, 41
- I waves 27, 28, 28
 - cortical excitability 31
 - recruitment 27, 30
 - repetitive firing 27
 - suppression 42
- imaging, functional
 - rTMS 46–7
 - see also* magnetic resonance imaging (MRI), functional (fMRI)
- immediate–early gene families 167
- interhemispheric inhibition 38, 39–40
 - motor cortex of musicians 112–13
- interleukin 1 (IL-1) 166
- interventional paired associative stimulation (IPAS) 149–54
 - behavioural relevance 157–8
 - neuronal activation induced by voluntary movement changes 157–8
 - stimulation-induced plasticity mechanisms 154–5
- intracortical facilitation (ICF) 290
 - amputation 211, 212
 - mechanisms 172, 177–8
 - short-latency 40–1, 44
 - spinal cord injury 214
 - stroke 172, 177–8
- intracortical inhibition (ICI) 290
 - amputation 211, 212
 - GABA_A receptors 98–9, 152–3
 - long-latency 40, 41, 42
 - mechanisms 172, 177–8
 - modulation 95–6, 97, 98–9
 - paired-pulse facilitation 145
 - paired-pulse inhibition 96, 97, 98, 145
 - practice-induced 96, 97, 98
 - reduction in stroke patients 171
 - short interval 290
 - short-latency 39, 40–1, 42
 - somatosensory afferent input-induced 153
 - spinal cord injury 214
 - stroke 172, 177–8
 - see also* long-latency intracortical inhibition (LICI); short-latency intracortical inhibition (SICI)
 - intracortical inhibitory circuits 180–1
 - intracortical microstimulation (ICMS) 274
 - ion channel blockers, voltage-gated 213
 - ischemic nerve block (INB) 154–5
 - cooperativity of stimulation-induced plasticity 143–5
 - cortical adaptation 218
 - deafferented limb 211
 - input-specificity of stimulation-induced plasticity 146–7
 - transmitter systems in cortical plasticity 212–13
- jun B* 167
- Kallman’s syndrome 73
- knowledge, declarative
 - conversion to procedural knowledge 109
 - dual learning task 124
- lactic acid accumulation after stroke 167
- language acquisition 237
- lateral fibres *see* horizontal fibres
- learning
 - amygdala 10
 - brain changes 107
 - cellular mechanisms 7
 - consolidation processes 52
 - hippocampus 10
 - long-term potentiation 11–14
 - MI 13–14
 - motor maps 111
 - NMDA receptors 14

- learning (*cont.*)
 - pyriform cortex 10
 - see also* sequence learning
- learning–synaptic plasticity–LTP hypothesis 11
- leg muscle, contracting 32
- lingual paralysis 273
- locomotion
 - recovery in incomplete spinal cord injury 222
 - spinal interneurone excitability changes 214
- long-latency intracortical inhibition (LICI) 40, 41, 42
- long-term depression (LTD) 1, 5, 6, 291–2
 - induction 150–1, 293
 - MI plasticity 8, 13
 - stimulation methods 101
 - synaptic 9–10
- long-term potentiation (LTP) 1, 5–6, 291–2, 293
 - associativity 143, 149
 - cooperativity 143–5
 - at cortical synapses with TMS 48
 - decay 15
 - GABA receptors 36
 - GABA role in recovery of function 101
 - induction 101, 150
 - input-specificity 143, 146–7
 - interventional paired associative
 - stimulation-induced plasticity 149–54
 - learning 11–14
 - memory 11, 12–13
 - MI 13–14
 - plasticity 8–9
 - models in human motor cortex 142–54
 - motor learning 6, 13–14
 - NMDA-dependent mechanisms 213
 - NMDA receptors 11–12, 36
 - properties 143
 - rTMS in mood disorders 253
 - saturation 11, 14–15
 - synaptic efficacy
 - alteration 100
 - learning-induced 11–14
 - synaptogenesis/synaptic remodelling 7–8
- magnetic resonance imaging (MRI)
 - event-related 157
 - functional (fMRI) 168–9
 - constraint-induced movement therapy in stroke 180
 - contralateral limb movement in stroke 266–7
 - pharyngeal stimulation imaging 278, Fig. 11.3 (Plate)
 - rTMS 47
 - sensorimotor reorganization after stroke 170
 - stroke affected hemisphere 183
 - mapping coil location 289
 - pharyngeal motor map Fig. 11.4 (Plate)
 - see also* blood-oxygen level dependent (BOLD)
 - activation
- magnetoencephalography (MEG) 169
 - constraint-induced movement therapy in stroke 180, 182
 - stroke affected hemisphere 183, 184–5
- masking, backward 49, 51
- membrane polarization 290
- memory
 - cellular mechanisms 7
 - long-term potentiation 11, 12–13
 - MI role 10–15
- memory cells 2–3
- MEP
 - absence of contralateral in stroke 268
 - amplitude 26, 290, 291
 - amputation 206
 - corticospinal system excitability changes 206
 - with direct current stimulation 141–2
 - evoked by TMS 136, 139, 140, 141–2
 - excitability assessment 289
 - increase blocking by GABA_A receptor blockers 155
 - with ischemic nerve block 143, 144–5, 146
 - pharyngeal 281
 - practice-induced changes 92
 - recruitment curves 219, 220
 - repetitive afferent stimulation 142
 - resting with IPAS 150–4
 - spinal cord injury 217
 - stimulation-induced plasticity cancellation 147–8
- facilitation 48
 - direct current stimulation 141–2
- ipsilateral 176–7, 267
- eliciting 268
- functional outcome 268–9

- pathways 270
- recovered stroke patients 273
- latency
 - with D wave recruitment 30
 - increase in spinal cord injury 221
 - increase in stroke affected hemisphere 183
- muscles proximal to amputated limb 207
- pharyngeal 273
- recruitment curve 290
- spinal cord lesions 215–16
- stroke
 - affected hemisphere 184, 185
 - outcome prediction 175, 176, 267
- MI (primary motor cortex) 2–3
 - adaptation to force fields 2
 - cortical motoneuron clusters 167
 - cortico-cortical inputs 168
 - functional plasticity 3
 - functional topography 2
 - hand area mapping 274, 275
 - horizontal fibres 4
 - plasticity 8–10, Fig. 1.2 (Plate)
 - layer II/III intracortical connections 9, 10
 - learning 13–14
 - long-term potentiation 9, 13–14
 - memory 10–15
 - motor consolidation 3
 - motor learning 10–15
 - learning-induced increases in synaptic efficacy 11–14
 - skill learning 10–11, Fig. 1.3 (Plate)
 - motor memory 3
 - postsynaptic neuron excitability 6
 - single-cell plasticity 3
 - skill learning-induced changes 2
 - synaptic plasticity 13–14, Fig. 1.5 (Plate)
 - trained 10–11, Fig. 1.4 (Plate)
- middle cerebral artery (MCA) 167
- mood, intracarotid amyltal tests 252
- mood disorders 253
- mood regulation 252
 - lateralized 254
 - valence theory 251, 252, 253
- motoneuron(s)
 - activation 204, 206
 - clusters in MI 167
 - development in humans 65, 66
 - excitability measurement 37
 - pool
 - activation 206
 - central conduction delay with motor cortex 215
 - descending corticospinal connection
 - continuity in spinal cord injury 216
 - innervation in humans 67, 72
- α -motoneuron development 80
- motor activity
 - organization modification 90
 - voluntary and sensory feedback 168
- motor areas
 - pre-stroke organization 170
 - stimulation via transcallosal connections 247
- motor behaviour changes 156
 - IPAS effects 157–8
- motor control problems 111, 112
- motor cortex
 - across-representation plasticity 147
 - arm representation disinhibition 98–9, 100
 - associative LTP 149
 - brain damage site in childhood 62
 - central conduction delay to motoneuron pool 215
 - corticospinal lesions in humans 72
 - critical periods for plasticity 79
 - direct current stimulation 156–7
 - disinhibition facilitation of plasticity 98–9, 100, 153, 155
 - excitability
 - abnormalities 158
 - assessment 140, 288–90
 - changes in circuitry 205
 - changes with repetitive movement 96, 97, 98
 - changes with training 92–3
 - dependence on use 95
 - depression in non-stimulated area 140–1
 - factors 290
 - increase correlation to target muscle use 182–3
 - intervention-induced changes in stroke 179–83
 - in neurological/psychiatric disorders 155
 - explicit colour sequence acquisition 126
 - facilitatory changes 292
 - GABA role in lesions 101

- motor cortex (*cont.*)
 - GABAergic inhibition reduction 154–5
 - horizontal fibres 3
 - hypertrophy 63
 - inhibitory circuits 41–2
 - interhemispheric inhibition 38, 39–40
 - musicians 112–13
 - interventional paired associative
 - stimulation-induced plasticity 149–54
 - intracortical inhibition modulation 95–6, 97, 98–9, 100
 - ipsilesional cortex reorganization 78–9
 - long-term potentiation models 142–54
 - movement memory 93–4, 95, 99
 - movement organization 95
 - movement-related activation 156
 - paired-pulse intracortical
 - inhibition/facilitation 145
 - pharyngeal 278, 280, Fig. 11.4 (Plate)
 - rTMS 280–2
 - plastic reorganization
 - disuse-related change 116
 - long-term 112–13
 - with skill acquisition 113
 - stability 115–16
 - practice-induced plasticity in humans 90–104
 - gating by intracortical inhibition 99
 - pharmacological enhancement 101–3
 - pharmacological intervention 98–9, 100
 - prevention by NMDA receptor blockers 100
 - pyramidal output cells 150
 - reaction time movement interruption by TMS 49, 50
 - reorganization 1, 72
 - representational plasticity 91
 - restructuring 1
 - sensory input changes 277–8
 - somatotopic organization
 - mapping 33–5
 - variability 209–10
 - spinal cord injuries and weakened inhibition 217
 - stimulation-induced plasticity 292
 - cancellation 147–9
 - clinical applications 158–9
 - cooperativity 143–5
 - functional relevance 155–9
 - healthy subjects 155–8
 - input-specificity 146–7
 - mechanisms 154–5
 - during reduced cortical inhibition 143–9
 - stimulation interference with motor learning 157
 - swallowing 278–9, Fig. 11.3 and 11.4 (Plate)
 - model 278
 - rTMS 279–82
 - synaptic excitability of inhibitory/excitatory neural circuits 145
 - TES of corticospinal output of hand area 26–9
 - TMS
 - corticospinal output of hand area 29
 - in humans 67, 68, 69, 70, 72, 73
 - intact with one-sided motor cortex damage 72, 73
 - repetitive 101
 - transcallosal connections 247, 248
 - transcortical reflexes 47
 - use-dependent plasticity 95–6, 97, 98–103
 - see also* MI (primary motor cortex)
- motor evoked potential *see* MEP
- motor function tests 182
- motor learning
 - long-term potentiation 13–14
 - MI role 10–15
 - motor cortex stimulation interference 157
 - plasticity induction 90
- motor maps
 - amputation-induced changes 207–9, 210
 - asymmetry in stroke affected hemisphere 183, 184
 - centre of gravity 33, 91–2
 - amputation 207
 - constraint-induced movement therapy 181, 182
 - changes with lesions 204–5
 - complex motor sequence learning 91
 - constraint-induced movement therapy in stroke 180–1
 - guiding cues for sequence learning 127, 128
 - learning 111
 - MRI scan 289
 - muscle immobilization 95
 - muscles of badminton players 113
 - pharyngeal Fig. 11.4 (Plate)

- piano playing 110, 111
- plasticity 1–3, Fig. 1.1 (Plate)
 - excitability 6
 - investigation 288–90
 - long-term potentiation 5–6
 - mechanisms 4–8
 - substrate 3–4
- reading finger of Braille readers 113, 114, 115–16
- spinal cord injury 216–18
- synchronous movement performance 91–2
- task performance 111
- motor memory
 - disinhibition role in consolidation 99
 - generation 93–4, 95, 99
- motor performance
 - attention in modulation of gains 93
 - silent period duration 179
- motor practice 90
- motor projections, ipsilateral 267–8
- motor skills
 - acquisition of fine 91
 - performance gain retention 101
- motor system excitability 136, 137, 138–40
- motor thresholds
 - amputation 206–7
 - deafferentation effects 207
 - determination in stroke 174
 - stroke 175
- movement
 - mirror 265–6
 - performance of synchronous 91–2
 - repetitive and corticomotoneuronal system
 - excitability changes 91
- movement disorders, rTMS treatment 256–8
- muscarinic acetylcholine receptor blocker 99, 100–1
- muscarinic receptor activation 294
- muscle
 - cortical map representation changes 204–5
 - descending motor commands 204
 - facilitation 175
 - immobilization motor maps 95
 - maximum voluntary contraction 219
 - MEP amplitude recruitment curves 219
 - motor performance with increased/repetitive use 183
 - sensory feedback requirement 204
 - skilled use 204
 - spinally mediated flexion withdrawal/stretch reflexes 79–80
- musical instrument playing 109, 110, 111
 - practice 111, 112, 113
 - sequence learning 119
- musicians, professional 112–13
- myoclonus, cortical 158
- neglect, TMS improvement of performance 51
- neocortex
 - field potential amplitude 8
 - structural stability 7
- neural circuits, synaptic excitability of
 - inhibitory/excitatory 145
- neurogenesis 6, 7
- neuronal network reorganization 170
- neuronal plasticity 135
- neurotransmitter systems 254
- nitric oxide 166
- NMDA receptor blockers 35, 100
 - LTP induction 154
- NMDA receptors
 - activation 11–12, 80, 100
 - cortical plasticity 294
 - deafferentation-induced plasticity 213
 - LTD induction 10, 293
 - LTP induction 11–12, 101, 154, 155
 - cortical LTP dependency 143
 - expression in humans 80
 - learning 14
 - long-term depression 10, 293
 - long-term potentiation 9, 100
 - induction 11–12, 101, 154, 155
 - stimulation-induced plasticity cancellation by blockade 147–9
- obsessive compulsive disorder 255–6
- occipital cortex
 - activation
 - in Braille reading 233
 - congenital blindness 238
 - differential with age of blindness onset 237
 - blood-oxygen level dependent (BOLD)
 - activation 119

310 Index

- occipital cortex (*cont.*)
 - Braille reading 236
 - function in blind individuals 234, 235–6
 - tactile discrimination task 236
- ocular dominance plasticity 79
- oculo-manual transfer 126
- orbitofrontal cortex 255
- overuse syndrome 111
- oxygen free radicals 166
- pain, central 159
- paired-pulse facilitation 145
- paired-pulse inhibition 96, 97, 98
 - intracortical 145
- pallidum, deep brain stimulation (DBS) 295
- paresis, TMS abnormality correlation in stroke 176
- parietal association area 235
- parietal cortex 127
- Parkinson's disease
 - depression 252
 - repetitive transcranial magnetic stimulation (rTMS) 44
 - rTMS 45
 - effects 158
 - treatment 256–7
 - TMS therapeutic use 295
- peripheral muscle atrophy 215–16
- peripheral nerve injury 204
- peroxynitrite 166
- pharyngeal muscles, repeated electrical stimulation 142, 278
- physical rehabilitative therapy 273–7
 - animal studies 274
 - stroke 182–3
 - TMS evidence for reorganizational potential 274–7
- piano playing
 - motor maps 110, 111
 - practice methods 111, 112
- platelet activating factor (PAF) 166
- platelet aggregation 166–7
- positron emission tomography (PET) 168–9
 - contralateral limb recovery in stroke 265–6
 - rTMS 46–7
 - sensorimotor reorganization after stroke 170
- post-tetanic potentiation 292
- poststroke recovery 167
- prefrontal cortex
 - awareness 123–6
 - domain-specific theory 123
 - dorsolateral functions 124
 - hemispheric asymmetry for regulation of emotion/behaviour 251–2
 - object information 124
 - sequence learning 122–6
 - sensory modality of guiding cue 125–6
 - spatial information 124
 - ventrolateral functions 124
 - see also* dorsolateral prefrontal cortex (DLPFC)
- premotor cortex 168
 - activation poststroke 170
 - rTMS effects 45
 - sensorimotor reorganization 170, 171
- premotor-primary motor cortex inhibition 40
- pyramidal cells
 - motor pathways of amputated limb 210–11
 - multiple axon collaterals 210
 - output 150
- pyramidal decussation 29
- Rankin scale 174
- rehabilitation, neurological 264–82
 - pharyngeal model of swallowing motor cortex 280–2
 - physical approaches 273–7
 - physiotherapy in stroke 182–3
 - rTMS in swallowing motor cortex 279–80
 - sensory input modulation 277
- resting motor threshold (RMT) 139
- retinal activity blockade 75–6
- retinotopy 1
- Roman letters, embossed 233
- scalp mapping for EMG amplitude 33, 34
 - centre of gravity 33
 - piano playing 109, 110, 111
 - synchronous movement performance 91–2
- schizophrenia 254
- sensorimotor cortex
 - postnatal lesions 63
 - spinal cord injury 218

311 Index

- sensory cortex
 - primary 168
 - reorganization 1
 - rTMS response 45
- sensory-motor integration, increased demand 111
- sequence learning 119, Fig. 5.5 (Plate)
 - abstract representations 127
 - brain regions 121–2
 - colour cues 123, 124–6, Fig. 5.6 and Fig. 5.7 (Plate)
 - cue dependence 126–7, 128
 - deficits 121
 - dual task 124–6, Fig. 5.7 (Plate)
 - explicit 122
 - guiding cues 126–7, 128
 - implicit 122, 124, 127
 - model 121–3
 - neuronal mechanisms 121
 - position cues 124–6, Fig. 5.7 (Plate)
 - prefrontal cortex 122–6
 - sensory guiding cue 122, 125, 126
 - sensory information 122
 - serial response time task 120–1
 - spatial cues 123, Fig. 5.6 (Plate)
 - stimulus cue and response 124–6, Fig. 5.6 and Fig. 5.7 (Plate)
- sequencing 119–20
- serial response time task (SRTT) 120–1, 123, Fig. 5.6 (Plate)
 - dual task 124, Fig. 5.7 (Plate)
- short-latency intracortical facilitation (SICF) 40–1
- short-latency intracortical inhibition (SICI) 39, 40–1, 42
- silent period (SP) duration with stroke 178–9
- single photon emission computed tomography (SPECT) 168–9
- skill learning 14–15, 107–29
 - Braille reading 113, 114, 115
 - cortical activation pattern change 111
 - plastic reorganization 111
 - long-term 112–13
 - sensorimotor cortical representations 117, 118
- somatosensory cortex, primary (SI) 168
- somatosensory evoked potentials (SSEPs) in stroke 175–6
- somatosensory system
 - afferent input-induced intracortical inhibition 153
 - critical periods for experience-dependent plasticity 79
- somatotopy 1
- spasticity, silent period duration 179
- spatiotemporal maps, allocentric/egocentric 168
- spinal cord
 - autonomic pathways 223
 - development effects of descending motor pathway activity 79
 - plasticity following amputation 213–14
- spinal cord injury 214–19, 220, 221–3
 - activity-dependent plasticity 222
 - autonomic studies 223
 - CNS organization changes 214
 - cortical function plastic changes 218–19, 220, 221–3
 - cortical inhibitory circuitry 219, 221–2
 - cortical representation of muscles 216–18
 - corticospinal conduction velocity 215
 - corticospinal facilitation 219
 - corticospinal output inhibition 222
 - descending corticospinal connection
 - continuity to motoneuron pool 216
 - discomplete subjects 215–16
 - locomotion with incomplete lesion 222
 - long latency responses 219
 - MEPs 215–16, 217
 - motor cortex weakened inhibition 217
 - motor function recovery 222
 - motor maps 216–18
 - peripheral muscle atrophy 215–16
 - sensorimotor cortex 218
 - TES 217
 - TMS 216–17, 219, 220, 221
 - use-dependent plasticity/adaptation 222–3
- spinal electrical stimulation (SES) 206
- spinal interneurons 204
 - excitability 213–14
- spinal motoneuronal pool innervation in humans 67, 72
- spinal motor centre development regulation 80
- spinal neurone innervation prior to birth in humans 65

- spinal reflex pathway excitability 37
- stroke 166–8
 - activation in undamaged hemisphere 171
 - affected hemisphere
 - abnormalities 183–9, 190
 - activation 265
 - constraint induced therapy 276–7
 - lingual paralysis recovery 273
 - mechanisms in recovery process 269
 - residual perilesional activity 267
 - amphetamine effects on motor recovery 103
 - aphasia recovery 266–7
 - central motor conduction times 175
 - cerebral hemisphere balancing 188–9, 190
 - chronic stage of illness 179–80
 - conditions causing plastic changes 179
 - constraint-induced movement therapy 81, 180–3
 - corticospinal axon count 74
 - corticospinal excitability with training 183
 - cytokine reactions 166
 - deficit mechanism 271–2
 - disinhibition induction 170–1, 177–8
 - dysphagia 238–9, 271–2
 - recovery 272–3
 - evoked responses from affected hemisphere 188, 189
 - excitability threshold in affected hemisphere 184
 - finger movements 170–1
 - fMRI for contralateral limb movement 266–7
 - forced-use therapy 182–3
 - functional deficit 271
 - functional imaging 168–73, 265–7
 - functional outcome correlates 267
 - GABA activity 177–8
 - hand area 187–8
 - sensorimotor 173, 192–3
 - somatosensory centres 191
 - hand representation functional remodelling 274, 275
 - hemispheric imbalance 51
 - heterosynaptic long-term potentiation-like mechanisms 192
 - interhemispheric asymmetries in stabilized 183–9, 190, 192–3
 - intervention-induced effects on motor reorganization 180–3
 - intracortical facilitation/inhibition 172, 177–8
 - ipsilateral uncrossed corticospinal fibres 176–7
 - ischemic penumbra 166
 - latency on affected hemisphere 185–6
 - lesion location in affected hemisphere 187–9, 190
 - lingual paralysis 273
 - MEP prediction of outcome 175, 176
 - metabolic switch to anaerobiosis 167
 - midline model of mechanism of recovery 272–3
 - midline motor function recovery 270–1
 - motor cortex excitability intervention-induced changes 179–83
 - motor output 184–5, 186
 - motor thresholds 175
 - determination 174
 - muscle strength increase 48
 - neuronal death 166, 167
 - oxygen free radicals 166
 - paresis 176
 - PET in contralateral limb recovery 265–6
 - physical rehabilitative therapy 182–3, 273–4
 - plastic reorganization phenomena 189
 - prognosis 173–9, 188
 - receptive fields enlargement 191
 - reorganization importance for functional recovery 188
 - sensorimotor reorganization 170
 - signal strength interhemispheric asymmetry 186–7
 - silent period duration 178–9
 - somatosensory evoked potentials 175–6
 - swallowing effects of pharyngeal stimulation 278–9, Fig. 11.3 and 11.4 (Plate)
 - synaptic relay number 191
 - TMS
 - contralateral limb recovery 267–70
 - predictor of functional outcome 173–9
 - transcallosal fibre modulation loss 189
 - unaffected hemisphere 187, 189, 190, 268–9
 - activation 171, 176–7, 265, 266
 - constraint induced therapy 276–7
 - dysphagia recovery 280
 - following stroke 268–9
 - hyperexcitability 189

313 Index

- ipsilateral MEPs 176–7
- mechanisms in recovery process 269–70
- motor recovery from lingual paralysis 273
- pharyngeal representation 272, Fig. 11.1 (Plate)
- poststroke aphasia recovery 266–7
- poststroke swallowing recovery 280
- TMS investigation 268–9
- unilateral hemispheric recovery mechanisms 264–73
- unilateral motor cortex damage to babies at birth 77–8
- waveshape interhemispheric asymmetry 187
see also poststroke recovery
- subthalamic nucleus, deep brain stimulation (DBS) 295
- superoxide 166
- supplementary motor area 168
 - activation poststroke 170
- swallowing
 - cortical representation of musculature 271
 - function 238–9
 - functional recovery capacity 272
 - pharyngeal stimulation 278–9, Fig. 11.3 and 11.4 (Plate)
 - representation 239
 - TMS pharyngeal input 278
see also dysphagia; motor cortex, pharyngeal
- sympathetic skin response 223
- synapses
 - corticospinal
 - activity-dependent competition for space 76–8
 - activity-dependent development 80
 - monkeys 64
 - efficacy modulation 100–1, 142
 - IPAS-induced cortical plasticity 154
 - excitatory 290
 - inhibitory 290
 - learning-induced efficacy 11–14
 - modification 1, 8
 - bidirectional 9–10
 - mechanisms 8–10
 - range 13, 14–15, Fig. 1.5 (Plate)
 - plasticity 13–14, 280
 - remodelling 7
 - silent 5
 - synaptic relay number 191
 - synaptic strengthening 11–14, Fig. 1.5 (Plate)
 - synaptogenesis 6, 7
- tactile discrimination
 - blind individuals 233
 - occipital cortex role 236
- task performance 111
- thalamus, metabolic depression 168
- tonotopy 1
- transcallosal connections, excitability 247, 248
- transcranial direct current stimulation (tDCS) 101
- transcranial Doppler 269
- transcranial electrical stimulation (TES)
 - anodal stimulation 27, 28
 - cathodal stimulation 27
 - corticospinal output of hand area of motor cortex 26–9
 - deep corticospinal fibre activation 28
 - motor threshold in amputees 206
 - nervous system plasticity 138
 - polarity 27
 - single pulse 26–9
 - spinal cord injury 217
 - TMS response comparison 36–7
- transcranial magnetic stimulation (TMS)
 - afferent input changes 48
 - after-effects 42–6
 - amputation effects 207, 240–1
 - anaesthesia effects 48
 - animal models 254, 293
 - behavioural consequences 45, 231
 - biphasic stimulators 31–2
 - blind individuals Braille reading 233–7
 - brain excitability 290–3
 - changes in movement produced by stimulation at given point 35–6
 - circular coils 31
 - psychiatric disorder treatment 251
 - constraint-induced movement therapy in stroke 180, 181, 182
 - cortical and spinal effect distinction 36–7
 - cortical excitability overestimation 210
 - cortical mapping studies 33–5
 - cortical representation

314 Index

transcranial magnetic stimulation (TMS) (<i>cont.</i>)	optimal map location changes 35
amputated limb 211	paired pulse amputation 211–13
expansion for muscle adjacent to amputated limb 207–8	paired pulse experiments 37, 38, 39–42
midline structures 271	Parkinson's disease 256–7, 295
corticospinal output	performance improvement 49, 51
hand area of motor cortex 29	peripheral input interaction 47–8
leg area of motor cortex 32–3	physical rehabilitative approach evaluation 273–7
corticospinal system excitability 205–6	plasticity influence 293–4
D wave recruitment 30, 31, 32	plasticity investigation 288–90
depression treatment 252–3	posterior–anterior orientation 28
descending pathways at level of brainstem 29	posterior–anterior stimulation 29, 30
descending tract transmastoid stimulation 37	prefrontal stimulation effects on mood 254–5
descending volley recording before/after intervention 36	protocols for nervous system plasticity 136, 137, 138–54
disruption of ongoing cortical activity 48–9, 50, 232	reaction time movement interruption in motor system 49, 50
distal ('off-line') 125	reorganizational potential of neurorehabilitation techniques 274–7
dual route of manipulation 136	repetitive (rTMS) 42–9, 50, 51–2
EMG responses 36	afferent input changes 48
F Waves 37	auditory cortex function testing 238
figure-of-eight coil 29–31, 169–70, 180, 289	auditory hallucinations 255
MRI scanner 47	basal ganglia effects 141
spinal cord injury 216	behavioural effects in damaged nervous system 250
H reflexes 37	behavioural lasting effects 249–50
human hemispheres 70	connected site stimulation production 247
human motor cortex 67, 68, 69, 70	cooperativity of stimulation-induced plasticity 143–5
intact with one-sided motor cortex damage 72, 73	cortical activity disruption 232
I waves 30, 31	cortical excitability depression 101, 294
interstimulus interval (ISI) 37, 38, 39	deep nuclei targeting with superficial inputs 248
IPAS-induced plasticity 149–54	depression treatment 295
lateral anodal stimulation 32	distant site effects 45
latero-medial orientation 28, 31	duration 43–4
long-term effects 296	dystonia treatment 257–8, 295–6
mania treatment 253	epilepsy 295
midline muscle recovery 270–3	epileptic phenomena development 44
monophasic pulse in figure-of-eight coil 29–31	excitability depression in non-stimulated motor cortex regions 140–1
monophasic stimulators 31–2	facilitation production 44
mood disorders 251–5	frequency 43–4
duration of benefit 253	frontal area 141
motoneurone excitability measurement 37	functional imaging 46–7
motor cortex stimulation 36–7	GABAergic inhibition reduction 154
movement disorder treatment 256–8	
muscle facilitation/relaxation 175	
muscle twitch production 48–9	

Gilles de la Tourette's syndrome treatment	therapeutic uses 246–58
257–8	time course 248–9
healthy subjects 155–7	virtual lesion effect 51–2
inhibitory intracortical circuit activation	response of area stimulated 232
139–40	S1 stimuli 37, 39, 40, 41
input-specificity of stimulation-induced	S2 stimuli 37, 39, 41
plasticity 146–7	short-term plasticity 212–13
intensity 43–4	silent period following MEP 219
interaction with peripheral inputs 47–8	single pulse in amputation 206–10, 211
interdependent variables 138	single route of manipulation 136
intracortical circuitry effects 44	somatotopic organization mapping of motor
lasting effects 291	cortex 33–5
long-term potentiation 253	spinal cord injury 215, 216–17, 219, 220, 221
motor cortex excitability 43, 291	spinal reflex pathway excitability 37
motor system excitability 136, 137, 138–40	stimulation trains 232
neural circuit effects 246–8	stroke
neurological patient brain reaction 250	affected hemisphere 183
obsessive compulsive disorder 255–6	constraint induced therapy 276–7
occipital cortex excitability 42–3	facilitatory effects of interventions 183
paired-pulse inhibition/facilitation 140	functional outcome prediction 173–9
paired stimuli 296	ipsilateral activation assessment 269
Parkinson's disease patients 158, 256–7	unaffected hemisphere investigation 268–9,
pathological system susceptibility 44	270
performance disruption 51–2	suprathreshold and changes in direction of
pharyngeal motor cortex 280–2	movements 35–6
physiological lasting effects 249–50	sympathetic skin response 223
premotor area 141	synaptic mechanisms of corticospinal
psychiatric disorder treatment 250–6	activation 30–1
remote effects 140–1	techniques 26–52
repeat use 46	TES response comparison 36–7
resting corticospinal excitability 42, 44	therapeutic uses 45–6, 294–6
schizophrenia 255	time discrimination 169
sensory input combination 293	transcortical reflexes involving motor cortex 47
short interstimulus interval paired-pulse	unaffected hemisphere beneficial changes
protocol 140	poststroke 273
short interval corticocortical inhibition	vertex anodal stimulation 32
increase 247	virtual lesion effect 48–9, 50, 51
short latency paired pulse	visual stimulus interruption 49, 50
inhibition/facilitation 247	wave recruitment 32
specificity 247	<i>see also</i> MEP
stimulation frequency variation 138–9	transmitter systems, cortical plasticity 212–13
stimulation-induced plasticity 136, 137,	tumour necrosis factor (TNF) 166
138–41	
stimulation intensity 140	vagus nerve stimulation 252, 253
stimulus trains 138, 140	valence theory of mood regulation 251, 252, 253
subcortical effects 141	ventral horn, NMDA receptor expression 80
swallowing motor cortex 279–82	violin players 112

316 Index

visual association area 235	visual stimulus interruption by TMS 49, 50
visual cortex	visual system
activation 238	backward masking 49, 51
with Braille reading 204	critical periods for experience-dependent
blind individuals 233	plasticity 79
DC-induced plasticity 156	disruption of visual search of moving objects
horizontal fibres 3–4	51
non-visual processing modalities 233	postnatal development 75–6
stimulation-induced plasticity 292	
synaptic depression 79	writers' cramp 158