

Index

- abacus (machine), 45ff, simulation of Turing machine by, 51ff
- abacus-computable function, 46ff
- abbreviation, 108ff
- accent ('), 64
- Ackermann, Wilhelm, *see* Ackermann function
- Ackermann function, 84
- A-correct, 290
- Addison, John, *see* Addison's theorem
- Addison's theorem, 286, 289ff
- addition, abacus computability of, 48f, laws of, 219, Turing computability of, 29f
- address of a register, 46
- ampersand (&), 102
- analysis, 312ff, axiomatic, 314, predicative, 315
- analytical sets, relations, functions, 284
- antidiagonal sequence, 18, set, 18
- Arabic numerals, *see* decimal representation
- argument(s) of a function, 4
- Aristotle, 272
- arithmetic (true arithmetic), 150, 207, non-standard models of, 150f, 302ff, undecidability of, 223, without addition, 295, without multiplication, 295; *see also* **P, Q, R**
- arithmetical classes, 287
- arithmetical completeness theorem, *see* Solovay completeness theorem
- arithmetical definability, *see* arithmetical sets, arithmetical classes
- arithmetical equivalence of formulas, 205
- arithmetical Löwenheim–Skolem theorem, 305, 317f
- arithmetical sets and relations, 199, 286ff
- arithmetical soundness theorem, 335
- arithmetization of syntax, 187ff
- arrow ( $\rightarrow$ ), 102, 107f, 327
- associative laws of addition and multiplication, 219, of conjunction and disjunction, 245
- atomic formula, 107
- atomic term, 107
- axiom of choice (AC), 163, 248, 341
- axiom of enumerability, 281, of induction, 214, 283, 314, of infinity, 282
- axioms of **GL**, 333, of **K**, 328, of **P**, 214, of **Q**, 207f, of **R**, 215, of **S5**, 340
- axiom scheme, 214
- axiomatizable theory, 191, finitely, 191
- back-and-forth argument, 345
- bars, 262
- Barwise, Jon, 348
- base-*b* representation of numbers, 11; *see also* binary, decimal, duodecimal
- base step in proof by induction, 109, 212
- basic functions, 64
- Behmann, Heinrich, *see* Löwenheim–Behmann theorem
- Benacerraf, Paul, xii
- Bernays, Paul, 234
- Berry's paradox, 228
- Bertrand's postulate, *see* Chebyshev's theorem
- beta function ( $\beta$ -function) lemma, 203
- Beth, Ewart W., *see* Beth definability theorem
- Beth definability theorem, 265ff
- biconditional ( $\leftrightarrow$ ), 102, 108
- binary representation of numbers, 11, 21, 89
- Boole, George, 372
- box ( $\square$ ,  $\sqsupset$ ), 328, 332
- box of an abacus, 46
- bound variables, 111, relettering of, 124
- bounded minimization and maximization, 77
- bounded quantification, 76
- branch, 323
- Büchi, J. R., *see* Turing–Büchi proof
- busy beaver problem, *see* productivity
- canonical domains, 142, 147
- Cantor, Georg, 240; *see also* back-and-forth argument, Cantor's theorem, diagonalization method, zig-zag enumeration
- Cantor's theorem, 16ff
- caret ( $\wedge$ ), 328

- categorical theory, *see* denumerably categorical
- Chaitin, Gregory, *see* Chaitin's theorem
- Chaitin's theorem, 229f
- characteristic function, 73
- Chebyshev's theorem, 204, 239
- Ch'in Chiu-shiao (Qin Jiushao), *see* Chinese remainder theorem
- Chinese remainder theorem, 203
- choice, axiom of, *see* axiom of choice
- Church, Alonzo, 240; *see also* Church–Herbrand theorem, Church's theorem, Church's thesis
- Church–Herbrand theorem, 270f; *see also* dyadic logic
- Church's theorem, 120, 132, 134, Gödel-style proof of, 132ff, Turing–Büchi proof of, 126ff
- Church's thesis, 71, 134, 189, 192, extended, 71
- class, 286
- clique, 319
- closed formula or sentence, 103, 112
- closed term, 103
- closure properties of recursive relations, 76, of semi-recursive relations, 81f
- closure properties of a set of sentences, 155
- code number, 8ff, of an expression, 188, 193, of a sequence, 12f, of a Turing machine, 36ff
- coding operations of a Turing machine, 88ff; *see also* code number
- coextensive, 296
- cofinite, 15
- Cohen, Paul, 240
- coherence, 301
- combining Turing machines, 39
- commutative laws of addition and multiplication, 219, of conjunction and disjunction, 245
- compactness theorem, 137, 147ff, and second-order logic, 279, 283, for truth-functional valuations, 254
- complementation principle, 82
- complete induction, 213
- complete set of sentences, 147, theory, 191
- completeness, 148, in modal logic, 329
- completeness theorem, *see* Gödel completeness theorem, Kripke completeness theorems, Segerberg completeness theorem, Solovay completeness theorem
- complexity, 229f
- composition of functions, 14, 58, 64
- comprehension, axiom, 314
- concatenation function, 83, 187
- conclusion of a rule, 169
- condition, 289
- conditional ( $\rightarrow$ ), 102, 108, 327
- conditional probability, 301
- configuration of a Turing machine, 27, standard initial and halting, 31f
- congruence axioms, 257
- conjunction (&), 75, 102, 107, 327, general ( $\wedge$ ), 328
- conjunctive normal form, 244, full, 245
- connective, 102, zero-place, *see* constant truth and falsehood
- consequence, logical, 101, 119
- conservative extension, 264, 315
- consistency, unprovability of, *see* second incompleteness theorem
- consistency sentence, 233
- consistent set of sentences, 169, theory, 191
- constant functions, 65
- constant symbol, 103, elimination of, 255ff
- constant truth and falsehood ( $\top$ ,  $\perp$ ), 245, 327
- constraint, 301
- constructive proof, 182, 239
- continuum hypothesis (CH), 240
- convex set of points, 326
- copying machine, 39
- correct, 199; *see also* A-correct
- correspondence, 14
- corners ( $\ulcorner$ ,  $\urcorner$ ), *see* Gödel numeral
- countable, 3; *see also* enumerable
- Craig, William, *see* Craig interpolation theorem, Craig reaxiomatizability lemma
- Craig interpolation theorem, 260ff
- Craig reaxiomatizability lemma, 198
- cryptographic functions, 193
- cut elimination, 181
- decidable, effectively, 73, recursively, *see* recursive sets; semi-recursively, *see* semi-recursive sets
- decidable set of sentences, 191, theory, 191
- decimal representation of numbers, 11, 24f
- decision problem, 126
- decoding, 8
- deduction, deducibility, 148, 168f, in modal logic, 328
- definability, explicit, 266, implicit, 266; *see also* Addison's theorem, analytical sets, arithmetical sets, Beth's definability theorem, predicative and impredicative, Richard's paradox, Tarski's theorem
- definition by cases, 74
- De Jongh, Dick, *see* de Jongh–Sambin theorem
- De Jongh–Sambin theorem, 336
- demonstration, demonstrability, 148, 168f, in modal logic, 328
- denial, *see* negation
- denotation of a symbol, 104, of a term, 115
- dense linear order, 152
- density, 294
- denumerable or enumerably infinite, 4
- denumerably categorical, 147
- derivation and derivability, 168
- description of a time, 130
- diagonal lemma, 221f
- diagonal sequence, 18, set, 18
- diagonalization, method of, 17ff, of a relation, 85, of an expression, 221
- diagram, 164
- diamond ( $\diamond$ ), 328

Cambridge University Press

0521809754 - Computability and Logic, Fourth Edition

George S. Boolos, John P. Burgess and Richard C. Jeffrey

Index

[More information](#)

## INDEX

351

- difference function ( $\dot{-}$ ), modified, 61, 69
- disjunction ( $\vee$ ), 76, 102, 107, 372
- disjunctive normal form, 244, full, 245
- distributive law of addition and multiplication, 219, of conjunction and disjunction, 245
- dithering machine, 39
- divisibility ( $\mid$ ), 86
- domain of a function, 7
- domain of an interpretation or model, 103f, canonical, 142, 147
- double arrow ( $\leftrightarrow$ ), 102, 107f
- double turnstile ( $\models$ ), 114
- Dreben, Burton, xii
- duodecimal representation of numbers, 11
- dyadic predicates and dyadic logic, 271, 275ff
  
- effectively computable function, 23ff, 63
- effectively decidable set or relation, 73
- effectively semi-decidable set or relation, 80
- Elements of Geometry*, *see* Euclid's *Elements*
- elementarily equivalent, 251
- elementary operation of an abacus, 47
- elementary subinterpretation or submodel, 251
- elimination of quantifiers, 296
- empty function, 7
- empty language, 103
- empty set ( $\emptyset$ ), 4
- emptying a box, 47
- encoding, 8
- Enderton, Herbert, 348
- entering sentence, 169
- entry function, 80
- enumerability, axiom of, 281
- enumerable, 3
- enumerably infinite or denumerable, 4
- enumerator, 252
- Epimenides or liar paradox, 106, 228
- epsilon model ( $\varepsilon$ -I model), 313
- equals sign, *see* identity symbol
- equinumerous sets, 14
- equivalence, arithmetical, 205
- equivalence, axiom of, 257
- equivalence, logical, 122, 124f
- equivalence class, 143
- equivalence relation, 142ff
- erasure act of a Turing machine, 26
- Erdős–Paul, *see* Erdős–Szekeres theorem
- Erdős–Szekeres theorem, 326
- essential undecidability, 223
- Euclid of Alexandria, *see* Euclid's *Elements*
- Euclid's *Elements*, 13, 203, 239
- Euler  $\phi$ -function, 86
- existential quantification ( $\exists$ ), 103, 107, bounded, 76
- existential sentences and formulas, 164, 247
- existential, rudimentary ( $\exists$ -rudimentary) sentences and formulas, 204, generalized, 204
- exiting sentence, 169
- expansion, 247
  
- explicit definability, 266
- exponential function ( $\uparrow$ ), 66, abacus computability of, 50
- exponential-arithmetical ( $\uparrow$ -arithmetical) definability, 200
- extended Church's thesis, 71
- extension of an interpretation or model, 250
- extension of a set of sentences or theory, 264, conservative, 264, 315
- extensionality axiom, 313f
- extensionality lemma, 118, 123
  
- factorial, 68
- falsehood, constant ( $\perp$ ), 245, 327
- Fara, Michael, xiii
- Felapton, 112
- Field, Hartry, xii
- finite character, 154, 163
- finitely axiomatizable theory, 191
- finitely satisfiable sentence or set, 271f, 300; *see also* Trakhtenbrot's theorem
- finitism, 239
- first graph principle, 82
- first incompleteness theorem, 224f
- first-order logic, 101ff
- fixed point theorem, *see* De Jongh–Sambin theorem
- flow chart, 26
- flow graph, *see* flow chart
- forcing ( $\Vdash$ ), 289ff, and FORCING, 291ff
- formalize, 214
- formation sequence, 107, 113, 195
- formula, 103, 107f, second-order, 279f
- free variables, 111, 195f
- Frege, Gottlob, 272, 285
- function, 4, one-to-one, onto, 14, partial and total, 7
- function symbols, 103, elimination of, 255ff
- function variable, 279
  
- GL** (system of modal logic), 333ff
- Gabbay, Dov, 348
- generalized existential-rudimentary ( $\exists$ -rudimentary) formula or sentence, 204
- generic set, 291ff
- Gentzen, Gerhard, *see* sequent calculus, cut elimination
- Gentzen system, *see* sequent calculus
- glorified Ramsey's theorem, 325
- Glymour, Clark, xii
- Gödel, Kurt, 233, 240; *see also* completeness theorem, first and second incompleteness theorems
- Gödel completeness theorem, 148, 163ff, 174ff, abstract, 190, failure for second-order logic, 279, 283
- Gödel incompleteness theorems, *see* first incompleteness theorem, second incompleteness theorem
- Gödel number, *see* code number of an expression
- Gödel numeral, 221

- Gödel sentence, 226
- Gödel–Berry formula, 229
- Gödel–Chaitin formula, 229
- Gödel–Grelling formula, 228
- Gödel–Rosser sentence, 227
- Gödel-style proof of Church’s theorem, 126, 132ff
- Goldfarb, Warren, xiii
- graph principle, first, 82, second, 96
- graph relation of a function, 75
- greatest common divisor, 86
- Grelling or heterological paradox, 228
- Guenther, Franz, 348
- halting, of a Turing machine, 26, in standard configuration or position, 32, 91
- halting function, 38f
- halting problem, 40
- Hare, Caspar, xiii
- Harrington, Leo, *see* Paris–Harrington theorem
- Henkin, Leon, 285; *see also* Henkin axioms, Henkin sentence
- Henkin axioms, 162, 164
- Henkin sentence, 236
- Herbrand, Jacques, *see* Herbrand–Church theorem, Herbrand’s theorem
- Herbrand’s theorem, 253ff
- heterological or Grelling paradox, 228
- Hilbert, David, 239; *see also* Hilbert’s thesis
- Hilbert’s thesis, 185
- Hindu–Arabic numerals, *see* decimal representation
- homogeneous set, 320
- horizontal section, 86
- identifying nodes of a flow chart, 43
- identity function(s), 5, 57, 64
- identity of indiscernibles, 280
- identity relation, 104, Whitehead–Russell definition of, 281
- identity symbol, 103, elimination of, 255ff
- implication, logical, 101
- implicit definability, 266
- impredicative and predicative, 315f
- incompleteness of second-order logic, *see* Gödel completeness theorem, failure for second-order logic
- incompleteness theorems, *see* first incompleteness theorem, second incompleteness theorem
- inconsistent sentence or set, 148, theory, 191, in modal logic, 328
- individual symbol, *see* constant
- individual variable, 278; *see also* variable
- induction, mathematical, proof by, 212, complete, 213
- induction axioms, 214, second-order, 283
- induction hypothesis, 109
- induction on complexity, proof by, 109ff
- induction scheme, 214
- induction step in a proof, 109, 212
- infinitary Ramsey’s theorem, 321
- infinity, axiom of, 282
- instance of a formula, 112
- interpolant, 261
- interpolation theorem, *see* Craig interpolation theorem, Lyndon interpolation theorem
- interpretation of a language, 102, 103f, in modal logic, 327
- inverse function, 14
- inversion lemma, 179f, 186
- irrefutable, *see* consistent
- isomorphism, 139ff
- isomorphism lemma, 140
- isomorphism type, 142
- J*, *see* pairing function
- junction, *see* conjunction, disjunction
- K** (minimal system of modal logic), 328ff
- Kant’s theorem, 269
- Kleene normal form theorem, 94
- Kleene, Steven Cole, 348; *see also* Kleene normal form theorem, Kleene’s theorem
- Kleene’s theorem, 82
- Kochen, Simon, xiii
- König’s lemma, 322ff
- Kreisel, Georg, *see* Tennenbaum–Kreisel theorem
- Kripke, Saul, xi; *see also* Kripke completeness theorem
- Kripke completeness theorems, 329ff
- L\**, *see* language of arithmetic
- L\*\**, *see* language of analysis
- Lagrange’s theorem, 204, 213
- Lambek, Joachim, *see* abacus
- Lambek machine, *see* abacus
- language, 103, empty, 103, meta-, 121, natural, 122f, non-enumerable, 162f, object, 121, of analysis, 312, of arithmetic, 103
- leapfrog routine, 31
- least common multiple, 86
- least-number principle, 213
- left introduction rules, 170
- left movement of a Turing machine, 26
- left number, 89
- Leibniz’s law, 280
- length function, 80
- letterless sentence, 336, normal form theorem for, 336ff
- level of a tree, 322f
- Lewis, David, xiii
- liar or Epimenides paradox, 106
- linear order, 151f
- lines or steps, 168
- Löb, M. H., *see* Löb’s theorem
- Löb’s theorem, 237
- logarithm functions, 79

- logical consequence, *see* consequence
- logical equivalence, *see* equivalence of sentences
- logical symbols, 102
- Löwenheim, Leopold, *see* Löwenheim–Behmann theorem, Löwenheim–Skolem theorem
- Löwenheim–Behmann theorem, 270; *see also* monadic logic
- Löwenheim–Skolem theorem, 137, 147ff, arithmetical, 305, 317f, and second-order logic, 279, 282, strong, 251, upward, 163
- lower domain, 312
- lower inequality, 297
- lower part, 312
- Lyndon, Roger, *see* Lyndon interpolation theorem
- Lyndon interpolation theorem, 268
- machine table, 26
- Maltsev (Malcev), A. I., *see* compactness theorem
- mathematical induction, proof by, *see* induction, mathematical
- matrix, 246
- max function, 34
- maximal principle, 163
- McAloon, Kenneth, *see* Tennenbaum–McAloon theorem
- Mellema, Paul, xiii
- metalanguage, 121
- metalogical, 120
- min function, 34
- minimal arithmetic, *see* **Q**
- minimal system of modal logic, *see* **K**
- minimization, 60f, 70ff, bounded, 77
- modal logic, 123, 327ff
- modalized, 336
- models, 137ff, existence of, 153ff, number of, 139ff, size of, 137, in modal logic, 329ff; *see also* epsilon model, non-standard model, standard model
- modus ponens, 328
- monadic predicates and monadic logic, 272ff
- monadic representation of numbers, 24, modified, 63f
- monotone function, 98
- mop-up, 54ff
- Mostowski, Andrzej, 348
- multiplication, abacus computability of, 49, laws of, 219, Turing computability of, 29ff
- $\mathcal{N}^*$ , *see* standard model of arithmetic
- $\mathcal{N}^{**}$ , *see* standard model of analysis
- name, *see* constant
- natural language, 122f; *see also* Hilbert’s thesis
- necessity ( $\Box$ ), 328
- necessitation, 328
- negation ( $\sim$ ), 75, 102, 107, 327
- negation normal form, 243f
- n*-generic, 291
- non-constructive proof, 182, 239
- non-logical symbols, 103
- non-standard models, of analysis, 312ff, of arithmetic, 150f, 302ff
- normal form, for sentences and sets, 243, conjunctive, 244, disjunctive, 244, full conjunctive and disjunctive, 245, for letterless sentences, 336ff, negation, 243f, prenex, 246, Skolem, 247f
- normal form, for terms, 297
- nullity problem, 132
- numerals, *see* base-*b* representation, monadic or tally representation
- object language, 121
- objectual quantifier, 117
- official and unofficial notation, *see* abbreviation
- omega-consistency and -inconsistency ( $\omega$ -consistency and -inconsistency), 218, 227
- omega-model ( $\omega$ -model), 313
- one-to-one function, 14
- onto function, 14
- open formula, 103, 112
- open term, 103
- ordinal numbers, 210
- ordinary language, *see* natural language
- overspill, 147, 309
- P** (Peano arithmetic), 214
- Padoa, Alessandro, *see* Padoa’s method
- Padoa’s method, 267
- pairing function (*J*), 8f, 71
- paradox, Berry, 228, Epimenides or liar, 106, 228, Grelling or heterological, 228, Richard, 21f, Russell’s, 285, Skolem, 252f
- parentheses, 102, 109; *see also* abbreviation
- parenthesis lemma, 109
- Paris, Jeffrey, *see* Paris–Harrington theorem
- Paris–Harrington theorem, 325
- partition, 143; *see also* Ramsey’s theorem
- parity, 29
- partial function, 7, recursive function, 71
- Peano, Giuseppe, *see* **P**
- Peano arithmetic, *see* **P**
- Pendelbury, Michael J., xiii
- pi ( $\Pi$ ) notation, 69
- places, 103
- positively semi-decidable, *see* semi-decidable
- positively semi-definable, *see* semi-definable
- possibility ( $\Diamond$ ), 328
- power, *see* exponentiation
- predecessor function, 69
- predicate or relation symbol, 103, dyadic, 271, 275ff, identity, 103, 255ff, monadic, 272ff
- predicative and impredicative, 315f
- prefix, 246
- premiss of a rule, 169
- prenex normal form, 246
- Presburger arithmetic, *see* arithmetic without multiplication

- Presburger, Max, *see* arithmetic without multiplication  
preservation upwards and downwards, 164f  
prime decomposition, 13  
primitive recursion, 58f, 67  
primitive recursive functions, 67, 132ff, real numbers, 86, sets or relations, 73  
print operation of a Turing machine, 26  
probability measure, 301  
product, *see* multiplication, pi notation  
productivity, of a Turing machine, 42, of an abacus, 62  
projection functions, 64  
proof by contradiction, 170, 239  
proof by induction, *see* induction  
proof procedure, 166ff  
proof theory, 179  
provability logic, 387; *see also* **GL**  
provability predicate, 235, 335  
provable ( $\vdash$ ), 191  
power, *see* exponentiation  
Putnam, Hilary, xiii
- Qin Jiushao (Ch'in Chiu-shao), *see* Chinese remainder theorem  
quadruples of a Turing machine, 26  
quantifier, 102, bounded, 76, existential, 102, 107, universal, 102, 107  
Quine, Willard Van Orman, xiii  
quotient function, 12, 61
- R** (Robinson arithmetic), 215ff  
Rado, Tibor, *see* productivity  
Ramsey, Frank Plumpton, *see* Ramsey's theorem  
Ramsey's theorem, 319ff, glorified, 325, infinitary, 321  
random access, 46  
range of a function, 7  
recursion, *see* primitive recursion  
recursion equations, 67  
recursive function, 61, 71, set or relation, 73  
recursively enumerable sets, 96ff; *see also* semi-recursive sets  
recursively inseparable sets, 98  
reduct, 247  
reflexive relation, 143  
refutation, refutability, 167ff; *see also* inconsistent  
registers of an abacus, *see* box  
regular function or relation, 71  
Reidhaar-Olson, Lisa, 336  
relation, 73, 104  
relation symbol or predicate, 103  
relation variable, 279  
relatively prime, 86  
relativized quantifiers, 296  
relettering bound variables, 124  
remainder function, 12, 61  
representable, 207ff  
Richard's paradox, 21f  
right introduction rules, 170  
right movement of a Turing machine, 26  
right number, 89  
Robinson, Abraham, *see* Robinson's joint consistency theorem  
Robinson arithmetic, *see* **R**  
Robinson, Raphael, 348; *see also* **R**  
Robinson's joint consistency theorem, 264f  
Rosser, J. Barkley, *see* Rosser sentence  
Rosser sentence, 226  
rudimentary formula, 204; *see also* existential-rudimentary, universal-rudimentary  
rudimentary function, 206  
rule of inference, 169  
Russell, Bertrand, *see* Russell's paradox, Whitehead–Russell definition of identity  
Russell's paradox, 285
- S5**, 340  
Sambin, Giovanni, 336; *see also* De Jongh–Sambin theorem  
Santa Claus, 236  
satisfaction of a formula, 117ff  
satisfaction properties, 153f  
satisfiable sentence or set, 120  
Scanlon, T. M., xiii  
scanned symbol, 25  
scheme, *see* axiom scheme  
Schur's theorem, 325  
scoring function, 40f  
second graph principle, 96  
second incompleteness theorem, 233ff  
second-order logic, 279ff  
section of a relation, *see* horizontal section, vertical section  
secures ( $\Rightarrow$ ), 167f  
Segerberg, Krister, *see* Segerberg completeness theorem  
Segerberg completeness theorem, 334  
semantics of first-order logic, 114ff, distinguished from syntax, 106  
semi-decidable set or relation, effectively, 80, recursively, *see* semi-recursive set or relation  
semi-definable set or relation, 218  
semi-recursive set or relation, 80ff; *see also* recursively enumerable  
sentence or closed formula, of first-order logic, 103, 112, of modal logic, 328, of second-order logic, 280  
sentence letter, 103, 107, 114, 327  
sentential logic, 301, 327  
sequents and sequent calculus, 166ff  
shonfield, J. R., 348  
sigma ( $\Sigma$ ) notation, 69  
signature of an equivalence relation, 143, 150f  
size- $n$  set, 320  
Skolem, Thoralf, *see* Löwenheim–Skolem theorem, Skolem normal form

Cambridge University Press

0521809754 - Computability and Logic, Fourth Edition

George S. Boolos, John P. Burgess and Richard C. Jeffrey

Index

[More information](#)

- Skolem axioms, 248
- Skolem expansion, 248
- Skolem function symbol, 247
- Skolem normal form, 247
- Skolem paradox, 252f
- Smith, Nicholas, xiii
- Solovay, Robert, *see* Solovay completeness theorem
- Solovay completeness theorem, 335
- soundness, 148, 167, 174ff, in modal logic, 329, arithmetical, 335
- spectrum, 149
- standard configuration or position, initial, 31, final or halting, 32, 91
- standard element of a non-standard model, 303
- standard interpretation or model, of the language of analysis, 312, of the language of arithmetic, 104
- standing sentence, 169
- state of a Turing machine, 25
- steps or lines, 168
- subformula, 111
- subinterpretation or submodel, 249f, elementary, 251
- subsentence, 112
- substitution, of equivalents, 124
- substitution of functions, *see* composition
- substitution of functions in relations, 75
- substitution of terms for variables, 188f, 195; *see also* instance
- substitution function, 84
- substitutional quantification, 116
- subterm, 111
- successor function, 57, 64
- successor step in proof by induction, *see* induction step
- sum, *see* addition, sigma notation
- Sun Zi (Sun Tze), *see* Chinese remainder theorem
- super-duper-exponentiation, 67
- super-exponentiation ( $\uparrow$ ), 66f
- symmetric relation, 143
- syntax of first-order logic, 106ff, distinguished from semantics, 106
- tally representation of numbers, *see* monadic representation
- Tarski, Alfred, 348; *see also* compactness theorem, Tarski's theorem, truth
- Tarski's definition of truth, *see* truth
- Tarski's theorem, 223
- tautology and tautological consequence, 328
- Tennenbaum, Stanley, *see* Tennenbaum's theorem, Tennenbaum–Kreisel and Tennenbaum–McAloon theorems
- Tennenbaum's theorem, 302
- Tennenbaum–Kreisel theorem, 306
- Tennenbaum–McAloon theorem, 306
- term, 103, 107, atomic, 107, closed, 103, 107, denotation of, 115, open, 103, 107
- term model, 155
- theorem, of a first-order theory, 191, 263, in modal logic, 328
- theory, 191, 263, axiomatizable, 191, complete, 191, consistent, 191, decidable, 191, finitely axiomatizable, 191
- Thomson, James, xiii
- total function, 7
- touring machines, 42
- Tovey, Peter, xiii
- Trakhtenbrot, Boris, *see* Trakhtenbrot's theorem
- Trakhtenbrot's theorem, 135, 198
- transfer theorem, *see* Löwenheim–Skolem theorem
- transitive relation, 143
- trees, 322ff
- true analysis, *see* analysis
- true arithmetic, *see* arithmetic
- truth, definability of, 286ff; *see also* Tarski's theorem
- truth in an interpretation ( $\models$ ), 114, for modal logic, 329
- truth predicate, *see* Tarski's theorem
- truth tables, 255
- truth value, 105
- truth-functional compound, 244
- truth-function satisfiability, 253
- truth-functional valuation, 253, 327
- Turing, Alan M., 240; *see also* Turing computability, Turing machine, Turing's thesis
- Turing computability, 33
- Turing machine, 25ff, 126ff, code number for, 36ff, coding operations of, 88ff, simulation of abacus by, 51ff, universal, 44, 95f
- Turing–Büchi proof of Church's theorem, 126ff
- Turing's thesis, 33, 132; *see also* Church's thesis
- turnstile ( $\vdash$ ), 191, 328, double ( $\equiv$ ), 114
- two-sorted language, 312
- unbarred, 262
- uncomputability, 35ff
- undecidability, of arithmetic, 223, essential, 223, of first-order logic, *see* Church's theorem
- undecidable sentence, 225, theory, *see* decidable theory
- undefined, 6
- unique readability lemma, 111, 123
- universal function, 218
- universal quantification ( $\forall$ ), 102, 107, bounded, 76
- universal sentences and formulas, 165, 247
- universal Turing machine, 44, 95f
- universal-rudimentary ( $\forall$ -rudimentary), 204
- universe of discourse, *see* domain of an interpretation
- unofficial and official notation, *see* abbreviation
- unsatisfiable, *see* satisfiable
- upper domain, 312
- upper inequality, 297
- upward Löwenheim–Skolem theorem, 163

- valid sentence, 120, 327
- valuation, truth-functional, 327, 253
- value of a function, 4
- van Heijenoort, Jean, 348
- variable, 102, 106, bound and free, 111, individual  
    and second-order, 279
- Vaught, Robert, *see* Vaught's test
- Vaught's test, 147
- vertical section, 86
  
- Wang, Hao, *see* coding operations of a Turing  
    machine
  
- Wang coding, *see* coding operations of Turing  
    machine
- wedge ( $\vee$ ), 76, 102, 107, 372
- Whitehead, Alfred North, *see* Whitehead–Russell  
    definition of identity
- Whitehead–Russell definition of identity, 281
  
- zero function, 57, 64
- zero step in proof by induction, *see* base step
- Zeus, 19f, 23, 236, 321
- ZFC**, 278
- zig-zag enumeration, 7