

Index

Note: page numbers in italics refer to boxes; those in bold refer to illustrations.

- Accipiter gentilis atricapillus* (northern goshawk), nesting habitat 3
- Accipiter nisus* (sparrowhawk)
distribution and habitat structure 119–20
site fidelity 123–4
- acorn woodpecker (*Melanerpes formicivorus*), case study 24
- African ungulates, resource partitioning 28–9
- Agropyron*, additive experiments 34–5
- Akaike's Information Criterion (AIC) 4, 6
- allelopathy 18
- Ambrosia deltoidea* (bur-sage) 19
- amensalism 17–18
- analysis of variance (ANOVA) 62–3
- Arizona, Sonoran Desert
case study 24
interactions 19–20
- assembly rules, goals community ecology 129–30
- association analysis 22–3
- biogenic opal 111–12
- biomass sampling 56
- birds, on islands, comparative study 25
- Bouteloua curtipendula* 37–8
- broken-stick model 71
- bur-sage (*Ambrosia deltoidea*) 19
- C₃/C₄ photosynthetic pathways 43, 110
- canonical correspondence analysis (CCA) 86–7
- capture–recapture models 57–8
- carbon-isotope analysis 110–12
- case studies
comparative studies 25–6
descriptive studies 24
experiments
additive experiments 34–5
field experiments 36–9
laboratory experiments 35–6
removal experiments 30, 31–4
- models
competitive hierarchy model 27–8
resource partitioning, African ungulates 28–9
- cats, as predators 21–2
- Cedar Creek Natural History Area (CCNHA) 106–7
- centrifugal organization model 97–8, 103
- Centrocercus urophasianus* (sage grouse) 124
- chronosequences 116
- Clementsian view of succession 101–2
- cluster analysis 86–97
dendrograms 87–8, **89**
as management tool 88, 89
objective 88
- clustering algorithms 89–97
average-linkage 93–4
centroid clustering 93–4
complete-linkage (farthest neighbor) 93
constrained indicator species analysis (COINSPAN) 91
minimum-variance clustering 95
single-linkage (nearest neighbor) 91–3, 93
two-way indicator species analysis (TWINSPAN) 91, 95–7
- coenocline, ordination techniques 78
- commensalism 17–18

162 Index

- community ecology, goals 129–30
- community organization
 - models 70–2
 - see also* models; plant community structure
- competition
 - additive experiments 34–5
 - ‘apparent’ 30
 - removal experiments 30–4
 - terminology 18
- competitive hierarchy model 27–8
- concepts 130–1
 - plant community structure 49–50
- constrained indicator species analysis (COINSPAN) 91
- contramensalism 17–18
- correlation matrix, principal components analysis (PCA) 83–4
- correspondence analysis (CA) 86
 - detrended 78
- cover estimation 56–62

- deer mouse, removal experiment 33
- dendrochronology 110, 128
- dendrograms
 - cluster analysis 86–8, 89
 - reversal 94
 - single-linkage clustering 93
- descriptive studies
 - case studies 24
 - limitations 22–4
 - and management problems 118–19
 - studying interactions 22–6
 - unsupported, as ecosystem health/integrity/sustainability 12
- detection function 61
- detrended correspondence analysis (DCA) 77
- Dipsacus*, additive experiments 34–5
- direct gradient analysis (DGA) 72–4, 86
 - advantages of 74
- distance modeling 60–1
- diversity
 - richness (*s*) 63–6
 - Simpson’s and Shannon–Weaver indices 66–9
 - within-community (alpha diversity) 63
- ecesis 101
- ecology 2–7
 - constraints to application 135–6
 - goals for applying 129–30
 - levels of organization 137
 - limits to application 9–10
 - and management 10–11, 128–9, 140–2
 - paradox of 1
 - pursuit of ecological knowledge 14–16
 - relevance to natural resource management 132–3
- ecosystem properties
 - change *see* succession
 - health/integrity/sustainability, as unsupported description 12
 - and species diversity 134
- edge habitat 120–1
- estimation problems 3–4
- Euclidean distance 91
- experimental framework of research 5–7
 - evaluation 131
 - interactions 29–39
 - additive experiments 34–5
 - field experiments 36–9
 - laboratory experiments 35–6
 - removal experiments 30, 31–4
 - management view 8
 - ‘natural’ experiments, limitations 8
 - temporal and spatial scales 14–16
 - tractable questions 16
- extinction 123

- facilitation, defined 18–19
- field experiments 36–9
 - 10-year cycle, snowshoe hare (*Lepus*) 38–9, 40
 - above- and below-ground interference 37–8, 42–4
- fire regime, management goals 8, 9, 11–12, 130
- floristics
 - initial 103
 - relay 102–3
- forest canopy, estimation 138
- fox predation, removal experiment 32–3

- gap dynamics model 97
- geckos, removal experiments 32
- grasshopper mouse, removal experiment 33–4

- habitat
 - defined 121–2
 - edge 120–1
 - quality/fitness 122
 - site fidelity 123–4
 - stochastic events 123
- health of ecosystem, as unsupported description 12
- herbivory, interactions 19–20, 44
- historical aspects of ecosystem change 108–14

- Hordeum*, laboratory experiments 35–6
- hypothesis/es
 defined 2, 130–1
 ecological, testing 7–8
 for ecological phenomena 9
 null/strawman 3–4, 5
 research vs. statistical 5
 testing 2–3
- indirect ordination 74–9
- initial floristics 103
- integrity of ecosystem, as unsupported
 description 12
- interactions
 classifying 17–22
 detecting 39–41
 herbivory 44
 interference 18
 management objectives 41–7
 replication 41
 studying 22–39
 description 22–6
 experiments 29–39
 models 26–9
 types 17–18
- interference 18
- interference experiments 37–8, 42–4
- interguild predation 19
- invasions 46
- Juniperus*
 ordination 80
 reciprocal averaging (RA) 81
- laboratory experiments 35–6
- Lepus americanus*, 10-year cycle 38–9, 40
- lichens, comparative study 25
- light 42–3
- Lincoln–Peterson index, capture–recapture model 57
- livestock grazing interactions 44–6
- log-normal model 70–1
- Lotka–Volterra models 26
- management
 decisions 11–14
 and descriptive studies 118–19
 and ecological change 115–16
 and ecology, paradox 1
 linking with science 10–11, 128–9, 140–2
 socio-political context 137–40
- Melanerpes formicivorus* (acorn woodpecker) 24
- mesquite (*P. glandulosa*), field experiments 36–9
- mice, predation or competition, removal experiments 33–4
- minimum-variance clustering 90
- model selection 3–4
 and inference 6–7
- models 26–9, 69–98
 broken-stick model 71
 capture–recapture model 57
 centrifugal organization model 97–8, 103
 community organization 70–2
 competitive hierarchy model 27–8
 distance modeling 60–1
 log-normal model 70–1
 niche pre-emption model 70
 process models 97–8
 resource partitioning 28–9
 studying interactions 26–9
 Lotka–Volterra models 26
- mutualism 17–18
- niche
 fundamental vs. realized 73
 pre-emption model 70
- nonnative species introductions 13
- northern goshawk (*A. gentilis atricapillus*), nesting habitat 3
- northern spotted owl (*S. occidentalis*), distribution 54
- nudation 101
- null hypothesis/es
 association analysis 22
 testing 3–4, 5
- oakwood communities
 cluster analysis as management tool 88, 89
 defined 90
 dendrogram 89
 soil carbon isotopes analysis 110–12, 111
 oak savanna/semidesert grassland boundary 112
- old-field succession 100, 116–17, 118
- opal, biogenic (phytoliths) 111–12
- ordination 72–86
 indirect 74–9
 interpretation of environmental effects 75
 interpretation of results 75
 as management tool 80
 reciprocal averaging (RA) 117
 techniques, coenocline 78
- ordination algorithms 75–9
 arch effect 77
 axes 76
see also principal components analysis (PCA)

- parsimony, principle of 6
- persicaria (*P. lapathifolium*) 36
- photography, repeat ground 109–10
- photosynthetic pathways, C₃/C₄ 43, 110
- phytoliths (biogenic opal) 111–12
- plant community structure 49–98
 - classification 86–98
 - concept 49–50
 - data collection 52–63
 - process models 97–8
 - quantifying diversity 63–87
 - see also models
- Polygonum lapathifolium* (persicaria), laboratory experiments 36
- predation, or competition, removal experiment 32–3
- principal components analysis (PCA) 75, 79, 81–5
 - correlation matrix 83–4
 - variance-covariance matrix 84
- process-oriented models, plant community structure 97–8
- Prosopis glandulosa* (mesquite), field experiments 36–9
- purple loosestrife 13
- quadrat-dimensional space 82, 83
- quadrats
 - clustering algorithms 89–97
 - number/size 61–2
- reciprocal averaging (RA)
 - correspondence analysis (CA) 77, 81, 86
 - ordination 117
- relative abundance data 62–3
- relay floristics 102–3
- replication experiments 41
 - pseudoreplication 41
- reserves, single-large or several-small (SLOSS) debate 133
- resource management 132–3
 - state-and-transition model 105–7, 106
- resource partitioning, African ungulates 28–9
- resource-ratio hypothesis 97
- response rules, community ecology 129–30
- retrospection 108–14
- richness (s) 63–6
 - high sampling variability 65
 - Simpson's and Shannon-Weaver indices 66–9
- rodents, predation or competition, removal experiment 33–4
- sage grouse (*C. urophasianus*) 124
- saguaro cactus 46
- sampling methods 54–62
 - area sampling 59–60
 - biomass 56
 - cover 56–8
 - conversion scale 59
 - data management 62–3
 - density 56
 - distance modeling 60–1
 - frequency 58–9
 - quadrat number 61–2
 - quadrat size 61
- scales
 - experimental research 14–16
 - terminology 136–7
- science
 - evaluating progress 130
 - and management 10–11, 128–9, 140–2
- seed availability 44
- seed dispersal methods 45
- Shannon-Weaver index, within community diversity 66, 68–9, 80
- Simpson's index, within community diversity 66, 67–9, 80
- single-large or several-small (SLOSS) debate 133
- single-linkage (nearest neighbor) clustering algorithms 89–93, 93
- snowshoe hare (*L. americanus*), 10-year cycle 38–9, 40
- socio-political context of management 137–40
- soil, carbon isotopes analysis 110–12
- space-for-time substitutions 116
- sparrowhawk (*A. nisus*) 119–20, 123–4
- spatial scales, experimental research 14–16
- species abundance data 62–3, 82
- species removal 63
- species distributions
 - direct gradient analysis (DGA) 73–4
 - and ecosystem properties 134
 - limits, and association analysis 23
- species-dimensional space 91
- Strix occidentalis* (northern spotted owl), distribution 54
- succession 99–125
 - changing views 102–7
 - Clementsian view 101–2
 - contemporary view 107–8
 - early successional stages 120–1
 - and herbivory 105
 - historical accounts 108–14
 - limitations 113–14
 - implications for wildlife 119–24
 - late successional stages 43
 - state-and-transition model 105–7, 106
 - tools 108–19
 - comparative studies 116–19

- experiments 119
 - monitoring 114–16
 - retrospective approaches 108–14
 - traditional view 100–2
- sustainability of ecosystem, as
 - unsupported description 12
- teasel, additive experiments 34–5
- temporal change *see* succession
- temporal scales, experimental research 14–16
- theory development, and application, paradox 133
- two-way indicator species analysis (TWINSPAN) 91, 95–7
- variance
 - analysis of variance (ANOVA) 62–3
 - log transformations 63–4
- variance-covariance matrix, principal components analysis (PCA) 84