CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Index

802.11. *See* IEEE 802.11 standard

A

Abstract Architecture Specification defined, FIPA 571
Abstract classes, UML 180
Abstract User Interface Markup Language (AUIML) 367
accessKey attribute defined 292–293
ACL Specifications defined, FIPA 573
Active transactions
  asynchronous 20
  and CLDC 47
  defined 19
  overview 18–22, 723–725
  Pull mechanisms and 727, 728
  and SMS 725
  synchronous 20
  WAP and 80
Activity diagrams, UML
  defined 162
  elements in 214, 215–220
  events and signals 200
  and GUI development 372–376
  overview 213–222
  UI validation, modeling 375
  VUIs, representing 441
Actors
  function of 165
  human 379
  inheritance of properties, building 171
  system 379
Add command defined, SyncML 666
Addresses, representing
  information collecting 374
  SAX parsing 108
  WSDL 115
  XML 106, 107, 120
ADVcharts, hypermedia extensions for 509–510
Agencies defined 564
Agent Authority defined, MASIF 569
Agent Interaction Protocol diagrams, UML
  extensions for 575
  mobile agent interactions, modeling 586
  overview 575
Agent Location defined, MASIF 569
Agent Management Specification defined, FIPA 571–572
Agent Name defined, MASIF 569
Agent System defined, MASIF 569
Agent System Type defined, MASIF 569
Agent technologies. *See* Mobile Agent platforms
AgentUML (AUML) 574–577
Agent Wrapper Class code 598
Aglets, Java
  architecture 591
  code, sample 592–593

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Aglets, Java (*cont.*)
defined 589, 590–592
and MASIF 591
tools 592
Alert command defined, SyncML 667
alert element defined 293
Amplitude defined 401–402
Amplitude modulation defined 617
Analysis Model defined 377, 378, 379
AndroMDA Project url 159
Anomaly Detection Systems 746
Apache Cocoon. *See* Cocoon
APIs. *See* Application Programming Interfaces (APIs)
Applets defined, Java 589–590
Application Layer security described 736
Application Programming Interfaces (APIs)
high-level
and programming languages 430
speech and call control with 431–432
Java Speech 433–434
Nuance Speech Object 432
portability and 434
vendor-based 432–433
VUIs, building 429, 438–447
Applications. *See* Software applications
Application Service Provider Region defined 583
AppLoader, BREW 57
Architectures. *See also individual applications by name*
client-server 777–779
defined 25, 774
designing 774
mainframe 775–777
mobile applications 25–26, 773–775, 786–787
multimodal 550
N-tier 779–783
patterns defined 26
practical considerations 785
properties and evaluation of 550–551
ArgoUML 101
ARM compiler, BREW 56
Assisted GPS (A-GPS) described 679
Asymmetric channels defined 251
Atomic command defined, SyncML 667
Atomic interaction
defined 253, 254, 381, 443
representing with stereotypes 443
Atomic modality defined 504
Attributes defined, CC/PP 134
Attribute visibility, specifying 172
Augmenting processes defined, XML Pipeline 124
AUML. *See* AgentUML (AUML)

B

Bandwidth
connectivity and 617
fraudulent use of 742
Push based technologies, requirements 734
theft 745
Base64 Encoded Binary Data data type defined, XML Schema 121
Batteries, limited and mobile computing 14–15
Becomes stereotype and object relationships 184
Behavioral view, UML 184
Bidirectional text module defined, XHTML 352
Billing information, collecting 320
Binary Run-time Environment for Wireless (BREW)
applications, building/deploying 57–63
AppLoader 57
architecture 61
ARM compiler 56
databases and 60
Device Configurator 56
Emulator 56
Grinder 57
and hardware 63
Image Authoring tool 56
Image Converter 56
MIF Editor 56
mobile agent capabilities of 566
and multimodality 531

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

overview 55, 501
platform functionality 35, 37
Pure Voice converter 57
Resource Editor 57
SDK 55–57
security 746
sound functionality 60
and synchronization 662
telephony API (TAPI) 60
TestSig Generator and AppSigner 57
and UIMS functionality 314
unit testing 58
Binding
SOAP 113
WSDL 115
Black box testing 797–798
Bluetooth
architecture 627–628
devices, states of 628
and LANs 629
overview 625–630
security in 742–743
specification 626
synchronization profile 662, 663, 671–672
Boolean data type defined, XML Schema 121
Boundaries, modeling 380
BREW. *See* Binary Run-time Environment for Wireless (BREW)
Broadcasting defined, UML 201
BrowserUA defined, UAProf 141
button control defined 302

C

Call Control Extensible Markup Language (CCXML)
documents, modeling 474, 475
overview 122, 467
SMIL and 495
state machines and CCXML containers 468
syntax tags 469–473
and UML 468–475
user interfaces to 475
VXML applications, controlling 474
Capabilities Entity defined 730
caption element defined 292–293
Cascading Style Sheets (CSS) 486–495
CC/PP. *See* Composite Capabilities/Preferences Profiles (CC/PP)
CCXML. *See* Call Control Extensible Markup Language (CCXML)
CDC. *See* Connected Device Configuration (CDC)
CDMA. *See* Code Division Multiple Access (CDMA)
CDPD. *See* Cellular Digital Packet Data (CDPD)
Cellular Digital Packet Data (CDPD) 633–634
Cellular wireless communication described 618–619
Channels
spatial properties of 251–252
temporal properties of 251
charset defined, CC/PP 135
charWidth defined, CC/PP 135
choices tag defined 297
class attribute defined 292
Class diagrams, UML
defined 49, 131, 162
forms and 285, 286
JSGF grammars 424
and JSR-179 707
and location information 690, 712
purpose of 171
Sync4J 671
and user interfaces 262
Wisdom extensions 379–380
and XML document structure 149
Classes
defining 172–179
vs. grammars 421–422
methods, defining 172
naming 171–172
service independent 645
Class ID and applications, identifying 58
Classifiers defined, UML 161
CLDC. *See* Connected Limited Device Configuration (CLDC)
Client-agent-server overview 561

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Client-Profile defined, CC/PP 136, 137
Client-server and mobile agent hybrids 560–561
Client-side image map module defined, XHTML 352
Client-side validation 301
Cocoon
  applications, building 90–96
  architecture 84–85
  content, transforming 91, 95
  generators 86
  installing and using 85
  and multimodality 537–539
  overview 83–84, 88, 536–537
  pipelining system in 125
  publishing framework 82
  serializers 87
  sitemap 87–88
  transformers 86
  and UIMS functionality 314
Codebase defined, MASIF 569
Code Division Multiple Access (CDMA) 634–635
Code mobility, types of 558
Coding standards and testing 795–796
Collaboration diagrams, UML. *See also* Interaction diagrams, UML
  artifacts 194–196
  defined 162
  iterations, modeling 197
  for mapping service 200
  messages, displaying 186
  and mobile agent applications 583
  and object relationships 185
  overview 193–198
  and synchronization 675
Collaborations 198–200, 564
Color defined, CC/PP 135
Commands
  defined, SyncML 666
  and interactions 257
Common Gateway Interfaces (CGIs) 780–781
Communication Infrastructure defined, MASIF 569
Communication satellites and mobile communications 6
Component diagrams, UML
  artifacts of 227
  defined 49, 163
  overview 222–226
Components
  chaining of 780
  defined 134, 161, 224
  managing 280–283
  merging defined 141
  placement, specifying 285
  rdf:ID attribute defined 141
  rdf:type attribute defined 141
  requirements of 225
  specializing 279
  and stereotypes 226
Composite Capabilities/ Preferences Profiles (CC/PP)
  attributes 134
  charset 135
  charWidth 135
  Client-Profile 136, 137
  client profiles 135, 136
  color 135
  components 134
  data types, simple 136
  deviceIdentifier 135
  implementing 139
  overview 133–137
  pix-x 135
  pix-y 135
  private information, delivering 139–140
  profiles 133–134, 136
  Proxy Profile 136, 138
  RDF vocabulary 134
  Request Profile 136
  schema 135
  security and P3P 139
Composite interaction defined 253, 254
Composite modality defined 504
Composite states 203, 211
Concurrent property string, function of 179
Configuration diagrams, UML 507
Conflicts and data replication/ synchronization 656

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Connected Device Configuration (CDC) 50–51
Connected Limited Device Configuration (CLDC)
  active transactions and 47
  API overview 42–43
  class file verification in 41
  device capabilities, limited 46
  features of 38–42
  internationalization, providing 41
  I/O functionality, providing 41
  location awareness 46
  mobility, dimensions of 46–47
  networking capabilities, providing 41
  platform proliferation and 47
  profiles defined 41–42
  QOS, network and 46
  security sandbox 41
  serialization 592
Connectivity
  functionality and bandwidth requirements 617
  to networks 5
  software applications, stationary and 12
  types of 615
  wireless and QOS 620–622
Connector stereotype defined, UML 372
Constraints defined, UML 181
Constructive processes defined, XML Pipeline 124
Content
  generating 111
  multimodal 513
  specializing 336
  transforming 91, 95
Content Entity defined 730
Context-aware computing defined 273, 282, 499
Contexts
  domain independent 273
  extrinsic defined 274
  intrinsic defined 274
  and location information 709–711
  Mobile Agent platforms and 604
  overview 270
  specifying 274
  structural defined 275
  taxonomy
    by domain 272–274
    by structural positioning 275
    by temporal positioning 276
  and user interface components 273
Continuous receivers defined 680
Control Entity defined 730
Control messages defined 255–256
Controls classes defined 380
Cooperative User Interfaces Markup Language (CUIML) 528–530
Coordinated Decoupling of Modalities 550
Copy command defined, SyncML 667
Copy stereotype and object relationships 184
CPU, limited and mobile computing 12–14
CSS. *See* Cascading Style Sheets (CSS)
CUIML. *See* Cooperative User Interfaces Markup Language (CUIML)

D

Databases
  BREW 60
  and client-server architectures 778
  N-tier architectures 779–783
  and Windows CE 69–70
Data defined, XML, 145. *See also* Replication; Synchronization, of data
Datagloves as user interface 250
Data Link Layer security described 737
Datastore defined, SyncML 665
Data types
  Base64 Encoded Binary Data 121
  Boolean 121
  complex 121
  defined, UML 161
  defining in XML Schema 120
  numeric 120

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Data types (*cont.*)
simple 121, 136
string 120
URI 121
Date data type defined, XML Schema 120
Delete command defined, SyncML 667
Deployment diagrams, UML
defined 163
electricians application 812
overview 226–228
Deployment View defined, UML 160
Deserialization defined, MASIF 569–571
Design Model defined 377
Design View defined, UML 160
Device capabilities 46, 79, 390
Device Configurator, BREW 56
deviceIdentifier defined, CC/PP 135
Device Info defined, SyncML 665
Device motion as user interface 250
Device storage, limited and mobile computing 12–14
DFKI Multimodal Architecture overview 549
Diagrams. *See individual diagram by name*
Dialogue Management for Multimodality, Sharma 547
Dialogue Model defined 377, 382
Dialogues
form based 265, 268
grammars and 411
mixed initiative
defined 266, 409
and sequence diagrams 268–270
in user interfaces 261–262
model defined 377, 382
natural language
defined 266, 408–409
sequence diagrams in 268–270
and state diagrams 445
types of 265, 408
Differential GPS (DGPS) described 679
Digital Earth project 721
Direct Combination defined 396
Directed dialogue defined 408
Direct Manipulation defined 396
Discovery JINI service defined 52
Distribution, customized and channel availability 248
Domain defined 272
Domain Model defined 377
DOM parsing, XML 106–108, 109
Driving directions application
multi-channel system requirements 263
retrieving 265–266
use cases 263, 758
Dynamic diagrams defined, UML 161
Dynamic meta-modeling defined 510

E

EDGE described 639–640
Edit module defined, XHTML 352
EEMA. *See* Extensible Multimodal Annotation Markup Language (EMMA)
Electricians application
deployment diagram 812
design 812–815
implementation 815–818
mobile use cases 811
overview 806
presentation diagram 816
requirements 806–812
XForms document 817
Electromagnetic waves and modulation 616
Element layer definition DTD described 697
Embedded Visual Basic 64
Embedded Visual C++ 64, 66–69
Embedded Windows XP 64
Emergency Location Immediate Service (ELI) described 697
Employee class, UML 181, 184
Emulator, BREW 56
Entities classes defined 381
Envelope defined, SOAP 113
EUROSCOM P809-GI project 643–645
Evaluation matrix
electricians application 808
J2ME client mobile use case 767, 768
location sensitivity infrastructure 764

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

mobile use cases 759, 760
user usage 760–763
Event-based UIMS defined 280–281, 285
Events
defined 200, 201
JINI service 53
and objects 201
Everyplace Suite, IBM 97
Exceptional Case defined, UML 164
Exception handling, full blown defined 40
Exception stereotype defined, UML 373
Exec command defined, SyncML 667
Experience Sampling Method (ESM) and the user experience 499, 500
Extensible Markup Language (XML)
addresses, representing 106, 107, 120
applications, modeling 144
attributes and elements, using 294
content, transforming 109–111, 324
data defined 145
documents
representing 145
structure of 149
DOM and XSL templates 111
history of 105–106
instances in 145
and J2ME 47–48
mapping
meta-model level 146–153
namespaces 149, 150
to UML constructs 147–148, 149, 150
meta data 145
meta-meta data 145
meta model 145
mobile applications 106, 118
model defined 145
overview 104
parsing
DOM 106–108, 109
SAX 108–109
WAP 109
vs. RDF 128–130
schema
data types, list of 119–121
defined 119
GML document, defining 689
namespaces 119
OpenGIS GML grid 150
overview 119–121
and UML 146–153
XForms 119
Speech Grammar Specification, W3C 420
UML and 144–146
and user interfaces 121–122
Web services 111–112
Extensible Multimodal Annotation Markup Language (EMMA) 517–518
extension element defined 293
Extraction processes defined, XML Pipeline 125

F

Feature-level fusion defined 546
FIPA. *See* Foundation for Intelligent Physical Agents (FIPA)
Fitt's Law 391–392
Floating point arithmetic defined 39
Focus, lack of and mobile computing 23, 390
Foreign Agent defined 647
Form based dialogues 265, 268
Forms
and class diagrams 285, 286
controls 259, 305
module defined, XHTML 353
overview 259
Forward Link Trilateration (FLT) and location solutions 682
Foundation for Intelligent Physical Agents (FIPA) 571–572, 574
Frame-based fusion defined 546
Frame stereotype defined, UML 372
Frameworks
centralized, fully 31–32
hardware-specific 36–37
publishing 81–83
Frequency defined 402
Frequency modulation defined 617

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Fusion, levels of 546
Fusion and Integration with multimodality architecture described 786

G
Garbage collection defined 40
Generators, Cocoon 86
Geographical information system (GIS)
architecture 685
interfaces, building 686–687
and location sensitivity 684–685
and mobile applications 686
Geographic Markup Language (GML)
Coordinate Reference System 691
Feature 691
Geometry 691
overview 688–692
Temporal constructs 692
Temporal Reference System 692
Topology constructs 691
Unit Definitions 692
XLink values in 691
and XML 150, 689
Get command defined, SyncML 667
GIS. *See* Geographical information system (GIS)
Global Positioning System (GPS)
accessing programmatically 704–705
defined 10, 679
location solutions 679
satellites, system of 680
and triangulation 677
Global System for Mobile (GSM) 638, 745
GML. *See* Geographic Markup Language (GML)
Golden Hammer Antipattern defined 243, 741
GPRS described 638–639
GPS. *See* Global Positioning System (GPS)
Grammars
vs. classes 421–422
defining 424
for directed dialogue 411
JSGF 413, 424
and mixed-initiative dialogue 411
modeling 270, 424
modularization 414, 418
overview 410–411, 425–426
recursive, building 419
representing programmatically 412, 421–424, 425
rules 412–414, 415–418, 420
specifying 270
speech specification, W3C 270
UIMS defined 280, 285
and validation 301
Graphics, rendering 360
Graphic user interfaces (GUIs)
building
.NET Framework 366
palm applications 362
Symbian EPOC 362–365
and J2ME 366
mobile
direct combination, application of 395–397
optimization of 389–393
overview 316–318
modeling 371–376, 442
specialization
distributed 339–340
to mobile application 339
to server 335–338
single channel 333–335
user interfaces 369–371
Grasshopper 599–602
Grinder, BREW 57
group element defined 309
GSM. *See* Global System for Mobile (GSM)
Guarded property string, function of 178

H
HardwarePlatform defined, UAProf 140
Headers defined, UIML 368
Health element in user interfaces 234
Hexadecimal EncodedBinaryData data type defined, XML Schema 121

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

hint element defined 293
History states, UML 203, 212
Home Agent defined 647
Host conformance defined 540, 559
Host defined 564
HTML, history of 105, 121
HTTP 287, 342
Human factors, defining 233–235, 237–241
Hypertext module defined, XHTML 352

I

IBM Everyplace Suite 97
IBM Transcoding Publisher 337–338
IBM Wireless Transcoding Publisher (WTP) 96, 97–99
IEEE 802.11 standard 630–631, 743–745
Image Authoring tool, BREW 56
Image Converter, BREW 56
Immediacy and mobile computing 24
Implementation Model defined 378
Implementation View, UML 160, 222–228
Information streams, types of 525
Infrared Data Associations (IrDA) 631–632
Ink Markup Language (InkML) 528
InkML. *See* Ink Markup Language (InkML)
Input channels defined
Input element, transforming 295
Input mechanisms, limited and mobile devices 390
input tag defined 295–296
Input type and multimodality 503–504
Inspection processes defined, XML Pipeline 124
Instance data, manipulating 312
Instance defined, XML 145
InstanceOf stereotype and object relationships 184
Instantiate stereotype and object relationships 184
Integrated circuit (IC) memory cards defined 51
Integrated circuit (IC) microprocessor cards defined 51
Integrated Development Environments (IDEs) 430
Interaction diagrams, UML. *See also* Collaboration diagrams, UML; Sequence diagrams, UML
  actions, specifying 185
  artifacts 194–196
  interactions, representing 263
  messages in 185
  and multimodality 512
  overview 185–186
Interaction Model defined 377, 378, 379, 382
Interactions
  active 727, 740
  atomic 253, 254, 381, 443
  commands and 257
  composite defined 253, 254
  cost of, formula 394
  initiating 725–726
  menus and 257–258
  modeling
    mobile agents 584
    and sequence diagrams 185
    user 185, 263–268
  overview 255
  representing
    in UML 262–263
    user interfaces 267
  systems and users 253–254
  taxonomy, meta-model 262
  types 257, 606
  and use case diagrams 262
  VUIs, building 426–427, 442
Interaction Space stereotype defined 380
Interaction Tool Kit component 332
Interactive Voice Response (IVR) 412
Inter-channel synchronization defined 247
Interface tags defined, UIML 368
Intrusion Detection Systems 746
Inversion of Control principle 281

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

IrDA. *See* Infrared Data Associations (IrDA)
isQuery property string defined 178
item element defined 296
itemset element defined 296–297, 298
IVR. *See* Interactive Voice Response (IVR)

J

JADE. *See* Java Agent Development Framework (JADE)
Jar file defined 46
Java
  aglets
    architecture 591
    code, sample 592–593
    defined 589, 590–592
    and MASIF 591
    tools 592
  applets defined 589–590
  cards defined 51–52
  midlets 40, 44, 589, 592
  mobile agents and 587, 588
  and multimodality 531
  overview 37–55
  parsers 109
  peer-to-peer architecture defined 54
  platforms and programming 36
Java Agent Development Framework (JADE) 594–599
Java cards defined 51–52
Java Community Process defined 54
Java 2 Micro Edition (J2ME)
  applications 44, 46
  GUIs 366
  LBS and 704, 705
  location sensitivity and 46
  and midlets 592
  mobile agent capabilities of 567
  overview 38
  parsers 109
  platform and code writing 34
  and thick-client development 34
  UIMS functionality and 314
  and user interfaces 46
  WAP and 73
  and WBXML 126
  XML and 47–48
Java Speech Grammar Format (JSGF)
  class diagrams 424
  grammar rules in 413, 424
  meta-model for 423
  overview 412
  recursion, types of 419
  Speech Grammar Specification, W3C 419–421
Java Telephony API (JTAPI)
  application architecture 437
  mobile package 437–438
  overview 434–438
javax.speech.
  commands defined 433
  recognition 433
  synthesis 433
javax.telephony. packages defined
  callcenter 436
  callcontrol 436
  capabilities 436
  events 436
  media 436
  mobile 436
  overview 436
  phone 436–437
  privatedata 436
JINI 52–53, 602–603
JINI Federation defined 53
J2ME. *See* Java 2 Micro Edition (J2ME)
JNI, support for defined 40
Joining JINI service defined 53
JSGF. *See* Java Speech Grammar Format (JSGF)
JSR-179 and location information, accessing 704, 705–708
JTAPI. *See* Java Telephony API (JTAPI)
JXTA overview 612–614

K

Keyboards as user interface 249
KVM functionality 39
kXML defined 109

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

L

Language defined 404
Language of Temporal Ordering Specification (LOTOS) 550
LANs and Bluetooth 629
Layout Appropriateness formula 392–393
Leaf property string defined 178
LEAP. *See* Lightweight Extensible Agent Platform (LEAP)
Leasing JINI service defined 53
LIF. *See* Location Interoperability Forum (LIF) described
Lightweight Extensible Agent Platform (LEAP) 594–599
Link module defined, XHTML 352
Links
  and object relationships 183–184, 185
  stereotypes and 186
List module defined, XHTML 352
Localization defined 9
Location-based services (LBS)
  and J2ME 704, 705
  in mobile applications 702–704
  MPP and 704
Location Interoperability Forum (LIF) described 696–697
Locations
  applications, developing 695, 698–700, 790
  awareness
    and CLDC 46
    in WAP 79
  changing 22
  describing in UML 714
  functionality testing 805
  information
    accessing and JSR-179 704, 705–708
    class diagrams and 690, 712
    and contexts 709–711
    MANETs and 748
    modeling 687–688
    and privacy 720, 748, 790
    security and 719–720, 743–745
  and mobile computing 9–11
  representing in UML 711–715
  security and 719–720, 748
  sensitivity
    categories of 10
    and centralized frameworks 31
    defined 9
    and GIS 684–685
    infrastructure evaluation matrix 764
    and J2ME 46
    Mobile Agent platforms and 604–605
    WLANs and 683
  services and mobility
    data acquisition 677–684
    overview 676–677
    system architecture 700–702
  solutions
    cell identification 681
    enhanced observed time difference (E-TOD) 682
    and GPS 679
    time of arrival 681–682
    wireless LAN based 683–684
Location Service Module (LSM) described 702
Logic sheets defined, Cocoon 88
Long range wireless communication described 632–633
Lookup JINI service defined 52
LOTOS. *See* Language of Temporal Ordering Specification (LOTOS)
LSM. *See* Location Service Module (LSM) described

M

Main Case defined, UML 164
MANETs. *See* Mobile ad hoc networks (MANETs)
Many to many replication defined 654
Map command defined, SyncML 667
MASIF. *See* Mobile Agent System Interoperability Facility (MASIF)

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Mechanisms
in active transactions 727, 728
input 390
persistence 655
MEGlets 338
Memory limitations, improving 66
Menus and interactions 257–258
Merging defined 141
Messages
atomic defined 253
composite defined 253
control defined 255–256
defined
SyncML 665
WSDL 115
displaying 186
UML
condition, specifying 197
forms of 197
in interaction diagrams 185
parenthesis in 197
sequence numbers 197
sequence of 186, 187, 197
Messaging
asynchronous
and IBM Everyplace Suite 97
MSMQ and 69
overview 99–100
systems, event-based 306
technologies, properties of 724
Meta data defined, XML 145
Meta Info defined, SyncML 665
Meta-information module defined, XHTML 353
Meta-meta data defined, XML 145
Meta model defined 145, 423
Microcellular wireless technology described 619
Microsoft
Messaging Queuing (MSMQ) 69
Mobile Internet Toolkit 64
platforms and programming 36
Smart Phone 72
Midlets, Java
defined 44, 589
downloading 40
and MIDP 592
treatment of 44
MIDP. *See* Mobile Information Device Profile (MIDP)
MIF Editor, BREW 56
Mixed initiative dialogues
defined 266, 409
and sequence diagrams 268–270
in user interfaces 261–262, 265
M3L. *See* Multimodal Markup Language
MLP. *See* Mobile Location Protocol (MLP)
MMDA. *See* Multimedia Multimodal Dialog Architecture (MMDA)
MMIL. *See* Multimodal Interface Language (MMIL)
MML. *See* Multimodal Markup Language
MMS. *See* Multimedia Messaging Services (MMS)
MobileAddress defined 437
Mobile ad hoc networks (MANETs) 747, 748
Mobile Agent platforms
active behavior, implementing 734
agents
applications 587–588
architectures 783–785
and collaborations 564
defined 784
designing 563
features of 564
handling 559, 560
hybrids of 560–561
interactions, modeling 584
limitations 566–567
replication/synchronization of 673–674
representing 560
security issues 567–568
separation of concerns 561–564
software techniques for 609–611
UML extensions for 574, 577–587
use case diagrams and 581, 582
basics of 558–560
and context 604
device adaptation and 608–609
limitations of 607–608
location sensitivity and 604–605

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

overview 557–558, 564–566
as proxies 607
QOS and 606
and security 748
technologies, properties of 724
Mobile Agent System Interoperability Facility (MASIF)
Agent Authority 569
Agent Location 569
Agent Name 569
Agent System 569
Agent System Type 569
aglets and 591
codebase 569
communication infrastructure 569
deserialization defined 569–571
overview 568–571
security 569–571
serialization 569
stationary agents 569
Mobile Agent to User Interface Project (MAUI) and user interfaces 606
Mobile applications
architecture 25–26, 773–775, 786–787
data replication/synchronization 653, 657–661, 662
developing 13, 755, 756–757, 768–772, 788
devices, persistence mechanisms for 655
grammars 425–426
implementing 11
and infrastructure integration 763–765
internationalization/localization 720–721
location-based services (LBS), utilizing 702–704
markup languages, taxonomy of 356
and mobile agents 564–566
N-tier architectures 781–783
security 735–742
and SMIL 541–544
testing 792–795, 799–801, 802–804
transformation techniques 322–325, 335
UML extensions for 385–389
use cases for 757–768, 770–771
user interfaces, developing 16, 236–241, 316, 318
voice recognition based VUIs, designing 477
voice transcription for 406
and VXML 466–467
Web Services and 117–118
and XML 106
Mobile computing systems
defined 3, 6
dimensions of 8–22
history of 4–6
virtual machines and 36
vs. wireless communication 6–8
Mobile condition defined 7, 22–25
Mobile Development Frameworks 29–31
Mobile Information Device Profile (MIDP)
API overview 42–43
defined 42, 43–46
features of 38–42
Mobile IP
addressing schemes for 728
overview 646–649
and Push 731
Mobile Location Protocol (MLP) 696–697
MobileNetwork defined 437
Mobile Node defined 647
Mobile Positioning Protocol (MPP) 693–695, 704
MobileProvider defined 438
MobileRadio defined 438
Mobile Subscriber ISDN number (MSISDN) defined 728
MobileTerminal defined 438
Mobility, dimensions of
and CLDC 46–47
overview 8, 31, 316, 738–740, 755–756
testing and 801
WAP and 79–80
and Windows CE 70–71
Model defined 145, 161

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Modeling, 156–157. *See also individual topics and applications by name*
Model parser defined 48
Model-View-Controller (MVC)
  architecture 786
  limitations of 319–320
  overview 318–320
Modulation techniques 616–618
Module testing 796
Monitors as user interface 249
MPML. *See* Multimodal Presentation Markup Language (MPML)
MSISDN. *See* Mobile Subscriber ISDN number (MSISDN) defined
MSMQ. *See* Microsoft Messaging Queuing (MSMQ)
Multicasting defined, UML 201
Multi-channel systems
  driving directions application 263
  modeling in UML 506–511
  overview 233, 247, 350, 497
  testing 802–803
Multi-device synchronization 659
Multimedia defined 498
Multimedia Messaging Services (MMS) 77–78, 360
Multimedia Multimodal Dialog Architecture (MMDA) 546
Multimedia sequence diagrams, UML 510–511
Multimodal Airline Travel Information System (MATIS) 333
Multimodal Dialogue Manager 546
Multimodal Integrator 544–546, 550
Multimodal Interface Language (MMIL) 525–528
Multimodality
  architectures 550
  BREW and 531
  and Cocoon 537–539
  content and 513
  defined 553
  designing 789
  dialogue management for, Sharma 547
  dimensions of 506
  disambiguation, cross-modal 551
  and extensibility 551
  Fusion and Integration with multimodality architecture described 786
  implementing 501–502, 530–533, 544
  input type and 503–504
  interaction diagrams and 512
  and internationalization 552–553
  Java and 531
  and localization 552–553
  LOTOS and 550
  overview 498–500
  and sequence diagrams 512
  simultaneous, functionality 506
  Symbian EPOC and 532
  and synchronization 539–540
  types of 502–505
  usage, usability-centered 505–506
  validation of 551
  and WAP 532
  Windows CE and 532
Multimodal Markup Language
  M3L overview 515–516
  MML overview 516–517
Multimodal Presentation Markup Language (MPML) 518–525
Multiplex receivers defined 680
MVC. *See* Model-View-Controller (MVC)

N

Namespaces
  mapping
    UML 147–148, 149, 150
    XML 149, 150
  XML schema 119
Natural language dialogues
  defined 266, 408–409
  sequence diagrams in 268–270
  in user interfaces 259–261
Navigation Markup Language (NVML) 692–693
navIndex attribute defined 292
.NET Framework
  GUIs, building 366

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

mobile agent platforms for 603
parsers 109
and programming 36
Smart Device extensions for 64
Web services and 70
NetworkCharacteristics defined, UAProf 141
Network Layer security described 737
Network operator defined 583
Networks. *See also* Mobile ad hoc networks (MANETs)
and CLDC 41, 46
connectivity to 5
transactions in 726
UML modeling 642–646
wireless
and active computing 725–728
overview 624
security 742, 745–747
NetworkSelection defined 438
Nodes
defined 113, 305, 647
UML
attributes and operations, specifying 226
defined 162
modeling 226
Nodeset binding defined 305
Nomadic Application Support Specification defined, FIPA 572
N-tier architectures 779–781, 783
N-tier Client-server frameworks 32–37
Nuance Speech Object APIs 432
Numeric data type defined, XML Schema 120
NVML. *See* Navigation Markup Language (NVML)
Nyquist's principle 6

O

Object Constraints Language (OCL) 423–424
Object diagrams, UML 162, 182–183
Object Domain 101
Object Flows, illustrating UML 214
Object Modeling Technique (OML) 158
Object module defined, XHTML 353
Object Names attribute defined, UML 183
Object Operations attribute defined, UML 183
Object Oriented Languages 157–158
Object Oriented Modeling of Multimedia Applications (OMMMA) 508–510, 511
Objects
constraints, representing 269
events and 201
relationships
Becomes stereotype and 184
collaboration diagrams and 185
Copy stereotype and 184
Instance of stereotype and 184
Instantiate stereotype and 184
and links 183–184, 185
stereotypes and 184, 185
transient stereotype and 184
states, changing 203
UML
attributes 183
creation/destruction of 186
defined 182–183
relationships between 185
states and transitions 212
in XML Schema 691
Object State attribute defined, UML 183, 184
OFDM. *See* Orthogonal Frequency Division Multiplexing (OFDM) described
OMMMA. *See* Object Oriented Modeling of Multimedia Applications (OMMMA)
One to many replication defined 654
One to one replication defined 654
Operations
defined, WSDL 115
formal syntax for 178
parameters, formal syntax for 178
property string, function of
Optical memory cards defined 52
Orthogonal Frequency Division Multiplexing (OFDM) described 635

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Output channels defined
output form control defined 300

P

PAC-Amodeus 332–333
Package names defined 413
Packaging processes defined, XML Pipeline 125
PAC-TG. *See* Transformation of Generic Presentation-Abstraction-Control (PAC-TG)
Page stereotype defined, UML 372
Palm platform and synchronization 661
Palm Query Application (PQA), writing 362–365
Paper, printed as user interface 250
Parsers
  types of 48, 108–109
  XML 106–109
Partitioned motion pattern defined 711
Peer elements defined, UIML 368
Peer-to-peer architectures (P2P)
  defined 54
  and LEAP 595
  for mobile computing 611–614
  overview 557–558, 783
Personal information, obtaining 428, 440
Physical Layer security described 737
Piconet described 626
Pitch defined 402
pix-x defined, CC/PP 135
pix-y defined, CC/PP 135
Platform for Privacy Preferences (P3P)
  and CC/PP security 139
  overview 310
Platforms
  proliferation
    CLDC and 47
    and mobile computing 17–18
    in WAP 80
  and thick-client development 34
Portability and vendor APIs 434
Portals, creating 495
Port defined, WSDL 115
Port type defined, WSDL 115
Power consumption, status report 67
Power management functionality 15, 47
Power supply
  limited
    and mobile computing 14–15, 390
    WAP and 79
  and security 739, 790
P2P. *See* Peer-to-peer architectures (P2P)
P3P. *See* Platform for Privacy Preferences (P3P)
PQA. *See* Palm Query Application (PQA), writing
Presence Agent defined 732
Presentation-Abstract-Control (PAC)
  architecture described 786
  implementation, sample 321
  overview 320–322
  PAC-Amodeus 332–333
  PAC-TG
    applications 328–332
    benefits 327
    implementation techniques 333
    limitations 327–328
    overview 325–332
Presentation elements defined, UIML 368
Presentation Layer security described 737
Presentation logic, decoupling layers of 248
Presentation Model defined 377, 382
Presentation module defined, XHTML 353
Presentation stereotype defined, UML 373
Principle of Subsumption defined 396
Principles of Visibility and n-fold Interaction defined 396
Privacy
  in active interactions 740
  and location information 720, 748, 790

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Process View defined, UML 160
Profiles. *See also* Composite Capabilities/Preferences Profiles (CC/PP); Mobile Information Device Profile (MIDP); User Agent Profile Specification (UAProf)
  Bluetooth 662, 663, 671–672
  CLDC 41–42
Prompts
  improving 482
  overview 256, 479
Pronouns, using 479
Proximity based methods of location sensing defined 10
Proximity based triangulation defined 677
Proxy Profile defined, CC/PP 136, 138
Proxy Server defined, SIP 732
Pull mechanisms and active transactions 727, 728
Pull parser defined 48
Pure Voice converter, BREW 57
Push Access Protocol (PAP) defined 728, 729–730
Push based technologies
  and bandwidth requirements 734
  defined 723
  functionality 725, 727, 728
  and mobile IP 731
  parser defined 48
  and WAP 78–79, 728–731
PushCharacteristics defined, UAProf 141
Push Initiator (PI) defined 728, 730
Push Proxy Gateway (PPG) defined 728
Push-pull model of communication 18
Put command defined, SyncML 667

Q

QOS. *See* Quality of service (QOS)
Quality of service (QOS)
  ITU-T X.641 and 622
  Mobile Agent platforms and 606
  and mobile computing 11–12
  modeling in UML 622–624
  network and CLDC 46
  and security 739
  tools 11
  UTMS nd 621–622
  and VUI 425
  WAP and 79
  and wireless connectivity 620–622

R

range form control defined 300–302
Rational Rose 101
rdf:ID attribute defined 141
rdf:type attribute defined 141
Redirect Server defined, SIP 732
ref attribute defined 297
References, weak defined 40
Registrar Server defined, SIP 732
Regression testing 799
Remote Object Proxy Engine (ROPE) 70
repeat element defined 309
Replication
  applications 653, 657–661, 662
  conflicts in 656
  defined 652, 654
  mobile agents 673–674
  taxonomy 654–656, 674–675
Request Logic Sheet, tags for 89
Request Profile defined, CC/PP 136
Request Viewer tool defined 337
Resource Description Framework (RDF)
  CC/PP vocabulary 134
  overview 127–130
  resources, identifying 127
  schema 130–131
  TestPhone device 128
  and UML 131–132
  vs. XML 128–130
Resource Editor, BREW 57
Resources
  identifying
    RDF 127
    XML Pipeline 125
  relationships, specifying 127
Responses 256
REST architecture 786
Results command defined, SyncML 667

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Risk on Security Investment (ROSI) defined 741
ROPE. *See* Remote Object Proxy Engine (ROPE)
Rule grammars 412–414

S

Satellite based wireless communication described 618
SAX parsing, XML 108–109
Scalability issues and testing 804
Scalable Vector Graphics (SVG) 361–362, 688
Scatternet, formation of 627
Scene analysis
  and location sensing 10
  triangulation 677
Schema. *See individual application by name*
Scripting module defined, XHTML 353
SDL. *See* Specification and Description Language (SDL) and telecommunications
Search command defined, SyncML 667
secret form control defined 296
Security. *See also individual programs by name*
  and device capabilities 739
  framework, providing 40
  IBM Everyplace Suite 97
  location information 719–720, 743–745
  MASIF 569–571
  mobile applications 735–742
  modeling, UML 750, 751
  and power supply 739, 790
  vs. privacy 749
  QOS and 739
  SIM cards and 740
  SyncML 668
  for user interfaces 739
  in WAP 79, 737
selection attribute defined 297
selectMany tag defined 303
selectone form control defined 296–298, 300, 301–303
selectUI attribute defined 297
Semantic fusion defined 546
Semantic Web defined 127
Sequence diagrams, UML. *See also* Interaction diagrams, UML
  defined 49, 162
  dialogues
    form based 268
    mixed initiative 268–270
    natural language 268–270
  driving directions, basic interactions 264
  elements in 188–191
  messages, displaying 186
  modeling
    mobile agent interactions 185, 584
    user interactions 263–268
    VUI 442, 446
  multimedia 510–511
  and multimodality 512
  OMMMA and 511
  overview 186–192
  SyncML, basic authentication for 670
Sequential property string, function of 178
Sequential receivers defined 680
Serialization
  and Aglets 590
  CLDC and 592
  defined, MASIF 569
Serializer, Cocoon 87
Server-side image map module defined, XHTML 353
Server-side validation defined 300
Service, quality of. *See* Quality of service (QOS)
Service defined, WSDL 115
Service Layer definitions described 697
Session Initiation Application (SIA), function of 730
Session Initiation Protocol (SIP) 731–733
Session Logic Sheet, tags for 89
Session Security Layer (SSL) described 737

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

SGML, history of 105
Short Messaging Service (SMS) 649–651, 725
Short range transmission described 619
Short range wireless described 625
Signals defined, UML 161
Signal to Noise Ration (SNR) defined 401
SIM cards and security 740
Simple Object Access Protocol (SOAP)
  constructs, syntactical overview 112–114
  and ROPE 70
Simultaneous multimodality 506
Single Language with Virtual Machine approach 103
Single node binding defined 305
Single operating system multiple language approach 103
SLoP. *See* Spatial Location Protocol (SLP, SLoP) described
SLP. *See* Spatial Location Protocol (SLP, SLoP) described
Smart cards defined 51–52
Smart Device extensions for .NET 64
SMS. *See* Short Messaging Service (SMS)
Snoop tool defined 337
SOAP. *See* Simple Object Access Protocol (SOAP)
Software applications, 234, 781. *See also individual applications by name*
  architecture defined 25
  development 14, 32
  hardware and 35
  stand-alone, building 34
  stationary and connectivity 12
SoftwarePlatform defined, UAProf 140
source attribute defined, UIML 368
Spatial Location Protocol (SLP, SLoP) described 695–696
Speaker dependency and voice transcription systems 404
Specification and Description Language (SDL) and telecommunications 643
Speech
  meaning and context in 403
  qualities of 401–405
  synthesis, pure 485
  synthesis by concantenation 484
Speech Grammar Specification, W3C 419–421
Speech synthesis systems 400
SSML. *See* Synthetic Speech Markup Language (SSML)
Standard Location Immediate Service (SLI) described 697
Standard Location Reporting Service (SLRS) described 697
State chart diagrams, UML 162, 203
State diagrams, UML
  defined 49
  and dialogues 445
  elements of 203–210
  events and signals 200
  and state machine UIMS 285
  user interface component states and 285
  and XForms processing model 290
State machines
  and CCXML containers 468
  nested defined 211
  purpose of 203
  states of 203–211
  and VUI 426
State machine UIMS. *See* User Interface Management System (UIMS), state machine
Static diagrams defined, UML 161
Stationary agent defined, MASIF 569
Status Code defined, SyncML 666
Status command defined, SyncML 667
Stereotypes and object relationships 184, 185
Stress testing 804
String data type defined, XML Schema 120
Structural view, UML 171–177, 184

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Structure module defined, XHTML 353
Stylesheet module defined, XHTML 353
Stylus as user interface 249
submit form control defined 303
Substates defined, UML 211
Subsystem defined, UML 161, 162
SVG. *See* Scalable Vector Graphics (SVG)
switch element defined 310
Symbian EPOC
  GUIs, building 362–365
  and multimodality 532
  overview 80–81
  and synchronization 662
Symmetric channels defined 251, 503
Symmetric multimodality defined 502
Sync command defined, SyncML 666
Synchronization
  Bluetooth, profile 662, 663, 671–672
  BREW and 662
  of data
    commands for 666–667
    conflicts in 656
    defined 652
    in mobile applications 657–661, 662
    taxonomy 654–656
    UML modeling 674–675
  inter-channel 247
  and internationalization 552
  multi-device 659
  and multimodality 539–540
  Palm platform and 661
  Symbian EPOC and 662
  and Windows CE 661
Synchronization Markup Language (SyncML) 663–669
Synchronized Multimedia Integration Language (SMIL) 495, 540–544
Sync4J 669–671
SyncML. *See* Synchronization Markup Language (SyncML)
Synthetic Aperture Radar Atlas (SARA) digital library 562
Synthetic Speech Markup Language (SSML)
  document example 486, 493
  overview 126, 485–486
  syntax 486–492
System Requirements View defined, UML 160
Systems
  active, building 733–734
  defined, UML 161
  designing 155–156, 245
  interactions in 253–254

T

Table module defined, XHTML 353
Tagged values defined, UML 180
Tag libraries defined, Cocoon 88
Target module defined, XHTML 353
Tasks
  changes in and mobile computing 24
  classes defined 379
TDMA. *See* Time Division Multiple Access (TDMA) described
Telephone as user interface 250
Telephony
  API (TAPI), BREW 60
  infrastructure, wired *vs.* wireless 437–438
  JTAPI 434–438
  and VUI 431, 434
Temporal Representation defined 539–540
TerraVision 721
Testing. *See also individual test by name*
  BREW 58
  coding standards and 795–796
  and the dimensions of mobility 801
  locations 805
  mobile applications 792–795, 799–801, 802–804
  multi-channel systems 802–803
  overview 796–797
  user interfaces 802–804
TestPhone device 128

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

TestSig Generator and AppSigner, BREW 57
text area form control defined 302
Text module defined, XHTML 352
Text-to-Speech systems 400, 484
Thick-Client Wireless Client-Server defined 33–34
Thin-Client Wireless Client-Server
  defined 33
  and MVC 319
  publishing frameworks and 81
  and WAP 72
3rd Generation Partnership Project (3GPP) 636, 746
Thread grouping defined 40
Threat levels, determining 741
Time Division Multiple Access (TDMA) described 634
Tokens 414, 420
Tools, hardware-specific 36–37
Touch screens as user interfaces 249, 503
Transactions, 53, 726. *See also* Active transactions
Transcoding
  defined 323, 324
  techniques 336–338
  vs. transformation 323
Transcoding Publisher, IBM 337–338
Transformation of Generic Presentation-Abstraction-Control (PAC-TG)
  applications 328–332
  benefits 327
  implementation techniques 333
  limitations 327–328
  overview 325–332
Transformations
  content 91, 95
  defined 323, 324
  techniques, mobile applications 322–325, 335
  vs. transcoding 323
  XForms 334
  XSLT and 109–111, 334
Transformers 86, 91, 95
Transient stereotype and object relationships 184
Transitions defined 277, 392
Transmission techniques 618–620
Transport Layer security described 737
Triangulation defined 10, 677
Trickling reintegration defined 658
Triggered Location Reporting Service (TLRS) described 697
Types defined, WSDL 115

U

UAN. *See* User Action Notations (UAN)
UAProf. *See* User Agent Profile Specification (UAProf)
UDP and active behavior 734
UIML. *See* User Interface Markup Language (UIML)
UIMS. *See* User Interface Management System (UIMS)
Unification-based fusion defined 546
Unified Modeling Language (UML) 2.0, improvements to 158
  activities 203, 211
  benefits of 160
  building blocks of 161–163
  call defined 201
  and CCXML 468–475
  compound transitions defined 212
  consistency, maintaining 796
  diagram defined 161
  (*See also individual diagram by name*)
  event types 201
  history of 158
  interactions, representing 262–263
  interfaces
    and abstract classes 180
    component reuse and 224
    defined 161
    function of 224
    import defined 225
    specifying 225
  and J2ME applications 48–50

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

Unified Modeling Language (*cont.*)
locations, representing 711–715
mapping
and meta-tools 335
XML namespaces 147–148, 149, 150
methods
definition section, simplifying 179
elements of 179
types 179
mobile agents, extensions for 574, 577–587
mobile applications 385–389, 757
modeling
benefits of 156–157
data replication/ synchronization 674–675
exceptions 201
GUIs 371–372
interface components, generic 283–286
interface domain 284–286
iterations 197
locations 712–715
mobile agent interactions 185, 584, 586
motion 715
multi-channel applications 506–511
multimodal applications 506–511
network services 642–646
nodes 226
overview 378
QOS 622–624
responsibilities 179
security 750, 751
software 156
synchronization of data 674–675
UI validation 375
user interactions 263–268
VUI 442–446, 447
wireless communications 640–646
multimodal applications, describing 511–513
overview 155, 159–161
and RDF 131–132
roles 180
self-transition defined 212
Specification and Support Web site url 158
state change, representing 201
state element, sections of 211
stereotypes 180–181
system views 160–161
time event defined 201
tools 100–102
transitions
and conflicts 212
internal defined 213
sources for 212–213
visibility identifiers in VUIs 421–425, 438–447
Wisdom Model extensions 378–385
and XML 144–146
Unit testing. *See* Testing
Universal Description Discovery and Integration (UDDI) 117
Universal Mobile Telecommunications Systems (UTMS) 621–622, 638
Update command defined, SyncML 667
upload element defined 302–303
URIs
data types 121
request, parameters for 694
in SIP 733
Usability testing 803–804
Use case diagrams, UML
application 164–171, 756
defined 162, 163–164
Domain Models elements in
essential defined 379
and interactions 262
mobile agents and 581, 582
Wisdom extensions 380, 715
Use case maps, UML described 640, 641
User Action Notations (UAN) and multimodality 550
User Agent Client defined, SIP 732
User Agent Profile Specification (UAProf)
BrowserUA defined 141
HardwarePlatform defined 140
namespaces in 141

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

NetworkCharacteristics
defined 141
overview 140–143
PushCharacteristics defined 141
SoftwarePlatform defined 140
WAP Characteristics defined 141
User Agent Server defined, SIP 732
User input 480–483
User Interface Management System (UIMS)
BREW and 314
and Cocoon 314
event-based defined 280–281, 285
grammar defined 280, 285
and J2ME 314
overview 280
state machine
defined 280
forms and 286
user interface life cycle, representing 285
types of 280–281
and VUI 427
User Interface Markup Language (UIML) 325, 366–371
User interfaces
binding and specialization 243–245
building 241–243, 265–266, 335, 500, 605–606
to CCXML 475
channels 245–253
components
and contexts 273
states 285
consistency in 479
datagloves as 250
developing
mobile applications 16, 236–241, 316, 318
multi-channel 233
overview 16, 231–241, 376
stationary PC based 235–236
device motion as 250
dialogues, types of 261–262, 265
elements
binding to instance data 303–305
composite, creating from atomic 308
overview 245
element taxonomy 284
form based, representing 286
form controls 294–303
graphic (GUI) (*See* Graphic user interfaces (GUIs))
health element in 234
interactions, representing 267
and J2ME 46
keyboards as 249
layering 243
life cycle, representing 285
managing 280–283
and mixed initiative dialogues 261–262
mobile, types of 318
monitors as 249
mortgage banking application guidelines 240
multi-channel systems (*See* Multi-channel systems)
multimodal (*See* Multimodality)
natural language in 259–261
overview 276–279
paper, printed as 250
security for 739
specializing 279, 369–371
stylus as 249
support for 47
telephone as 250
testing 802–804
touch screens as 249, 503
transitions defined 277
translation of 404
varying 15–17
voice (VUI) (*See* Voice user interfaces (VUIs))
WAP support for 80
workflow and 255
XForms 288, 291, 308–310
XML based technologies 121–122
Users
experience, critical factors affecting 499
information gathering
role model defined 376–377
understanding 478
User view defined, UML 163–171

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

UTMS. *See* Universal Mobile Telecommunications Systems (UTMS)
Utterance defined 403

V

Validation
  client-side defined 301
  control grammar and 301
  for mobile use cases 801
  and multimodal applications 551
  server-side defined 300
  UI, modeling 375
Variables, declaring 178
Video, delivering to mobile devices 533–536
View defined, UML 161
Visual Basic and Windows CE 65–66
Visual XML Transformation Tool defined 337
Voice browsers, overview 431, 447–448
Voice Extensible Markup Language (VXML) 122
Voice Portlets 495–496
Voice recognition systems
  accuracy, improving 481
  clarity in 483
  overview 407–410
  purpose of 400
Voice transcription
  for mobile applications 406
  overview 405–407
  purpose of 400
Voice User Interfaces (VUIs)
  activity diagrams and 441
  class extensions, meta-model for 444
  designing 477, 788–789
  interactions, building 426–427, 442
  languages for 429–431
  modeling
    implementation 445
    with sequence diagrams 442, 446
    UML 442–446, 447
  nesting 414–419
  overview 399–401
  and QOS 425
  tuning 483–484
UML
  building and high-level speech APIs 438–447
  extensions, Lieberman's 441
  grammars, representing 421–425
User Interface Management System (UIMS) 427
Wisdom Model architecture 439
VoiceXML (VXML)
  construct mapping 464, 465
  goals of 449–461
  overview 431, 448–449
  syntax tags 450–460
  and UML 461–463
VUI. *See* Voice User Interfaces (VUIs)
VXML. *See* Voice Extensible Markup Language (VXML)

W

WAP. *See* Wireless Application Protocol (WAP)
WAP Binary Extensible Markup Language (WBXML) 125–126
WapCharacteristics defined, UAProf 141
WBXML. *See* WAP Binary Extensible Markup Language (WBXML)
WDP. *See* Wireless Datagram Protocol (WDP)
Web-based Distributed Authoring and Versioning (WebDAV) 672–673
WebDAV. *See* Web-based Distributed Authoring and Versioning (WebDAV)
Web Services
  application servers and 781
  connection, direct 117
  and mobile applications 117–118
  .NET Framework 70
  proxy defined 117
  Windows CE and 70
  and XML 111–112
Web Services Description Language (WSDL)

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

addresses, representing 115
binding defined 115
messages 115
overview 114–117
and XForms 118
White box testing 798
Windows CE
and mobile GUIs, building 365
mobility, dimensions of 70–71
and multimodality 532
overview 64–70
parsers 109
and synchronization 661
Wireless Application Protocol (WAP)
active transactions and 80
architecture 73–74, 140
deployment of 73, 393–395
device capabilities, limited 79
vs. HTTP 342
and J2ME 73
location awareness in 79
mobility, dimensions of 79–80
and multimodality 532
overview 72–73, 340–341, 351
platform proliferation in 80
power supply, limited and 79
proxies and gateways 75–77
Push 78–79, 728–731
QOS and 79
security 79, 737
Thin-Client Wireless Client-Server 72
UI 74
user interfaces, support for 80
and WML 74
XML parsing in 109
Wireless communications
defined 6, 615–616
generations of 637–638
vs. mobile computing systems 6–8
modeling in UML 640–646
networking technologies
and active computing 725–728
overview 624
security 742, 745–747
Wireless Datagram Protocol (WDP) 341
Wireless Markup Language Scripting (WMLScript)
overview 342, 349–351
XForms and 351
Wireless Markup Language (WML)
overview 122, 342, 343–349
tags, descriptions of 344–348
and WAP 74
Wireless Session Layer (WSP) 342
Wireless Telephony Application Interface (WTAI) 342
Wireless Transaction Layer (WTP) 342
Wireless Transcoding Publisher (WTP) 96, 97–99
Wireless Transport Layer Security (WTLS) 341–342
Wisdom Model architecture
mobile application development and 756–757
overview 376–378
UML extensions 378–380, 385, 715
and VUI 439
WML. *See* Wireless Markup Language (WML)
WMLScript. *See* Wireless Markup Language Scripting (WMLScript)
WSDL. *See* Web Services Description Language (WSDL)
WSP. *See* Wireless Session Layer (WSP)
WTAI. *See* Wireless Telephony Application Interface (WTAI)
WTLS. *See* Wireless Transport Layer Security (WTLS)
WTP. *See* IBM Wireless Transcoding Publisher (WTP); Wireless Transaction Layer (WTP)

X

XForms
advantages 339
construct mapping 464, 465

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

XForms (*cont.*)
events 305–306
as form based application 288
form controls 291, 305
forms, representing 259
instance data 288
instance events, processing 310–314
model 288
model events, processing 310–314
model item properties 313
navigational interaction events 306–308
overview 122, 286–289
processing model 288, 289–291
schema 288
transformations 334
user interfaces 288, 291, 308–310
to VXML 462–464
WMLScript and 351
and WSDL 118
in XML schema 119
and XPath 290
xforms: events defined
activate 307
blur 307
delete 312
focus 307
formcontrolinitialize 311
help 307
hint 307
initializeDone 311
insert 312
modelConstruct 311
modelInitialize 311
next 306
previous 307
recalculate 312
refresh 312
reset 313
submit 313
UIinitialize 311
valueChanged 308
valueChanging 308
XHTML
defined 121, 343
functionality 351–355
Mobile Profile 355–360
modules
bi-directional text 352
client-side image map 352
edit 352
forms 353
hypertext 352
link 352
list 352
meta-information 353
object 353
presentation 353
scripting 353
server-side image map 353
structure 353
stylesheet 353
table 353
target 353
text 352
Voice Profile 476
XLink
expressions, using 292
and resource bundles 294
values in GML 691
XMI, purpose of 144
XML. *See* Extensible Markup Language (XML)
XML Formatting Objects (XSL-FO) defined 109
xml:lang attribute defined 291–292
XML Pipeline
constructive processes 124
extraction processes 125
inspection processes 124
overview 122–125
packaging processes 125
resources, identifying 125
XML Schema
Base64 Encoded Binary Data data type 121
Boolean data type 121
data types
complex 121
defining in 120
simple 121
Date data type 120
Hexadecimal EncodedBinaryData data type 121
numeric data type 120

© Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
0521817331 - Mobile Computing Principles: Designing and Developing Mobile Applications with UML and XML
Reza B'Far
Index
More information

objects in 691
String data type 120
URI data type 121
XPath 109, 290
XSL-FO. *See* XML Formatting Objects (XSL-FO) defined
XSLT
HTML and 111
transformations and 334
and XML, transforming 109–111
XSL Trace tool defined 337
XSP 88–90
X + V 515

© Cambridge University Press www.cambridge.org