

Index

- $(\mathbb{D}_6 \times \mathbb{Z}_2 \times T^2)$, *see* lattice, hexagonal, with additional, \mathbb{Z}_2 symmetry
- $E(2)$, *see* group, Euclidean, $E(2)$
- $GL(n)$, *see* group, general linear, $GL(n)$
- $O(2)$, *see* group, orthogonal, $O(2)$
- $O(2)^-$, 116
- $O(3)$, *see* group, orthogonal, $O(3)$, symmetry of a sphere
- $O(n)$, *see* group, orthogonal, $O(n)$
- $SE(2)$, *see* group, special Euclidean, $SE(2)$
- $SO(3)$, *see* group, special orthogonal, $SO(3)$, of rotations of the sphere
- $SO(n)$, *see* group, special orthogonal, $SO(n)$
- S^1 , *see* group, circle, S^1
- T^2 , *see* translations on a lattice, T^2
- Γ -simple, 118
- $\widehat{SO}(2)$, 122
- \mathbb{Z}_2^- , 156
- C_3 , *see* group, rotations of an equilateral triangle, C_3
- C_n , *see* group, cyclic of order n , C_n
- \mathcal{D}_2 , *see* group, symmetry of a rectangle, \mathcal{D}_2
- \mathcal{D}_3 , *see* group, symmetry of an equilateral triangle, \mathcal{D}_3
- $\mathcal{D}_4 \times T^2$, *see* lattice, square
- \mathcal{D}_4 , *see* group, symmetry of a square, \mathcal{D}_4
- $\mathcal{D}_6 \times T^2$, *see* lattice, hexagonal
- \mathcal{D}_n , *see* group, dihedral of order $2n$, \mathcal{D}_n
- \mathbb{Z}/n , *see* group, of integers under addition modulo n , \mathbb{Z}/n
- $\text{Fix}(\Sigma)$, *see* fixed-point subspace
- 'angular momentum'
 - conservation of, 227–32
- absolutely irreducible representation, *see* representation, absolutely irreducible
- action of a group, *see* representation
- activator-inhibitor system, 13, 18
- adiabatic elimination, 37, 245–6, 295
- adjoint operator, 214
- amplitude equation, 139
 - variational or gradient form, 226
- anisotropic system, 158, 223, 332, 337
- anti-rectangles, 189, 190
- anti-rhombs, 190
- anti-rolls, 189, 190
- anti-squares, 170, 171
- anti-triangles, 189, 190
- apparent symmetries, *see* naive symmetries
- automorphism, *see* mappings of groups, automorphism
- Belousov–Zhabotinsky reaction, 12, 13, 232, 353, 372
- Benjamin–Feir instability, 286–90, 356, 375
- bifurcation, 23
 - codimension, 38
 - codimension-one, 38–48
 - equivariant, *see* bifurcation, with symmetry
 - genericity of, 40–1
 - Hopf, 47–8
 - Hopf with symmetry, *see* Hopf bifurcation, with symmetry
 - local, 30–48
 - normal form, 38–48
 - oscillatory, *see* bifurcation, Hopf
 - pitchfork, 43–6
 - of revolution, 158
 - subcritical, 43–5
 - supercritical, 44–5
 - saddle-node, 31, 39–41, 154
 - spatial-period-multiplying, 178–82
 - stationary, *see* bifurcation, steady-state
 - steady-state, 39–46, 86, 137
 - governed by identity irrep, 102
 - on the surface of a sphere, 114–16
 - with \mathcal{D}_4 symmetry, 98–109
 - with \mathcal{D}_4 symmetry, normal form under natural irrep, 105
 - transcritical, 41–2
 - unfolding, 38
 - with symmetry, 85
 - Hopf *see* Hopf bifurcation, with symmetry
 - multiple zero eigenvalues at, 87
 - steady-state and absolute irreducibility, 94–5
- bifurcation diagram, 39

- bifurcation parameter, 30
- bifurcation point, 30
- bimodal solution, 143
- Boussinesq approximation, *see* Oberbeck–Boussinesq approximation
- branch
 - axial, 97
 - non-axial primary, 97
 - primary, 97
- Busse balloon, 277, 286, 406
 - and Cross–Newell equation, 385
 - for hexagons, 298
- Busse–Heikes cycle, 123, 160
- carrier wave, 211, 213, 325
- centre, 27
- centre manifold, 33
 - extended, 34–7
 - reduction, 31–7
- centre manifold theorem, 33, 138–9, 184
- character table, 79
- character(s)
 - of a matrix, 77
 - of a representation, 77–81
- circle group, *see* group circle, S^1
- codimension, *see* bifurcation, codimension
- compression-dilatation wave, 228, 230, 255–6
- conjugacy
 - class, 61
 - of group elements, 61
 - of subgroups, 61
- conjugacy class
 - elements of have same order, 61
 - of an isotropy subgroup, 89
- conservative systems and flat modes, *see* flat mode(s), in conservative systems
- convection, 3–12, 174, 191
 - Bénard, *see* convection, Rayleigh–Bénard
 - Bénard–Marangoni, 8, 155
 - boundary conditions
 - no-slip, 11
 - stress-free, 10
 - conduction solution in, 9
 - diagram of standard set-up, 8
 - in the Sun, 5
 - instability threshold
 - no-slip case, 11
 - stress-free case, 11
 - Rayleigh–Bénard, 8, 155, 377
 - governing equations, 7–12
- convection planform, 6
- convection rolls, *see* rolls, convection
- coset, 59–60
 - left, 59
 - right, 59
- critical circle, 138
- cross-hexagon instability, *see* hexagon(s), instabilities of, cross-hexagon
- Cross–Newell equation, 380–406
 - and mean drift, 404–6
- cross-roll instability, 274–7, 378
- cycle
 - homoclinic, *see* homoclinic, cycle
- cycling chaos, 129
- defect(s), 325–53
 - disclination, *see* disclination
 - dislocation, *see* dislocation
 - during Eckhaus instability, 251
 - in the Cross–Newell equation, 390–400
 - of stripes in one dimension, 229–30
 - penta-hepta, 296, 326, 327, 328
 - saddle, 399–400
 - vortex, 396, 400
- defect-mediated turbulence, 375
- detuning, 312
- diffusion, 12
- diffusion-driven instability, 18
- direct product, 64–5
- direct sum, 64
- disclination, 375, 392–3
 - concave, 326–7, 394, 400
 - convex, 326–7, 394, 397–8
- dislocation, 1, 4, 325–37, 350, 352–3, 375, 377, 388, 390
 - motion, 329–37
 - climb, 329–37
 - glide, 329, 337
 - pinning, 329
 - pairs, 336
- dispersion, 235
 - relation, 234
- dispersive medium, 235
- domain boundary, 342–9
 - between hexagons and trivial solution, 346
 - between rolls and hexagons, 347
- Doppler instability, 375
- drift flow, 224, 277–9, 377
 - and Cross–Newell equation, 404–6
- drift instability, 176, 306–14
 - of parametrically driven standing waves, 311–14
- drifting spiral, *see* spiral(s), drifting or meandering
- Eckhaus instability, 245, 247–60
 - for finite amplitude rolls, 273, 385, 404, 406
 - in a finite domain, 258–60
 - side bands, 256–8
 - subcritical, 251
 - supercritical, 251
- energetics, 329, 342
 - for rolls in finite domains, 349–53
- envelope, 211, 213, 325
 - equation (*see also* amplitude equation), 209–24
 - symmetry method, 216–24
- equilibrium
 - relative, *see* relative, equilibrium
- equilibrium solution, *see* stationary point
- equivalence
 - of representations, *see* representation, equivalence of
- equivariance
 - condition, 86

- equivariant branching lemma, 93–7, 143, 148, 152, 156
 - generalised, 93
- equivariant Hopf bifurcation, *see* Hopf bifurcation, with symmetry
- equivariant Hopf theorem, 120
- Euclidean group, *see* group, Euclidean, $E(2)$
- excitable dynamics, *see* excitable system
- excitable system, 13, 14–17
 - excitation variable, 15
 - excited, 15
 - quiescent, 15
 - recovering, 15
 - recovery variable, 15
- Faraday instability, *see* Faraday waves
- Faraday waves, 2, 20–2, 179, 182–4, 311, 319
 - harmonic, 22
 - subharmonic, 21
- FitzHugh–Nagumo model, 14–17, 326, 371
- fixed-point, *see* stationary point
- fixed-point subspace, 90–1
 - flow invariance of, 91
- flat mode(s), 316
 - and Galilean symmetry, *see* Galilean symmetry, and flat modes
 - in conservative systems, 319–23
- flow, 23–5
- focus
 - stable, 27
 - unstable, 27
- focus instability, 377, 406
- focus singularity, 326–7, 377, 386, 388, 396
 - and wavenumber selection, 389–90, 406
 - wall focus, 326–7
- Fréchet derivative, 226
- Fredholm alternative, 214
 - theorem, 214, 270–1
- free energy, 224–7, 329, 333, 344, 350
 - density, 224, 329, 335, 344, 350
 - for Cross–Newell equation, 387, 400–2
 - for hexagons, 345
 - for Newell–Whitehead–Segel equation, 227
 - for real Ginzburg–Landau equation, 224
- free energy density
 - for Cross–Newell equation, 401
 - for hexagons, 346
 - for Swift–Hohenberg equation, 402
- fronts, *see* domain boundaries
- Galilean symmetry, 278, 280
 - and flat modes, 315–19
- Galilean transformation, 315
- general linear group, *see* group, general linear, $GL(n)$
- Ginzburg–Landau equation, 222, 326
 - complex, 222, 232
 - conditions for genericity, 222
 - in anisotropic system, 223
 - real, 222
 - free energy, 224
 - two-dimensional, 223
- Goldstone mode(s), *see* flat mode(s)
- grain boundary, 325–7, 350–1, 375
 - amplitude, 337–41, 390
 - and wavenumber selection, 341
 - in the zigzag instability, 262
 - phase, 337, 390–3
- group
 - Abelian, 54, 64
 - action, *see* representation
 - additive of real numbers, 53
 - associativity, 52
 - axioms, 52–3
 - circle, S^1 , 63
 - of phase shifts, 118
 - closure, 52
 - composition, 52
 - cyclic of order n , C_n , 54, 62
 - definition and elementary properties, 52–7
 - dihedral of order $2n$, D_n , 56
 - Euclidean, $E(2)$, 56–9, 67, 137, 190
 - pseudoscalar action, 187–90
 - scalar action, 141
 - finite, 55
 - general linear, $GL(n)$, 53, 68
 - generators, 54
 - identity element, 53
 - inverse element, 53
 - Lie, *see* Lie group
 - multiplicative of nonzero real numbers, 53
 - of integers under addition modulo n , \mathbb{Z}/n , 60
 - orthogonal, $O(2)$, 116, 120, 158
 - orthogonal, $O(3)$
 - symmetry of a sphere, 114
 - orthogonal, $O(n)$, 62
 - product, 64–7
 - direct, *see* direct product
 - direct sum, *see* direct sum
 - semidirect, *see* semidirect product
 - semidirect sum, *see* semidirect sum
 - quotient, Γ/H , 60–1
 - representation, *see* representation
 - rotations of an equilateral triangle, C_3 , 58
 - special Euclidean, $SE(2)$, 364
 - special orthogonal, $SO(2)$
 - of rotations in the plane, 67, 73, 83
 - special orthogonal, $SO(3)$
 - of rotations of the sphere, 114
 - special orthogonal, $SO(n)$, 62
 - symmetry of a rectangle, D_2 , 64
 - symmetry of a square, D_4 , 98, 110
 - conjugacy classes of, 110
 - irreps of, 100
 - symmetry of an equilateral triangle, D_3 , 55–6, 78, 80, 181
 - natural representation, 69
- group orbit, 87–8
 - conjugate isotropy subgroups of points on, 88
 - existence properties of fixed points on, 87
 - stability properties of fixed points on, 87
 - zero eigenvalue for perturbations along, 88

420

group table, 55
group velocity, 235

Hamiltonian system, 96
heteroclinic connection, 123
heteroclinic cycle, 122–9
 structural stability of, 123, 127
heteroclinic network, 129
heteroclinic orbit, 177
hexagon(s), 186
 instabilities of, 292–303
 cell fusion, 303
 cell splitting, 303
 cross-hexagon, 301–3
 mosaic, 303
 rectangular Eckhaus, 295–6, 298–301
 rhombic Eckhaus, 296–301
 off-critical, 293
 phase, 293
hexagon-roll transition, 154, 299
hexagonal lattice, *see* lattice, hexagonal
hexagons, 134–5, 150, 152, 154, 156–7
 cooked, 6–7
 modulated, 238–42, 345
hidden symmetry, 98, 168, 170, 190–207
 and boundary conditions, 198–207
 rotation, 203–7
 translation, 202–3
holohedry, 140
homoclinic
 cycle, 129
 orbit, 129
homogeneity, 137
homomorphism, *see* mappings of groups,
 homomorphism
Hopf bifurcation
 and complex Ginzburg–Landau equation,
 232
 on a one-dimensional lattice, 161–6
 with $O(2)$ symmetry, 120–2
 with symmetry, 116–22
 multiple imaginary eigenvalues at, 117
hysteresis, 45, 154, 186, 345

improper node
 stable, 26
 unstable, 27
invariant subspace, 71
irreducible representation, *see* representation,
 irreducible
 for finite Abelian groups, 81
 method of finding, 100–1, 110–13
irrep, *see* representation, irreducible
isomorphism
 of groups, *see* mappings of groups, isomorphism
 of representations, *see* representation,
 equivalence of
isotropy, 137
isotropy lattice, *see* lattice, of isotropy subgroups
isotropy subgroup, 88–90
 axial, 92

Index

 maximal, 92
 and hidden symmetry, 198
isotypic
 components, 82
 decomposition, 82–4
 block diagonalises Df , 90

Jacobian matrix, 26

Küppers–Lortz instability, 123, 158–62
Kuramoto–Sivashinsky equation, 289

large-aspect-ratio domain, 375, 380–406
lattice
 bifurcations on, 136–41
 dual, 134
 hexagonal, 136, 148
 steady bifurcation on, 147–57
 with additional \mathbb{Z}_2 symmetry, 155–7, 188–9
 holohedry, 140
 of isotropy subgroups, 89
 pattern(s), 134–41, 168
 planar, 134
 restriction to, 138, 193
 rhombic, 136, 191
 square, 136, 141
 fundamental representation, 141
 steady bifurcation on, 141–7
 superlattice irreps, 168, 169
Lie group, 67–8
 and continuous symmetry, 67
 compact, 68
 noncompact, 364
 one-parameter, 67
local activation with lateral inhibition, 18, 20
long-scale variable, *see* slow variable
Lyapunov functional, *see* free energy

mappings of groups, 61–3
 automorphism, 63
 homomorphism, 61–2, 141
 isomorphism, 62–3
marginal stability curve, 212, 244
mean flow, *see* drift flow
meander, *see* spiral(s), drifting or meandering
metastable state, 344, 349
midplane reflection symmetry, 155, 241
mode interaction, 174–8, 195–7
 2:1, 306
modulation
 scale, 211
 variable, *see* slow variable
morphogenesis, 14
multiple scales, 211–16, 223

naive symmetries, 192–3
Navier–Stokes equation, 8, 188
neutral stability curve, *see* marginal stability curve
Newell–Whitehead–Segel equation, 216, 222, 243,
 330
 free energy, 227

- no-slip boundary conditions, 278
- node
 - stable, 26
 - unstable, 26
- nonlinear saturation, 181, 221
- nonlinear Schrödinger equation, 238, 288
- normal form symmetry, 220, 233, 240
- normalizer, 59, 192,
 - complement of, 193
- Oberbeck–Boussinesq approximation, 7, 8, 9, 405
- oblique-roll instability, 274
- orbit, *see* group orbit
 - heteroclinic, *see* heteroclinic, orbit
 - homoclinic, *see* homoclinic, orbit
- orbit type, 89
- order
 - of a finite group, 55
 - of a group element, 55
- orthogonal group, *see* group, orthogonal, $O(n)$
- orthogonality theorem
 - for characters, 79
 - for matrix representations, 75
- oscillatory instability of rolls, 278, 284–6
- pacemakers, 358
- parametric forcing, 311
- parametrically excited surface waves, *see* Faraday waves
- patchwork quilt, 150, 156–7, 189
- Peach–Köhler force, 334
- penta-hepta defect, *see* defect, penta-hepta
- period-multiplying bifurcation, *see* bifurcation, spatial-period-multiplying
- periodic orbit, 24
 - relative, *see* relative, periodic orbit
- periodic point, 24
- phase
 - diffusion equation, 246, 261
 - approximation, 245–6, 295
 - dynamics, 331, 354–5, 377
 - general theory, 266–74
 - equation, 249
 - Cross–Newell, *see* Cross–Newell equation
 - Kuramoto’s method, 249–51, 262–6
 - instability, 245
 - portrait, 24, 25
 - space, 23
 - turbulence, 290
 - velocity, 235
- phase-shift symmetry, 233
- phason, 187, 305
- Poincaré’s linearization theorem, 38
- Prandtl number, 10
 - dependent instabilities of convection rolls, 277–86
- pseudoscalar action of $E(2)$, *see* group, Euclidean $E(2)$, pseudoscalar action
- quasipattern(s), 2, 20–21, 182–7, 302
 - and small divisors or near-resonances, 184
 - one-dimensional, 186
 - phase and phason instabilities of, 303–6
 - twelvefold, 1, 182, 185, 186
- quenching, *see* nonlinear saturation
- Rayleigh number, 10
- Rayleigh–Bénard convection, *see* convection, Rayleigh–Bénard
- reaction-diffusion, 12–20
- rectangles, 150, 152–3, 186
- reducible representation, *see* representation, reducible
- relative
 - equilibrium, 364
 - period, 365
 - periodic orbit, 365
- representation, 68–77
 - absolutely irreducible, 71–2, 74–5
 - characters of, *see* character(s), of a representation
 - degree or dimension of, 68
 - equivalence of, 69–71
 - faithful, 69
 - identity, 69
 - irreducible, 71–2
 - isomorphic, *see* representation, equivalence of
 - linear, 68
 - natural, 69
 - reducible, 72
 - trivial, 69
 - unfaithful, 69
 - unitary, 71
- resonance, 147–8, 175, 184
 - near-, 184
- rhombs, 170–1
- roll curvature, 352–3
 - bend, 352
 - splay, 352
- rolls, *see also* stripes
 - convection, 5, 8, 12
- rotating wave, 122, 164, 366
 - modulated, 366
- saddle point, *see* stationary point, saddle
- scalar action of the Euclidean group, *see* group, Euclidean, $E(2)$, scalar action
- scroll waves, 354, 372
- semidirect product, 65
- semidirect sum, 65
- shadowgraph visualisation technique, 6
- side-band instability, 256, 288
- simple anti-squares, 190
- simple oriented hexagons, 189, 190
- simple squares, 170–1
- skew product, 370
- skew-varicose instability, 278–84, 378, 406
 - monotone, 283
 - oscillatory, 284
- slaving, *see* adiabatic elimination
- slow variable, 211
- spatiotemporal symmetry, 118
- special orthogonal group, *see* group, special orthogonal $SO(n)$

spiral(s), 12–13, 325, 353–6, 375, 396
 break-up, 375
 drifting or meandering, 362–75
 giant steady, 377
 in excitable media, 15, 326
 involute, 362
 meandering transition, 368–70
spiral defect chaos, 1, 3, 375–8, 380, 406
squares, 134–5, 143, 146, 186
square lattice, *see* lattice, square
stability balloon, *see* Busse balloon
standing wave(s), 21, 121, 161, 163, 165
 parametrically driven, 312
star
 stable, 26
 unstable, 27
stationary bifurcation, *see* bifurcation, steady-state
stationary point, 24
 hyperbolic, 29
 persistence of, 29–30
 phase portraits in two dimensions, 28
 saddle, 27, 29
 sink, 29
 source, 29
 stability, 26–7
 types in two dimensions, 26–7
steady-state bifurcation, *see* bifurcation, steady-state
streamfunction, 188, 278
stress-free boundary conditions, 278, 315
stripes, 4, 5, 8, 12, 134–5, 143, 146, 150, 152, 156–8,
 170–1, 186
 modulated, 181–2, 209–32
 off-critical, 243
 universal instabilities, 243–77
structural stability, *see* heteroclinic cycle, structural
 stability
subcritical ramp, 227, 341
subgroup, 57
 closed, 68
 complement of, 58
 isotropy, *see* isotropy subgroup
 normal, 57
 normalizer of, *see* normalizer
 open, 68
subspace
 fixed-point, *see* fixed-point subspace
subtle symmetry, 194
super hexagons, 173–4
super squares, 170–1
super triangles, 173–4

superlattice, 302
 hexagonal, 172–3
 irreps
 translation-free, 169
 pattern, 21, 168–73
 square, 168–72
superspirals, 372–5
supertargets, 375
surface chemistry pattern, 13
Swift–Hohenberg equation, 4, 209–10, 326, 402
 variant, 316, 322, 324
symmetry
 hidden, *see* hidden symmetry
 naïve, *see* naïve symmetries
 spatiotemporal, *see* spatiotemporal symmetry
 subtle, *see* subtle symmetry
target(s), 12, 325, 353–61, 375, 377, 396, 406
 externally seeded, 356–60
 intrinsic, 360–1
textures, 349
trace formula, 92, 132
trajectory, 24
translation symmetry, 220
 and zero eigenvalue, 146
translations on a lattice, T^2 , 140
travelling wave, 161, 163, 165, 176, 234–8, 286
 modulated, 366
triangles, 150
 regular, 150, 156–7, 189
Turing instability, *see* Turing pattern
Turing pattern, 13, 17–20
unfolding, *see* bifurcation, unfolding
unitary
 matrix, 71
 representation, *see* representation, unitary
variational derivative, *see* Fréchet derivative
vorticity equation, 279
wavenumber selection, 227, 341
weak symmetry breaking, 113–14
zigzag instability, 245, 260–6
 damped by mean drift, 281, 405
 for finite amplitude rolls, 269–73, 385, 403,
 405
 subcritical, 262
 supercritical, 261