

Index

Roman numerals indicate glossary definitions.

- absence seizures
 - behavior problems 428–9, 470
 - defined xi
 - learning problems 206–8
 - memory deficits 207–8, 297–8, 504
 - and non-epileptic stares 572
 - speech/language problems
 - absence status 52
 - atypical absences 52
 - characteristics 13, 51–2
 - compared with complex partial seizures 52–3
 - task state effects 208
- absenteeism 197
- abuse 452, 569
- academic performance in epilepsy 320–36
 - drawing 330
 - mathematics *see* mathematics: problems
 - modifiers 331–2
 - reading *see* reading problems
 - spelling 327, 376
 - writing 330
 - see also* learning problems in epilepsy: underachievement
- acquired aphasia with epilepsy syndromes 70–100
 - autism with epilepsy 88–9
 - developmental dysphasia with epilepsy 86–8
 - ESES *see* electrical status epilepticus in sleep (ESES)
 - Landau–Kleffner syndrome *see* Landau–Kleffner syndrome (LKS)
 - see also* epilepsy language syndromes
- acquired aphasia and epileptiform EEG syndrome *see* Landau–Kleffner syndrome (LKS)
- acquired apraxia with CSWS 94–5
- acquired childhood aphasia (agnosia) with epilepsy syndrome *see* Landau–Kleffner syndrome (LKS)
- acquired epileptiform opercular syndrome
 - cause 105
 - clinical features 103–4
 - course 104
 - diagnosis 104–5
 - examination 104
 - treatment 105
- acquired frontal dysfunction with epilepsy 95
- acquired visual agnosia with epilepsy 94
- adolescent psychosocial development
 - effects of epilepsy 421, 423, 447–8
 - normal 420–1
- adrenocorticotrophic hormone (ACTH) 82
- age at onset 5–6
 - and behavior problems 411, 436–7
 - and learning problems 188, 190, 196, 239–41, 331–2
 - of non-epileptic seizures 567
 - and speech/language problems 65
- age divisions of childhood 5
- aggression in epilepsy
 - diagnosis 539
- episodic dyscontrol syndrome
 - childhood rage reactions 537–8
 - features 536–7
- episodic irritability 536
- pathogenesis 538–9
- and seizure type 534
- seizure-related
 - ictal 534–5
 - interictal 535–6
 - postictal 535
 - preictal 534
- treatment
 - behavioral 540
 - psychopharmacological 540–1, 625
- agitation, drug therapy for 625
- agnosia xi, 32, 58
- akinetie seizures 53, 209
- alertness *see* attention
- alprazolam 502, 624

640 Index

- alternating psychoses 554–6, 630, 631
- amfebutamone 491, 521, 604
- amitriptyline 604
- amoxapine 521, 604
- amphetamines 603
- amygdala 495, 539
- amygdalohippocampectomy 366
- anarithmia xi, 178
- anarthria xiii, 43
- anomia xii, 41, 59, 150
- anosognosia xii
- anxiety agents 621, 624
 - see also specific agents*
- antidepressant drug therapy
 - anxiety 502, 624
 - bipolar disorders 521
 - depression 519–20, 626–7
 - interactions with anticonvulsants 502, 627
 - seizure precipitation 514, 603–4, 621–2, 626
 - see also specific drugs*
- antiepileptic drug therapy 116–24, 337–61
 - and age 6
 - behavioral/psychiatric effects 412, 542–3, 590
 - on attention 271, 485
 - bipolar disorder treatment 628–9
 - depression 511, 514, 518
 - mechanisms 617
 - newer drugs 598, 618–20
 - older drugs 591–2, 618
 - psychosis induction 556–7
 - psychosis treatment 629
 - see also specific drugs*
 - cognitive side effects 337
 - age and 338
 - in utero 338–9
 - learning problems 339
 - polypharmacy and 338
 - see also specific drugs*
 - drug interactions 502, 627
 - folic acid deficiency with 591
 - goal 337
 - inhibition versus excitation 116, 118
 - memory effects 296, 304
 - modes of action 116–17
 - older versus newer drugs 117–18
 - polypharmacy 118, 338
 - reading effects 263, 324–5
 - sleep effects 282
 - speech/language effects 118–19
 - drugs for major seizures 119–21
 - drugs for minor seizures 121–2
 - new drugs 122–4
 - speech/language impairment by 15
 - TICs 263
 - treatment versus no treatment 340
 - see also specific disorders*
- antipsychotic drug therapy
 - attention deficit disorders 490
 - childhood bipolar disorders 526–7
 - psychoses of epilepsy 559, 631–2
 - seizure precipitation 604–5, 623, 631
- anxiety
 - anatomy of 495
 - and non-epileptic seizures 577
 - origins of 494–5
- anxiety in epilepsy 494–503
 - generalized anxiety disorders 498
 - incidence 495–6
 - obsessive–compulsive disorders 499–500
 - panic disorders 498–9
 - parental 449, 494, 501
 - post-traumatic stress disorders 500–2
 - presentations 495
 - auras 496
 - ictal 496–7
 - interictal 497
 - postictal 497
 - postoperative 497, 606
 - prodromal 496
 - situational 497–8
 - therapy 502–3, 621, 624
 - underachievement due to 196–7
- aphasia
 - aphasic status 37, 61–2
 - causes 38–9
 - complex manifestations 36–7
 - in complex partial epilepsy 58–9
 - definitions xii
 - developmental 86–8
 - diagnosis 38
 - differential diagnosis 33–4, 39–40
 - expressive 32, 35
 - persistent episodic 37
 - postictal 37
 - presentation 33, 35–6
 - receptive 32, 34–5
 - related seizure types 38
 - simple brief attacks 36
 - speech/language regression 40–1
- apraxia xii, 41
- arithmetic *see* mathematics
- articulation problems 43
- association problems
 - auditory 180–1
 - visual 182
- astatic seizures xii
- atonic seizures xii
- attention
 - anatomy of 269–70
 - development of skills 269

641 Index

- disorders 270
- focused 269
- immediate 268
- links with executive functions 313, 316–17
- sustained 268, 269
- attention deficit disorders (ADD/ADHD)
 - causes
 - developmental 479
 - environmental 479–80
 - neurogenic 480–81
 - psychogenic 481
 - debates about 409
 - defined 477–8
 - developmental presentation 478–9
 - diagnosis 481–2
 - etiological theories 482
 - evaluation 481
 - incidence 478
 - legal issues 491
 - related problems 478
 - subtypes 478
 - therapy 482–3, 624
- attention deficit disorders (ADD/ADHD) of epilepsy
 - etiologies 483–5, 486
 - drug reactions 485
 - epileptic anxiety 485
 - epileptic-encephalopathy syndromes 485
 - generalized seizures 484
 - partial seizures 484–5
 - seizure awakenings 485
 - subclinical discharges 485
 - evaluation 486
 - incidence 483
 - prognosis 491
 - therapy 486–7
 - antiepileptic medication adjustment 487
 - pharmacological 489–91, 624
 - psychological 487–9
- attention deficits of epilepsy 270–1
 - diagnosis 278–9
 - drug reactions 271
 - see also specific drugs*
 - due to TCIs 261
 - generalized epilepsy 204
 - burst duration effect 273
 - cognitive and perceptual motor effects 272
 - generalized burst interruptions 271–2
 - performance effects 274
 - responsiveness 273
 - specific seizure types 206, 207, 274–5
- management
 - antiepileptic drugs 280
 - classroom approaches 142–3, 280–1
 - modifiers
 - activities 277–8
 - concentration 278
 - patient factors 277
 - partial epilepsy 215, 275
 - frontal lobe seizures 218, 276
 - orientation reaction disturbance 275–6
 - temporal lobe seizures 220, 276
 - and underachievement 197
 - see also* sleep problems in epilepsy
- attention-seeking behavior 578
- attitudes to epilepsy 1, 7
- auditory evoked potential testing 135
- auditory learning disorders 180–1, 321
- auditory-verbal processing problems 321, 397–8
- auditory-visual integration problems 182
- augmented communication 19
- auras
 - anxiety 496
 - primary reading epilepsy 326
 - resemblance to psychiatric disorders 463
- autism 88–9, 151, 154, 464–5
- autonomy, development of 418, 447
- barbiturates
 - additive effects 117
 - behavioral side effects 592–4
 - cognitive side effects 340–2
 - inhibitory effects 117, 118
 - speech/language effects 119–20
- behavior, ictal *see* ictal behavior
- behavior and learning problems 163, 396–7
 - auditory-verbal processing problems 397–8
 - avoidance of failure 400
 - underachievement effects 196–7, 400, 401
 - visual-motor processing problems 398–400
- behavior and speech/language problems
 - 149–58
 - anxiety 151
 - diagnostic evaluation 156
 - domination 150
 - expressive language problems 154–5
 - frustration behaviors 152–5
 - language and psychosis 151, 154
 - links between language and emotions 149–50
 - management 156–7
 - mixed speech and language problems 152
 - personality traits 151
 - post-stroke 153
 - problems with social interactions 150, 153, 154–5

642 Index

- behavior and speech/language (*cont.*)
 - prognosis of 157
 - receptive language problems 153–4
 - study of psychiatric diagnoses 151–2
- behavior problems 3
 - aggression *see* aggression in epilepsy
 - autistic 464
 - conduct disorders *see* conduct disorders
 - drug therapy 625
 - see also specific problems*
 - ESES 90, 93
 - incidence 407, 459
 - Landau–Kleffner syndrome 73, 84
 - lateralization of tendencies 410–11, 415–16
 - modifiers 436–7
 - oppositional-defiant disorder *see*
 - oppositional-defiant disorder (ODD)
 - range encountered 459, 463
 - rebelliousness 533
 - seizure prodrome 463
 - seizure types *see* seizure types and behavior problems
 - and socialization problems 473
 - undiagnosed epilepsy 401
 - see also* personality syndromes related to epilepsy
- behavior therapy 616–17
 - see also* cognitive behavior therapy
- benign centrottemporal epilepsy of childhood
 - see* Rolandic (centrottemporal) epilepsy
- benign epileptiform transients of sleep (BETS) 503
- benign occipital epilepsy of childhood 217
- benzodiazepines
 - anxiety treatment 502, 621, 624
 - behavioral side effects 347, 597–8
 - cognitive side effects 347
 - speech/language side effects 121
- bipolar disorders in epilepsy
 - causes 523
 - childhood
 - clinical features 524–5
 - comorbid conditions 526
 - confusion with ADHD 525
 - manic-depressive variant 525–6
 - treatment 526–7
 - clinical features 435, 521–3
 - incidence 521
 - treatment 435, 523, 627–9
- Blumer interictal personality syndrome 466–7
- borderline personality disorders 472–3
- brain
 - behavior lateralization 410–11, 415–16
 - development 171–2
 - effects of early epilepsy 2, 239–40
 - language organization *see* language organization in the brain
 - learning localization 172
- brain insults
 - age effects 6, 411
 - causing lowered intelligence 236–7
 - causing seizures and language problems 14
 - laterality and learning problems 176–7, 237–8
 - plasticity of response to 24–7, 65, 175–6
 - prefrontal 314–16
- Briquet's syndrome 582
- Broca's area 20
- bromides 347–8
- bupropion 491, 521, 604
- bupirone 604
- carbamazepine
 - behavioral/psychiatric effects
 - overview 595–6, 618
 - aggression 540
 - anxiety disorders 503
 - bipolar disorders 523, 526, 626, 628–9
 - depression 626
 - psychoses 630
 - cognitive effects 344–5
 - effects on SSRI levels 621
 - speech/language effects 120
 - use of generics 412
- centrottemporal (Rolandic) epilepsy *see*
 - Rolandic (centrottemporal) epilepsy
- cerebral palsy 237
- child abuse 452, 569
- child development
 - attention skills 269
 - executive function 310, 311–12
 - language *see* language: development
 - memory 295
 - psychosocial *see* psychosocial development in children
 - stages 5–6
 - see also* cognitive development
- childhood depression 514–21
- childhood stages and 515–16
- diagnosis 516–17
- factors in 516
- incidence 515
- prognosis 517
- symptoms 515

643 Index

- therapy 517–18
 - antidepressant 521
 - antiepileptic drug optimization 518
 - childhood stage and 520
 - psychological 521
 - see also* depression in epilepsy
- childhood rage reactions 537–8
- children with epilepsy
 - approach by physicians 616
 - learned helplessness 446
 - responsibility for problem 445–6
 - self-concept 443–5
 - social outcasting 451
 - see also* child development; education
- chlorothiazide 348
- chlorpromazine 604
- circumlocutions 150
- circumstantiality 467–8, 469
- clobazam 81, 121, 347, 598
- clomipramine 604, 624
- clonazepam
 - antimanic effects 628
 - anxiety therapy 502, 618
 - behavioral side effects 540–1, 597–8
 - cognitive side effects 347
 - reading epilepsy therapy 327
 - seizure induction 559
 - speech side effects 121
- clonidine 490–1, 541, 625
- clorazepate 121, 348
- clozapine 540, 605
- cognitive behavior therapy 503, 518, 543, 584
- cognitive development
 - anatomy 171–2
 - gender differences 174–5
 - localization 172
 - plasticity 175–6
 - stages 173–4
- cognitive effects of temporal lobectomy 366
- cognitive evoked potential testing 135–6
- cognitive impairment *see specific learning entries*; transient cognitive impairments (TCIs)
- cognitive training 488
- communication
 - disorders 18–19
 - methods 17, 19
 - problems 11, 17
- complex partial epilepsy (CPE)
 - amnesia in 504
 - behavioral/psychological problems
 - aggression 534, 535, 536
 - attention deficit disorders 484–5
 - depression 512–13
 - emotional lability 61
 - frontal lobe 435
 - manic-depressive episodes 522
 - psychoses 432, 433, 548
 - temporal lobe 431–4
 - thought disorders 547–8
- defined xiii
- learning problems 217
 - and disease duration 242, 243
 - frontal lobe 192, 218–19
 - and seizure frequency 242
 - temporal lobe 192–4, 219–24
- P300 changes 57–8
- personality traits 471
- sleep problems 281
- speech/language problems 13–14, 52–3, 56–7
 - agnosia 58
 - anomia 59
 - aphasia 58–9
 - fluency 60
 - neologism utterance 61
 - paroxysmal word utterance 59
 - partial epileptic aphasic status 61–2
 - speech arrests 60
 - verbosity 60–1
- computed tomography (CT)
 - congenital perisylvian syndrome 102
 - Rasmussen's syndrome 111
- computerized EEG neuropsychologic testing 262–3, 382
- conceptualization deficits, classroom
 - approaches to 143–4
- conduct disorders
 - diagnosis 543
 - features 409–10, 542
 - risk factors 542–3
 - therapy 543–4
- confabulation 294
- confusion, postictal 504
- congenital perisylvian syndrome
 - causes 103
 - clinical features 101–2
 - diagnosis 102–3
 - examination 102
 - treatment 103
- consciousness 269
- continuous spike waves of sleep (CSWS) 94–5
 - see also* electrical status epilepticus in sleep (ESES)
- conversion seizures 578
 - see also* non-epileptic seizures
- corpus callosotomy xiii, 127–8, 371, 607
- “cortical deafness” 71

644 Index

- cortical mapping 125
- counseling 488, 616
- cryptogenic epilepsy 235
- CSWS *see* continuous spike waves of sleep (CSWS)
- cytochrome P450 621, 627
- dependence 421–2, 446
- depression in epilepsy 508–21
 - childhood *see* childhood depression
 - and cognition 396
 - epilepsy types
 - generalized 512
 - partial 512–13
 - etiological factors
 - endogenous 513–14
 - exogenous 514
 - incidence 509
 - modifiers 513
 - parental 452
 - suicide attempts 509
 - symptoms 508–9
 - therapy
 - antidepressant 519–20, 626–7
 - antiepileptic drug optimization 518, 626
 - electroconvulsive therapy 627
 - psychological 518–19
 - vagal nerve stimulation 520, 607, 633
 - types
 - interictal 511
 - medication-related 511, 514, 518
 - postoperative 511–12, 605–6
 - peri-ictal 437–8, 510
 - pre-epilepsy 510
- see also* bipolar disorders in epilepsy
- desipramine 519
- development *see* child development
- developmental dysphasia with epilepsy 86–8
- diazepam 121
- diones 122, 346
- disarticulation 43
- discriminatory problems 180, 181–2
- dissociation 570
- dissociative disorders 578
- distractions 280–1
- dopamine 462, 553, 558, 631
- doxepine 519, 521
- drawing problems 330
- dysarthria xiii, 43
- dysarticula xiii
- dyscalculia xiii, 178
- dysfluency of speech 43
 - labored speech flow 44, 60
 - stuttering 44
 - verbosity 45, 60–1
- dyslexia xiv, 177
 - see also* reading problems
- dysnomia stuttering 44
- dysthymic disorders 508, 509
- education
 - cooperation in 392–3
 - dropout rate 163, 186
 - employability improvement 390, 455
 - goal 393
 - individualized educational plans 390–2
 - observation in class 377–8
 - performance problems 161–3
 - placement 165–6, 388
 - special services 163–4, 165, 386, 392
 - support services 388–9
 - US law 391
 - see also* learning problems in epilepsy; teachers
- effort effects on minor motor seizures 208
- electrical brain stimulation 253
- electrical status epilepticus in sleep (ESES)
 - behavior problems 430
 - cause 92
 - clinical features 89, 90
 - complications 93
 - course 92–3
 - diagnosis 91–2
 - differential diagnosis 91
 - epidemiology 89–90
 - examination 90
 - prognosis 93
 - seizures 90
 - treatment 93–4
- electroconvulsive therapy (ECT) 253, 520, 559–60, 627
- electroencephalography (EEG) findings
 - acquired epileptiform opercular syndrome 104–5
 - aphasic patients 33, 34, 62
 - attention deficit disorders 481–2
 - congenital perisylvian syndrome 102
 - developmental dysphasias 88
 - ESES 91–2
 - Landau–Kleffner syndrome *see* Landau–Kleffner syndrome (LKS): diagnosis, EEG findings
 - language-induced seizures 63
 - in learning problems 235
 - non-epileptic seizures 575–6
 - Rasmussen’s syndrome 110–11
 - reading epilepsies 326, 327
 - simultaneous intellectual testing 253–4
 - subclinical discharges 64–5
 - video monitoring 255–6, 575–6

645 Index

- see also* learning disabilities, diagnosis: EEG studies
- employment and epilepsy 390, 455
- encephalitis 40–1, 105–6
- epilepsy in children, overview 1–8
- epilepsy language syndromes 101–15
 - see also* acquired aphasia with epilepsy syndromes
- epilepsy syndromes 4
 - behavior problems 430
 - learning problems 210–14
 - speech/language problems 53
 - see also specific syndromes*
- epileptic amnesic syndrome 303
- epileptic aphasic status 34, 37
- epileptic fugues 504
- episodic dyscontrol 536–8, 578–9, 625
- episodic irritability 536
- episodic psychoses 551–2
- ESES *see* electrical status epilepticus in sleep (ESES)
- ethosuximide
 - behavioral/psychiatric side effects 556, 597
 - cognitive side effects 346–7
 - speech/language effects 122
- euphoria, in childhood bipolar disorder 524
- executive functions
 - anatomy of 310–11
 - components 312–13
 - defined 310
 - development 311, 418
 - developmental problems 316–17
 - diagnosis 317
 - therapy 317–18
 - maturation 311–12
 - test approaches 317
 - see also* prefrontal insults
- factitious disorders 579
- families of epileptic children
 - dynamics 448
 - family therapy 488, 520, 617
 - participation in speech therapy 141–2
 - psychosocial problems 451
 - siblings 453–4
 - covert jealousy 454–5
 - roles 454
 - see also* parents of epileptic children
- fear
 - of seizures 444, 449
 - see also* anxiety
- febrile convulsions 210–11, 298, 430
- Federal Commission for the Control of Epilepsy and its Consequences 1, 164–6, 386–7
- felbamate
 - anxiolytic effect 619
 - behavioral/psychiatric side effects 348, 514, 556, 557, 598–9
 - clinical use 81, 105, 122
 - intolerance 122
- fluency disorders of speech 18, 60
- flunarizine 348
- fluoxetine 519, 521, 624, 625
- fMRI 125
- focal atonic epilepsy 210
- focal spikes and TCIs 257–8
- folic acid deficiency 591
- forced normalization 554–6
- forgetting 293
- frontal lobe
 - functions 294, 312–14, 416–17
 - injuries 315–16
 - surgery 364
 - see also* executive functions
- frontal lobe epilepsy
 - behavior problems 470
 - learning problems 192, 218–19, 298
 - postictal psychoses 435
- fugues 578
 - epileptic 504
 - psychogenic 503
- gabapentin
 - behavioral/psychiatric effects 543, 599, 619
 - clinical use 122, 523, 540, 599
 - cognitive effects 348
- Gastaut–Geschwind syndrome 466
- gelastic seizures 217
- gender differences 4, 65
 - academic performance 328, 331
 - attention problems 277
 - behavior problems 436
 - cognitive development 174–5
 - educational 195–6
 - emotional expression 4
 - language impairment 65
 - learning problems 239
 - non-epileptic seizures 567
- generalized anxiety disorder 498
- generalized epilepsy 3
 - aphasias 38
 - behavior problems 428
 - absence seizures 428–9
 - myoclonic seizures 429
 - tonic–clonic seizures 428

646 Index

- generalized epilepsy (*cont.*)
 learning problems
 absence seizures 206–8
 general features 204–5
 minor motor seizures 208–10
 tonic–clonic seizures 205–6, 241–2
 math-induced 329–30
 and psychoses 552
 sleep problems 282
 speech/language problems
 absence seizures 51–3
 minor motor seizures 53
 status epilepticus 51
 tonic–clonic seizures 51
 types 203
 see also attention deficits of epilepsy;
 generalized epilepsy; memory deficits
 of epilepsy: generalized epilepsy
 Geschwind epileptic personality 466
 guanfacine 490–1
- haloperidol 490, 541, 605, 625, 631
 Halstead Reitan Battery 380
 hamartomas 436
 handwriting problems 330
 head injuries 315
 hearing
 disorders 19
 evaluation 134–5
 auditory evoked potentials 135
 cognitive evoked potentials 135–6
 noisy backgrounds 135
 temporal lobectomy and 126
 hemidecortectomy xiv, 129
 hemispherectomy xiv, 129, 238–9, 370
 hippocampectomy 366
 hippocampus and memory 223, 292, 293–4,
 299, 364–5
 humorlessness 467
 hydantoins 120
 see also phenytoin
 hyperactivity 491
 see also attention deficit disorders
 (ADD/ADHD)
 hypergraphia 60, 468, 469
 hyperventilation 461–2
 hysterical seizures *see* non-epileptic seizures
- icons 290
 ictal amnesia 503–4
 ictal behavior
 neurochemical foundations 426–7
 neurologic basis 425
 identity 445
 idiopathic epilepsy 4, 235–6
 imipramine 604
- immunologic speech regression *see*
 infectious/immunologic speech
 regression
 impulse-control problems 533
 see also aggression in epilepsy
 independence 420–1, 422, 423, 446
 individualization, development of 418
 infantile myoclonic spasms xiv, 53,
 211–12
 infectious/immunologic speech regression
 post-encephalitis 105–6
 protracted partial complex status
 syndrome 106–8
 Rasmussen's syndrome *see* Rasmussen's
 syndrome
 initiative, development of 419
 institutionalization cycle 453
 intelligence
 and age of epilepsy onset 239–41
 deficits
 idiopathic epilepsy 188
 symptomatic epilepsy 188, 236–7
 effects of antiepileptic drugs 339
 see also specific drugs
 effects of temporal lobectomy 366
 and executive functioning 316
 generalized epilepsy 204
 absence seizures 206
 minor motor seizures 208
 tonic–clonic seizures 205
 partial epilepsy 215
 frontal lobe 218
 temporal lobe 219–20
 TCIs and 260–1
 tests 379
 see also academic performance in
 epilepsy
 intellectual regression 2–3, 162, 178–9
 interictal personality syndrome of Blumer
 466–7
 intermittent explosive disorder *see* episodic
 dyscontrol
 intracarotid amobarbital procedure (Wada
 test) 125, 363–4
 IQ tests 379
 irritability 524
- jealousy, in siblings 454–5
 juvenile myoclonic epilepsy (JME)
 depression in 512
 personality traits 429, 470
 triggers 210
- Kansas Epilepsy Center experience 12–13
 ketogenic diets 130, 372
 Kluver–Bucy syndrome 465

647 Index

- Lafora myoclonic progressive epilepsy 209, 429
- lamotrigine 122
- behavioral/psychiatric effects 523, 556, 599–600, 619–20
 - cognitive effects 348
- Landau–Kleffner syndrome (LKS) 5, 70–86
- clinical features 70–1
 - behavior 73, 430
 - language regression 71–2
 - seizures 72–3
 - stabilization period 74
 - recovery period 74
 - complications 85
 - language recovery 85–6
 - learning disabilities 86
 - neurologic recovery 85
 - diagnosis
 - audiometry 77–8
 - auditory evoked potentials 78
 - CSF examination 78
 - functional brain imaging 77
 - radiologic brain imaging 77
 - diagnosis, EEG findings
 - abnormalities 75
 - brain mapping 77
 - magnetoencephalography 76
 - relationship with aphasia 76
 - slow spike waves of sleep 75–6
 - video-EEG 76
 - diagnosis, functional
 - psychological evaluation 78–9
 - speech/language evaluation 79
 - differential diagnosis 79, 81
 - epidemiology 74
 - etiology
 - brain lesions 80
 - developmental 80
 - epileptic disruption 79–80
 - infectious/autoimmune 80
 - zinc deficiency 80
 - examination 74
 - pathology 81
 - prognosis 84–5
 - related syndromes 70
 - remediative support
 - behavior 84
 - language 83–4
 - learning 83
 - treatment 73, 81
 - anticonvulsants 81
 - immunologic 82
 - surgery 82–3
 - variants 94–5
 - language
 - development 22
 - early childhood 23–4, 173–4
 - in epilepsy 27–8
 - infancy 23
 - late childhood 23–4
 - plasticity 24–7, 65, 175
 - prenatal 22
 - disorders 18
 - non-spoken 19
 - processing of 19
 - receptive 23
 - language organization in the brain
 - in epilepsy patients 27–8
 - lateralization 19, 25
 - gender differences 21
 - left-handers 22
 - right-handers 21–2
 - localization
 - basal-temporal 20–1
 - language areas 20
 - normal function variability 21
 - plasticity following damage 24–7, 65, 175
 - see also* language: development
 - language problems in epilepsy 2, 12
 - see also* speech/language problems in epilepsy
 - language regression with epilepsy syndromes
 - see* acquired aphasia with epilepsy syndromes
 - language-induced reflex seizures 63–4
 - learned helplessness 446
 - learning development *see* cognitive development
 - learning disabilities
 - age effects 183
 - antiepileptic drug effects 339
 - see also specific drugs*
 - children at risk of 179
 - cognitive deficiencies 162
 - defined xiv, 179, 186
 - diagnosis *see* learning disabilities, diagnosis
 - imbalanced learning 183
 - related to seizure laterality 191, 237–9
 - benign Rolandic epilepsy 194
 - bitemporal lobe foci 194, 223–4
 - etiology 191–2
 - frontal lobe foci 192
 - left temporal lobe foci 192–3, 219–20
 - right temporal lobe foci 193–4, 220
 - subclinical discharges and 263
 - subgroups of children 320–1
 - types
 - auditory channel disorders 180–1
 - auditory-visual integration problems 182
 - visual-motor disorders 181–2

648 Index

- learning disabilities, diagnosis 375–85
 - classroom observations 377–8
 - considerations 376–7
 - doctor's roles 377
 - early signs 375–6
 - EEG studies
 - computerized EEG neuropsychometrics 262–3, 382
 - routine EEG 381–2
 - formal evaluation
 - academic performance 379
 - basic 378–9
 - behavior screens 379
 - IQ testing 379
 - psycholinguistic testing 380–1
 - test batteries 380, 381
 - MRI scanning 383
 - P300 abnormalities 383
- learning organization in the brain
 - lateralization 176, 191
 - left hemisphere 176–7
 - right hemisphere 177
 - localization 172
 - plasticity 175–6
- learning problems in epilepsy
 - effects on behavior
 - academic frustrations 401
 - auditory-verbal processing problems 397–8
 - avoidance of failure 400
 - visual-motor processing problems 398–400
 - help with
 - emotional support 389–90
 - employability 390
 - medical setting 387
 - school setting 388–99
 - treatment plans 390–3
 - intellectual decline 2–3, 162, 178–9
 - causes and modifiers 189–90
 - diagnosis 191
 - learning disabilities *see* learning disabilities
 - mental retardation 2, 162, 178
 - causes and modifiers 187–8
 - defined xvi
 - incidence of epilepsy 187
 - seizure type and 187
 - terminology 177–8, 186–7
 - underachievement 3, 162, 194–5
 - academic effects 195
 - behavior aspects 196–7, 396, 400
 - contributing factors 195–6, 377
 - see also* academic performance in epilepsy; seizure types and learning problems; transient cognitive impairments (TCLs)
- learning problems in epilepsy, modifiers 235–51
 - age of onset 239–41
 - attack severity 243–4
 - attitudes 245
 - duration of disease 242–3
 - epilepsy etiology
 - idiopathic 235–6
 - symptomatic 236–7
 - gender 239
 - location of damage
 - bitemporal 238
 - hemispheric 238–9
 - left-sided 237–8
 - right-sided 238
 - seizure frequency 241–2
 - seizure intractability 243
 - seizure timing 242
 - socioeconomic background 245
 - status 244–5
- learning problems in epilepsy, study findings
 - Federal Commission
 - intelligence 164
 - placement 165–6
 - school problems 164–5
 - international studies
 - functioning in society 164
 - performance problems 161–3
 - school dropout rates 163
 - special education 163–4
 - West Virginia experience 166–7
- learning styles 179
- legal aspects of education of handicapped children (US) 391, 392
- Lennox–Gastaut syndrome xv
 - behavioral/psychiatric problems 430
 - effects of clobazam 347
 - features 53
 - mental retardation in 212
- levetiracetam
 - behavioral/psychiatric side effects 556, 600
 - cognitive effects 348–9
- limbic system
 - in aggression 538–9
 - epilepsy 462
 - in memory 292, 293, 294
 - see also* hippocampus and memory
 - and psychopathology in epilepsy 425, 436
- lithium 523, 526, 623, 628, 629
- lorazepam 502, 540
- losigamone 122, 349
- Luria–Nebraska battery 380

649 Index

- magnetic resonance imaging (MRI) 383
 - congenital perisylvian syndrome 102
 - Rasmussen's syndrome 111
- major tranquilizers *see* antipsychotic drug therapy
- malingerer 503, 579
- manic depression *see* bipolar disorders in epilepsy
- mathematics
 - problems 327–8
 - early signs of 376
 - gender differences 328
 - seizure types and 224, 328
 - types 193
 - processing 178, 328–9
 - seizure induction by 329
 - focal 330
 - generalized 329–30
- memory
 - anatomy of
 - frontal lobes 294
 - general neocortex 295
 - parietal lobes 294–5
 - temporal lobes 293–4
 - see also* hippocampus and memory
- deficits
 - in affect disorders 296
 - anomia xii, 41, 59, 150
 - antiepileptic drugs and 296, 304
 - auditory 180, 397
 - interrupted sleep and 296
 - neurotransmitter imbalances and 296
 - postoperative 365, 366
 - storage 295
 - visual 182
 - see also* memory deficits of epilepsy; *specific antiepileptic drugs*
- development 295
- effects of temporal lobectomy 126–7, 299, 365, 366, 367–9
- and executive functions 313
- importance of sleep 296
- ionic 291
- macromolecular 291, 292
- processing
 - immediate memory 290
 - long-term memory 292
 - medium-term memory 291
 - perception 289–90
 - short-term memory 290–1, 292
- recall 292–3
- types 289
- memory deficits of epilepsy 297
 - generalized epilepsy 297
 - absence seizures 207–8, 297–8
 - febrile convulsions 298
 - tonic–clonic seizures 206, 297
 - modifiers 303–4
 - partial epilepsy 215, 298
 - frontal lobe 218, 298
 - temporal lobe 192, 194, 221–4, 298–303
 - with TCIs 261, 303
- mental retardation *see* learning problems in epilepsy: mental retardation
- mephobarbital 119, 592
- metharbital 119, 592
- methsuximide 122
- methylphenidate hydrochloride 490, 543, 603
- minor motor seizures
 - learning problems 208–10
 - speech/language problems 53
- mirtazapine 604
- molindone 559
- monoamine oxidase inhibitors 502, 521, 604, 622
- mood disorders 508, 509
 - see also* bipolar disorders in epilepsy; depression in epilepsy
- motivation, lack of 197
 - multiple subpial transections (MSTs) 128–9, 370
- Munchausen's syndrome by proxy 579–81
- mutism 45
- myelination 24, 172
- myoclonic seizures xv
- myoclonic–atonic epilepsy 209
- nefazodone 604
- neglect 276
- neocortical resections 127
- neologisms, utterance of 61
- neonatal seizures 213
- neuroleptic drugs *see* antipsychotic drug therapy
- neuropsychologic testing, computerized 262–3, 382
- neurotransmitters 117, 118, 426, 462, 482, 514
- night terrors 283
- nitrazepam 347, 598
- non-epileptic seizures 566–89
 - behavior 568
 - defined 566
 - diagnosis 574–5
 - EEG 575–6, 577
 - neuropsychometric testing 576
 - prolactin testing 576
- disclosure of diagnosis to family 582
- epidemiology 567–8

650 Index

- non-epileptic (*cont.*)
 - intentionally produced
 - factitious disorders 579
 - malingered 579
 - Munchausen's syndrome by proxy 579–81
 - Svengali syndrome 581
 - physiologic
 - child's age and 572
 - seizure characteristics 571–2
 - seizure mimics 573
 - precipitants 568
 - family stresses 568–9
 - relationship problems 569
 - school stresses 569
 - traumatic experiences 500–1, 569
 - others 569–70
 - presentations 570
 - prognosis 585
 - psychodynamics 573–4
 - psychologic 571
 - therapy 582–3
 - behavioral interventions 584–5
 - cause-related 583–4
 - family 585
 - psychologic interventions 584
 - psychopharmacology 585
 - underlying psychiatric problems
 - anxiety 577
 - attention-seeking 578
 - conversion reactions 578
 - dissociative disorders 578
 - intermittent explosive disorder 578–9
 - Munchausen's syndrome 579–81
 - psychoses 581
 - somatization disorder 582
 - somatoform disorders 581
- non-Lafora myoclonic progressive epilepsy 209–10, 429
- normality, definitions of 415
- normalization psychoses 554–6
- obsessive–compulsive disorders (OCDs) 499–500, 624
- olanzapine 527, 559, 631
- oppositional-defiant disorder (ODD)
 - diagnosis 543
 - features 541–2
 - risk factors 542–3
 - therapy 543–4
- organizational deficits
 - in frontal lobe epilepsy 218
 - management in the classroom 144
- orientation reaction 275–6
- oxcarbamazepine 120, 123, 349, 600
- P300 abnormalities 57–8, 135, 136, 383
- palilalia 42
- panic disorders 498–9, 577, 624
- paramethadione 122
- paraphasia xv
- parents of epileptic children
 - adjustment 452
 - anxieties 449, 494, 501
 - grief reactions on diagnosis
 - acceptance 453
 - bargaining and cure-seeking 451–2
 - depression and withdrawal 452–3
 - guilt and blame 450
 - shock and denial 449
 - marital stress 451
 - rejection of child 452
 - training of 487
 - and vulnerable child syndrome 450–1
- parietal lobes 294–5
- paroxetine 502, 519, 521, 541, 625
- paroxysmal word utterances xvi, 42–3, 59, 61
- partial epilepsies
 - aphasia during 38
 - behavioral/psychiatric problems 512–13
 - attention deficit disorders 484–5
 - and focus laterality 430–1
 - laterality effects 3–4, 192–4, 430–1
 - learning problems 192–4, 214–16
 - speech/language problems 13–14, 27, 53–4
 - see also* complex partial epilepsy (CPE); simple partial epilepsy
- partial epileptic aphasic status 61–2
- perception 289–90
 - following temporal lobectomy 369
- maturation of 174
- problems
 - auditory 180, 321, 397
 - and behavior 397, 398–9
 - and learning 180, 181–2
 - postictal 438
 - with TCIs 261
 - visual 181–2, 261, 321, 398–9
- perceptual-motor processing
 - executive function and 316
- generalized epilepsy 204, 272
 - absence seizures 207
 - tonic–clonic seizures 206
- temporal lobe epilepsy 193–4, 221
- perisylvian-opercular syndromes *see* acquired epileptiform opercular syndrome; congenital perisylvian syndrome

651 Index

- personality disorders, borderline 472–3
- personality syndromes related to epilepsy
 - 465
 - in children 468–9
 - common temporal syndrome symptoms 467–8
 - Gastaut–Geschwind 466
 - interictal personality syndrome of Blumer 466–7
 - Kluver–Bucy 465
 - therapy 469
- personality traits and seizure types 469–70
 - left and right temporal lobe tendencies 471–2
- Peter Pan syndrome 446
- phenobarbital
 - behavioral/psychiatric side effects 485, 514, 556, 592–4
 - cognitive side effects 340–2
 - nerve cell growth impairment 6
- phenothiazines
 - behavioral effects 490
 - dopamine antagonism 558
 - seizure risk 605, 621
- phensuximide 122
- phenytoin
 - age effects 6
 - behavioral/psychiatric side effects 485, 514, 556, 594–5
 - cognitive side effects 342–4
 - cosmetic side effects 342
 - effects on reading 324–5
 - encephalopathy 343
 - speech/language effects 120
- phonemes 290
- phonology 18
- physical abuse, and non-epileptic seizures 569
- PL 94-142/PL 99-457 391, 392
- plasticity 24–7, 65, 175–6
- positron emission tomography (PET) xv
 - acquired epileptiform opercular syndrome 105
 - ESES 92
 - Landau–Kleffner syndrome 77
 - Rasmussen’s syndrome 111
- post-traumatic stress disorders
 - causes 500, 501
 - features 500
 - non-epileptic seizures 500–1, 502
 - in parents of epileptic children 501
- postictal period 437–8
- pragmatics of speech 18, 46–7
- prefrontal insults 314–15
 - brain injuries 315–16
 - epilepsy 316
- primidone
 - behavioral/psychiatric side effects 556, 592, 594
 - cognitive side effects 342
- prodromal anxiety 496
- progabide 349, 600
- progressive myoclonic epilepsy 209, 429
- prolactin levels 576
- propranolol 541, 624, 625
- prosody xv, 45–6
- protracted partial complex status syndrome 106–8
- pseudoseizures *see* non-epileptic seizures
- psychiatric drugs 620–3
 - see also specific drugs*
- psychiatric problems in epilepsy
 - adult 410
 - endogenous/exogenous factors 408–9, 460
 - incidence 407, 459
 - management approaches 413
 - modifiers 410–12
 - postictal period 437–8
 - predictors 460
 - prevention 412
 - range encountered 459, 463, 464
 - seizure effects 462–3
 - therapy
 - antiepileptic drugs 617
 - approach to the child 616
 - behavioral 616–17
 - family 488, 520, 617
 - psychiatric drugs 620–3
 - see also specific disorders; specific drugs*
 - see also* behavior problems; personality syndromes related to epilepsy; *specific problems*
- psychogenic fugues 503
- psycholinguistic testing 380–1
- psychoses of epilepsy 547–65
 - chronic schizophreniform 552–3
 - classification
 - ictal 549–50
 - interictal 551
 - postictal 438, 550–1
 - diagnosis 558
 - epilepsy types 435, 548–9, 552
 - episodic 551–2
 - pathogenesis 557–8
 - prognosis 558–9
 - risk factors 549
 - thought disorders 547–8
 - treatment
 - electroconvulsive therapy 559–60
 - pharmacological 559, 629–32
 - surgery 560

652 Index

- psychoses of epilepsy (*cont.*)
 - treatment-related
 - antiepileptic drug-induced 556–7
 - forced normalization/alternating psychoses 554–6, 630, 631
 - postoperative 553–4
 - psychoses, lateralization of 151
 - psychosocial development in children
 - distortions due to epilepsy 421–3, 446–8
 - stages 417–21
 - psychotherapy
 - depression 518–19, 521
 - non-epileptic seizures 584
 - personality problems 469
 - psychotropic drugs 620–3
 - see also specific drugs*
 - pyramidal signs xv
 - pyridoxine 591
- radiologic brain imaging
 - acquired epileptiform opercular syndrome 105
 - congenital perisylvian syndrome 102
 - Landau–Kleffner syndrome (LKS) 77
 - Rasmussen’s syndrome 111
- rage reactions *see* episodic dyscontrol
- Rasmussen’s syndrome
 - cause 112
 - clinical features 108–9
 - course 109–10, 112
 - diagnosis 110–11
 - epidemiology 111
 - examination 110
 - pathology 112
 - treatment
 - medical 112–13
 - surgical 113–14
- reaction times
 - absence seizures 207
 - frontal lobe epilepsy 218
 - subclinical discharges and 261
 - temporal lobe epilepsy 221
- reading epilepsy
 - features 63–4, 214, 325
 - primary 325–6
 - secondary 326–7
- reading problems
 - behavioral effects 401
 - causes 323
 - and laterality of epileptic foci 324
 - medication effects 263, 324–5
 - seizure types and 205, 224, 323–4
 - subclinical discharges and 262, 324
 - underachievement 322
- rebelliousness 533
- recall 292–3
- reflex epilepsies 4, 213–14
- regression xvi, 573
- religiosity 467
- responsiveness 207, 273
- risperidone 526–7, 541, 550, 559, 625
- Rolandic (centrotemporal) epilepsy
 - behavior problems 431
 - learning problems 216–17, 258
 - speech/language deficits 55–6, 194
- rufinamide 349
- schizophrenia 552, 553, 557
- schizophreniform psychoses 551, 552–3, 632
- schooling *see* education
- seizure types and behavior problems
 - epilepsy syndromes 430
 - generalized seizures 428
 - absence 428–9
 - tonic–clonic 428
 - partial seizures 430–1
 - complex 431–5
 - simple 431
 - subclinical discharges 435
- seizure types and learning problems 203–34
 - generalized epilepsy
 - absence seizures 206–8
 - general features 204–5
 - minor motor seizures 208–10
 - tonic–clonic seizures 205–6, 241–2
 - learning problems
 - intellectual decline 189
 - learning disabilities 192–4
 - mental retardation 187
 - underachievement 195
 - mathematics problems 328
 - partial epilepsies
 - complex 217–24
 - general features 214–16
 - simple 216–17
 - reading problems 323–4
 - syndromes
 - febrile convulsions 210–11, 298
 - infantile spasms 211–12
 - Lennox–Gastaut 212
 - neonatal seizures 213
 - reflex epilepsies 213–14
- seizure types and personality traits 469–71
 - left and right temporal lobe tendencies 471–2
- seizure types and speech/language problems 50–69
 - acquired aphasia with epilepsy 62

653 Index

- generalized epilepsy 13
 - absence 51–3
 - minor motor 53
 - tonic–clonic 51
- language-induced reflex seizures 63–4
- partial epileptic aphasic status 61–2
- partial seizures 13–14, 27, 53–4
 - complex 56–61
 - simple 54–6
- syndromes 53
- seizure-related aggression *see* aggression in epilepsy
- seizures
 - appearance of 4
 - associated with aphasia 38, 58–9
 - in autism 88–9, 151, 464–5
 - behavior during *see* ictal behavior
 - benzodiazepine withdrawal 502
 - confusion following 504
 - fear of 444, 449
 - frequent 6, 66
 - genuineness of 413
 - intractability and cognitive decline 243
 - language impairment 14–15
 - lengthy 7
 - management of
 - diet 130, 372
 - vagal nerve stimulation 129–30, 371, 607
 - see also* antiepileptic drug therapy; surgical treatment
 - math-induced 329–30
 - neonatal 213
 - neurochemistry of 426–7
 - nocturnal 242, 281–2
 - non-epileptic *see* non-epileptic seizures
 - others' reactions to 7
 - and panic attacks 499
 - precipitation by psychoactive drugs 603–5, 621–3, 626, 631
 - precipitation by stress 461–2, 497–8
 - self-evoked *see* self-evoked seizures
 - severity and learning problems 190
 - subclinical 435–6
 - timing of 6, 66, 242
 - types of 3–4
 - writing-induced 63–4, 331
 - see also specific conditions; specific seizure types*
- selective serotonin reuptake inhibitors (SSRIs)
 - anxiety disorders 502, 621, 624
 - behavior disorders 541, 625
 - depression 519, 521
 - drug interactions 621
 - seizure risk 604, 622
- self-concept in children with epilepsy 443–5
- self-control training 488
- self-evoked seizures 504–5, 575, 579
 - see also* Munchausen's syndrome by proxy
- semantics 18
- sensorimotor development stage 173
- sertraline 519, 521
- sexual abuse, and non-epileptic seizures 569
- sexuality, altered 468, 469
- simple partial epilepsy
 - behavior problems 431
 - defined xvi
 - learning problems 216
 - benign partial epilepsies 216–17
 - gelastic seizures 217
 - speech/language problems 13
 - characteristics 54
 - frontal 54–5
 - motor 55–6
 - temporal–parietal 56
- single photon emission computed tomography (SPECT) 77, 111
- sleep problems in epilepsy
 - assessment of 283, 381
 - and daytime alertness 281
 - and seizure precipitation 461
 - seizure-related effects 281–2
 - sleep disturbances 282–3
- socialization
 - prefrontal cortex in 314
 - problems 398–9, 473
- somatization disorder (Briquet's syndrome) 582
- somatoform disorders 581
- speaking, seizure induction by 63–4
- special education 163–4, 165, 386, 392
- speech disorders 18
- speech/language problems in epilepsy 31–49
 - antiepileptic drug effects 47
 - see also* antiepileptic drug therapy: speech/language effects
 - causes 14–15
 - the challenge 16
 - common problems 14
 - EEG spikes without seizures 64–5
 - international experience 12
 - Kansas Epilepsy Center experience 12–13
 - language regression syndromes 15
 - see also specific syndromes*
 - modifiers 65–6

654 Index

- speech/language (*cont.*)
 - performance problems
 - articulation 43
 - dysarthria xiii, 43
 - dysfluency 43–5, 60–1
 - mutism 45
 - paroxysmal word utterances xvi, 42–3, 59, 61
 - prosody deficits xv, 45–6
 - speech arrest 41–2, 60
 - processing problems 31–2
 - agnosia xi, 32, 58
 - anomia xii, 41, 59, 150
 - aphasia *see* aphasia
 - apraxia xii, 41
 - seizure types *see* seizure types and speech/language problems
 - speech content 46–7
 - variability of course 15
 - see also* behavior and speech/language problems; communication: disorders
- speech/language problems, evaluation of 133–40
 - application of test results 139–40
 - assessment process
 - areas of testing 137
 - intensive testing 138–9
 - language tests 136
 - patient observation 137
 - awareness and screening 133–4
 - hearing *see* hearing: evaluation
 - levels of evaluation 133
 - neurodiagnostics 139
- speech/language regression 40–1
- speech/language therapy 141–8
 - classroom approaches
 - attention deficits 142–3
 - auditory comprehension deficits 143
 - conceptualization deficits 143–4
 - general management 144–7
 - organizational deficits 144
 - verbal expression deficits 144
 - general aspects 147–8
 - help at home 141–2
 - stress to the child 141
- spelling difficulties 327, 376
- SSRIs *see* selective serotonin reuptake inhibitors (SSRIs)
- staring spells 572
- status epilepticus
 - learning problems 190, 244
 - convulsive status 244
 - non-convulsive status 244–5, 260
 - speech/language problems 51, 66
- stimulants
 - attention deficit disorder treatment 489–90, 623
 - seizure precipitation 603
- stiripentol 349, 601
- stress
 - seizure precipitation 461–2, 497–8
 - sources in epilepsy 461
 - and speech/language problems 15
 - see also* post-traumatic stress disorders
- stroke, aphasia following 153
- stuttering 44
- subclinical seizure discharges 435–6
- subpial transections 82–3, 94, 128–9, 370
- succinimides
 - behavioral/psychiatric side effects 556, 597
 - cognitive effects 346–7
 - speech/language effects 122
- suicide attempts 509
- sulthiame 123, 349, 600–1
- support groups 518
- surgical treatment
 - considerations 362–4
 - disorders
 - congenital perisylvian syndrome 103
 - ESES 94
 - Landau–Kleffner syndrome 82–3
 - Rasmussen’s syndrome 113–14
 - effects on learning 364, 383
 - follow-up 633
 - options
 - corpus callosotomy xiii, 127–8, 371, 607
 - frontal lobe resections 364
 - hemidecortectomy xiv, 129
 - hemispherectomy xiv, 129, 238–9, 370
 - neocortical resections 127, 370
 - subpial transections 82–3, 94, 128–9, 370
 - temporal lobectomy *see* temporal lobectomy
- outcome predictors 632
- postoperative psychological changes 605–6, 633
 - anxiety 497, 606
 - depression 411–12, 606
 - psychoses 553–4
- preoperative psychiatric disorders 605, 632–3
- preoperative tests 383
- Svengali syndrome 581
- symptomatic epilepsy 4, 236–7
- syntax 18
- TCIs *see* transient cognitive impairments (TCIs)

655 Index

- teachers
 - awareness of child's needs 166
 - beliefs about epilepsy 166, 340
 - importance 338, 455
- temper outbursts 410
- temporal lobe epilepsy
 - behavioral/psychological problems 432–3
 - aggression 534, 535, 536, 537, 538
 - anxiety 495, 496
 - left lobe 433–4
 - mania 522
 - psychoses 432, 433, 548
 - right lobe 434
- learning problems
 - benign Rolandic 194
 - bitemporal 194
 - left lobe 192–3
 - right lobe 193–4
- memory deficits 298–9
 - bilateral 223–4, 302
 - left lobe 221–2, 300–1
 - patient perceptions 302–3
 - right lobe 222–3, 301–2
- personality traits 432, 470–2
- see also* personality syndromes related to epilepsy
- temporal lobectomy
 - preoperative work-up 124–5, 363–4
 - cortical mapping 125
 - fMRI 125
 - intracarotid amobarbital procedure 125, 363–4
 - surgical approaches 126, 365–6
- results 632
 - auditory processing 126
 - in children 369–70
 - cognitive effects 366
 - language effects 127
 - memory effects 126–7, 299, 365, 366, 367–9
 - perception 369
 - seizure control 126
- follow-up 370, 633
- compared with lesionectomy 364
- postoperative psychological changes 511–12, 553–4, 605–6, 633
- temporal lobes in memory 293–4
 - deficits in epilepsy 192, 194, 221–4, 298–303
- thioridazine 541, 604, 625
- thought disorders 547–8
- tiagabine
 - psychiatric effects 523, 556, 557, 601, 620
 - side effects 123, 349, 601
- tonic-clonic seizures
 - behavior problems 428
 - learning problems 205–6, 241–2, 297
 - non-epileptic mimics 571
 - speech deficiencies 13, 51
- topiramate 123
 - behavioral/psychiatric effects 514, 523, 556, 601–2, 620
 - cognitive side effects 349–50
- transient cognitive impairments (TCIs) 4, 252–67
 - clinical features 254–5
 - computerized neuropsychologic testing 262–3
 - concepts 254
 - evolution of concepts 252
 - ECT observations 253
 - electric brain stimulation effects 253
 - simultaneous EEG intellectual testing 253–4
- memory deficits 303
- modifiers
 - benign Rolandic discharges 258
 - duration of discharges 259–60
 - focal discharges 257–8
 - frequency of discharges 259
 - generalized discharges 256–7
 - laterality 258–9
- performance effects 260–2
- treatment 263
- video-EEG monitoring 255–6
- trauma, and non-epileptic seizures 569
- trazodone 519, 604, 622
- tricyclic antidepressant therapy
 - anxiety 502
 - attention deficit disorders 490
 - depression 519, 521, 627
 - seizure production 490, 514, 604, 622–3, 626
 - side effects 521, 623
- trimethadione 122
- underachievement *see* learning problems in epilepsy: underachievement
- utterances xvi, 42–3, 59, 61
- vagal nerve stimulation (VNS)
 - adverse effects 130, 372, 607
 - depression therapy 520, 607, 633
 - seizure management 129–30, 371–2, 607
- valproate 81, 135
 - behavioral/psychiatric effects 485, 540, 596–7, 618, 628

656 Index

- valproate (*cont.*)
 - cognitive side effects 345–6
 - hearing impairment 121, 135
 - reading epilepsy treatment 327
 - speech/language effects 120
- verbal expression deficits
 - and behavior 398
 - management in class 144
- verbosity 45, 60–1
- video-EEG monitoring 255–6, 575–6
- vigabatrin
 - behavioral/psychiatric effects 543, 555, 556, 602–3, 620
 - cognitive effects 350–1
 - vision loss 123
- vigilance 204, 269
- violence 534
 - see also* aggression in epilepsy
- viscosity 468
- visual agnosia 94
- visual-motor learning disorders 181–2, 321, 398–400
- vitamin B6 591
- voice disorders 18
- vulnerable child syndrome 450–1
- Wada test 125, 363–4
- Wechsler intelligence tests 379
- Wernicke's area 20
- West Virginia University learning disability clinic 166–7
- West's syndrome 4, 211, 430
- whole-child therapy 7–8, 157, 638
- Wide Range Achievement Test (WRAT) 379
- word-finding problems 12
- writing problems 330
- writing-induced seizures 63–4, 331
- zonisamide
 - behavioral/psychiatric side effects 556, 603
 - cognitive side effects 123–4, 351
 - mood-stabilization effects 523