

Index

- Abudefduf vaigiensis* see sergeant major fish
Acheta domesticus see house cricket
Accipiter nisus see sparrowhawk
 acoustic choruses, models of signalling
 dynamics 609–611
 see also anuran choruses; insect choruses
 acoustic communication
 caller identity and status information 381
 factors affecting evolution of 152–153
 problem of masking interference 157–162
 see also signal production; sound
 transmission
Acrocephalus arundinaceus see great reed
 warbler
 advertising signals, to facilitate
 eavesdropping 48–49, 52
 African catfish (*Clarias gariepinus*),
 semiochemicals 558–559
 African elephant (*Loxodonta africana*)
 benefits of attending to others' social calls
 384
 contact call discrimination and memory
 383–384
 fluid social systems and long-distance
 signalling 377–378
 group social knowledge and age of
 matriarch 383–384
 individuality in fundamental frequency
 contour in vocalizations 382
 infrasound communication 457–459
 intelligible distance of calls 372, 382–383
 social knowledge related to age and
 experience 383–384
 African grey parrot (*Psittacus erithacus*),
 cognitive and communicative capacities
 569, 572–573
Agelaius phoeniceus see red-winged blackbird
Agelenopsis aptera see funnel-web spider
 aggression 2
 and social instability in fishes 96
 androgens and 481–482
 in models of territory establishment
 612–613
 modelling linear dominance hierarchy
 formation 620–621
 physiological costs 191–192
 song overlapping in songbirds 304,
 305–306
 victory displays 11
 see also redirected aggression
 aggressive calls, variety in male anurans
 279–280
 aggressive priming, audience effects
 75–78
 aggressive signal exchanges see
 eavesdropping; signalling interactions
 agonistic contests see aggression
Alcelaphus buselaphus see hartebeeste
 allomones see fish semiochemicals
Alouatta pigra see black howler monkey
 alpine accentor (*Prunella collaris*), quiet singing
 53

- altruism
 and cooperation in communication networks 446
 audience effects 30–31
 dishonest signals used for tactical deception 524–525
 eavesdropping and indirect reciprocity 522–523
 evolution and maintenance 536
 functional rather than cognitive approach 522–523
 image scoring and evolution of 533–534
 reciprocal altruism and behavioural strategies 521–522
Alytes spp. *see* midwife toads
Amolops tormotus *see* Chinese frog
- androgens
 adaptive value of social modulation 497, 502–505
 and aggressive behaviour 481–482, 496–498, 499
 and bystander priming response 499–500, 501
 and electrocommunication signals 487–488
 and pheromone production and/or release 485–486
 and sex differences in spatial memory 490–491
 brain receptors 490–491
 costs and benefits of high levels 497, 502–505
 effects of early exposure (critical period) 490–491
 effects of high levels on male parental care 497, 504–505
 effects of population density 492–494
 effects on cognitive functions 490–491
 effects on expression of somatic releasers 491–492
 effects on pheromone production in urodeles 485–486
 effects on singing behaviour of songbirds 483–485
 effects on visual displays in vertebrates 486–487
 effects on vocal structures of amphibians 484–485
 effects on vocal structures of birds 483–484
 effects on vocal structures of toadfish 484
 interactive effects with social environment 482
 interrelationship with associative learning mechanisms 505
 levels during social instability 492–494
 levels in dominant and subordinate males 492–494, 496–498, 499
 modulation of behaviour in communication networks 494–502
 modulation of central mechanisms affecting motivation 490
 modulation of sensory perception 488–489
 possible mediation of audience effects 501
 possible mediation of dear enemy effects 501–502
 role in winner–loser effects 198, 492–494, 496–498, 499
 social modulation of androgen levels 492–494
 social modulation of behavioural effects 481–482
 stimulation by social interactions 492–494
- Anolis aeneus* *see* lizard
- anonymity, used to counter eavesdropping 56–57
- Anser anser* *see* greylag goose
- antbirds (*Thamnophilidae*), sound characteristics 49
- Antilocapra americana* *see* pronghorn antelope
- anuran amphibians
 communication networks 2, 248
 effects of androgens 484–485, 486–487
 use of private signalling 291
 victory displays 118, 122
- anuran choruses 263–264
 adaptations for acoustic competition 278–279
 alternation of signalling 280–282

630 Index

- anuran choruses (*cont.*)
 auditory systems and background noise 292
 call-timing, evolution and maintenance 282–284
 conflicting demands of signalling 279–280
 entrained calling 280–282
 features of network communications 291–292
 female acoustic responses 283
 female attraction to larger choruses 283
 female call preferences 264, 283–284, 285–286, 292
 female choices in trials and natural choruses 287–289
 female cognitive requirements for social eavesdropping 289
 female eavesdropping on male–male interactions 289
 female mate sampling techniques 288–289
 female sensory abilities and signal discrimination 285
 fine-scale patterns of signal timing 280–283
 graded or discrete calls 279
 leading and lagging roles 280–282
 male aggressive calls 279–280
 male calling energy costs 284–285
 male interceptive eavesdropping 289–291
 male–male vocal competition 278–279
 males spatial distribution and selective attention 284
 models of signalling dynamics 609–610, 611
 network view 277–278
 ‘off response’ call initiation 280–282
 repertoire size of signallers 279
 selection pressures on signals 277, 283–284
 signal overlap avoidance in males 280–282
 suitability for studying communications networks 292–293
 synchronous calling 280, 281, 282
 two-part advertising call 279–280
 use of both ‘on-response’ and ‘off-response’ calling 282–283
Aphelocoma californica *see* western scrub jay
Apis mellifera *see* honeybee
Aptenodytes forsteri *see* emperor penguin
Aptenodytes patagonicus *see* king penguin
Apternotus leptorhynchus *see* brown ghost
 Argentine ant (*Linepithema humile*), foraging strategies 611–612
 arthropods, victory displays 117–118, 122
 associative learning
 and tactical deception 524–525
 interrelationship with androgen effects 505
 Atlantic salmon (*Salmo salar*), androgen effects
 on olfactory sensitivity 488–489
 audience effects 10, 30–31
 and altruism 522–523
 and eavesdropping 66
 and victory displays 122–123
 clarification of terminology 66–67, 68
 definition 65–66
 human behaviour 74–75
 in redirected aggression 209–210
 male–male aggressive signalling 68–72
 male parental behaviour 72–74
 on cheating behaviour 529–530, 531
 on signalling 65–66
 possible influences on scent marking 362–363
 possible mediation by androgens 501
 pre-exposure and male aggression 75–78
 review of evidence for 67–75
 audiences
 and signal evolution 79
 apparent 65
 definition of 64
 evolutionary 64–65
 terminology 66–67, 68
see also eavesdropping
 auditory systems
 analysis by receivers 471–474
 coping with background noise 292
 hormonal modulation of sensitivity 489
 Australian bushcricket (*Elephantodeta nobilis*), evidence for eavesdropping 291
 autocommunication, and eavesdropping 18

- avian cognition, research history and prejudices 568–570
- baboon (*Papio cynocephalus*)
 - knowledge of other animals 585–586, 587, 589
 - social structure and relationship recognition 584
- background noise
 - and functioning of auditory systems 292
 - effects of lunar phase 158, 163–164
 - see also masking interference; masking release
- Baktaman people (New Guinea) 421
- Balaenoptera musculus* see blue whale
- Balaenoptera physalus* see fin whale
- banded wren (*Thryothorus pleurostictus*)
 - behaviour after dawn chorus 327
- bout structure during and after dawn chorus 329–331
- dawn chorus as an interactive network 322, 337
- dawn chorus features 326–327
- dawn chorus singing and male quality 338
- dawn chorus structure 336
- daytime song-delivery patterns 326
- male interactions at dawn chorus 335, 337–338
- movement patterns around dawn chorus 330, 332
- multiple song matching 335
- overlapping and matching songs 331, 334, 335–336
- recording methods 327–329, 330, 339–340
- singing behaviour during and after dawn chorus 323, 329–336
- song behaviour 325–327
- song matching as indicator of conflict 333–335
- song matching during and after dawn chorus 330, 332–335
- song overlapping as an aggressive signal 331, 334, 335–336
- song rates during dawn chorus 330, 331
- song repertoire 326
- territorial conflict and song matching 333–335
- territorial behaviour 325–326, 327
- variation in dawn chorus singing of individual males 336
- barking treefrog (*Hyla gratiosa*), female
 - assessment of males 137, 288–289
- barn owl (*Tyto alba*)
 - nestling interactions 176
 - sound localization ability 465–467
- barnacle goose (*Branta leucopsis*), victory display 115–116
- bats (various species)
 - attraction to echolocation signals 405
 - predation on katydids 154, 156–157
- bearded seal (*Erignathus barbatus*), distinctive group calls 399–400
- behaviour, reciprocal link with hormones 481–482
- beluga whale (*Delphinapterus leucas*)
 - avoidance of ice-breakers 406–407
 - reactions to killer whale sounds 403–404
 - victory display 118
- Betta splendens* see Siamese fighting fish
- binaural processing, and acoustic signal masking release 462–463
- birds
 - effects of androgens on vocal structures 483–484
 - equating human and avian cognitive studies 573–574
 - signal distance assessment 467–468
 - victory displays 115–117
 - visual displays and effects of androgens 486
 - see also songbirds; individual species
- black-capped chickadee (*Poecile atricapillus*)
 - dawn chorus and male condition 141, 338
 - eavesdropping and transitive inference (TI) 574–576
 - female mate choice 140–141, 142
 - habitat change and song networks 143–144
 - habitat quality and song output 144
 - ranking process 577

632 Index

- black-capped chickadee (*cont.*)
 - signal amplitude as a distance cue 468–469
 - use of social eavesdropping 21–22
- black goby (*Gobius niger*)
 - male sex pheromone 549–558
 - semiochemical communication 558–559
- black howler monkey (*Alouatta pigra*), factors
 - affecting levels of vigilance 419
- black swan (*Cygnus atratus*), victory display
 - 115–116
- black-throated diver (*Gavia immer*), victory display
 - 116–117
- blackbird (*Turdus merula*)
 - courtship interruption by neighbours 41
 - dawn chorus singing 337
 - male quality and dawn chorus singing 338
 - sound characteristics and attenuation 49–50
 - use of high perches 43, 44, 464–465
 - use of quiet song 50, 53–55, 56
- blackcap (*Sylvia atricapilla*)
 - sound characteristics and attenuation 49
 - use of high perches 43, 44
- blenny semiochemical communication
 - 558–559
- blue-throated humming bird (*Lampornis clemenciae*), Lombard effect 464–465
- blue tit (*Parus caeruleus*), dawn chorus singing and male quality 338
- blue whale (*Balaenoptera musculus*), distinctive group calls 400
- bonnet macaque *see* macaques
- Boophis madagascariensis* *see* Madagascar treefrog
- bottlenose dolphin (*Tursiops truncatus*)
 - active space of signals 392–394, 395
 - avoidance of feeding grounds with boat noise 406–407
 - eavesdropping on other's echolocation clicks 18, 405–406
 - fission–fusion societies 400–402
 - individual signature whistle types 392–395, 400–402
 - numbers of animals in networks 397–399
 - recognition of others' social relationships 591
 - silence when captured or near a boat 403–404
 - victory display 118
 - vocal learning and individual whistle development 400–402
 - vocal matching to signal a specific individual 402
- boubou (*Laniarius aethiopicus*), victory display
 - 116
- Branta canadensis* *see* Canada goose
- Branta leucopsis* *see* barnacle goose
- Brienomyrus brachyistius* *see* electric fish
- Broadley's painted reed frog (*Hyperolius marmoratus broadleyi*)
 - female call preferences 286, 287–288
 - 'off-response' call initiation 280–282
 - simultaneous mate choice in females 289
- brown capuchin monkey (*Cebus apella*)
 - demands of social monitoring 32
 - predation levels and vigilance 417–418
 - time spent looking by subordinates 417–418
- brown ghost (*Apternotus leptorhynchus*), androgen effects on electric signals 487–488
- brown-headed cowbird (*Molothrus ater*), nestling begging 177
- budgerigar (*Melopsittacus undulatus*)
 - male parental behaviour 73–74
 - masking release and binaural processing 462–463
 - signal-to-noise ratios for recognition and for detection 463–464
 - sound localization ability 465–467
- bystanders
 - and redirected aggression 192–194, 200, 201–203
 - costs and benefits of information gathering 131–132
 - distinction from eavesdroppers 84–85

- effects on dominance hierarchies 97–99
- influence of eavesdropping on behaviour 86–91, 93
- influence of previous experience on behaviour 88–89
- postconflict attacks on losers 196–197
- priming response and androgens 499–500, 501
- social eavesdropping 10–11
- taking advantage of ‘loser effects’ 198–200
- see also* eavesdroppers
- Canis latrans* *see* coyote
- Canis lupus* *see* wolf
- Campbell’s monkey (*Cercopithecus campbelli*), attention to alarm calls by another species 373, 380
- Canada goose (*Branta canadensis*), victory display 115–116
- canary (*Serinus canarius*), sound localization ability 465–467
- Capreolus capreolus* *see* roe deer
- Carassius auratus* *see* goldfish
- Carassius carassius* *see* Crucian carp
- cat, feral (*Felis catus*), victory display 118–119, 121–122
- Cebus apella* *see* brown capuchin monkey
- Cebus capucinus* *see* white-faced capuchin monkey
- Cephalorhynchus hectori* *see* Hector’s dolphin
- Cercocebus albigena* *see* mangabey
- Cercopithecus aethiops* *see* vervet monkey
- Cercopithecus ascanius schmidtii* *see* redbtail monkey
- Cercopithecus campbelli* *see* Campbell’s monkey
- Cercopithecus diana* *see* Diana monkey
- Cervus elaphus* *see* red deer
- cetaceans, vocal matching to signal a specific individual 402
- chacma baboon (*Papio cynocephalus ursinus*) attending to signal interactions 373–374 awareness of dominance relationships 199 time spent visually scanning 417–418
- chaffinch (*Fringilla coelebs*), signal distance assessment 467–468
- chemical communication correlation with predation 545–546 evolution through different functional phases 541–542, 543 predation risk assessment 544–549 scent marking 131 signal propagation 543–544 *see also* fish semiochemicals; scent marking
- chimpanzee (*Pan troglodytes*) choice of targets for aggression 208 fluid social systems and long-distance signalling 377 situations where calling is suppressed 374–375, 376–377
- Chinese frog (*Amolops tormotus*) acoustic signal repertoire 279
- chorusing interactions and female preference for leading signals 264 and signal competition 263–264 in anurans and insects 263–264 precedence effect 264 to avoid signal masking 264 *see also* anuran choruses
- Cichlasoma nigrofasciatum* *see* convict cichlid
- cichlid *see* Mozambique tilapia
- Cistothorus palustris* *see* marsh wren
- Clamator glandarius* *see* great spotted cuckoo
- Clarias gariepinus* *see* African catfish
- claw waving *see* fiddler crabs
- cleaner wrasse (*Labroides dimidiatus*) behaviour towards clients 534 cheating behaviour 525–526 client image scoring and wrasse behaviour 526–528, 529–530, 531 cognitive abilities used in tactical deception 535, 536 effects of bystander types on cheating behaviour 529–530, 531 interactions with client reef fish 525–526 mutualism with client reef fish 521 possible endocrine-mediated response 535

634 Index

- cleaner wrasse (*cont.*)
 - preferred food 534
 - response of biting cleaners to image scoring clients 531–532
 - tactile stimulation 531–532
 - variable payoffs from different clients 533–534
 - variations in cooperative and cheating behaviour 526–527, 528
- cognition in animals, research history and prejudices 568–570
- cognitive aspects of communication networks 250–251
- cognitive capacity
 - and cortical size 569
 - of birds 568–570
 - requirements for tactical deception 524–525
- cognitive sciences, interface with
 - communication networks 447
- common carp (*Cyprinus carpio*), pheromone system 552
- common dolphin (*Delphinus delphis*), individual signature signals 400–402
- common seal (*Phoca vitulina*)
 - avoidance of killer whale sounds 403
 - distinctive group calls 399–400
 - loud sexual advertisement calls 380
 - territorial behaviour 404–406
- communication, dyadic view 2
 - and hormones 482–483, 494
 - limitations of 9
 - nestling begging 171–173
 - social context 78–79
- communication networks 2, 9
 - androgen-modulated behaviour in 494–502
 - animal versus human 384–385
 - application to welfare of captive animals
 - assessing social intelligence 447
 - banded wren dawn chorus 337
 - chemical assessment of predation risk 544–549
 - cognitive requirements for participants 250–251, 447
 - concept of true individual recognition 363–366
 - context effects 1, 78–79, 129–132
 - cooperation and altruism 446, 536
 - defining properties 13
 - effects on signalling and receiving 180–185
 - evolution of spiteful behaviour 536
 - evolution of tactical deception 536
 - evolutionary process 558–559
 - game theory models 536
 - habitat alteration effects 143–144
 - hormones and communication 494–502
 - impact on signalling errors 184–185
 - implications for theoretical study of signalling strategies 604
 - individual recognition mechanism 363–366
 - information cascades 270, 607–608
 - interfaces with other disciplines 1, 445–450
 - mathematical modelling 447–448
 - models of dominance hierarchy formation 620–621
 - models of eavesdropping by receivers 613–622
 - models of effects on signallers and signalling dynamics 608–613
 - models of structure and organization 607–608
 - ostariophysan alarm system 546, 547–549
 - possible links with applied biology 448–450
 - receiver's perception 445–446, 451–452, 474
 - semiochemicals 446–447, 540–541
 - size and extent 250
 - spatial distribution effects on acoustic signals 474
 - structure influences signals and signalling 286–287
 - structure within a nest 179
 - use of nestling begging to study 179–180
 - see also* modelling communication
- contest behaviour *see* aggression; redirected aggression; victory displays
- contest behaviour in fishes 85
 - effects of eavesdropping 85–86, 94–95
 - environmental influences 95–97

- 'loser effect' 88–89
- opportunities to eavesdrop 86, 87
- physical effects of observing fights 90–91, 93–94
- potential costs 86
- 'winner effect' 88–89
- convict cichlid (*Cichlasoma nigrofasciatum*), eavesdropping 17
- cooperation and altruism, in communication networks 446, 521–525
- cooperation theory 521
- cotton-top tamarin (*Saguinus oedipus*)
 - ability to distinguish unfamiliar callers 374
- courtship interactions, interruption by eavesdroppers 40–41
- 'social organization and vigilance 426
- coyote (*Canis latrans*)
 - potential for redirected aggression 205, 206
 - situations where calling is suppressed 376–377
 - victory display 118–119, 122
- crabs (various species), similarities to fiddler crabs 258
- crickets (various species), victory displays 118, 122
- critical (masking) ratio 459
- Crocota crocata* see hyaena
- Crucian carp (*Carassius carassius*), pheromone system 552
- Ctenophorous fordii* see Mallee dragon lizard
- Cuculus canorus* (European cuckoo), nestling begging 177
- Cuvier's beaked whale (*Ziphius cavirostris*), strandings and noise pollution 406–407
- Cygnus atratus* see black swan
- cyprinid fishes
 - androgen effects on olfactory sensitivity 488–489
 - androgen effects on somatic releasers 491–492
 - pheromone systems 552
- Cynops pyrrhogaster* see Japanese red-bellied newt
- Cyprinus carpio* see common carp system 552
- Dama dama* see fallow deer
- Danio rerio* see zebrafish
- dark-eyed junco (*Junco hyemalis*), metabolic effects of high androgen levels 504
- dawn chorus
 - characteristics 320
 - communication network view 322
 - comparison with known daytime singing interactions 324
 - directed song matching 338–339
 - environmental explanations for 320–321
 - female eavesdropping to assess males 321–322
 - hypotheses to explain 320–322
 - indicator of male condition 141
 - interactions in relation to functions 324–325
 - meaning of song matching and timing 307
 - mediating changes in social status 339
 - multi-way male interaction 335, 337–338
 - possible network structures 322–323
 - recording methods 324–325, 327–329
 - singing and male quality 338
 - social dynamics hypothesis 321, 339
 - structure in relation to functions 324
 - temporal patterns of singing behaviour 323, 329–336
 - see also banded wren
- dear enemy effects, possible androgen mediation 501–502
- Delphinapterus leucas* see beluga whale
- Delphinus delphis* see common dolphin
- diademed sifaka (*Propithecus diadema*), scent over-marking 357
- Diana monkey (*Cercopithecus diana*), attention to alarm calls of another species 373, 380
- Dipodomys* spp. see kangaroo rats
- Docidocercus gigliotosi* see katydid
- dolphins
 - filtering of high-frequency signal components 402–403

636 Index

- dolphins (*cont.*)
 - use of directionality of clicks to target signals 402–403
 - see also* bottlenose dolphin
- domestic fowl (*Gallus domesticus*)
 - audience effects on calls 66–67, 68
 - eavesdropping and dominance 28
- dominance hierarchies
 - among nestlings 179
 - and social eavesdropping 28
 - eavesdropping effects on 97–99, 620–621
 - effects of prior experience (winner/loser effects) 97–99
 - in non-human primates 588–589
 - modelling formation of 620–621
- dominance interactions, simulation
 - modelling 606–607
- dominance status, problems in poor habitats 144
- dunnock (*Prunella modularis*)
 - courtship interruption by neighbours 41
 - quiet singing 53
- dwarf mongoose (*Helogale undulata*), group
 - scent marking 363
- dyadic view *see* communication, dyadic view
- Eastern towhee (*Pipilo erythrophthalmus*), signal
 - distance assessment 467–468
- eavesdroppers
 - alternative terms for 14
 - and mate choice 142–143
 - attending to outcomes of conflicts 198–200
 - attention to asymmetries in songbird vocal interactions 313–314
 - awareness of dominance relationships 198–200
 - behavioural responses of those observed 523–524
 - costs and benefits 31–32, 39–40, 45–47, 211
 - distinction from bystanders 84–85
 - image scoring allows exploitation by cheats 532–533
 - image scoring of observed individuals 523
 - information from scent counter-marking 345, 346
 - interruption of courtship interactions 40–41
 - selection pressures caused by 30–31, 523–524
 - strategies for effective eavesdropping 42
 - use of song overlapping information 304, 305–306
 - see also* bystanders, eavesdropping
- eavesdropping
 - and altruism 522–523
 - and audience effects 66
 - and autocommunication 18
 - and dominance hierarchies 97–99
 - and predation risk 45
 - and secrecy 13–14
 - and transitive inference 574–576
 - as a type of bystander effect 499
 - at dawn chorus 338
 - bystander behaviour and social instability 96
 - comparison of primates with other animals 592–598
 - costs and benefits for signallers 30–31, 40–41, 48–49
 - countering with private signalling 52–53, 55
 - definitions of 3, 10, 13–15
 - effects on bystanders' behaviour 85, 86–91, 93, 94–95
 - effects on female mate choice 100–103
 - effects on interactions 30–31
 - environmental influences on 95–97, 107
 - evidence for 39
 - evolution in semiochemical
 - communication 542, 559–560, 562
 - facilitation by interactants 51–52
 - factors influencing 97, 107–108
 - for song repertoire information 45–47, 76
 - identifying different types 28–29
 - image scoring and dishonest signals 524–525
 - image scoring in client reef fish 526–528, 529

- implications and future research 57–58
- in anuran choruses 289
- in communication networks 2–3
- in non-primate mammals 591, 592
- in relation to scent marking 235–237
- indicators of dominance 52–53
- individual differences 106–107
- information not shared in animals 426
- knowledge about other animals' dominance ranks 588–590
- knowledge about transient social relationships 590–591
- knowledge of other animals' kin 585–587, 588
- models of how receivers use networks 613–622
- ostariophysan alarm system 545, 547–549
- physical effects of observing fights 90–91, 93–94
- predation pressures 95–96
- quiet song as response to risks 55
- reliability and intimacy of information 416–417
- risks for interactants 52
- scent over-marking and mate choice 359, 360–361
- signalling in different modalities 14, 28–29
- social observation in animals 425
- social structure and types of information available 87, 583–584
- sound transmission in natural habitats 42–43, 44
- state dependency of bystander effects 95
- strategies for effective eavesdropping 44–48
- strategies for private signalling 52–53
- to assess potential mates 141–142
- to take advantage of 'loser effects' 198–200
- true recognition or simple association 363–366
- use of advertising to facilitate 48–49
- use of high perches to improve reception 43, 44
- used to assess fighting ability 85–86
- using anonymity to counter 56–57
- see also* audiences; interceptive eavesdropping; social eavesdropping; mate copying
- electric fish (*Brienomyrus brachyistius*), androgen levels and dominance signals 502–505
- electrocommunication signals, effects of androgens 487–488, 489
- elephant *see* African elephant
- elephant seals (*Mirounga* spp.)
 - loud sexual advertisement calls 380
 - use of deep sound channel 397
- Elephantodeta nobilis* *see* Australian bushcricket
- Eleutherodactylus coqui* *see* Puerto Rican treefrog
- emperor penguin (*Aptenodytes forsteri*), amplitude modification in calls 462
- endocrine response, importance of individual's perception of event 493–494
- endocrine system
 - interface with communication networks 446
 - vertebrates 482
- environment, influences on signals and signalling 286–287 *see also* habitat alteration
- Erignathus barbatus* *see* bearded seal
- Erithacus rubecula* *see* robin
- Eschrichtius robustus* *see* grey whale
- Eubalaena glacialis* *see* southern right whale
- Eudyptula minor* *see* little blue penguin
- European cuckoo (*Cuculus canorus*), nestling begging 177
- European minnow (*Phoxinus phoxinus*), alarm substance 546–548
- European newts (*Triturus* spp.), chemical communication and mate attraction 485–486
- European starling (*Sturnus vulgaris*), unmasking effect of sound segregation 460, 461
- European treefrog (*Hyla arborea*), energy costs of male calling 284–285

638 Index

- fallow deer (*Dama dama*)
 - costs and benefits of groaning 379
 - discrimination of individual male callers 379–380
 - functions of groaning in males 379
 - individuality in formant frequencies in vocalizations 382
- fathead minnow (*Pimephales promelas*), active space of alarm substance 546–548
- Felis catus* *see* cat, feral
- female mate choice
 - assessment by eavesdropping 141–142
 - call preferences in anurans 264, 283–284, 285–286, 292
 - desirable male attributes 134
 - effects of observing interactions 78, 100–103
 - effects on male trait distribution 99–100, 101, 105–106
 - emergence of strategies 106
 - environmental influences 107
 - future work on 144–145, 146
 - genetic-based preferences 99–100, 101
 - in communication networks 129, 133–134
 - inferences from female movement patterns 135–136, 137
 - influence of differences in females 106–107
 - influence of particular signals 134
 - influence of predation risk 107
 - information from dawn chorus 141
 - instigation of male–male interactions 139–140, 141
 - male trait preference versus mate copying 103–105
 - measures of male quality 137–141
 - movement patterns infer assessment of males 135–136, 137
 - preference for leading signals 264, 285–286
 - scent mark assessment in house mice 225–227
 - secondary mate choice 133, 135
 - simultaneous assessment 135, 136
 - song preferences, costs and benefits for males 152–153
 - state-dependent influences 106–107
 - strategies for assessing males 135–136, 137
 - transmission distance and multiple signals 138–140
 - use of dawn chorus to assess males 321–322
 - use of network information 141–143
 - see also* mate choice; mate copying
- ferret (*Mustela putorius*), masking release and binaural processing 462–463
- Ficedula hypoleuca* *see* pied flycatcher
- fiddler crabs (*Ocypodidae*, *Uca* spp.)
 - biology 253–256, 257, 258
 - claw waving display 254–256, 261–262
 - communication networks 247–248, 252–253, 258
 - competition for burrow ownership 268–269
 - conspecific interceptive eavesdroppers 266–267, 268–271
 - costs and benefits of interceptive eavesdropping 271–272
 - costs and benefits of signalling 271–272
 - courtship displays 254–256
 - detection distance for conspecifics 259–260
 - estimating density 258–259
 - female assessment of male quality 264–266, 267
 - gross signal timing among males 263
 - male response to rivals' waving 268–271
 - neighbouring eavesdroppers 268, 269–271
 - primary and secondary receivers 266–271
 - range and functioning of visual system 259–260
 - reaction distances for conspecifics 260–261
 - signals other than claw waving 257
 - strategies for information gathering 266–271
 - strategies for signal competition 263–266
 - synchronous waving in males 264–266
 - wandering females as target receivers 266, 267
 - wandering males as eavesdroppers 268–269
 - waving rate as indication of male quality 264–266

- field cricket (*Gryllus bimaculatus*), audience effects on males 72
- fin whale (*Balaenoptera physalus*)
 - call response distances 392–395
 - loud sexual songs 380
 - use of multipath signal arrivals to locate callers 397
- fish
 - androgen-induced development of somatic display structure 487
 - eavesdropping on visual interactions 24–27, 28
 - information transfer within shoals 84
 - vocal sounds 484
- fish semiochemicals
 - ancestral phase 541–542, 543
 - correlation with predation 545–546
 - distinction between cues and signals 541–542, 543
 - eavesdropping 543
 - evolution into communication networks 541–542, 543, 558–559
 - evolution into spying 541–542, 543
 - evolution through different functional phases 541–542, 543
 - fish taxa with specialized epidermal cells 548–549
 - fitness benefits for alarm signallers 545, 548–549
 - hormonal pheromones in information networks 549–558
 - hypoxanthine *N*-oxide 540–541
 - occurrence of true communication networks 545, 547–549
 - ostariophysan alarm substance 546–548
 - processing by fish olfactory system 543–544
 - signal propagation 543–544
 - spying and communication in information networks 542, 545, 553, 558–560, 562
 - terminology 541–543
- Fringilla coelebs* see chaffinch
- frogs, habitat influence on signalling 286–287
- funnel-web spider (*Agelenopsis aptera*), victory display 117–118, 122
- Gallinago media* see great snipe
- Gallus domesticus* see domestic fowl
- game theory models 536, 606, 612–613, 614–618, 619, 620
- Gasterosteus aculeatus* see three-spined stickleback
- Gavia immer* see black-throated diver
- genetic relatedness and nestling begging 177–178
- gerbil (*Meriones unguiculatus*), effects of androgens on scent marking behaviour 485
- ghost crabs (*Ocypode* spp.) 258
- Globicephala melaena* see pilot whale
- Gobius niger* see black goby
- golden-collared manakins (*Manacus vitellinus*), effects of androgens on visual display 486
- golden hamster (*Mesocricetus auratus*)
 - androgen effects on central motivational mechanisms 490
 - androgen effects on scent marking behaviour 485
 - female counter-marking
 - female preference for top-scent males 360
 - flank marking 346–347
 - male preference for top-scent females 360
 - mechanisms to distinguish top and bottom scents 347–357
 - over-marking and territory defence 358–359
 - persistence of scent marks 344
 - preferential memory for top scents 347–350
 - process of counter-marking 344–345
 - scent marking and social environment 362
 - targeted over-marking in males 358
 - true individual recognition 364–365
 - use of geometric relationships to determine top scent 352, 356
 - vaginal marking 347
- goldfish (*Carassius auratus*)
 - hormonal pheromones and spawning 549–551, 552
 - hormonal pheromones in an information network 550–551, 552–553, 555
- Gorilla gorilla beringei* see mountain gorilla

640 Index

- grasshopper (*Ligurotettix coquilletti*), female
 attraction to larger choruses 283
- great reed warbler (*Acrocephalus arundinaceus*),
 female mate assessment 47–48
- great snipe (*Gallinago media*), female
 assessment of males 139
- great spotted cuckoo (*Clamator glandarius*),
 nestling begging 177
- great tit (*Parus major*)
 attention to asymmetries in vocal
 interactions 314
 calculation of maximum detection distance
 454–456, 457, 458, 459
 critical ratios 457
 dawn chorus and male condition 141
 eavesdropping and transitive inference
 575–576
 female mate choice and eavesdropping
 141–142
 information acquired from eavesdropping
 19–21, 22–24, 583–584
 signal reverberation as a distance cue
 469–471, 472–473
 sound localization ability 465–467
 use of unmodulated sounds 49
- greater horseshoe bat (*Rhinolophus
 ferrumequinum*), critical ratios 457
- green frog (*Rana clamitans*), victory display 118,
 122
- green swordtail (*Xiphophorus helleri*)
 eavesdropping on visual displays 25,
 26–27
 social interactions 84, 85
 influence of eavesdropping on bystander
 behaviour 86–91, 93
 opportunities to eavesdrop 86, 87
 potential costs of combat 86
- green treefrog (*Hyla cinerea*), spatial
 unmasking of signals 462–463
- grey partridge (*Perdix perdix*), effects of
 androgens on vocal structures 483–484
- grey treefrog (*Hyla versicolor*)
 energy costs of male calling 284
 female call preferences 284, 288
- grey whale (*Eschrichtius robustus*), reactions to
 killer whale sounds 403–404
- greylag goose (*Anser anser*)
 kin-oriented redirected aggression 204
 victory display 115–116
- Gryllus bimaculatus* see field cricket
- gulf toadfish (*Opsanus beta*), acoustic signalling
 99
- guppy (*Poecilia reticulata*)
 eavesdropping and mate choice 100–103
 mate copying versus male trait preference
 103–105
 social interactions 84, 85
- Gymnorhinus cyanocephalus* see pinyon jay
- Gymnotiformes, androgen effects on weak
 electric signals 487–488
- habitat alteration
 and female mate assessment 144
 effects on song transmission 143–144
 see also environment
- habitat quality, and dominance effects
 144
- hamadryas baboon (*Papio hamadryas*),
 knowledge about transient social
 relationships 590
- hamster see golden hamster
- harbour porpoise (*Phocoena phocoena*)
 avoidance of noise of human activity
 406–407
 use of clicks for communication 395
- harbour seal see common seal
- harp seal (*Phoca groenlandica*), distinctive
 group calls 399–400
- hartebeeste (*Alcelaphus buselaphus*), victory
 display 118
- Hector's dolphin (*Cephalorhynchus hectori*), use of
 clicks for communication 395
- Helogale undulata* see dwarf mongoose
- Hemideina* spp. see wetas
- honeybee (*Apis mellifera*), communication and
 social coordination 611–612
- hooded warbler (*Wilsonia citrina*), female
 assessment of males 141

- hormones and communication
 - adaptive value of social modulation 497, 502–505
 - dyadic view 482–483, 494
 - effects on cognitive functions 490–491
 - effects on communication 482–483
 - effects on learning and memory 490–491
 - effects on signal reception 488–490
 - expression of somatic releasers 491–492
 - modulation of central mechanisms
 - affecting motivation 490
 - modulation of effector pathways 483–488
 - network view 483, 494–495, 502
 - pheromones 549–558
 - reciprocal link with behaviour 481–482
 - role in control of behaviour 481–482
 - social modulation of androgen levels 492–494
- house cricket (*Acheta domestica*)
 - eavesdropping 17
 - male attraction to rivals' signals 269
- house mouse (*Mus musculus domestica*)
 - effect of androgens on scent marking 485
 - female reproductive priming through scent 231–232
 - genetic sources of individual scent
 - signatures 232–234
 - information from age of scent marks 228–229
 - information in urine about owner 220–222
 - kin and group member recognition by scent 234–235
 - major urinary proteins present in urine 222–223, 233–234
 - male dominance structures 229–231
 - male territorial scent marking 221, 223–225, 227–228
 - MHC odour types and individual scent
 - signatures 232–233, 234–235
 - pheromones in urine 231–232
 - reproductive priming and the Bruce effect 232
 - scent mark assessment of males by females 225–227
 - scent mark assessment of males by other males 227–228
 - scent mark detection and the vomeronasal organ 219–220, 223, 229, 232
 - scent marking patterns 220–222, 228
 - scent marks of subordinate males 229–231
 - scent over-marking and mate choice 360
 - urine scent marking 220–237
 - volatile and non-volatile components of urine 222–223, 228–229
 - see also* mice
- house sparrow (*Passer domestica*), metabolic
 - effects of high androgen levels 504
- human communication
 - dyadic view 416–417
 - network view 416–417
- human eavesdropping 426–432
 - achieving privacy by behavioural means 427–428
 - and female curiosity 430–431
 - as a result of increasing privacy 428–429
 - caused by the need for privacy 428–430, 432
 - everyday occurrence of 427
 - historical evidence for 427, 430–432
 - honest signals and private behaviour 416–417, 429–430
 - in communication networks 249–250
 - lack of research on 426–427
 - male attempts to control others 431–432
 - privacy and intimate experience 430
 - social observation time costs in large groups 428–429
 - stalking as a means of control 431–432
- humans
 - altruism and indirect reciprocity 522–523
 - ancestral way of life 420
 - androgen effects on spatial memory 490–491
 - animal networks compared with human networks 384–385
 - audience effects on behaviour 74–75
 - benefits from vigilance 420
 - common behaviour patterns with other primates 433–435

642 Index

humans (*cont.*)

- community benefits of vigilance 422–423
- congenital adrenal hyperplasia 490–491
- creating opportunities to be looked at 423–424
- demands of social monitoring 31–32
- domestication and freedom from external vigilance 430
- domestication and intimate behaviour 430
- enhancing personal image with visual cues 423
- equating human and non-human cognitive studies 573–574
- ethological studies of vigilance 424–425
- factors affecting vigilance 435
- individual benefits of vigilance 422
- information gained from observation 422, 433–434
- Lombard effect 464–465
- male vigilance and control 434
- parading in front of other people 423–424
- privacy and self-awareness 429–430
- redirected aggression 208–209
- sex differences in social monitoring 424–425
- sex differences in spatial memory 490–491
- signal echo tail as a distance cue 469–471, 472–473
- social comparisons 425–426
- social control and vigilance 421–423, 424
- stalking 424, 431–432
- strength and features of female networks 434–435
- suspicion of private behaviour in openly living groups 420–422
- transitive inference task 570–571
- unifying model for vigilance, social observation and eavesdropping 433–435
- unmasking effects of amplitude-modulated background noise 461–462
- using vigilance to control 424
- victory displays 118–119
- vigilance 420–425
- visual cues in movements and gestures 423

humpback whale (*Megaptera novaeangliae*)

- call response distances 392–395
- distinctive group calls 399–400
- loud sexual songs 380
- possible social eavesdropping 404–406

hyaena (*Crocuta crocuta*)

- ability to infer rank among other group members 592
- intelligible distance of loud calls 372
- kin-oriented redirected aggression 204
- persistence of scent marks 344
- redirected aggression 191
- redirected aggression and target diversion 201

Hydrurga leptonyx *see* leopard seal

Hyla arborea *see* European treefrog

Hyla cinerea *see* green treefrog

Hyla gratiosa *see* barking treefrog

Hyla microcephala *see* neotropical treefrog

Hyla versicolor *see* grey treefrog

Hyperolius marmoratus broadleyi *see* Broadley's painted reed frog

Hyperolius marmoratus marmoratus *see* South African painted reed frog

Hyperoodon ampullatus *see* northern bottlenose whale

image scoring

- and tactical deception 531–532, 533–534
- and evolution of altruistic behaviour 533–534
- benefits for client reef fish 526–527, 528
- cheats exploit eavesdroppers 532–533
- evidence in client reef fish 527–528, 529

indirect reciprocity

- and cheating behaviour 532–534
- cognitive abilities involved 535
- occurrence in social networks 534–535

information cascades 270, 607–608

information gathering *see* bystanders; eavesdroppers

information networks

- and sex pheromones 549–558
- fish semiochemicals 540–541

- information transfer
 - hierarchies 18–19
 - within fish shoals 84
- infrasound communication, in African
 - elephants 457–459
- insect choruses 2, 263–264
 - female preference for leading signals 264
 - models of signalling dynamics 609, 610–611
- insects
 - foraging strategies 611–612
 - self-organization among social insects 611–612
- interceptive eavesdropping
 - among invertebrates 346
 - among marine mammals 403
 - compared with social eavesdropping 14–15
 - interspecific 16
 - intraspecific 17–18
 - ostariophysan alarm system 547–548
 - signaller payoff 15–16, 18
 - see also* eavesdropping
- invertebrates, interceptive eavesdropping 346
- Japanese macaque *see* macaques
- Japanese medaka (*Oryzias laticeps*), mate copying 103
- Japanese red-bellied newt (*Cynops pyrrhogaster*), androgens and pheromone production 485–486
- Junco hyemalis see* dark-eyed junco
- kangaroo rats (*Dipodomys* spp.), endocrine control of sandbathing in males 485–486
- Kassina fusca see* savannah running frog
- Kassina kuvangensis see* Kuvanga running frog
- Kassina senegalensis see* Senegal running frog
- katyids (various species)
 - acoustic communication 152–153
 - activity patterns and predator avoidance 153–154
 - chorus signalling dynamics 610–611
 - cryptic signalling mode 164–165
 - lunar phase effects 158, 162–164
 - masking interference in acoustic communication 157–162
 - predation of 154, 156–157
 - predator avoidance 154–157, 164–165
- Kayapo people physical adornments 423
- killer whale (*Orcinus orca*)
 - active space of signals 392–395
 - avoidance of human noise 406–407
 - call suppression near prey 376–377
 - distinctive group calls 400
 - filtering of high-frequency signal components 403
 - importance of oldest female 384
 - mammal- and fish-eating groups 403
 - resident and transient groups 403
 - sound avoidance by potential prey 403
 - vocal matching to signal a specific individual 402
- king penguin (*Aptenodytes patagonicus*)
 - amplitude modifications in calls 462
 - signal-to-noise ratio for recognition 463–464
- kingfishers (Coraciiformes), interspecific aggression 191
- kin-oriented redirected aggression 203–204
- klipspringer (*Oreotragus oreotragus*), persistence of scent marks 344
- !Kung people, openly living groups 420–421, 427
- Kuvanga running frog (*Kassina kuvangensis*)
 - adjustment of male call 282
 - call response types 282–283
- Labroides dimidiatus see* cleaner wrasse
- Lagenorhynchus australis see* Peale's dolphin
- Lagenorhynchus obscurus see* Pacific white-sided dolphin
- Lampornis clemenciae see* blue-throated humming bird
- Laniarius aethiopicus see* boubou
- Lemur catta see* ring-tailed lemur
- Leptonychotes weddelli see* Weddell seal
- leopard seal (*Hydrurga leptonyx*), distinctive group calls 399–400

644 Index

- Ligurotettix coquillettii* *see* grasshopper
Linepithema humile *see* Argentine ant
 lion (*Panthera leo*)
 ability to distinguish unfamiliar callers 374
 benefits and costs of loud calling 374–376
 intelligible distance of loud calls 372
 male suppression of loud calling 374–376, 376–377
 little blue penguin (*Eudyptula minor*), victory display 116, 121–122
 lizards (various species)
 male attraction to rivals' signals 269
 metabolic effects of high androgen levels 504
 Lombard effect 464–465
 longtailed macaque (*Macaca fascicularis*)
 ability to distinguish social relationships 586–588
 kin-oriented redirected aggression 203–204
 Lombard effect 464–465
 postconflict behaviour 194–204
 time spent looking by subordinates 417–418
 losers *see also* winner–loser effects
 increased receipt of aggression 196–197
 loser effects in victims 197–198
 physiological changes from conflict 197–198
 postconflict changes 195–196, 201–202
 role of androgens 496–498, 499
 serotonin-related behavioural inhibition 498–499
Luscinia megarhynchos *see* nightingale
Loxodonta africana *see* African elephant

Macaca fascicularis *see* longtailed macaque
Macaca fuscata *see* macaques
Macaca mulatta *see* rhesus macaque
Macaca nemestrina *see* macaques
Macaca radiata *see* macaques
Macaca thibetana *see* macaques
 macaques (various species)
 dominance relationships 194–195
 kin-orientated redirected aggression 203–204, 588
 knowledge about transient social relationships 586–588, 590–591
 Lombard effect 464–465
 postconflict behaviour 194–204
 see also longtailed and rhesus macaques
 Madagascar treefrog (*Boophis madagascariensis*), acoustic signal repertoire 279
 male parental behaviour, audience effects 72–74
 male signal traits
 and exposure to predators 152–153
 and female preferences 152–153
 male traits
 distribution effects of mate copying 105–106
 effects of female mate choice 99–100, 101
 preference versus mate copying 103–105
 male-male aggressive signalling, audience effects 68–72
 Mallee dragon lizard (*Ctenophorous fordii*), social observation affects sexual behaviour 425
 mammals
 acquiring and storing social knowledge 383–384
 animal versus human networks 384–385
 anti-predator calls 380–381
 benefits of attending to others' social calls 384
 caller identity and status information in acoustic signals 381
 communication network view of loud calling 373–374
 contact call discrimination and memory 383–384
 distinguishing unfamiliar callers 374
 effects of androgens on scent marking behaviour 485
 filter characteristics of vocalizations 382
 fluid social systems increase receivers of loud calls 373

- high densities increase receivers of loud calls 373
- high encounter rates and long-distance signalling 377–378
- information availability in fluid social systems 377–378
- information availability in territorial systems 374–377
- intelligible distance of calls 372, 382–383
- loud calls 249, 372, 374–376, 378–380
- recognition of vocalizations from conspecifics 377–378
- situations where calling is suppressed 374–377
- scent marking in small terrestrial mammals 249
- source characteristics of vocalizations 382
- source-filter theory of voice production 381–382
- victory displays 118–119
- see also* marine mammals
- Manacus vitellinus* *see* golden-collared manakins
- mangabey (*Cercocebus albigena*), ability to distinguish unfamiliar callers 374
- marine environment and acoustic communications 390–391
- marine mammals
 - acoustic communication networks 249
 - active space of signals 391–395
 - caller identity information in signals 399–400
 - determining the distance of a caller 395–396, 397
 - disruption by human noise 406–407
 - directional high-frequency signal components 402–403
 - eavesdropping 403–406, 408
 - features of communications 391
 - fission–fusion societies 397–399
 - group identity information in signals 399–400
 - maximum call detection distances 393
 - methods of restricting and directing signals 402–403
 - numbers of animals in networks 397–399
 - population density and network size 397–399
 - predator–prey interceptive eavesdropping 403
 - restricting range by selecting high-frequency signals 403
 - restricting signal by decreasing source level 403
 - size of communication networks 391–394, 399, 408–409
 - sound propagation in the sea 392–394, 396, 397, 408
 - value of distant signals 407–408
 - vocal learning in cetaceans 400–402
 - vocal matching to signal a specific individual 402
 - see also* mammals
- marsh wren (*Cistothorus palustris*), cognitive abilities 569–570
- masking interference 157–162
- masking release
 - and binaural processing 462–463
 - and spatial separation of sound sources 462–463
 - in amplitude-modulated background noise 459–461, 462
- mate choice *see also* female mate choice
 - and eavesdropping 141–143
 - and scent over-marking 359, 360–361
 - in communication networks 129
- mate copying 100–103
 - costs and benefits for different females 106–107
 - effects on male trait distribution 105–106
 - emergence of strategies 106
 - environmental influences 107
 - evolutionary consequences 105–106
 - influence of predation risk 107
 - state-dependent influences 106–107
 - versus male trait preference 103–105
- mathematical modelling, interface with
 - communication networks 447–448 *see also* modelling communication

646 Index

- meadow vole (*Microtus pennsylvanicus*)
 effects of androgens on scent marking
 behaviour 485
 female preference for top-scent males 354, 355, 359
 mechanism to distinguish top and bottom scents 351–356
 over-marking and territory defence 358–359
 overlap of scent marks to determine top scent 349, 352, 354–356
 preferential memory for top scents 350
 process of counter-marking 344–345
Megaptera novaeangliae see humpback whale
 Mehicacu people, openly living groups 421
Melopsittacus undulatus see budgerigar
Melospiza melodia see song sparrow
Meriones unguiculatus see gerbil
Mesocricetus auratus see golden hamster
 mice (*Peromyscus* spp.), studies of redirected aggression 208–209
Micronycteris spp. see bats
Microtus montanus see montane vole
Microtus ochrogaster see prairie vole
Microtus pennsylvanicus see meadow vole
 midwife toads (*Alytes* spp.)
 evidence for eavesdropping 291
 female acoustic responses 283
Miopithecus talapoin see talapoin 417–418
Mirounga spp. see elephant seals
 modelling communication
 comparing eavesdropping strategies 614–618, 619, 620
 complex behaviour from simple rules 606–607
 conceptualizing networks 605–608
 cooperation strategies 614–615
 development and assumptions 604–605
 eavesdropping by receivers in networks 613–622
 effects of female preferences on signalling in choruses 611
 effects of hubs in a network 607–608
 effects of networks on signal and signalling dynamics 608–613
 emergence of 'selfish herd' organization 606–607
 game theory and eavesdropping 614–618, 619, 620
 game theory compared with simulations 612–613
 game theory models of dyadic encounters 606
 hawk-dove game 615, 618, 619
 implications of communication networks 604
 individually based spatially explicit simulations 606–607, 612–613
 information cascades in networks 607–608
 mechanisms to control call timing in choruses 611
 network effects on linear dominance hierarchy formation 620–621
 network structure in existing models 605–607
 new possibilities with network approach 622–623
 signal dynamics in acoustic choruses 609–611
 simulation modelling 605
 small-world (scale-free) network analysis 607–608
 swarm intelligence and self-organization in social insects 611–612
 territory establishment 612–613
Molothrus ater see brown-headed cowbird
 montane vole (*Microtus montanus*), studies of redirected aggression 208–209
 Morymyriformes, androgen effects on weak electric signals 487–488
 mountain gorilla (*Gorilla gorilla beringei*)
 absence of redirected aggression in females 208
 postconflict attacks on losers 196–197
 mouse see house mouse

- Mozambique tilapia (*Oreochromis mossambicus*)
 androgen effects 487, 491–492, 499–500, 501, 502–505
 effects of eavesdropping 27–28
 endocrine response to social interaction 493–494
 hormonal effects of aggressive priming 78
 metabolic effects of high androgen levels 504
 winner–loser effects 496–498, 499
- Mus musculus* see house mouse
- Mustela putorius* see ferret
- Myotis lucifugus* see brown bat
- Naiken people, achieving privacy by
 behavioural means 427–428
- Nayaka people, openly living groups 421
- Neoconocephalus spiza* see katydids
- Neogobius melanostomus* see round goby
- neotropical tree frog (*Hyla microcephala*)
 female attraction to larger choruses 283
 fine adjustment of male calls 282
 male selective attention to neighbours 284
- nestling begging
 and genetic relatedness 177–178
 as communication network 179–180, 185–186
 costs and benefits to the brood 178
 distinguishing signalling from physical competition 174–175
 dyadic communication approach 171–173
 evolution of 171–172, 184
 future work 185–186
 heat loss and signalling behaviour 178–179
 importance of signalling first 183
 in interspecific brood parasites 177
 influence of nestmates 173, 175–176, 178
 locatability of calls 181–182
 nestling signalling interactions 175–176
 nestlings as a communication network 130, 170–171, 174–179, 180
 parents' responses to 172–173, 188
 physical competition and dominance hierarchies 179
 reliability as a signal of need 172–173
 signal costs and reliability 171–172
 signalling errors 184–185
 signalling to catch receiver attention 180–183
 suppressing competitors' signals 183
 use of locatable signals 181–182
- nestling gape 181
- network view of communication 2
- nightingale (*Luscinia megarhynchos*)
 background noise and song output level 51
 cognitive abilities 569–570
 eavesdropping and transitive inference (TI) 574–576
 Lombard effect 464–465
 male vocal interactions 302
 solo and interactive singing 51
 song matching 303–304, 307
 use of social eavesdropping 20–21, 22
- non-human primates
 common behaviour patterns with humans 433–435
 consortship behaviour 432–433
 defensive and social functions of vigilance 417, 419–420, 425–426
 factors affect levels of vigilance 419
 male bias for vigilance outside the group 417–418
 male vigilance and social control 419
 proportion of time spent in vigilance 417–418
 securing perceptual privacy for some interactions 432–433
 sentinel behaviour among high-ranking males 418–419
 time spent looking 417–418, 433
 unifying model for vigilance, social observation and eavesdropping 433–435
 vigilance 417
 see also primates

648 Index

- northern bottlenose whale (*Hyperoodon ampullatus*), use of deep sound channel 397
- Nycticebus pygmaeus* see pygmy loris
- Ochotona princeps* see pika
- odontocetes, restricting range by selecting high-frequency signals 403
- oestrogens, receptors in the brain 490–491
- olfactory system
- hormonal modulation of sensitivity 488–489
 - signal detection and encoding 543–544
- olive baboon (*Papio anubis*)
- absence of redirected aggression in females 208
 - effects of redirected aggression 191–192
 - postconflict attacks on losers 196–197
- Onchorhynchus mykiss* see rainbow trout
- Opsanus beta* see gulf toadfish
- Opsanus tau* see oyster toadfish
- Orcinus orca* see killer whale
- Oreochromis mossambicus* see Mozambique tilapia
- Oreotragus oreotragus* see klipspringer
- Oryctolagus cuniculus* see rabbit
- Oryzias laticeps* see Japanese medaka
- oyster toadfish (*Opsanus tau*), effects of androgens on vocal structures 484
- Pacific humpback dolphin (*Sousa chinensis*), individual signature signals 400–402
- Pacific white-sided dolphin (*Lagenorhynchus obscurus*), individual signature signals 400–402
- Pan troglodytes* see chimpanzee
- Panthera leo* see lion
- paper wasp (*Polistes dominulus*), neural development in colonial females 595–596
- Papio anubis* see olive baboon
- Papio cynocephalus* see baboon
- Papio cynocephalus ursinus* see chacma baboon
- Papio hamadryas* see hamadryas baboon
- parent birds
- comparison of nestlings' signals 183
 - information from behaviour of nestlings 174–175
- parental care, effects of high androgen levels in males 497, 504–505
- Paroaria gularis* see red-capped cardinal
- parrots (*Trichoglossus* spp.), victory displays 116
- Parus atricapillus* see black-capped chickadee
- Parus caeruleus* see blue tit
- Parus major* see great tit
- Passer domesticus* see house sparrow
- peacock blenny (*Salaria pavo*), androgen effects on somatic releasers 491–492
- Peale's dolphin (*Lagenorhynchus australis*), silence when captured or near a boat 403
- Perdix perdix* (grey partridge), effects of androgens on vocal structures 483–484
- Petromyzon marinus* see sea lamprey
- pheromones
- fish semiochemicals 541–543
 - hormonal pheromones 549–558
 - releaser and primer effects 541
 - reproductive priming effects of mouse urine 231–232
- Phoca groenlandica* see harp seal
- Phoca vitulina* see common seal
- Phocoena phocoena* see harbour porpoise
- Phoxinus phoxinus* see European minnow
- Physalaemus pustulosus* see túngara frog
- Physeter macrocephalus* see sperm whale
- physics, interface with communication networks 445–446
- pied flycatcher (*Ficedula hypoleuca*)
- female assessment of males 135–136, 137
 - male attraction to rivals' signals 269
- pigtail macaque see macaques
- pika (*Ochotona princeps*), ability to distinguish unfamiliar callers 374

- pilot whale (*Globicephala melaena*), falling
 silent when hunted 403
- Pimephales promelas* see fathead minnow
- pinyon jay (*Gymnorhinus cyanocephalus*), ability
 to rank multiple stimuli 596–598
- Pipilo erythrophthalmus* see Eastern towhee
- plainfin midshipman (*Porichthys notatus*)
 auditory sensitivity modulation by sex
 steroids 489
 effects of androgens on vocal structures
 484
- Poecile atricapillus* see black-capped chickadee
- Poecilia latipinna* see sailfin molly
- Poecilia reticulata* see guppy
- Polistes dominulus* see paper wasp
- Porichthys notatus* see plainfin midshipman
- prairie vole (*Microtus ochrogaster*)
 androgen effects on central motivational
 mechanisms 490
 studies of redirected aggression 208–209
- precedence effect, female preference for
 leading signals 285–286
- predation risk
 and eavesdropping 14, 16, 17, 45, 95–96
 and katydid activity patterns 154–157
 and katydid roost site selection
 154–157
 and male signal traits 152–153
 and signal detection 159, 160
 avoidance in communication networks
 130
 chemical assessment of 544–549
 influence on female mate choice 107
 influence on mate copying 107
 interceptive eavesdropping among marine
 mammals 403
 mammal anti-predator calls 380–381
 quiet song as response to 55
- predators
 information from prey alarm calls 380–381
 use of locatable calls to find prey 181–182
- Procolobus badius tephrosceles* see red colobus
 monkey
- Propithecus diadema* see diademmed sifaka
- primates
 ability to classify objects based on abstract
 concepts 594–595
 ability to rank objects 590
 awareness of social rank relationships 28,
 588–591
 benefits of associations with high-ranking
 animals 426
 complexities of recognizing affiliative
 relationships 593–594
 eavesdropping abilities versus that in other
 animals 592–598
 effects of social organization on vigilance
 426
 ‘greater intelligence’ hypothesis for
 eavesdropping abilities 592, 593–595, 598
 interconnected groups with males as ‘hubs’
 608
 knowledge of other animals’ kin 585–587,
 588
 ‘large social groups’ hypothesis for
 eavesdropping abilities 592–593,
 595–596, 598
 monitoring social relationships as group
 size increases 594
 ‘no species difference’ hypothesis about
 eavesdropping abilities 593, 596–598
 social resources 426
 types of information acquired from
 eavesdropping 584
 see also non-human primates
- priming response
 and male aggression 75–78
 androgen effects on bystanders 499–500,
 501
- private signalling, in male anurans 291
 see also quiet song
- pronghorn antelope (*Antilocapra americana*),
 scent over-marking 361
- Prunella collaris* see alpine accentor
- Prunella modularis* see dunnock
- Psittacus erithacus* see African grey parrot
- psychophysics, interface with communication
 networks 445–446

650 Index

- Puerto Rican treefrog (*Eleutherodactylus coqui*)
 diphasic advertisement call 280
 male selective attention to neighbours 284
 models of chorus signalling dynamics 609–610
 ‘off response’ call initiation 280–282
- Puntius schwanenfeldi* *see* tinfoil barb
- pygmy loris (*Nycticebus pygmaeus*), scent
 over-marking and mate choice 360–361
- pygmy Mulga monitor lizard (*Varanus gilleni*),
 victory display 118
- quiet song
 as aid to anonymity 56–57
 as response to predation risks 55
 reasons for variability 56–57
 used for private signalling 53–55
- rabbit (*Oryctolagus cuniculus*), effects of
 androgens on scent marking behaviour 485
- rainbow trout (*Onchorhynchus mykiss*)
 eavesdropping and dominance 28
 effects of redirected aggression 191–192
- Rana clamitans* *see* green frog
- Rangifer tarandus* *see* reindeer
- rank-order fights *see* contest behaviour
- rat (*Rattus norvegicus*), effects of redirected
 aggression 191–192
- receivers
 auditory scene analysis 471–474
 comparison of signals in a network 183–184
 precedence effects 183
 signals designed to catch attention 180–183
see also signal detection
- reciprocal altruism, and behavioural
 strategies 521–522
- red-capped cardinal (*Paroaria gularis*),
 territorial behaviour 17–18
- red colobus monkey (*Procolobus badius tephrosceles*)
 time spent looking and group size 433
 time spent looking 417–418
- red deer (*Cervus elaphus*)
 discrimination of individual male callers 379–380
 individuality in formant frequencies in vocalizations 382
 loud mating calls 378–379
- red-winged blackbird (*Agelaius phoeniceus*),
 signal-to-noise ratios for recognition and for detection 463–464
- redirected aggression
 and postconflict attacks on losers 196–197, 200
 and reconciliation with aggressor 192–194, 200, 202–203
 and the ‘fight or flight’ response 191–192
 as an outlet for ‘frustration’ 191–192
 as possible target diversion 201
 as audience effect 202–203, 209–211
 benefits for losers 200, 201–202
 in communication networks 130–131
 in non-human primates 192–194, 195
 in species other than primates 204–205, 206
 in winners 196
 influence on bystanders’ behaviour 192–194, 200
 intraspecific aggression 206, 208–209
 kin-oriented 203–204, 588
 ‘loser effects’ 195–196, 198–200
 possible use a signal 201–202, 204–205, 208
 summary of functions 210–211
 testing occurrence and function 193, 209–210
 to attenuate endocrine stress response 191–192
 to signal postconflict condition to bystanders 201–202
- redtail monkey (*Cercopithecus ascanius schmidtii*)
 time spent looking 417–418, 433
- redwing (*Turdus iliacus*), quiet singing 53
- reindeer (*Rangifer tarandus*), androgen effects
 on scent marking behaviour 485
- relational distinction
 abilities of non-primates 596–598
 abilities of primates 594–595

- reptiles, victory displays 118
- rhesus macaque (*Macaca mulatta*)
 ability to distinguish unfamiliar callers 374
 kin-biased redirected aggression 588
 individuality of frequencies in vocalizations 382
 postconflict behaviour 194–204
see also macaques
- Rhinolophus ferrumequinum* *see* greater horseshoe bat
- ring-tailed lemur (*Lemur catta*), scent over-marking 362–363
- robin (*Erithacus rubecula*)
 courtship interruption by neighbours 41
 eavesdropping 17
 female assessment of males 141
 quiet singing 53
- rodents, redirected aggression 208–209
- roe deer (*Capreolus capreolus*)
 barking call 380–381
 individuality of vocal frequencies 382
- round goby (*Neogobius melanostomus*), semiochemical communication 558–559
- rufous-collared sparrow (*Zonotrichia capensis*), song changes with habitat 143–144
- Saguinus oedipus* *see* cotton-top tamarin
- sailfin molly (*Poecilia latipinna*), mate copying 103, 104–105
- Saimiri boliviensis* *see* squirrel monkey
- Sakalava people, openly living groups 421
- Salaria pavo* *see* peacock blenny
- Salmo salar* *see* Atlantic salmon
- Samoan people, openly living groups 421
- Sarakatsani people, privacy of the hut 428
- savannah baboon, knowledge about transient social relationships 590
- savannah running frog (*Kassina fusca*)
 female call preference 286
 variation in call response types 282–283
- Sceloporus jarrovi* *see* lizards
- scent marking
 adjacent marking 344–345
 amount of scent and top scent discrimination 349, 353–354
 and communication networks 131
 and mate choice 359, 360–361
 androgen effects 485
 as a visual signal 362–363
 as broadcast signals 235–237, 344
 discriminating individual odours 350–351
 functions of 345, 354, 355, 358–361
 for network communication 219, 362–363
 in communication networks 366–367
 information available to eavesdroppers 345, 346
 information in spatial and temporal distributions 221, 223–225
 in social contexts 220
 mechanisms for targeted over-marking 357–358
 mechanisms to distinguish top and bottom scents 347–357
 olfactory detection 219–220, 223
 persistence of signals 219, 344
 possible olfactory consequences 345
 relative freshness and top scent discrimination 351–353
 reliability of signals 221, 223–225
 to advertise competitive ability 221, 223–225, 227–228
 to advertise territory ownership 221, 223–225, 227–228
 use of geometric relationships to determine top scent 352, 356
 volatile and non-volatile components 219–220
- sea lamprey (*Petromyzon marinus*)
 larval pheromone attracts migrating adults 555–557
 life cycle 555
 male sex pheromone in communication networks 557–558
 possible specialization in signal production and release 557–559
 search for biological control 555

652 Index

- selection pressures
 - female song preferences 152–153
 - from eavesdroppers 14, 16, 30–31
 - imposed by audiences 10, 64–65, 79
 - on interactive singing strategies 309
 - on primate brain size 28
 - on signalling interactions 18–19, 79
 - on victory displays 122–123
- self-awareness in animals 577–578
- semiochemicals
 - information from 446–447
 - see also* fish semiochemicals
- Senegal running frog (*Kassina senegalensis*),
 - synchronous calling 282
- sergeant major fish (*Abudefduf vaigiensis*),
 - bystander effects on cleaner fish
 - behaviour 530–531
- Serinus canarius* *see* canary
- serotonin
 - and aggressive behaviour 197–198
 - and behavioural inhibition in losers 498–499
- sex steroids, modulation of sensory
 - perception 488–490
- Siamese fighting fish (*Betta splendens*)
 - androgen effects on eavesdropping 503–504
 - audience effects 65, 68–72
 - eavesdropping on visual displays 24–27
 - female mate choice and eavesdropping 142
 - priming and male aggression 75–78
- signal detection
 - amplitude as a distance cue 468–469
 - auditory scene analysis by receivers 471–474
 - biological background noise 152
 - calculation of maximum detection distance 454–456, 457, 458, 459
 - compared with signal recognition 463–464
 - critical (masking) ratio for various animals 453–457, 459
 - decision tree learning to discriminate signals 158, 160–162
 - distance assessment 467–468, 470, 471, 472–473
 - female song preferences 152–153
 - high background noise 157–160
 - hormonal effects on 488–490
 - in a complex environment 152
 - perceptual mechanisms of receivers 451–452
 - precedence effect 183, 285–286
 - reverberation as a distance cue 469–471, 472–473
 - signal ranging 467–471, 472–473
 - signal-to-noise ratio 453–456, 457
 - simultaneous comparison by receiver 183
 - spatial separation of sound sources 462–463
 - use of 'biological microphone' 157–160
 - see also* receivers
- signal production
 - amplitude modification 462
 - anonymous signalling 56–57
 - audience effects 64, 65–66
 - broadcasting from high perches 464–465
 - catching receiver attention 180–183
 - competition and cooperation with other signallers 63
 - competition in chorusing interactions 263–264
 - cryptic signalling 164–165
 - environmental temperature effects on signallers 153
 - high output to overcome interference 181
 - impact of signal errors in communication networks 184–185
 - Lombard effect 464–465
 - predation risk 159, 160
 - sender adaptations to maximize transmission 464–465
 - signal evolution and selection pressures 79
 - suppressing competitors' signals 183
 - targeting a specific receiver 63–64
 - use of multimodal components 182
 - using locatable signals 181–182
- signal transmission
 - background noise sources and levels 52–53, 452–453
 - environmental influences on 286–287

- frequency and amplitude masking effects 49–50, 453
- influence of communication network structure 286–287
- information transfer hierarchies 29
- in natural habitats 42–43, 44
- masked auditory thresholds 457
- masking release in amplitude-modulated background noise 459–460, 461, 462
- private signalling 32–53
- signaller proximity and masking interference 152
- sound segregation unmasking effect 460–461
- sound types 49–51
- use of high perches 44, 50
- using background noise fluctuations to reduce masking 459–460, 461, 462
- signal recognition, compared with signal detection 463–464
- signal-to-noise ratio
 - and signal detection 453–456, 457
 - determination 454–456
 - for detection and for recognition 463–464
- signalling interactions
 - between nestlings 175–176
 - influence of shared fate of nestlings 178
 - information gathered from 29–30, 38–39
 - models of effects of networks on signalling dynamics 608–613
 - selection pressures on 18–19
 - see also* eavesdropping
- signalling modalities
 - and audience effects 10
 - acoustic signalling in 99
 - multimodal signalling 99, 182
 - use of different modalities 28–29
- signals, distinguishing from physical competition in nestlings 174–175
- simulation models *see* modelling communication
- SINDSCAL multidimensional scaling analysis 469–471, 472–473
- small-world (scale-free) network analysis 607–608
- Smilisca sila* *see* treefrog
- social complexity, possible selection pressure on brain development 595–596
- social context
 - influence on eavesdropping effects 97
 - influence on hormone levels 481–482, 492–494
 - of communication 1
 - of communication networks 78–79
 - of dyadic interactions 78–79
- social eavesdropping 10, 18–32
 - and dominance hierarchies 28
 - and victory displays 122–123
 - cognitive requirements in female anurans 289
 - compared with interceptive eavesdropping 14–15
 - form of bystander behaviour 10–11
 - in communication networks 2–3
 - in territorial songbirds 19–21, 24
 - in territorial systems 18–19
 - information gathered from 38–39
 - visual interactions in fish 24–27, 28
 - see also* bystanders; eavesdropping
- social instability, and bystander decisions 96
- social intelligence, assessment of 447
- social modulation of androgen levels 492–494
- song matching
 - during and after dawn chorus 330, 332–335
 - value as directional signal at dawn chorus 338–339
- song output, and habitat quality 144
- song overlapping, as an aggressive signal 331, 334, 335–336
- song repertoire size, and individual identification 56–57
- song sparrow (*Melospiza melodia*)
 - cognitive abilities 569–570
 - individual recognition of neighbours 364
 - song repertoire matching 303
 - victory display 116, 117, 121–122

654 Index

- song transmission, effects of habitat on
 143–144 *see also* sound transmission
- songbirds eavesdropping
 and female mate assessment 19–21, 22,
 47–48, 314, 577
- attention to interaction asymmetries
 313–314
- cognitive complexity of male ranking
 judgements 576–577
- courtship interruptions by eavesdroppers
 40–41
- for repertoire size information 45–47
- male eavesdropping 313–314
- use of quiet singing 53–55
- songbirds vocal interactions
 among neighbours 309–310, 311–312
- among territorial males 301–302
- and territorial behaviour 301–302, 312–313
- and transitive inference 574–576
- androgen effects 483–485
- asymmetries in vocal interactions 301, 309,
 310–311, 313–314
- cognitive processes in a communication
 network 569–570, 574–576
- evolution of vocal interaction strategies
 314–315
- function of the dawn chorus 248–249
- functions of specific singing strategies 308,
 309–310
- in dialogues 302–303
- in various contexts 301
- interactive dimension of vocal interactions
 301, 302–303
- memory capacity 569–570
- maintenance of territorial spacing pattern
 311–312
- precise timing and interpretation of
 interactions 306
- resident–intruder vocal interactions
 309–311
- selection pressures on singing strategies
 309
- self-awareness 577–578
- site-specific dominance in neighbours
 311–312
- social contexts of vocal interactions
 307–308, 310
- solo versus interactive singing 51–52
- song alternating 305, 306
- song matching 303–305, 307
- song overlapping 304, 305–306
- song production relative timing 304,
 305–306
- territorial settlement by multiple
 interactions 312–313
- territories as communication networks
 248–249
- sound localization
 cues used for 465
- variation in ability between species
 465–467
- sound transmission *see* signal transmission
- source-filter theory of voice production
 381–382
- Sousa chinensis* *see* Pacific humpback dolphin
- South African painted reed frog (*Hyperolius*
marmoratus marmoratus), female call
 preferences 287
- southern right whale (*Eubalaena glacialis*),
 possible social eavesdropping
 404–406
- spadefoot toad (*Spea multiplicata*), male
 attraction to rivals' signals 269
- sparrowhawk (*Accipiter nisus*), sound
 localization ability 465–467
- spatial memory, sex differences and effects of
 androgens 490–491
- Spea multiplicata* *see* spadefoot toad
- sperm whale (*Physeter macrocephalus*)
 active space of signals 392–395
- distinctive group calls 400
- fluid social systems and long-distance
 signalling 377
- individual signature signals 400–402
- spiteful behaviour, evolution and
 maintenance 534–535, 536
- spotted dolphin (*Stenella plagiodon*), individual
 signature signals 400–402
- spotted hyaena *see* hyaena
- spying *see* fish semiochemicals

- squirrel monkey (*Saimiri boliviensis*)
 factors affect levels of vigilance 419
 social organization and vigilance 426
Stenella plagiodon *see* spotted dolphin
Sternopygus macrurus *see* weakly electric fish
 stress hormones, effects of social environment 482
Sturnus vulgaris *see* European starling
 swordtail (*Xiphophorus helleri*)
 androgen effects on sword development 491–492
 audience effects on males 70
 communication via private channels 79
Sylvia atricapilla *see* blackcap
Sylvia communis *see* whitethroat

Tachycineta bicolor *see* tree swallow
 tactical deception
 cognitive abilities required 524–525, 535
 concept of theory of mind 524–525
 evolution and maintenance 536
 exploitation of eavesdroppers 524–525
 image scoring and evolution of 533–534
 occurrence in social networks 534–535
Taeniopygia guttata *see* zebra finch
 talapoin (*Miopithecus talapoin*), time spent
 looking by subordinates 417–418
 terrestrial mammals *see* mammals
 territorial behaviour
 and eavesdropping 17–18
 and transitive inference 574–576
 relative timing of song production 305–306
 resident–intruder vocal interactions 309–311
 scent marking in house mice 220–222, 223–225, 227–228
 song matching 303–305, 307
 vocal interactions among neighbours 309–310, 311–312
 victory displays 122–123
 territorial systems
 and communication networks 143–144
 availability of information from loud calls 374–377
 dear enemy effects 501–502
 modelling of territory establishment 612–613
 social eavesdropping in 18–19
 testosterone levels, increase in winners 198
 three-spined stickleback (*Gasterosteus aculeatus*)
 androgen effects on somatic releasers 491–492
 visual perception modulation by sex steroids 489–490
Thryothorus pleurostictus *see* banded wren
 Tibetan macaque *see* macaques
 tilapia *see* Mozambique tilapia
 Tinbergen, Niko 1
 tinfoil barb (*Puntius schwanenfeldi*), androgen effects on olfactory sensitivity 488–489
 toadfish, effects of androgens on vocal structures 484
Tonatia silvicola *see* bats
 transitive inference
 cognitive abilities of birds 578–579
 equating human and avian studies 573–574, 578–579
 mechanisms used by animals 572
 presentation to humans 570–571
 presentation to non-humans 571–572
 songbirds in communication networks 574–576
 studies with parrots 572–573
 tree shrew (*Tupaia belangeri*), effects of androgens on scent marking behaviour 485
 tree swallow (*Tachycineta bicolor*), nestling signalling errors 184–185
 treefrog (*Smilisca sila*), synchronous calling 282, 283–284
 tremulation, as cryptic signalling mode 164–165
Trichoglossus spp. *see* parrots
Triturus spp. *see* European newts
 triumph ceremonies *see* victory displays
Troglodytes troglodytes *see* wren
 túngara frog (*Physalaemus pustulosus*)
 adaptations for acoustic competition 278
 male selective attention to neighbours 284
Tupaia belangeri *see* tree shrew

656 Index

- Turdus iliacus* *see* redwing
Turdus merula *see* blackbird
Tursiops truncatus *see* bottlenose dolphin
Tyto alba *see* barn owl
- urodeles, androgen effects on pheromone production 485–486
Uca spp. *see* fiddler crabs
- Varanus gilleni* *see* pygmy Mulga monitor lizard
- vertebrate endocrine systems 482
 vervet monkey (*Cercopithecus aethiops*)
 bystander effects on aggression 202–203
 factors affecting levels of vigilance 419
 kin-oriented redirected aggression 203–204
 knowledge of other animals 585, 589–590
 male parental behaviour 72–73
- victory displays 11, 114
 amphibians 118
 androgen effects on vertebrates 486–487
 arthropods 117–118, 122
 birds 115–117
 categories of 121–122
 distinctive features of 120
 distinguished by context 119–120
 effects within the communication network 120–121, 122–123
 functions within the winner–loser dyad 120–122
 humans 118–119
 mammals 118–119
 occurrences of 119
 reptiles 118
- Vidua* spp. *see* whydahs
- vigilance
 in animals 417–420
 in humans 420–425
- visual interactions in fish, eavesdropping on 24–27, 28
 visual system, hormonal modulation 489–490
 vocal learning in cetaceans 400–402
 vocal matching, by cetaceans to signal a specific individual 402
 vomeronasal organ 219–220, 223, 229, 232
- weakly electric fish (*Sternopygus macrurus*), androgen effects on electroreception 489
- Weddell seal (*Leptonychotes weddelli*)
 colony-specific call types 399–400
 ear damage from underwater noise 406–407
 territorial behaviour 404–406
- western scrub jay (*Aphelocoma californica*), ability to rank multiple stimuli 596–598
- wetas (*Hemideina* spp.), victory displays 118, 122
- white-crowned sparrow (*Zonotrichia leucophrys*)
 cognitive abilities 569–570
 metabolic effects of high androgen levels 504
- white-faced capuchin monkey (*Cebus capucinus*)
 male vigilance and social control 419
 time spent looking as group size increases 433
- white whale *see* beluga whale
- whitethroat (*Sylvia communis*)
 courtship interruption by neighbours 41
 private signalling 55
 signalling in different modalities 29
 use of high perches to improve reception 42–43
- whydahs (*Vidua* spp.), nestmate signal suppression 183
- Wilsonia citrina* *see* hooded warbler
- winner–loser effects
 role of androgens 496–498, 499
 serotonin-related behavioural inhibition in losers 498–499
 see also losers; winners
- winners
 increase in androgen levels 198
 physiological changes following victory 198
 postconflict aggression 196
 ‘winner effects’ following victory 198

- Wistar rat, effects of androgens on scent marking behaviour 485
- wolf (*Canis lupus*)
 ability to distinguish unfamiliar callers 374
 individuality in vocal frequency 382
 scent marking 363
 situations where calling is suppressed 376–377
 victory display 118–119
- wren (*Troglodytes troglodytes*)
 signal echo tail as distance cue 469–471, 472–473
 use of high perches 43, 44, 464–465
 use of low-frequency sounds 49
- Xenopus laevis* see African frog
- Xiphophorus helleri* see green swordtail; swordtail
- Yagua people, achieving privacy by behavioural means 427–428
- zebra finch (*Taeniopygia guttata*)
 effects of androgens on vocal structures 483–484
 Lombard effect 464–465
 signal-to-noise ratios 463–464
 signal amplitude as a distance cue 468–469
 sound localization ability 465–467
- zebrafish (*Danio rerio*), active space of alarm substance 546–548
- Zinacantan people, suspicion of private behaviour 421–422
- Ziphius cavirostris* see Cuvier's beaked whale
- Zonotrichia capensis* see rufous-collared sparrow
- Zonotrichia leucophrys* see white-crowned sparrow