

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)*Index*

Numbers in italics refer to *tables* and *figures*.

- Acanthisittidae 124
- acclimation potential and thermal limits 239
- Acrocephalus sechellensis* 269
- 'Adam and Eve' strategy 69, 70–1, 394
- adaptive variation, importance of preservation 167
- Africa
  - climate history and species distribution 203, 205–7
  - complexity of the picture 211
  - last glacial maximum 209–10
  - late Quaternary period 206, 207–8
  - continent formation 205–6
  - forest–savanna ecotones *see* ecotones
  - oceanic systems and other climate influences 203–5
  - patterns of species diversity
    - present-day climatic factors 203
    - regions of climate stability 200
    - spatial constraints 202–3
  - southern African Mediterranean-climate flora 230
  - late Tertiary climatic effects 233–5, 238
  - phylogeographic analyses 231–2, 239–40, 410, 412
  - Pleistocene climatic effects 231, 235–8
  - see also* Fynbos biome; Succulent Karoo biome
  - see also* Eastern Arc mountains (Africa); Tanzania
- Agauria salicifolia* 217
- age and area model of geographic range 142, 143–5, 151
- age and area relations in mammals 6
  - conservation implications of study results 162–3
- data acquisition
  - geographic data 149
  - phylogenetic age 148, 149–51
- geographic range size changes 151–3
- phylogenetic correlation of range sizes 153
- evidence from previous studies 154–5
- outliers and conservation 161–2
- pattern differences from birds 159–61
- statistical methods 155–6
- study results 156–61
- age estimation, phylogenetic 148, 149–51, 402–3
- Aizoaceae of the Succulent Karoo
  - ecophysiology 233–5
  - phylogenetic study 239–40
  - pollen studies 236, 237
- allopatry, drift and selection in 167–8
- Amaranthaceae 370, 372
- Amazonia 10
  - areas of endemism 339
  - areas identified 341–2
  - identification methods 339–41
  - importance 339
  - protected status coverage 351–3, 354, 355
  - conservation
    - pioneering work 353
    - proposals 353–6

- Amazonia (*cont.*)
  - deforestation
    - current extent of 350–1, 352
    - road construction as predictor of 351, 352, 353
  - general biodiversity 337
  - primate diversity 339
    - correlation between measures 343–6
    - list of genera 343, 344, 345
    - regional variation 347, 349, 350
  - regional variation in biodiversity
    - biogeographic processes 347–9
    - general pattern 347
    - geomorphological complexity and 349–50
- amino acid sequence alignment 26
- Anabatidae (climbing gouramies) 376–7
- Anatidae (ducks and geese) 374, 375
- Andropadus virens* *see* little greenbul
- Angola, carnivore heritage 132
- Anodorhynchus* spp. 325–6
- Anolis* lizards, speciation rate and island area 408–9
- Aphelinidae 377, 377, 378
- Apicomplexa 391–2
- approximately unbiased (AU) test 39
- Apteryges 114
- aquatic beetles, habitat type and species turnover 411
- Archaea, effects of macroscopic life mass extinction 391
- Arctictis binturong*, range 127
- arthropod reclassification with PSC 61, 62
- artificial rarity 146, 147, 162
- Astacopsis gouldi* (Tasmanian freshwater crayfish) 45–7
- Atlantic Ocean and African climate 203, 204
- Australia
  - ecological specialisation and bird extinction risk 332
  - rainforests *see* rainforests, eastern Australia
- Avança Brasil* programme 351, 352, 353
- bacteria, human impact on diversity 392–3
- BAMBE 33
- Bangladesh, primate heritage at risk 133
- bats 160, 311
- Bayesian inference approach to phylogeny
  - 31–2, 35
  - computer programs 33
  - confidence assessment 36–7
  - evolutionary model checking 31
  - issues about performance 32–3
  - use in hypothesis testing 38
- bears
  - brown bear mtDNA phylogeography 88, 92
  - polar bear 92, 94
  - conservation rankings 83
- Benguela current 233
- Bhutan, carnivore heritage at risk 132
- biodiversity
  - aesthetic value 122
  - hotspots *see* hotspots; *see also* centres of biodiversity
  - measures 69, 343
- biogeography 297
- biological species concept (BSC) 58
- BirdLife International threat assessments 319
- birds
  - distribution of extinct and threatened genera across hotspots 281–2
  - endemism analysis 275
  - endemism–threat relations across hotspots 278, 280
  - evolutionary history
    - held by hotspots 280–1
    - loss and species loss 394–5
  - extinction
    - historical 294, 318
    - non-random risks 271–4
    - see also* extinction risk analysis: bird studies
  - geographic range size changes 151
  - phylogenetic correlation 154–5, 159–61
- Gough Island 116
- Indonesian 126, 127, 311
- life-history diversification 323
- phylogenetic future 394–5
- preservation of endemic areas 69
- reclassification by using PSC 61, 62
- Red Data Books 271
- Red List of threatened genera 290–3
- song characteristics and habitat 176
- species at risk vs. history at risk 125
- sunbird phylogeny and habitat 179–80

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

## Index

421

- taxonomic arrangements 269
- taxonomic patterns among non-natives 374–6
- threats to 318, 319, 319  
*see also individual bird species*
- black-footed cat 305–7
- blue macaws 324–6
- Bolivia, primate rankings 133
- bootstrap procedure 36, 37
- Bovidae 376
- branch and bound searches 34
- Brassicaceae 370, 372, 373
- Brazil
  - carnivore species at risk 132
  - primate rankings 133
  - see also Amazonia*
- Bremer support 37
- brown bear mtDNA phylogeography 88, 92
- Brownian motion 301
- BSC (biological species concept) 58
- Californian quail, fecundity and survival 324
- Callicebus* spp. (titi monkeys) 338–9
- Cameroon, primate rankings 133
- CAM photosynthesis 233–5
- capuchin monkeys 338
- carbon dioxide (CO<sub>2</sub>) concentration and vegetation changes 199
- African forest–savanna ecotones 182–3
- late Tertiary 232, 233
- Pleistocene 235
- carnivores
  - artificially rare 162
  - evolutionary heritage study 127–9
  - extinction risk
    - and human footprint index 306, 308–9
    - see also extinction risk analysis: primate and carnivore studies*
  - extinction within protected areas study 302
  - geographic range size evolution 151–3
  - species at risk vs. history at risk 125
  - see also individual carnivore species*
- cats
  - black-footed cat extinction risk 305–7
  - conservation rankings 83
  - leopard mtDNA phylogeography 88, 89, 91
- Cebus* spp. (capuchin monkeys) 338
- Cecidomyiidae (gall midges) 377, 377, 378
- centres of biodiversity 200, 201, 202, 207
- Centrarchidae (sunfish) 376–7
- Cervidae (deer) 376
- character sampling 22–5
- charisma as conservation ranking criterion 80
- Chenopodiaceae (goosefoot) 370, 372
- China
  - carnivore rankings 132, 133
  - primate species at risk 133
- chloroplast (cp) DNA 86–7
- Cichlidae
  - non-native 376–7
  - speciation study 405–6
- clade evolutionary history (CEH) 343–6
- climate
  - change 200
    - and African species *see* Africa
    - conservation implications for Eastern Arc 218–19
    - future effects 407–8
    - and speciation 411–12
  - interannual variability and plant distribution 200
  - stability and species richness 200
  - terrestrial influences of oceans 200–1, 203–4
- Clustal 25, 27, 29
- codons 21
- cohesion species concept (CSC) testing 43–4
- Colombia, primate rankings 133
- Columbidae (pigeons and doves) 374, 375
- complementarity principle 103, 104, 243, 244, 276
- computer software
  - Bayesian phylogenetic inference 33
  - evolutionary heritage calculation 128
  - nested clade analysis 42, 43
  - population structure analysis 172, 173–6
  - recombination detection 24
  - sequence alignment 25–6, 27, 29
  - topology tests 39
- confidence assessment 36–7
- CONSEL program 39
- conservation
  - economics 65, 284
  - fatigue 64
  - geopolitical scale 135–6

- conservation (*cont.*)
  - PD as metric for 120, 121–2, 130–4
  - spatially based strategies 102–3
  - types of action 78
- conservation biology
  - conservation genetics as sub-discipline 94
  - fundamental challenge 76–7
  - growth of the discipline 1
  - macroscopic focus 388–9, 397
  - place of phylogenetics in 19–20, 47–8, 94–5, 267
- conservation planning
  - contribution of phylogenetic analyses 244
  - irreplaceability
    - (uniqueness)/vulnerability (threat) framework 267
    - debate regarding application 283–4
    - relationships between variables 268
  - prioritisation between areas 189–91, 284
  - threat measurement 276–7
  - uniqueness measurement 274–6
  - uniqueness–threat relation 277–80
  - prioritisation between species
    - threat measurement 270–1
    - uniqueness measurement 269–70
    - uniqueness–threat relation 271–4
    - see also* conservation priority-ranking of species
  - worth assessment
    - species-based 67–8, 120
    - species-free 68, 69, 120, 121–2
    - supra-specific group-based 69
- conservation priority-ranking of species
  - 4
  - application 81
  - correlations between ranking criteria 80
  - criteria
    - charisma 80
    - ecological importance 79–80
    - economics and feasibility 80
    - evolutionary distinctiveness 80, 81–2, 84–5
    - rarity 78–9
    - restricted distribution 79
    - need for 78
    - see also* phylogenetic criteria for conservation
  - Continuous program 155, 156, 297
  - convergence 21
  - Cophylaxus* frogs, Australian rainforests 250, 256–8
  - Costa Rica, carnivore heritage 133
  - costs of conservation 65, 284
  - Croll–Milankovitch cycles 199
  - Cyanopsitta spixii* (Spix's macaw) 325
  - cyclical model of geographic range 142, 145–6, 151
  - Cyclyophora 387
  - Cyprinidae (minnows) 377
  - DADA 35
  - databases, quality concerns 134
  - Diomedea exulans* (wandering albatross) 324
  - diplomonads 392
  - dodo 395
  - Dromaius novaehollandiae* (emu) 115
  - Eastern Arc mountains (Africa)
    - conservation implications of future climate change 205, 218–19, 220–1
    - ecological equilibration 215–16
    - ecological resilience and forest management 219
    - endemic species
      - elevational distribution 213–15, 219
      - evolution *in situ* 212
      - relicts 212–13, 219
    - location 212, 213
    - topographic diversity
      - individualistic responses of plants 217
    - survival options in changing climate 215, 217, 220
    - tests of stability vs. resilience hypotheses 217–18
  - echinoderms, reclassification by using PSC 61, 62
  - ecological importance as conservation ranking criterion 79–80
  - ecologically stable areas
    - ecological equilibration in the Eastern Arc 215–16
    - long-term 202, 220
  - ecology and speciation 167, 169
  - ecotones
    - African forest–savanna 168, 181
    - classification of zones 182–3

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

## Index

423

- forest-savanna boundary studies
  - 181–2, 183–8
- human impact 182, 183–7
- evaluation of importance in speciation
  - conceptual model 169–71
  - future research 188–9
  - little greenbul study 172, 173–6, 177–9, 188–9
  - sunbird phylogeny and habitat 179–80
- Ecuador
  - carnivore rankings 132
  - primate heritage 133
- elevational gradients 188–9
- emu 115
- Encyrtidae (encyrtid wasps) 377, 377, 378
- endemism
  - African plants 203, 204
    - see also* Eastern Arc mountains (Africa): endemic species
  - Amazonia *see* Amazonia: areas of endemism
  - assessment methods 275–6
  - correlation with species richness 203, 204, 346–7
  - relation with threat across hotspots 278, 280
  - see also* rainforests, eastern Australia: herpetofaunal diversity and endemism
- environmental change
  - predictions 405–6
    - climate change 407–8
    - habitat conversion and fragmentation 406
    - species manipulation 406–7
  - and speciation 411–12
  - see also* climate: change; habitat loss
- Ericaceae of the Fynbos biome 236, 237
- Eukarya (microscopic), effects of
  - macroscopic life mass extinction 391–2
- evolution
  - divergent mutation theory 143
  - future 400
  - preservation of process 130–2
- evolutionarily significant units (ESUs) 59, 68, 69, 86, 343
- evolutionary distinctiveness in
  - conservation ranking 80, 81–2, 84–5
- evolutionary heritage
  - concept 121, 122
  - examples
    - carnivores and primates 127–9
    - Indonesian birds 126, 127
    - proposed league tables 134–5
    - stewardship by nations 5, 127, 129, 135–6
- evolutionary history
  - disproportionate amounts held by hotspots 280–1
  - Hubbell's neutral theory 395–6
  - loss and species loss 101
    - birds 394–5
    - mammals 395
    - theoretical work 393–4
  - see also* extinction: and loss of evolutionary history; *also specific phylogenetics entries*
- evolutionary models, use in phylogenetic analysis 30–1
- exons 23
- extinction
  - birds
    - historical 294, 318
    - non-random risk 271–4
    - see also* extinction risk analysis, bird studies
  - data sources 318
  - debt 390
  - and loss of evolutionary history 123, 393–4
    - modern-day risks 124–5
    - non-random 124, 395
    - random 123–4
  - mass *see* mass extinctions
  - probability assessment 270–1
- extinction risk analysis
  - IUCN status as response variable
    - category assignment 303
    - circularity problem 304
    - equivalence among criteria 304–5
    - translation to interval scale 303–4
  - local- and global-scale effects 310–13
- model
  - intrinsic attributes and phylogeny 296–7
  - simple scheme 296
- phylogenetics in hypothesis testing
  - justification for use 298–9
  - local and global scale studies 302

- extinction risk analysis (*cont.*)
  - matched pairs comparisons 299–302
  - variance distribution evaluation tool 381
- extinction risk analysis, bird studies 9, 317–18
  - characteristics hypothesised to increase risk 320
  - comparative method 320, 322–3
  - ecological factor – extinction threat interactions 326–9
  - ecological specialisation
    - Australian birds 332
    - small-bodied birds 332
  - evolutionary predisposition 323
    - blue macaw example 324–6
    - body size and fecundity 323–4
    - quail/albatross example 324
  - focus of studies 320
  - future research 330–1, 333
  - risk distribution across taxa 320–2
- extinction risk analysis, primate and carnivore studies 305
  - multiple regression models 305
  - single-/two-predictor models 305
  - threat intensity, addition to the models 305–10, 313
- Fabaceae (pea family) 370, 373
- Felis nigripes* (black-footed cat) 305–7
- fish (freshwater), taxonomic patterns
  - among non-natives 376–7
- fungi, reclassification by using PSC 61, 61
- Fynbos biome 7
  - characteristics 230
  - climatic impact
    - anthropogenic change 238
    - late Tertiary 231, 233
    - Pleistocene 231, 235–6, 238
  - development of flammability 233
  - explanations for species-richness 230–1
  - Phylica* phylogenetic study 239
  - phylogeographic analyses, conservation importance 231–2, 240
- Gabon, primate species at risk 133
- GENBANK 1
- genealogical concordance 87
- genealogical networks 43
- gene selection 22–5
- genetic modification (GM) technology 407
- genetic transmission 76, 78
- GeoDis 42, 43
- geographic range size
  - as conservation ranking criterion 79
  - as extinction risk correlate 297, 312
- geographic range size evolution 141–2
- influential factors 149
- methodological problems of previous studies 146–8
- models 142, 142
  - age and area 143–5, 151
  - conservation implications of 146
  - cyclical 145–6, 151
  - random 146, 151
  - stasis 145, 151
- studies of taxa 144
- see also* age and area relations in mammals
- geographic sampling strategies 20–2
- Geraniaceae (geranium family) 370, 371
- glaciation
  - last glacial maximum in Africa 209–10
  - Pleistocene 235
- glaucous macaw 325–6
- golden crayfish 44–5
- Gondwana 205
- Gough Island birds 116
- grasslands, Tertiary period 233
- Guinea
  - carnivore heritage at risk 132
  - primate rankings 133
  - see also* little greenbul: Upper and Lower Guinea refugia
- Gulf Stream 200
- habitat loss
  - and bird extinction 326–7
    - Australian birds 332
    - small-bodied birds 332
  - and future speciation
    - area reductions 408–10
    - increased fragmentation 410–11
  - as metric of threat 277
  - predictions 408–9
- heritage 126
  - see also* evolutionary heritage
- heuristic tree searches 34
- hoatzin 114
- homogenisation of phylogenetic diversity 382, 406
- horizontal genetic transfer 78

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

## Index

425

- horseshoe crab
  - conservation rankings 83
  - mtDNA phylogeography 88, 90, 93
- hotspots
  - documentation and analysis 275
  - endemism–threat relations across 278, 280
  - evolutionary history captured by 280–1
  - extinct/threatened endemic bird distribution 281–2
  - human population densities 278
  - see also* centres of biodiversity; Fynbos biome; Succulent Karoo biome; Tropical Andes hotspot
- Hubbell's neutral theory, application to rainforests 395–6
- human impact
  - African forest–savanna ecotones 182, 183–7
  - bacterial diversity 392–3
  - human footprint index 277, 308
  - and carnivore extinction risk 306, 308–9
  - persecution and bird extinction 326–7
  - population densities
    - in biodiversity hotspots 278
    - and primate extinction risk 306, 309–10
    - and species richness 278, 279
  - species manipulation 406–7
  - see also* environmental change: predictions
- hybridisation
  - biological species concept and 58
  - invasive and natural species 406
- Hydrocharitaceae (frog's bit family) 370, 373
- hypothesis testing in phylogenetics
  - application to species delimitation 42, 43–4
  - approaches 39
  - see also* extinction risk analysis: phylogenetics in hypothesis testing
- independent evolutionary histories (IEH) 82
- India
  - carnivore rankings 132, 133
  - primate rankings 133
- Indian Ocean and African climate 201, 203, 204
- Indonesia
  - birds 126, 127, 311
  - carnivore rankings 132, 133
  - primate rankings 133
- insects, taxonomic patterns among
  - non-natives 377–8
- introduced species 368
- introns 23
- invasive species 10
  - homogenisation of phylogenetic diversity 382, 406
  - prediction of invasion potential 408
  - ecosystem properties 365–6
  - need for 365
  - species-specific traits 366
  - taxonomic selectivity patterns 379–82
- stages of invasion 368
  - probability of transition between 368
  - taxonomic selectivity patterns across 368–9
- taxonomic selectivity patterns 366–7, 369
  - birds 374–6
  - freshwater fish 376–7
  - insects 377–8
  - mammals 376
  - plants 370–4
  - predictive power 379–82
- irreplaceability analysis, *Cophylax* frogs 258
- irreplaceability (uniqueness)
  - concept 267
  - measurement
    - areas 274–6
    - species 269–70
  - relationship with vulnerability (threat) 268
  - areas 277–80
  - species 271–4
  - species and sites 280–3
- island species distributions 115–16
- IUCN Red List of Threatened Species 270–1
  - birds 290–3
  - category assignment 303
  - see also* extinction risk analysis: IUCN status as response variable
- kagu 269, 395
- kakapo 395
- keystone species 79–80

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

426

Index

- kinetoplastids 392
- Kishino and Hasegawa (KH) test 38
- lambda ( $\lambda$ ) parameter 156, 297
- Laos, carnivore rankings 132
- last glacial maximum (LGM) in Africa
  - climate changes 209
  - evidence for forest cover 209–10
- lateral genetic transfer 78
- leaf-tail geckos 250, 252–5
- Leguminosae 370, 373
- leopard mtDNA phylogeography 88, 89, 91
- lichens, reclassification by using PSC 61, 61
- LINDO 109
- little greenbul 6
  - characteristics 171
  - Upper and Lower Guinea refugia
    - fitness trait divergence 172, 173–6, 188
    - phylogenetic divergence 171
    - population structure 172–3
    - song divergence between ecotone and forest 176–9, 188–9
    - study sites 169, 171
- Lophortyx californica* (Californian quail), fecundity and survival 324
- macaws 324–6
- MacClade 27
- macroscopic life
  - diversity represented by 387
  - effects of mass extinction on
    - Archaea 391
    - Bacteria 393
    - microscopic Eukarya 391–2
  - as focus of biodiversity and conservation
    - biology 388–9, 397
    - phylogenetic future 393–6
- Madagascar
  - carnivore rankings 133
  - primate rankings 133
- Maesopsis eminii* 219
- Malaysia, carnivore rankings 132
- MALIGN 25
- mammals
  - non-random extinction 395
  - reclassification by using PSC 61, 62
  - taxonomic patterns among non-natives 376
  - see also* age and area relations in mammals; *individual mammal species and clades*
- management units (MUs) 86
- marine turtles
  - conservation rankings 83, 82–4
  - mtDNA phylogeography 88, 89, 89, 90, 91–2
- Markov Chain Monte Carlo (MCMC)
  - method 13, 21, 32, 33
- marsupials 125
- mass extinctions 348
  - anthropogenic
    - historical phase 389–90
    - ongoing 390
  - of macroscopic life, effects on
    - Archaea 391
    - Bacteria 393
    - microscopic Eukarya 391–2
  - prehistoric 390
- matched-pairs comparisons 299–302
- maximal covering location problems (MCLPs), in reserve selection 104–6
- maximum likelihood 29, 31
  - genetic algorithm 35
  - non-parametric tests 38–9
  - parametric tests 39
- maximum parsimony
  - Bremer support 37
  - non-parametric test 38, 39
  - principle 29
- metapopulations 21
- Mexico, endemic species
  - birds 65, 65
  - carnivores 133
- microsporidia 391
- minimum evolution method 29–30
- Miocene 232
  - see also* Tertiary climate and atmospheric change
- mitochondrial DNA (mtDNA)
  - in identification of management units 87–8
  - nuclear integration 23
  - in phylogeography studies 86–92
  - recombination 22, 23, 25
- ModelTest 31
- molluscs, reclassification by using PSC 61, 62
- Mongolia, carnivore heritage at risk 132



Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

## Index

427

- Moran's *I* statistic 155–6  
 morpho-species concept 58  
 MrBayes 33  
 multiple regression 300, 302  
 Muscicapidae (thrushes) 374, 375  
 Mustelidae (weasels and skunks) 376  
 Myanmar  
     carnivore rankings 132  
     primate species at risk 133  
 Myrtaceae (myrtle) 370, 373  
  
 Namib desert 115, 233  
 national stewardship of evolutionary heritage 5, 127, 129, 135–6  
 natural selection and divergence 167  
 Nectariniidae (sunbirds) 179–80  
 neighbour-joining (NJ) method 30  
 Nepal, carnivore rankings 132  
 nested clade analysis (NCA) 19–20, 41, 40–3  
 New Caledonia, species endemism 115  
 New Zealand, species endemism 115  
 Nicobar pigeon 395  
 Nigeria, primate rankings 133  
 NONA 36  
 Normalised Difference Vegetation Index (NDVI) 182, 183–8  
 nuclear DNA  
     in conservation genetics 23  
     *see also* recombination  
  
 oceanic island hotspots 281, 282  
 oceans, influences on terrestrial climate 200–1, 203–4  
 Odontophoridae (New World quails) 374, 375  
 Oestridae (bot flies) 377, 377, 378  
*Omphalocarpum strombocarpum* 217  
*Opisthocomus hoazin* (hoatzin) 114  
 optimality criteria, phylogenetic trees 28, 29–30  
 orang-utan 305–7  
*Orconectes luteus* (golden crayfish) 44–5  
 ostrich 114  
  
 palynological studies *see* pollen analysis of past vegetation  
 Panama, carnivore heritage 133  
 Papaveraceae (poppy family) 370, 372  
  
 parrots  
     Australian, correlates of extinction risk 330–1, 333  
     blue macaws 324–6  
     non-native 374, 375  
 parsimony analysis of endemism 275  
 parsimony ratchet 35–6  
 Passeridae (Old World sparrows) 374, 375  
 PAUP\* 34, 36  
 PAUPRat 36  
 PD *see* phylogenetic diversity (PD)  
 Peru  
     carnivore rankings 132  
     primate rankings 133  
 Phasianidae (pheasants and quail) 374, 375  
 phenotypic plasticity 296–8  
 Philippines, primate heritage 133  
 philopatry 23  
*Phylica*, phylogenetic study 239  
 PhyloCommunity program 128  
 phylogenetics  
     fundamental challenge 76  
     growth of the discipline 1  
     hypothesis testing *see* hypothesis testing in phylogenetics  
 phylogenetic correlation of geographic range sizes 153  
     birds 154–5, 159–61  
     mammals *see* age and area relations in mammals: phylogenetic correlation of range sizes  
 phylogenetic criteria for conservation, intraspecific phylogeography application 88–92  
     prospects 93–4  
     theory  
         adaptive significance of genetic variation 85–6  
         chloroplast (cp) DNA studies 86–7  
         evolutionary significant units 86  
         genealogical concordance 87  
         management units 86  
         mitochondrial (mt) DNA studies 86–8  
 phylogenetic criteria for conservation, species clades/higher taxa application  
     across evolutionary groups 84  
     within taxonomic groups 82–4

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

428

Index

- phylogenetic criteria (*cont.*)
  - prospects 84–5
  - theory 81–2
- phylogenetic diversity (PD) 101–16, 122
  - conservation perspectives and 121–2
  - importance for future evolution 101
  - information content concept of 121
  - maximisation in reserve selection 106, 103–7
  - measurement 104, 104, 343
  - as a metric for conservation 120, 121–2, 130–4
  - spatially based conservation of 102–3
  - surrogacy value of species diversity 102, 103, 116
    - measurement 106, 105–7
    - real-life situations 114–16
    - scenarios explored 108–13
    - summary of results 114
  - surrogacy value of taxonomic diversity 345–6
  - see also* evolutionary heritage
- phylogenetic methods 19–21
  - age estimation 148, 149–51, 402–3
  - application to conservation biology 19–20, 28, 29–30, 47–8
    - Astacopsis gouldi* example 45–7
    - Orconectes luteus* example 44–5
  - genealogical networks 43
  - hypothesis testing 39
  - phylogenetic distinctness measurement 101–2
  - phylogeny reconstruction 27, 29
    - Bayesian inference 31–3
    - confidence assessment 36–7
    - models of evolution 30–1
    - optimality criteria 28, 29–30
    - search strategies 33–6
    - value in conservation 77–8
  - sampling strategies
    - gene 22–5
    - geographic 20–2
  - sensitivity analyses 12
  - sequence alignment 29
  - species delimitation 42, 43–4
- phylogenetic redundancy and species richness 123, 123–5
- phylogenetic species concept (PSC) 3, 59
  - species redefinition using 60
  - conservation implications 65, 65
  - economic implications 65
  - threat implications 63
- phylogenetic studies of speciation 11–12, 401
  - causes of speciation 404–5
  - in future speciation management
    - ideas 413
    - impracticality 413
    - inefficiency 413
  - key issues
    - date estimation 402–3
    - influence of other processes on phylogeny 401
    - knowledge of evolutionary relationships 402
  - prediction of responses to environmental changes 411–12
  - natural habitat area reduction 408–10
  - natural habitat fragmentation 410–11
  - speciation rates 403–4
- phylogenetic tree structure
  - ancient branches 114–15
  - bush (balanced) 109, 109
  - comb (unbalanced) 109, 111
  - and surrogacy value of species diversity for PD 108–13
  - summary of results 114
- phylogeny and climate 220
- phylogeographic analyses
  - Australian rainforest snails 250
  - little greenbul populations 171
  - mitochondrial DNA in 86–92
  - southern African flora 231–2, 239–40, 410, 412
- picoeukaryotes 392
- Pleistocene
  - climate and atmospheric change
    - effects on southern African vegetation 231, 235–8
    - global picture 235
  - forest fragmentation and speciation 410
- Pliocene 232
  - see also* Tertiary climate and atmospheric change
- Poaceae (grass family) 370, 372, 373
- Poecilidae (livebearers) 376–7
- polar bear 92, 94

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

## Index

429

- political policy on biodiversity 126
- pollen analysis of past vegetation 208, 217–18
  - Australian rainforests 246
  - Fynbos and Succulent Karoo biomes 236, 237
- Polygonaceae (buckwheat family) 370, 371, 372
- Pongo pygmaeus* (orang-utan) 305–7
- positional homology 21
- posterior probabilities 31–2, 36–7
  - see also Bayesian inference of phylogeny
- POY 25–6, 36
- primates
  - artificially rare 162
  - evolutionary heritage study 128–9
  - extinction risk
    - and human population density 306, 309–10
    - see also extinction risk analysis: primate and carnivore studies
  - geographic range size evolution 151–3
  - New World genera 344
    - see also Amazonia: primate diversity
  - phylogenetic signal strength ( $\lambda$ ) of traits 297
  - species at risk vs. history at risk 125
  - susceptibility to logging study 300
- priority-ranking see conservation priority-ranking of species
- Proteaceae, Fynbos 238
- PSC see phylogenetic species concept (PSC)
- Psittacidae see parrots
- Quicke search strategy 35–6
- rainforests
  - phylogenetic future 395–6
  - rate of loss 166
- rainforests, Africa
  - adaptation to stability vs. resilience to change 198
  - importance for conservation management 198–9, 219
  - ecological dynamics 211
  - persistence during the last glacial maximum 209–10, 211
  - see also Eastern Arc mountains (Africa); ecotones: African forest–savanna
- rainforests, eastern Australia 7–8
  - distribution
    - current 245, 246
    - historical, insights from snail phylogeography 250
  - herpetofaunal diversity and endemism 251
    - conservation implications 258–60
  - evolutionary processes, recurrent themes 259
  - major rainforest isolates 251–5
  - sub-regions within northeast Queensland 255–8
  - palaeoecology 246–7
- random model of geographic range 142, 146, 151
- range size asymmetry 154
- range size rarity 275
- rarity, as conservation ranking criterion 78–9
- recombination
  - detection methods 24–5
  - effects on phylogenetics 23–4
  - mtDNA 22, 23, 25
- Red Data Books 271
- Red List see IUCN Red List of Threatened Species
- redundancy and species richness 123, 123–5
- refugia
  - evaluation of importance in speciation conceptual model 169–71
  - see also little greenbul: Upper and Lower Guinea refugia
  - shortcomings of conservation focus on 166–7
  - Succulent Karoo 236–7
- relictual species, Eastern Arc 212–13
- reptiles
  - reclassification by using PSC 61
  - see also rainforests, eastern Australia: herpetofaunal diversity and endemism
- reserve network selection, maximisation of PD 106, 103–7
- Restionaceae of the Fynbos biome 236, 237
- Rheidae (rheas) 375
- Rhynchotus jubatus* (kagu) 269
- Rio Tinto, eukaryotic diversity 392

Cambridge University Press

0521825024 - Phylogeny and Conservation

Edited by Andy Purvis, John L. Gittleman and Thomas Brooks

Index

[More information](#)

430

Index

- road construction and deforestation 351, 352, 353
- Rubisco (ribulose biphosphate carboxylase-oxygenase) 233–5
- Russia, carnivore rankings 132
- Saguinus* spp. (tamarins) 338
- Salmonidae (salmon and trout) 376–7
- Saproscincus* skinks, east Australian rainforests 250, 252–5
- ‘Saving Private Ryan’ strategy 69, 394
- Science Citation Index searches 1
- seagrass declines 79
- Se-Al program 27
- search strategies in phylogeny reconstruction 33–6
- sequence alignment 25, 26
  - amino acids and nucleotides 26
  - computer software 25–6, 27, 29
  - regions of ambiguity 25, 26, 27–9
  - sequence selection 26–7
- sequence relationship estimation 29
- sexual dimorphism 66
- Shimodaira and Hasegawa (SH) test 38–9
- snail phylogeography, Australian rainforests 250
- South America *see* Amazonia; Brazil
- SOWH (Swofford–Olsen–Waddell–Hillis) test 39
- speciation
  - future management 413–15
  - mechanisms, Fynbos and Succulent Karoo biomes 230–1, 233–5, 236–8
  - prediction 400–1
    - see also* phylogenetic studies of speciation
  - rate and area relation 408–9
  - rate and biomass/abundance relation 410, 412
  - time scale 414, 414
- species
  - cataloguing efforts 68
  - central role in conservation 57
  - concepts 58, 67
    - biological (BSC) 58
    - congruence of 59–60
    - flexible approach to use 69, 70–1
    - morpho-species 58
    - phylogenetic *see* phylogenetic species concept (PSC)
  - conservation status list compilation 135
  - delimitation 19, 42, 43–4, 68
  - diversity *see* species diversity
  - extinction *see* extinction
  - hybridisation 406
  - introduced 368
  - invasive *see* invasive species
  - manipulation by humans 406–7
  - supra-specific conservation 69, 70
  - threat categories 63
    - as units and currency 2–3
    - vulnerability *see* vulnerability to threat
  - species accumulation index (SAI) 107
  - species diversity
    - correlation with endemism 203, 204, 346–7
  - disturbed ecosystems 215, 217
  - Eastern Arc 215–16
    - as PD surrogate 102, 103, 116
    - measurement 106, 105–7
    - real-life situations 114–16
    - scenarios explored 108–13
    - summary of results 114
    - and phylogenetic redundancy 123, 123–5
  - Sphaerospira* phylogeography, Australian rainforests 250
  - Sphenodon* spp. *see* tuataras
  - Spix’s macaw 325
  - Staphylinidae (rove beetles) 377, 377, 378
  - stasis model of geographical range 142, 145, 151
  - statistical methods, phylogenetic
    - correlation of range sizes 155–6
  - stromatolites 390
  - STRUCTURE program 172, 173–6
  - Struthio camelus* (ostrich) 114
  - Sturnidae (starlings and mynah) 374, 375
  - Succulent Karoo biome 7
    - Aizoaceae
      - ecophysiology 233–5
      - phylogeny 239–40
      - pollen studies 236, 237
    - characteristics 230
    - climatic impact
      - late Tertiary 231, 233–5
      - Pleistocene 231, 235–8
    - explanations for species richness 230–1
    - phylogeographic analyses, conservation importance 231–2, 240
  - sunbirds 179–80

- supertrees 12
- Swofford–Olsen–Waddell–Hillis (SOWH) test 39
- Tamaricaceae (tamarisk family) 370, 372, 373
- tamarins 338
- Tanzania
  - areas of ecological stability 211–12
  - map showing forest divisions 213
  - see also* Eastern Arc mountains (Africa)
- Tasmanian freshwater crayfish 45–7
- taxon evolutionary history (TEH) 343, 345
- taxonomic distinctiveness indices 270
- taxonomic diversity and phylogenetic diversity 345–6
- taxon sampling 22–5
- TCS program 42, 43–4
- Templeton’s test 38
- Tertiary climate and atmospheric change
  - CO<sub>2</sub> reduction and vegetation change 232, 233
  - effects on southern African vegetation 231, 233–5, 238
- Thailand, carnivore rankings 132
- thermal limits and acclimation capacity 239
- threat
  - categories 63
  - see also* extinction risk analysis; vulnerability to threat
- time, as common currency 126, 127, 134
- titi monkeys 338–9
- tokogenetics 21
- topographic diversity
  - Fynbos biome 238
  - see also* Eastern Arc mountains (Africa); topographic diversity
- tracheids, wide-band 235
- transitions 21
- transversions 21
- tree bisection reconnections (TBRs) 21
- tree of life
  - example 388
  - possible new branch 393
  - website 270
- tree ring analysis 218
- trichomonads 392
- Tropical Andes hotspot 278, 279, 279
- tuataras 101, 102, 103, 114, 124
- Type I and Type II errors 300
- ultrameric trees 108, 134
- uniqueness *see* irreplaceability (uniqueness)
- USA, carnivore rankings 132, 133
- variation in genes 22–3
- Viet Nam
  - carnivore rankings 132
  - primate species at risk 133
- vulnerability to threat
  - concept 267
  - measurement
    - areas 276–7
    - species 270–1
  - relations with irreplaceability 268
    - areas 277–80
    - species 271–4
    - species and sites 280–3
- Vulpes velox* (swift fox) 128
- wandering albatross 324
- Welwitschia mirabilis* 101, 115
- wide-band tracheids 235
- Winclada 35