

Index

Figures are indicated in *italics*, tables in **bold**.
9/11 terrorist attacks *see* Pentagon terrorist attack; World Trade Center terrorist attack

accidental death, effect on posttraumatic stress 308–32
ACLS (Advanced Cardiac Life Support) 108–9, 112
Acute Stress Disorder (ASD) 4–5, 7, 100, 111, 171
adaptation to war of childhood victims 42–3
adolescent victims of war *see* childhood victims of war
Advanced Cardiac Life Support (ACLS) 108–9, 112
Advanced Trauma Life Support (ATLS) 107–9, 112
Agency for International Development, Nairobi 33, 35
ambulance services *see* emergency services
American Psychiatric Association 24
anger
 among communities, after disasters/terrorist attacks 8, 35, 38
 see also fear and anxiety; hatred
anthrax attacks (bioterrorism) *see* terrorist attacks
anxiety
 see Posttraumatic Stress Disorder/posttraumatic stress; stress and stressors/combat stress
Armenian earthquake (1988) 212, 264
Army *see* United States Army
ASD (Acute Stress Disorder) 4–5, 7, 100, 111, 171
ATLS (Advanced Trauma Life Support) 107–9, 112
attribution theory (as applied to home loss situation) 267–8
Austria, Kitzsteinhorn ski slope disaster (2000) 215–17
Australia, Cyclone Tracy (1974) 264

Beck Depression Inventory (BDI) 88
Bethesda, United States Naval Medical Center 71, 72–3, 77
Bhopal Union Carbide Corporation plant disaster (1984) 210, 217–18
biological and chemical warfare 117–18
 agents of biological warfare 118
 strategies for managing biological/chemical warfare 118–19
bioterrorism *see* terrorist attacks
bombings
 see Dar Es Salaam Embassy bombing; Nairobi Embassy bombing; Oklahoma City bombing; *USS Cole* bombing
 Borken coalmine disaster, Germany (1988) 215
 bravery (emotional response to World Trade Center terrorist attack) 25, 27
 briefing and debriefing 14
 after traumatic exposure 35, 146–61
 as an early intervention 152–6
 for emergency services 147–8
 definition, characteristics and role 146–7, 148, 156–7
 for Pentagon staff after Pentagon terrorist attack 74–5
 for emergency services after World Trade Center terrorist attack 79–81
 for US Public Health Service staff 81–2
 Marshall’s method of debriefing 147
 Mitchell’s method of debriefing 148
 use in preventing Posttraumatic Stress Disorder/posttraumatic stress 149–52
Buffalo Creek, West Virginia flood (1972) 263–4
 see also Times Beach floods; Tucker County floods
Bushell, Prudence, US Ambassador to the Republic of Kenya 31–40

Cambodian war (1970–5), childhood victims *see* childhood victims of war
casualty units, definition, characteristics and role 190
chemical and biological warfare *see* biological and chemical warfare
Chernobyl nuclear reactor accident (1986) 220–31, 265, 288
 effect on population of Scandinavia 223–8
 extent of radioactive fallout in Scandinavia and Europe 223–5
 extent of radioactive fallout in Soviet Union 222–3, 229–30
 history and description 220–1
 PTSD and other psychiatric/psychological disorders 228–9, 230–1
 public disquiet with provided information 228
 public responses to radioactive fallout 225–8
 radiation sickness
 present day worries 230–1
 symptoms 229
 statistics of victims 210, 212, 222

342 Index

- childhood victims of war 41–57
 - adaptation to war 42–3
 - clinical vignettes of war experiences 46–51; 47, 48, 50, 51
 - definition of trauma 42
 - emotional effects of war 41–2, 43
 - evaluation of victims 45, 53–5, 54
 - prevention-intervention program 53–5
 - PTSD and other psychiatric/psychological disorders 43–4, 46, 51–3
 - statistics 42
 - psychiatric/psychological disorders 42–56
- children
 - as victims of war *see* childhood victims of war
 - definition of trauma in children 42
 - development and use of health program *Project Heartland* 59–62, 59
 - Posttraumatic Stress Disorder/posttraumatic stress after Oklahoma City bombing 61–2, 63–7
 - stress of handling dead children 312–13
 - vulnerability at times of disasters/terrorist attack 333
- CISD (Critical Incident Stress Debriefing) 78, 146, 148, 149, 167
- clinical screening
 - challenges of screening for PTSD/posttraumatic stress 125, 137–40
 - characteristics and principles 121–4, 123, 134, 136–7
 - disaster victims 112–15, 113
 - effectiveness 140–1
 - failure of psychiatric/psychological screening programs 127–9, 134–6
 - history of psychiatric/psychological screening of military personnel 124–30
 - psychiatric/psychological screening of disaster victims 109–12, 110, 111, 133–6
 - roles and problems in psychiatric/psychological disorder prevention 124–42, 125
 - see also* disaster and terrorist attack
 - intervention; population based healthcare
- coalmine disaster, Borken, Germany (1988) 215
- Cochrane Database of Systematic Reviews 140
- cognitive-behavioral therapy after disasters/terrorist attacks 14, 301
- Columbia Presbyterian Medical Center, New York 23
- combat stress/stress *see* stress and stressors/combat stress
- communication of risk, in alleviating impact of future disasters/terrorist attacks 10–11
- communities, effect of disasters and terrorist attacks 8–11
- contamination *see* toxic contamination
- coping strategies 336
 - after toxic contamination at Three Mile Island 236, 238–40
 - after traumatic death exposure 320–5
 - with relocation stress after disasters 268–76
- courage (emotional response to World Trade Center terrorist attack) 25, 27
- Critical Incident Stress Debriefing (CISD) 78, 146, 148, 149, 167
- Cyclone Tracy, Darwin, Australia (1974) 264
- Cyclones *see* disasters
 - see also* specific cyclones, e.g. Cyclone Tracy
- danger, human reactions to danger 217–18
- Dar Es Salaam Embassy bombing (1998) 2
 - see also* Nairobi Embassy bombing; Oklahoma City bombing; Omagh bombing; *USS Cole* bombing
- dead bodies, stress of handling 312–32
 - accidental death bodies 319
 - children's bodies 312–13
 - enemy dead 319
 - female dead 318–19
 - identification and emotional involvement 315–17
 - mediators of stress 309–12
 - natural looking bodies 313
 - novelty, surprise and shock 315
 - on-site dead bodies 321–2
 - physical fatigue of handling dead bodies 322
 - sensory stimulation from handling dead bodies 314–15
 - stress of handling personal effects 316–18
 - see also* PTSD/PT stress; stress and stressors/ combat stress; traumatic death exposure
- debriefing *see* briefing and debriefing
- decreased stigma (emotional response to World Trade Center terrorist attack) 25
- Denmark, effect of Chernobyl nuclear reactor accident on population 224, 226, 228
- depression after disasters/terrorist attacks *see* psychiatric/psychological disorders
- diagnosis *see* clinical screening
- disaster and terrorist attack intervention 11–15, 12–13, 93–208
 - Advanced Trauma Life Support 107–9, 112
 - appropriate organizational interventions 11–15, 12–13, 335, 336
 - appropriateness and sufficiency of resources 102–3, 336
 - clinical treatment of survivors 162–88, 337
 - healthcare model for future terrorist attack, and survivors 287–307
 - internet resources 15
 - involvement of health and hospital personnel 13
 - medico-legal considerations 116–17
 - role of preventive medicine 3
 - strategies after
 - Nairobi Embassy bombing 31–40
 - Oklahoma City bombing 58–70
 - World Trade Center and Pentagon terrorist attacks 23–30
 - USS Cole* bombing 82–8
 - training for successful intervention 310
 - see also* briefing and debriefing; clinical screening; psychiatric/psychological treatment of disaster and terrorist attack victims

343 Index

- Disaster Response and Recovery: a handbook for mental health professionals* 39
- disasters
- 1990s as decade for reduction of disasters (UNGAR 42/169) 211
 - characteristics, definition, and dimensions 1, 3–6, 4, 5, 211, 219, 237, 333
 - communication of risk 10–11
 - distinction between natural and technological disasters 211–14
 - economic losses following disasters 259
 - effect of disaster stories on health and hospital personnel 163
 - effect on communities 8–11
 - fear among communities 8, 334
 - flight behaviour 217
 - health and safety consequences 4, 6–7
 - importance of prior disaster planning 29–30
 - involvement of healthcare personnel in disaster planning 29–30
 - leadership after disasters 31–40, 333
 - need for mourning after disasters 34–5
 - organizational misunderstandings after disasters 29–30
 - perception of risk when assessing threat of disasters 213–14, 214
 - prevention, responsibility and management 211–12, 218, 333–9
 - psychiatric/psychological disorders 4, 6, 7, 7, 76, 93–104
 - reaction of rescuers to outside help 34
 - scapegoating among communities 8
 - statistics of incidence and victims 2, 211, 259
 - vulnerability of children 333
 - see also* technological disasters; terrorist attacks and specific disasters, e.g. Armenian earthquake; Buffalo Creek floods; Cyclone Tracy; Times Beach floods; Tucker County floods
 - see also* disaster and terrorist attack intervention; home loss after disasters; psychiatric/psychological treatment of disaster/terrorist attack victims; relocation stress after disasters
- disease/disability after terrorist attacks 287–8, 291–2
- see also* disaster and terrorist attack intervention; population based healthcare, model for
- dissociation (psychiatric sign) 111–12, 111
- doctors *see* health and hospital personnel
- Dover Air Force Base, Delaware 314, 315, 317, 318
- DSM-III criteria for Posttraumatic Stress Disorder 130
- DSM-IV criteria for Posttraumatic Stress Disorder 95, 99, 100
- earthquakes *see* disasters
- see also* specific earthquakes, e.g. Armenian earthquake
- education *see* training
- emergency services
- at risk of posttraumatic stress 10, 309
 - briefing and debriefing methods 79–81, 147–8
 - response to World Trade Center terrorist attack 25–6
 - psychiatric/psychological effects of World Trade Center terrorist attack 94–5
 - see also* Special Psychiatric Rapid Intervention Teams (SPRINT)
- emotional effects of war on childhood victims 41–2, 43
- emotional responses to disaster *see* bravery; courage; fear and anxiety; grief; hatred; resiliency; strength
- enemy dead, stress of handling 319
- Environmental Protection Agency, report on Feed Material Production Center, Fernald, Ohio, 241
- evaluation of childhood victims (Mozambique war) 45
- nature and organization 53–5, 54
- exposure to traumatic death *see* traumatic death exposure
- family systems theory (as applied to home loss situation) 266–7
- fear and anxiety
- among communities, after disasters/terrorist attacks 8, 334
 - response to devastation terrorist attacks 25, 25, 36
 - responsibility of media for allaying fear and anxiety in emergency situations 334
 - statistics of fear among population after World Trade Center terrorist attack 5–6
 - see also* anger; hatred
- Federal Disaster Response Plan, use in Oklahoma City 59
- Federal Emergency Management Agency 30, 261, 277, 279
- Fernald, Ohio, Feed Materials Production Center
- contamination threat 236, 240–58, 241
 - case histories of residents 248–9
 - chronicity of threat from contamination 242–3
 - diffuseness of impact of toxic contamination 242
 - economic features following disaster 243
 - Environment Protection Agency Report 241
 - exposure of residents to radioactive contamination 236
 - limitations of enquiry into disaster 250
 - method of enquiry into disaster 244–8
 - instruments and interviews 245, 246, 247
 - participants 244
 - results 245
 - specific stressors 245
 - psychiatric/psychological disorders 244, 251–2
 - reaction of outsiders to contaminated 243
- fire services *see* emergency services
- flight behaviour in disaster situations 217
- floods *see* disasters
- see also* specific floods, e.g. Buffalo Creek floods; Times Beach floods; Tucker County floods

344 Index

- Fried's *Grieving for a lost home* 262
friendly fire, death from 318
- Gander military air disaster (Newfoundland, 1985) 313
Giuliani, Rudolph W., Mayor of New York 31, 40
global climate changes and technological disasters 212
grief, response to bombings and other terrorist attacks 25, 25, 38
Grieving for a lost home (Marc Fried) 262
Ground Zero, extent of devastation after World Trade Center terrorist attack 25–6
group briefing and debriefing *see* briefing and debriefing
Gulf War, stress from body handling 311, 315, 317, 318
- hatred (feelings of), among communities, after disasters/terrorist attacks 35
see also anger; fear and anxiety
health and hospital personnel
at risk of posttraumatic stress 10
effect of disaster stories on health and hospital personnel 163
involvement in providing intervention after disasters/terrorist attacks 13
involvement in risk communication 10–11
their importance in disaster planning 29–30
see also social services personnel
health and safety (community and individual), disruption by disasters/terrorist attacks 4
healthcare services
see clinical screening; disaster and terrorist attack intervention; population based healthcare; psychiatric/psychological treatment of disaster/terrorist attack victims
see also health and hospital personnel
home loss after disasters
after Buffalo Creek 263–4
after Cyclone Tracy 264
after Tucker County floods 260–2
attribution theory (as applied to home loss situation) 267–8
family systems theory (as applied to home loss situation) 266–7
psychiatric/psychological treatment 276–81, 280
psychosocial meanings 260, 262–5
social construction theory (as applied to home loss situation) 267
see also relocation stress following natural disasters
hospital personnel *see* health and hospital personnel
see also social services personnel
hurricanes *see* disasters
hyper-vigilance among communities, after disasters and terrorist attacks 8
- Impact of Events Scale (IES)* (stress measurement scale) 88, 245
- industrial accidents *see* technological disasters
information, information dissemination and exchange
and government and media responsibility 29, 334
as part of successful risk communication 10–11
in response to Pentagon and World Trade Center terrorist attacks 24, 25, 28–9, 74
public disquiet with information after Chernobyl nuclear reactor accident 228
see also briefing and debriefing
information systems, use by population based healthcare 301–2
informed consent (medico-legal consideration in disaster intervention) 116
interventions after disasters and terrorist attacks
see disaster and terrorist attack intervention; psychiatric/psychological treatment of disaster/terrorist attack victims
India, Bhopal Union Carbide Corporation plant disaster 210, 217–18
International Classification of Disease: clinical modification (ICD-9CM) 197
Israel, emotional effects of Israeli war on children 43
- Japan, Tokyo Sarin gas attack (1995) xi, 2, 10, 240
- Kenya, Prudence Bushell, US Ambassador to the Republic of Kenya 31–40
see also Nairobi Embassy bombing
Kitzsteinhorn ski slope disaster (2000) 215–17
- Landstuhl Regional Medical Center, Ramstein, Germany 111
Lange, John, US Chargé d'Affaires in Tanzania 33
leadership
after disasters/technological disasters/terrorist attacks 31–40, 333, 335
of Rudolph W. Giuliani, Mayor of New York 31
of Prudence Bushell, US Ambassador to the Republic of Kenya 31–40
personal qualities required after bombings 33–4, 39–40, 39
loss of home after disasters *see* home loss after disasters
- Mahattan terrorist attack (2001) *see* World Trade Center terrorist attack
manmade disasters *see* technological disasters
Marshall's method of debriefing 147
mass media *see* media
mass trauma
see disasters; technological disasters; terrorist attacks
see also dead bodies; traumatic death exposure
media
reporting of World Trade Center terrorist attack 23, 25
responsibility for dissemination and accurate portrayal of information 29, 334

345 Index

- medical staff
 - see health and hospital personnel
 - see also social services personnel
- memorialization among communities, after disasters and terrorist attacks 8–9
- mental health disorders see psychiatric/psychological disorders
- mental health professionals
 - see health and hospital personnel
 - see also social services personnel
- Mitchell's method of debriefing 148
- Mount Erebus air disaster, Antarctica (1979) 308–9
- Mozambique National Resistance (RENAMO) 41–2, 44, 46
- Mozambique war (1976–92), childhood victims
 - see childhood victims of war
- Nairobi Embassy bombing (1998) 2, 31–40
 - feelings of anger, fear and anxiety, grief, hatred after bombings 34, 35, 38
 - need for mourning after bombing 34–5
 - reaction of rescuers to outside help 34
 - rebuilding employment and personal normality after bombing 36–8
 - see also Dar Es Salaam Embassy bombing; Oklahoma City bombing; Omagh bombing; USS Cole bombing
- National Organization for Violence Assistance (NOVA) Model (of post-disaster intervention) 78
- natural disasters
 - see disasters
 - see also technological disasters
- Naval Medical Centers see United States Naval Medical Centers
- Navy
 - see Signonella Naval Hospital; Special Psychiatric Rapid Intervention Teams; United States Naval Medical Centers
- negligence (medico-legal consideration in disaster intervention) 116–17
- New York City terrorist attack see World Trade Center terrorist attack
- New York Militia 81
- New York State Office of Mental Health 24
- New York State Psychiatric Institute 23, 24, 26
- Northern Ireland, Omagh bombing (1998) 2
- Norway
 - effect of Chernobyl nuclear reactor accident on population 223–5, 226–7, 228
 - paint factory disaster (1976) 219–20, 221
- NOVA (National Organization for Violence Assistance) Model (of post-disaster intervention) 78
- nuclear reactor accidents
 - see Chernobyl nuclear reactor accident; Three Mile Island nuclear reactor accident
- nuclear weapons plants see Fernald, Ohio, Feed Materials Production Center
- nurses
 - see health and hospital personnel
 - see also social services personnel
- Oklahoma City bombing (1995) 2, 23, 58–70
 - and PTSD/posttraumatic stress among victims 61–3, 63–7, 96, 98–100, 334
 - development, nature and organization of health program *Project Heartland* 59–62, 59
 - psychiatric/psychological disorders 62–7, 96, 97–9
 - psychiatric/psychological treatment of victims 58–61
 - response by psychiatric services 58–61
 - tensions between teachers and those promoting health intervention 61
 - use by schoolchildren of *Project Heartland* 60
 - use of Federal Disaster Response Plan 59
 - see also Dar Es Salaam Embassy bombing; Nairobi Embassy bombing; Omagh bombing; USS Cole bombing
- Omagh bombing (1998) 2
 - see also Dar Es Salaam Embassy bombing; Nairobi Embassy bombing; Oklahoma City bombing; USS Cole bombing
- Operation Desert Storm, stress from body handling 311, 315, 317, 318
- paint factory disaster, Norway (1976) 219–20, 221
- paramedics see health and hospital personnel
- Pentagon terrorist attack (2001) 71–6, 288
 - briefing and debriefing for Pentagon staff 74–5
 - information, information dissemination and exchange 24, 25, 28–9, 74
 - organization and role of SPRINT after Pentagon terrorist attack 72–6, 77–82
 - posttraumatic stress among Pentagon staff 76
 - psychiatric/psychological effects on victims 94–103
 - psychiatric/psychological treatment of victims 72–82
 - see also World Trade Center terrorist attack
- perception of risk, when assessing threat of disasters/technological disasters 213–14, 214
- personal effects of disaster/terrorist attack victims, stress of handling 316–18
- physicians
 - see health and hospital personnel
 - see also social services personnel
- police see emergency services
- population-based healthcare
 - definition, characteristics 288–9, 292–3
 - model for future terrorist attack, and survivors 287–307
 - use of information systems 301–2
 - see also clinical screening; disaster and terrorist attack intervention
- posttraumatic stress see Posttraumatic Stress Disorder/posttraumatic stress
- Posttraumatic Stress Disorder/posttraumatic stress 6, 62–3, 111
 - among Chernobyl nuclear reactor accident victims 228–9

346 Index

- Posttraumatic Stress Disorder (*cont.*)
 among child victims of war 43–4, **46**, 51–3
 among New Yorkers and Pentagon staff after terrorist attack 27, 76
 among Norway's paint factory disaster victims 221
 among Oklahoma bombing victims 61–2, 63–7, 96, 98–100
 avoidance of situations which reactivate/intensify stress 27
 challenges of screening for PTSD/posttraumatic stress **125**, 137–140
 classification and triaging of victims 95, 168–70
 disaster behaviour and PTSD/posttraumatic stress 221
 effect of accidental death 308–32
 existing research on victims 93–104, **97**
 expected course of condition 99–100, 178–82
 health and hospital personnel at risk of posttraumatic stress 10
 high risk groups and factors 9–10, 96–7, 98–9, 100
 predictors of PTSD/posttraumatic stress vulnerability 130–2, 189–90
 statistics of victims of PTSD/posttraumatic stress 2, 189, 334–5
 symptoms 168–72, statistics of symptoms 2–3, 169, 170
 treatment 100–101, 190–1, 191
 after *USS Cole* bombing, 84–5
 treatment model 192–202, 198
 use of briefing and debriefing in PTSC/posttraumatic stress prevention 149–52
 when handling traumatic death victims 308–32
 see also psychiatric/psychological disorders; relocation stress after disasters; stress and stressors/combat stress
- Powell, Colin (US Secretary of State) 35
- preventive medicine, role in limiting effects of disasters and terrorist attacks 3
- Project Heartland* community health program, Oklahoma City
 nature and organization 59–62, **59**
 use by schoolchildren 60
- psychiatric/psychological disorders
 after Chernobyl nuclear reactor accident 228–9, 230–1
 after disasters/terrorist attacks 4, 6, 7, 7, 76, 93–104
 statistics 6, 87
 after Oklahoma City bombing 62–7, 96, 97–9
 after Pentagon terrorist attack 94–103
 after Tokyo Sarin gas attack 240
 after toxic contamination threat from Fernald, Ohio, FMPC 236–58
 role and problems of clinical screening in disorder prevention 124–42
 sustained by childhood victims of war 51–3
 when handling traumatic death victims 308–32
 see also PTSD/posttraumatic stress; relocation stress after disasters; stress and stressors/combat stress
- psychiatric/psychological treatment of disaster/terrorist attack victims 107–19, **110**, **111**, 133–6, 162–88, **165**, 174–7, 190–1, 191, 192–202; 256
 after home loss 276–81, **280**
 appropriate pharmacological therapy **180**
 cognitive–behavioral therapy 14, 181–2
 impediments to providing successful treatment **163**
 provision in response to disasters/terrorist attacks 23–30, 58–61, 72–82, 335, 337
 treatment model 192–202, 198
 see also briefing and debriefing; clinical screening; disaster and terrorist attack intervention; Special Psychiatric Rapid Intervention Teams
- psychological debriefing *see* briefing and debriefing
- psychological/psychiatric disorders *see* psychiatric/psychological disorders
- PTSD *see* Posttraumatic Stress Disorder/posttraumatic stress
- radiation sickness after Chernobyl nuclear reactor accident 222
 present day worries 230–1
 statistics 222
 symptoms 229
- radioactive contamination *see* toxic contamination
- radioactive fallout after Chernobyl nuclear reactor accident
 extent in Scandinavia and Europe 223–5
 extent in Soviet Union 222–3, 229–30
 public response to radioactive fallout 225–8
- reassurance, as an intervention after disasters and terrorist attacks 14
- relocation stress after disasters 259–86
 attribution theory and stress of relocation 267–8
 community level factors 264–5
 coping strategies 268–76
 families, home loss and stress, conceptual framework 265–8, **266**
 family system theory and stress of relocation 266–7
 home destruction 264–5
 mental health implications 264–5
 research studies 259–86
 social construction theory and stress of relocation 267
 see also home loss after disasters; PTSD/posttraumatic stress; stress and stressors/combat stress
- RENAMO (Mozambique National Resistance) 41–2, 44, 46
- rescue and recovery workers *see* emergency services
- resentment among communities, after disasters and terrorist attacks 35

347 Index

- resiliency (emotional response to World Trade Center terrorist attack) 25
- response by psychiatric service to World Trade Center terrorist attack 23–30, 24, 25, 27
- responsibility for technological disasters (individual/corporate) 211–12
- resuscitation (medico-legal consideration in disaster intervention) 116–17
- risk communication, in alleviating impact of future technological disasters/terrorist attacks 10–11
- risk perception, when assessing threat of disasters/technological disasters 213–14; 214
- safety and health (community and individual), consequences of disasters/terrorist attacks 4
- San Diego, US Naval Medical Center 71
- Scandinavia, effect of Chernobyl nuclear reactor accident on population 223–8
- scapegoating among communities, after disasters/terrorist attacks 8
- screening (clinical) of victims *see* clinical screening
- September 11 terrorist attacks (2001)
 - see* Pentagon terrorist attack; World Trade Center terrorist attack
- Sigonella Naval Hospital, Sicily 82–3
- Sioux City air disaster, Iowa (1989) 314–15, 317, 320
- social construction theory (as applied to home loss situation) 267
- social services personnel
 - their importance in disaster planning 29–30
 - see also* health and hospital personnel
- Special Psychiatric Rapid Intervention Teams (SPRINT)
 - and Naval Medical Center, Bethesda 71, 72–3
 - nature and organization 71, 82–3
 - organization and role after Pentagon and World Trade Center terrorist attacks 72–6; 77–82
 - organization, and role after *USS Cole* bombing 83–8, 83, 85, 86
 - see also* emergency services
- SPRINT *see* Special Psychiatric Rapid Intervention Teams
- statistics
 - Armenian earthquake 212
 - Bhopal disaster victims 210
 - Chernobyl nuclear reactor accident victims 210, 212, 222
 - childhood victims of war 42
 - disaster/terrorist attack incidence and victims 2, 211
 - fear and anxiety among population after World Trade Center terrorist attacks 5–6
 - psychiatric/psychological disorders after disasters/terrorist attacks 6, 87
 - PTSD/posttraumatic stress symptoms 2–3, 169, 170
 - PTSD/posttraumatic stress victims 2, 189
 - technological disasters 210, 212
 - victims of radiation sickness after Chernobyl nuclear reactor accident 210, 212, 222
- strategies for coping *see* coping strategies
- strength (emotional response to World Trade Center terrorist attack) 25, 27
- stress and stressors/combat stress
 - avoidance of situations which reactivate/intensify stress 27
- characteristic 241–3
- management interventions aboard *USS Cole* 84–7, 88
- statistics of reported symptoms 2
- see also* dead bodies, stress of handling; Posttraumatic Stress Disorder/
- posttraumatic stress; relocation stress after disasters; traumatic death exposure
- Sweden, effect of Chernobyl nuclear reactor accident on population 224–5, 226, 228
- survival capacity of humans following technological disasters 215
- Tanzania, Dar Es Salaam Embassy bombing (1998) 2
 - see also* Nairobi Embassy bombing; Oklahoma City bombing; *USS Cole* bombing
- teaching *see* training
- technological disasters 209–232
 - and global climate changes 212
 - definition, characteristics and classification 209–10, 219, 237–8
 - distinction between natural and technological disasters 211–14
 - flight behaviour 217
 - perception of risk when assessing threat 213–14, 214
 - prevention, responsibility and management 211–15, 218
 - statistics 210, 212
 - survival capacity and instincts of humans 215
 - see also* disasters, and specific technological disasters, e.g. Bhopal Union Carbide Corporation plant disaster; Borken coalmine disaster; Chernobyl nuclear reactor accident; Fernald, Ohio, FMPC; Gander military air disaster; Kitzsteinhorn ski slope disaster; Mount Erebus air disaster; paint factory disaster, Norway; Sioux City air disaster; Three Mile Island nuclear reactor accident; *USS Iowa* gun turret explosion
- terrorism *see* terrorist attacks
- terrorist attacks
 - characteristics, definition, purpose and dimensions 1, 2, 3–6, 4, 287, 333
 - characteristics and definition of bioterrorist attacks 252
 - clinical treatment for survivors 162–88
 - communication of risk 10–11
 - comparison of bioterrorist attack with Fernald, Ohio FMPC contamination 252–4

348 Index

- terrorist attacks (*cont.*)
 - disease/disability after terrorist attacks 287–8, 291–2
 - effects on communities and individuals 8–11, 287–8, **288**
 - fear and anxiety as a response 25, **25**, 36
 - health and safety consequences 4, 6–7
 - healthcare model for future attack, and survivors 287–307
 - leadership after terrorist attacks 31–40
 - prevention, intervention and recovery 333–9
 - psychiatric/psychological disorders 4, 6, 7, 7, 76, 93–104
 - psychological effects of terrorist attack stories
 - on health hospital personnel 163
 - scapegoating among communities 8
 - statistics of victims 2
 - vulnerability of children 333
 - see also* specific terrorist attacks, e.g. Dar Es Salaam Embassy bombing; Nairobi Embassy bombing; Oklahoma City bombing; Omagh bombing; Pentagon terrorist attack; Tokyo Sarin gas attack; *USS Cole* bombing; World Trade Center terrorist attack
 - see also* disasters; technological disasters; disaster and terrorist attack intervention
- terrorist attack/disaster intervention *see* disaster and terrorist attack intervention
- therapy (clinical) *see* psychiatric/psychological treatment of disaster/terrorist attack victims
- Three Mile Island nuclear reactor accident (1979) 236, 238–9, 251–2, 288
- Times Beach, Missouri floods (1982) 240
- Tokyo Sarin gas attack (1995) xi, 2, 10, 240
- toxic contamination
 - comparison with bioterrorist attack contamination 252–4
 - coping strategies at Three Mile Island 236, 238–40
 - effect on individuals after disasters/terrorist attacks 209–340
 - Fernald, Ohio FMPC 236, 240–58, **241**
 - psychiatric/psychological disorders after contamination 236–58
 - reaction of outsiders to contaminated 243
 - Times Beach, Missouri 240
- toxic contamination stressors
 - characteristics 237–8
 - comparison with bioterrorist attack contamination 255–6
 - psychological responses 238–40
- training
 - disasters/terrorist attack training 14, 310
 - in effects of trauma on children 60–1
 - of psychiatric service, in wake of World Trade Center terrorist attack 24
- Trauma and Disaster: the structure of Human Chaos* xi
- trauma centers, definition, characteristics and role 190
- traumatic death exposure 308–32
 - accidental deaths 319
 - anticipation and previous experience 309–11
 - combat unique stress 318–20, **320**
 - coping strategies 320–5
 - death from friendly fire 318
 - death of women in combat 318–19
 - enemy dead 319
 - extent of stress-related symptoms 309–11
 - fear of personal threat 319
 - physical fatigue after traumatic death exposure 61–2
 - role of professionals and non-professionals, roles 323
 - see also* dead bodies, stress of handling
- traumatic events
 - see* disasters; technological disasters; terrorist attacks
 - see also* specific traumatic events, e.g. Armenian earthquake; Bhopal Union Carbide Corporation plant disaster; Borken coalmine disaster; Buffalo Creek floods; Chernobyl nuclear reactor accident; Cyclone Tracy; Dar Es Salaam Embassy bombing; Fernald, Ohio, FMPC contamination threat; Gander military air disaster; Kitzsteinhorn ski slope disaster; Mount Erebus air disaster; Nairobi Embassy bombing; Oklahoma City bombing; Omagh bombing; paint factory disaster, Norway; Pentagon terrorist attack; Sioux City air disaster; Three Mile Island nuclear reactor accident; Times Beach floods; Tokyo Sarin gas attack; Tucker County floods; World Trade Center terrorist attack ; *USS Cole* bombing; *USS Iowa* gun turret explosion;
- treatment of disaster/terrorist attack victims
 - see* population-based healthcare; psychiatric/psychological treatment of disaster/terrorist attack victims
- Tucker County, West Virginia floods (1985) 260–2
 - vignette of flood victim family 261–2
 - see also* Buffalo Creek floods; Times Beach floods
- UNGAR Resolution 42/169 (on 1990s as decade for disaster reduction) 211
- Union Carbide Corporation plant disaster, Bhopal, India (1984) 217–18
 - statistics of victims 210
- United Nations General Assembly Resolution 42/169 (on 1990s as decade for disaster reduction) 211
- United States Air Force, Dover Air Force Base, Delaware 314, 315, 317, 318
- United States Air National Guard 81
- United States Army Corps of Engineers 81

349 Index

- United States Army National Guard 81
- United States embassy bombings
 - see* Dar Es Salaam Embassy bombing; Nairobi Embassy bombing
- United States Naval Medical Centers
 - Bethesda 71, 72–3, 77
 - San Diego 71
- United States Navy
 - see* Sigonella Naval Hospital; Special Psychiatric Rapid Intervention Team; United States Naval Medical Centers
- United States Public Health Service 81
- urban restrictions after World Trade Center terrorist attack 25
- USNS Comfort* 71, 77–82
- USNS Mercury* 71
- USS Cole* bombing (2000) 72, 82, 111
 - management of stress and stressors/combat stress among *USS Cole* staff 84–7, 88
 - organization and role of Special Psychiatric Rapid Intervention Teams 83–8,
 - see also* Dar Es Salaam Embassy bombing; Nairobi Embassy bombing; Oklahoma City bombing; Omagh bombing
- USS Iowa* gun turret explosion (1989) 311
- vignettes of
 - childhood war experiences (Mozambique) 46–51, 47, 48, 50, 51
 - population near Fernald, Ohio, FMPC 248–9
 - family, after Tucker County floods 261–2
- violent death *see* traumatic death
- Washington terrorist attack (2001) *see* Pentagon terrorist attack
- World Trade Center terrorist attack (2001) 2, 288
 - briefing and debriefing of emergency services 79–81
 - deployment of *USNS Comfort* 77–82
 - extent of devastation at Ground Zero 25–6
 - fear and anxiety after terrorist attack 25, 25
 - information, information dissemination and exchange 24, 25, 28–9, 74
 - media reporting 23, 25
 - psychiatric/psychological effects on victims, communities and emergency services 94–103, 334
 - role of Special Psychiatric Rapid Intervention Teams 72–6, 77–82
 - response by emergency and psychiatric treatment services 23–30, 24, 25, 27
 - socio-political implications 93
 - urban restrictions after attack 25
 - see also* Pentagon terrorist attack
- Yemen *see* *USS Cole* bombing (2000)