
Index

- additive elastic energy, 230
- additive internal energy, 201, 211
- algorithmic complementary energy, 239
- algorithmic damping ratio, 304
- algorithmic energy dissipation, 325
- amplification factor, 301, 305
- angle of friction, 244
- angular velocity, 68, 163
- anisotropy from kinematic hardening, 231
- arc-length methods, 260, 270–281
 - displacement sub-increments, 271, 274
 - flexibility parameter, 275, 279
 - general constraint formulation, 272–274
 - hyperplane constraint, 274–278
 - hyperplane constraint condition, 275
 - hypersphere constraint, 278–281
 - hypersphere constraint condition, 279
 - load sub-increments, 271
 - orthogonal arc-length algorithm, 277
 - quadratic constraint condition, 278
 - sub-increment selection strategy, 271
- Armstrong–Frederick flow potential, 232
- assembly of elements, 31
- associated plasticity, 212
 - evolution equations, 214
- axial stiffness, 3, 127, 140

- back stress, 218
- bar element, 18–28, 39
- Bauschinger effect, 217, 230
- beam element 2D implementation, 112
- beam element 3D implementation, 134, 137
- beam tangent stiffness matrix, 110, 130
- beam-column element, 140
 - shortening, 140
 - tangent stiffness, 141
- bending mode
 - anti-symmetric, 103, 110, 127
 - symmetric, 102, 109, 127
- BFGS in product format, 286
- BFGS matrix inverse, 285
- BFGS matrix update, 285
- biaxial extension, 152

- bifurcation, 117, 269
- bifurcation point, 30, 267
- bulk modulus, 199, 247

- Cam-Clay theory, 241
 - friction assumption, 245
 - hardening rule, 247
- Cauchy elasticity, 191
- Cauchy stress, 158–160
 - Truesdell rate, 162
- Cauchy stress tensor, 158
- Cayley rotation representation, 71
- Cayley–Hamilton equation, 194
- characteristic equation, 193, 194, 327
- co-factor, 195
- co-rotating formulation, 100
- co-rotating frame, 101, 118
- co-rotation stiffness matrix, 106, 122
 - non-symmetric, 124
 - symmetric, 125, 126
- co-rotation tangent stiffness, 104–107, 120–126
- collocation methods, 292
- combined isotropic–kinematic hardening, 230–234
- complementary energy, 94
- complementary energy density, 191, 196, 238
- complementary internal variable, 236
- complementary internal variables, 252
- complementary virtual work, 108
- compound rotation matrix, 104, 119
- conjugate element forces, 102, 118
- conjugate variables, 204
 - external, 205
 - in elasto-plastic iteration, 238
 - internal, 205, 230, 235
- conservative moments, 59
- conservative time integration, 310
 - displacement increment, 317
 - velocity increment, 317
- consistency condition, 212
- consistent tangent matrix, 240
- constitutive beam stiffness matrix, 111, 130
- constitutive stiffness, 168

- constitutive stiffness matrix, 107
- constrained extremum problem, 208
- continuum mechanics, 146
- contraction phase, 249
- critical state soil mechanics, 241
- current coordinates, 148
- cut-off frequency, 303

- deformation gradient
 - factored format, 250
 - vector format, 171
- deformation gradient tensor, 148, 151, 201
- deformation mode stiffness matrix, 106, 122
- deformation stiffness matrix, 107
- determinant of stress components, 194
- deviatoric contour, 242
- deviatoric plane, 197
- deviatoric sections, 242
- deviatoric strain, 229
 - equivalent, 229
 - invariants, 198
- deviatoric stress, 195, 199, 229
 - components, 197
 - contour, 243
 - equivalent, 229
 - invariants, 243
- dilation, 249
- direction control, 261
- discrete derivative, 334
- discretized hardening evolution equation, 237
- discretized strain evolution equation, 237
- displacement control, 4, 7
- displacement gradient
 - tensor, 149
 - vector format, 171
- displacement increment, 258
- displacement increment control, 263
- displacement sub-increment, 258, 265
- dissipation parameter, 328
- dissipation rate, 207, 211, 236, 245
 - friction mechanism, 245
- divergence theorem, 155
- Drucker–Prager flow potential, 236
- Drucker–Prager yield surface, 234
- dual flow potential, 216

- effective stiffness, 262
- effective stiffness matrix, 329
- eigenvalue problem, 193
- elastic flexibility matrix, 200
- elastic incremental stiffness, 205
- elastic pendulum, 307, 320, 331
- elastic potential, 312
- elastic solids, 190–203
- elastic stiffness matrix, 200
- elastic stiffness tensor, 199
- elastic strain, 204
- elastica, 77
 - constitutive stiffness, 82
 - curvature components, 79
 - curvature parametrization, 80
- element stiffness, 87–89
 - equilibrium equations, 77
 - geometric stiffness, 83–85
 - strain components, 79
- elasto-plastic flow
 - evolution equations, 212–216
- element stiffness matrix, 106
- element tangent stiffness matrix, 33
- energy balance equation
 - finite increment form, 312, 326
 - linear form, 297
 - Newmark algorithm, 298
 - non-linear form, 310
- energy dissipating time integration
 - displacement increment, 329
- energy dissipating time integration algorithm, 330
- energy fluctuations, 309
- energy-conserving integration, 316
- energy-conserving time integration algorithm, 319
- energy-dissipating time integration
 - velocity increment, 328
- energy-dissipating time integration algorithm, 328
- engineering strain, 3, 18, 23, 40, 44, 335
- equation of motion, 291, 293, 305
 - recurrence format, 326
 - state space increment format, 316, 326, 328
 - state-space format, 311
 - state-space increment format, 311
- equilibrium, 3, 18
- equilibrium equation, 155
- equilibrium force system, 103
- equilibrium iterations, 9–14
- equilibrium path, 258, 267
- equipotential curve, 245
- equivalent bending stiffness, 96
- equivalent elastic stress, 226
- equivalent plastic strain, 220
- equivalent shear stiffness, 95
- equivalent stiffness matrix, 298
- equivalent stress, 219
- error estimate, 224
- Euler explicit method, 8
- Eulerian formulation, 147
- evolution equations, 210
 - combined hardening, 233
 - elasto-plastic flow, 212–216
 - reduced format, 214
- explicit elasto-plastic integration, 222–225
- explicit integration, 222
- explicit method, 224
- extension mode, 102
- external nodal forces, 170, 180
- external virtual work, 22, 58, 104, 120, 167, 174, 180

- factored format
 - deformation gradient, 250
 - elastic potential increment, 313, 314, 334

- Green strain increment, 313
- finite displacement theory, 145
- finite strain, 252
- finite strain elasticity, 200–203
- finite strain plasticity, 249–252
- first variation, 33
- flow potential, 210, 244
 - Armstrong–Frederick, 232
- forward Euler procedure, 223
- free motion of solid frame, 322

- generalized shear, 244
- generalized strain vector, 79
- generalized stress vector, 79
- geometric beam stiffness matrix, 111, 131
- geometric stiffness, 25, 168
- geometric stiffness increment, 316
- global frame, 101, 118
- global tangent stiffness matrix, 34
- granular materials, 241–249
- Green deformation tensor, 201, 250
- Green elasticity, 191
- Green strain, 19, 40, 145, 148–151, 312, 334
- Green strain tensor, 150, 201, 250, 312, 313
 - components, 150
 - variation, 151

- hardening modulus, 214, 226
 - granular material, 247
- high-frequency algorithmic damping, 325
- homogeneous function, 199
- hyper-elasticity, 191
- hyperplane, 209

- implicit integration, 225
- implicit method, 227, 237
- incompressible strain increments, 220
- increment of internal virtual work, 168
- increment of rotation variation, 55–58, 121
- incremental rotation vector, 56
- incremental stiffness equation, 43
- inertial forces, 291
- initial conditions, 292
- initial stress, 25
- integrated state space equations, 311
- internal energy density, 191, 204, 252
- internal force, 3
- internal nodal force, 172
- internal porosity, 235
- internal porosity variable, 235
- internal variables, 204
 - conjugate, 206
 - original, 206
- internal virtual work, 22, 167, 172, 174
- invariants, *see* stress invariants
- irreversible deformation, 207
- isochoric deformation, 201
- isostatic compression, 241, 249
- isotropic hardening, 216
- isotropic material, 192
- isotropic scaling, 201

- iteration sub-increments, 239

- Jacobian determinant, 159, 201
- Jaumann stress increment, 180
- Jaumann stress rate, 163
 - Cauchy stress, 164
 - Kirchhoff stress, 164

- kinematic hardening, 217
 - exponential decay, 233
- Kirchhoff stress, 159
 - Truesdell rate, 161
- Kuhn–Tucker conditions, 210

- Lagrangian formulation, 147
- large displacement theory, 145
- lateral buckling of beam, 132
- left-hand decomposition, 152
- Legendre transformation, 192
- Lie derivative, 162
- limit point, 30, 260
- linearized equilibrium equation, 258
- linearized evolution equations, 237
- linearized stability theory, 169
- load step, 258
- load step control, 262
- load sub-increment, 258
- local beam geometric stiffness, 130
- local director basis, 78
- local force transformation matrix, 104, 120
- local frame, 101
- local geometric stiffness, 109, 110, 128
- local geometry, 151
- local orthonormal basis, 77
- logarithmic strain, 187
- logarithmic strain, 19, 40

- material formulation, 147
- material particle, 147
- material point, 204
- maximum dissipation rate, 208–212
- mean rotation by quaternions, 69
- mean strain, 229
- mean stress, 195, 199, 229, 314
- mid-point integration, 223
- mode shape representation, 299
- modified mass matrix, 295
- modified Newton–Raphson method, 13–14, 37, 256
- modified tangent stiffness matrix, 307
- momentum-based methods, 292, 333
- momentum-based time integration, 310–333

- natural deformation modes, 102, 119
- Newmark algorithm, 293
 - alpha-modifications, 305
 - characteristic equation, 302
 - energy balance equation, 298
 - equivalent modal stiffness, 300
 - integral approximations, 295
 - modal energy equation, 300

- non-linear form, 306
- prediction step, 295
- recurrence format, 301
- stability diagram, 299
- state space format, 297
- unconditional stability, 299
- Newton iteration, 227
- Newton iterations, 305
- Newton–Raphson method, 9–12, 237, 256, 259
- nodal residual force, 173, 182
- non-associated flow, 215, 234–236
- non-associated plasticity, 212
 - evolution equations, 214
- non-linear solution strategies, 259

- objective stress rate, 160
- orthogonal residual algorithm, 265
- orthogonal residual method, 263–266

- parameter representation of incremental
 - rotation, 60–63
- period error, 303
 - asymptotic low-frequency, 304
- permutation symbol, 51, 64
- Piola–Kirchhoff stress, 155–157
 - beam theory, 157
 - in finite strain plasticity, 252
- Piola–Kirchhoff stress tensor, 312
 - components, 156
 - first kind, 156
 - second kind, 155
- plastic deformation gradient, 250
- plastic hinges, 141
- plastic multiplier, 212, 220, 232
 - finite increment, 240
- plastic rotation, 251
- plastic strain, 252
- plasticity theory, 203
- Poisson’s ratio, 200
- polar decomposition theorem, 151
- potential energy, 7, 29, 43, 145, 169, 308
- principal deviatoric components, 242
- principal direction, 193
- principal strain invariants, 198
- principal stress, 193
- principal stress invariants, 193
- principal stress space, 197, 219, 242
- principle of virtual work, *see* virtual work
- projection tensor, 53
- proper orthogonal tensor, 50, 151
- pseudo stress, 218
- pseudo time, 204
- pull-back, 80
- push-forward, 80

- quasi-Newton condition, 284
- quasi-Newton methods, 13, 284–287
 - factored form with scaling, 287
 - inverse with stiffness scaling, 286
 - stiffness scaling factor, 286
- quasi-stationary equilibrium, 210

- quaternion addition of rotations, 66
- quaternion parameters, 64
 - beam elements, 133
 - extraction of, 64
 - increment, 134
 - update, 134

- radial return algorithm, 225–229
- rate-independent plasticity, 203
- reduced integration, 94
- reduced plastic dilation, 236
- reference configuration, 146
- representative internal force, 314, 316
- residual deformation gradient, 250
- residual force, 167, 257, 305
- residual force methods, 259
- residual orthogonality condition, 264
- return algorithm, 226
- reversible deformation, 205
- right-hand decomposition, 152
- rigid body modes, 102
- rigid body motion, 160
- Rodrigues’ formula, 50
- Rodrigues’ vector, 70
- roll-up of cantilever, 114
- rotation increment by quaternions, 68
- rotation into specified direction, 53–55
- rotation of external moment, 58, 86
- rotation of internal moment, 85
- rotation of local basis, 135
- rotation parameter increments, 57
- rotation pseudo vector, 70
- rotation pseudo-vector, 50
- rotation tensor, 49–51, 151
- rotation transformation tensor, 63

- scalar invariant, 6
- scaled load increment, 263
- secant condition, 284
- secant-Newton method, 287
- second variation, 33
- second variation of rotation, 58
- semi-tangential moment, 59
- sequence of equilibrium states, 257
- shallow truss dome, 268
- shape functions
 - bar element, 26
 - beam element, 87, 109, 129
 - solid element, 170, 180
- shear at constant volume, 153
 - Jaumann stress rate, 164
 - Truesdell stress rate, 162
- shear flexibility, 108, 127
- shear locking, 91–98
- shear modulus, 199, 247
- Sherman–Morrison formula, 285
- six-component tensor format, 171, 181, 192
- skew-symmetric vector component matrix, 50
- smooth triangular contour, 243
- snap-through, 4, 117
- spatial components, 146

- spatial formulation, 147
- spectral radius, 301, 305
- spin tensor, 163
- state vector, 292
- state-space variables, 297, 301, 311
- stiffness matrix, 273, 284
 - constitutive, 318
 - elastica, 87–89
 - geometric, 318
 - non-symmetric, 318
 - total Lagrangian, 173
 - updated Lagrangian, 183
- strain, *see* Green strain
- strain energy density, 42, 169, 191, 192
- strain invariants, 192
- strain rate, 163
 - elastic, 208
 - plastic, 208
 - total, 208
- stress, *see* Cauchy stress, Kirchhoff stress, Piola–Kirchhoff stress
- stress free volumetric strain, 235
- stress invariants, 192, 194
 - deviatoric, 196
- stress rates, 160–165
- stretch tensor, 187
- sub-increment, 223, 237
- summation convention, 146
- symmetric non-associated iteration equations, 239
- symmetry correction of stiffness matrix, 125
- tangent stiffness, 4
 - algorithmic, 240
 - constitutive, 90, 316, 319
 - elasto-plastic, 221, 222
 - geometric, 316, 318
 - modified, 307
 - non-symmetric, 180
 - symmetric, 169
- tangent stiffness matrix, 9, 24
- tensor analysis, 146
- three-component tensor basis, 195
- time increment limit, 300
- total displacement components, 166
- total Lagrangian formulation, 18, 37, 165–170
- trace, 194
- trace of rotation tensor, 51, 64
- triaxial compression, 243
- triaxial tension, 243
- Truesdell stress increment, 175, 178, 180, 182
- Truesdell stress rate, 160
 - Cauchy stress, 162
 - Kirchhoff stress, 161
- truss model, 2, 28, 266, 281
- uncoupled materials, 211
- undrained test, 249
- uniaxial compression, 241
- uniaxial yield stress, 219
- updated Lagrangian formulation, 18, 37, 174–180
- velocity gradient tensor, 161
- virtual displacement, 6, 32, 78, 105, 180
- virtual Green strain, 158, 166
- virtual nodal displacement, 39–41
- virtual rotation, 56, 58, 78
- virtual strain, 32, 39, 40
- virtual strain components, 177
- virtual work
 - equation, 155, 166, 177
 - increment, 105, 121, 176, 177, 179, 182
 - principle, 6, 14, 22, 40–42, 55, 72, 78, 80
- virtual work of elastica, 78–81
- visco-plasticity, 203
- volume-preserving deformation, 201
- volumetric strain, 198
- von Mises plasticity, 218–222
 - elasto-plastic tangent stiffness, 222
 - hardening modulus, 221
 - plane stress, 229
 - uniaxial stress–strain relation, 221
 - yield function, 219
 - yield surface, 219, 232
- yield function, 205, 209, 219
 - convex, 207
- yield potential, 209
- yield surface, 206, 219
- Young’s modulus, 200