

Index

- accessory glands, 14–15
 acromegaly, 143, 187
 acrosome reaction, 26
 acrosome reaction ionophore challenge (ARIC) test, 70–1
 actinomyces, 214
 activins, 18
 acute bacterial epididymitis, 211–12
 acute bacterial epididymo-orchitis, 211–12
 acute bacterial orchitis, 211–12
 acute balanitis, 218
 acute prostatitis, 215–16
 adenocarcinoma, 132
 seminal vesicles, 40
 age
 and male infertility, 5–6
 and prevalence of erectile dysfunction, 139
 age-related epididymal duct obstruction, 81
 alcohol abuse
 effects on male fertility, 204
 alcohol-induced erectile dysfunction, 142
 Alprostadil, 146
 anabolic androgens, 205
 and erectile dysfunction, 142
 anatomy of the male genital tract. *See* male genital tract anatomy
 androgen-binding protein (ABP), 16
 androgen resistance, 191–2
 anterior pituitary gland disorders, 183–9
 effects of autoimmune disease, 184
 effects of irradiation, 184
 effects of pituitary surgery, 184
 effects of trauma, 184
 hemorrhage and vascular disturbance, 184
 infiltrations, 184
 anterior urethral valves, 229
 anti-androgens, 201–3
 antihistamines, 141
 anti-hyperlipidaemic agents, 141
 anti-hypertensive drugs, 141
 antimony
 effects on male fertility, 206
 anti-sperm antibodies, 74–6, 91, 101
 formation after vasectomy, 114–16
 See also immune infertility
 arteriosclerosis
 role in erectile dysfunction, 140
 arterio-venous malformation of the internal iliac vessels, 41
 aspermia, 42
 definition, 46
 asthenozoospermia, 53
 causes, 56–9
 autoimmune infertility, 59
 azoospermia
 causes of, 244
 definition, 46
 foreseeing the need to store sperm, 244–5
 precautions when it is likely, 244–5
 See also surgical collection of sperm
 azoospermia factors (AZF), 96
 azothiaprime, 201
 beta endorphin, 138
 beta-blockers, 141
 bilharzia, 93, 214
 bilirubin in semen, 41
 bladder cancer, 40
 bleomycin sulphate, 201
 blood in semen, 40–1
 brucellosis, 214, 217
 bulbourethral glands, 15
 secretions, 153
 cadmium
 effects on male fertility, 206
 caffeine, 204
Candida albicans, 220
 candidiasis, 218
 cannabis, 142, 204
 capacitation process in sperm, 25–6, 53
 caput epididymis, 11
 carcinoma-in-situ of the testis, 89–90, 99, 125, 131
 testicular biopsy, 124
 cauda epididymis, 12
 Caverjet, 146
 cavernosal smooth muscle dysfunction, 140
 cervical mucus
 detection of anti-sperm antibodies, 179
 chancroid ulcers, 218
 Chartpack Chamber, 52
 chemotherapeutic agents
 combination chemotherapy, 201–2
 effects on male fertility, 199–202
 chemotherapy, 141
 cryopreservation of semen prior to, 235
 effects on fertility, 96–7
 in pre-pubertal boys, 202
Chlamydia trachomatis, 77, 93, 220
Chlamydia trachomatis urethritis, 217
 chlorambucil, 200
 chlordecone, 207
 chordee, 230
 chronic epididymo-orchitis, 212
 chronic illness
 and erectile dysfunction, 142
 chronic prostatitis, 216
 Cialis, 146
 cigarette smoking
 co-factor effect in infertility, 107
 effects on male fertility, 205
 role in erectile dysfunction, 140, 143
 cimetidine, 202
 cisplatin, 200
 Clermont, Yves, 18

	Index	255
clotting of seminal fluid, 43–4		
cocaine, 204		
congenital absence of the vasa deferentia, 76–7, 82, 86		
congenital adrenal hyperplasia (CAH), 190–1		
congenital atresia of the ejaculatory ducts, 83		
congenital bilateral absence of portions of the epididymal duct, 76–7		
corpus epididymis, 11		
corticotrophin releasing hormone, 138		
Coxsackie group of viruses, 213		
cryopreservation of eggs, 253		
cryopreservation of semen		
choice of cryoprotectant, 236		
cryopreservation procedure, 236–8		
estimation of cryo-survival, 238		
following vasectomy reversal, 122		
foreseeing the need to store sperm, 244–5		
history of, 231		
in severe oligozoospermia, 234		
men with unreliable ejaculation, 235		
methodology, 235–6		
“out of town” husbands, 235		
precaution in primary testicular disease, 244–5		
precaution with azoospermia risk, 244–5		
pre-operative storage of semen, 245		
primary testicular disease, 98		
prior to chemotherapy or radiation, 235		
quarantine period for stored semen, 240		
range of use in infertility management, 234–5		
storage of cryopreserved semen, 238–40		
storage prior to a vasectomy, 234		
thawing the straws, 238		
use in sperm donation, 231		
Cushing’s disease, 143, 187–8		
cyclophosphamide, 199		
cyproterone acetate, 201		
cystic ectasia of the rete testis, 75, 133		
cystoscopy, 40		
cytomegalovirus, 78, 213		
cytoplasmic droplets on sperm, 63		
DDT (dichlorodiphenyltrichloroethylene), 207		
depressive illness, 142		
diabetes mellitus		
and erectile dysfunction, 141		
ejaculatory failure, 160		
endocrine infertility, 190		
retrograde ejaculation, 156		
diagnosis		
importance in male infertility management, 4		
dibromodichloropropane (DBCP), 207		
Diff–Quik staining method, 63–4		
dioxin, 207		
dissemination intravascular coagulation (DIC), 184		
docetaxol (Taxotere), 200		
doxazosin, 141		
doxorubicin, 200		
doxycycline, 93		
drug-induced erectile failure, 141–2		
drugs		
effects of chemotherapeutic agents, 199–202		
therapies that may cause infertility, 202–3		
drugs of abuse		
effects on male fertility, 203–5		
Dupuytren’s contracture, 228		
<i>E. coli</i> , 77, 219		
Ecstasy (party drug), 205		
ectopic spleen in the scrotum, 133		
efferent ductules		
congenital anomalies, 75		
obstruction of, 75–6		
post-vasectomy obstruction, 75		
egg cryopreservation, 253		
ejaculate		
composition of, 29–30		
ejaculation, 139		
ejaculation process, 29–30, 153–4		
closure of the bladder neck, 153		
location of the sperm in the ejaculate, 155		
passage of seminal fluid into the posterior urethra, 153–4		
propulsion of seminal fluid down the penile urethra, 154		
secretions of the bulbo-urethral glands, 153		
secretions of the epididymis, 154		
secretions of the prostate gland, 154		
secretions of the seminal vesicles, 154		
secretions of the testis, 154		
secretions of the urethral glands, 153		
ejaculatory disorders, 153–64		
ejaculatory failure, 159–63		
neurological control of ejaculation, 154–5		
premature ejaculation, 34, 134, 142, 163–4		
process of ejaculation, 153–4		
retarded or psychogenic ejaculatory failure, 164		
retrograde ejaculation, 41, 43, 155–9		
ejaculatory duct obstruction, 42–6, 83–6		
acquired lesions, 83–4, 86		
clinical presentation, 84–5		
congenital absence of the vasa deferentia, 86		
congenital atresia of the ejaculatory ducts, 83		
Mullerian duct cyst, 84–5		
treatment, 85–6		
utricle cyst, 84–6		
ejaculatory ducts, 14		
ejaculatory failure, 159–63		
causes, 159–60		
diabetes mellitus, 160		
semen analysis, 160		
sperm collection methods, 160–3		
spinal cord injury, 159		
treatment of infertility caused by, 160–3		
ejaculatory volume, 41–3		
aspermia, 42		
effects of ejaculatory duct obstruction, 42–3		

- ejaculatory volume (cont.)
 - effects of incomplete
 - ejaculation, 42
 - effects of prostatic duct
 - obstruction, 43
 - effects of retrograde
 - ejaculation, 43
 - effects of seminal vesicle
 - abnormalities, 42
 - effects of vasectomy, 43
 - estimation by weight, 42
 - hyperspermia, 42
 - hypospermia, 42
 - methods of estimation, 42
 - nomenclature, 42
 - normal range, 41
 - normospermia, 42
 - pathologies which cause
 - reduced volume, 42–3
 - volumetric measurement, 42
- electron microscopy of
 - spermatozoa, 66–7
- Empty Sella syndrome, 185
- encephalitis, 181
- endocrine infertility, 181–96
 - acromegaly, 187
 - androgen resistance, 191–2
 - anterior pituitary gland
 - disorders, 183–9
 - congenital adrenal
 - hyperplasia (CAH), 190–1
 - Cushing's disease, 187–8
 - diabetes mellitus, 190
 - gonadotrophin therapy in
 - the hypogonadal male, 193–4
 - gonadotrophin-secreting
 - tumors of the pituitary, 188–9
 - hemochromatosis, 192–3
 - hyperprolactinemia, 185–7
 - hypothalamic disorders, 181–3
 - liver disease, 193
 - obesity, 193
 - testosterone therapy in the
 - hypogonadal male, 194–6
 - thyroid disease, 189–90
 - uremia, 193
- endocrinology of the testis, 15–18
 - activins, 18
 - follicle stimulating hormone (FSH), 17
 - follicle-stimulating hormone, 18
 - inhibin B, 17
 - inhibin A, 18
 - inhibin B, 18
 - luteinising hormone (LH), 15–16
 - testosterone, 16–17
- Enterococcus faecalis*, 219
- Enzyme-Linked Immuno-Absorbent Assay (ELIZA), 179
- eosin stain
 - test for sperm viability, 59–60
- eosin–nigrosin stain
 - test for sperm viability, 60–1
- epididymal cysts, 75
- epididymal duct obstruction, 76–82
 - age-related, 81
 - clinical presentation, 76
 - collection of sperm for IVF/ICSI, 81–2
 - congenital bilateral absence
 - of portions, 76–7
 - dystrophic change in the
 - epididymis, 81
 - epididymal microcysts, 79–80
 - epididymo-epididymostomy, 81
 - Fabry's disease, 79
 - gonococcal infection, 76
 - infective epididymitis, 76–8
 - infiltrative diseases, 79
 - polyarteritis nodosa, 79
 - sarcoidosis, 79
 - surgical trauma, 79
 - trauma-related, 78–9
 - treatment of infertility
 - caused by, 81–2
 - vaso-epididymostomy, 81
 - Young's syndrome, 80
- epididymal microcysts, 79–80
- epididymis, 11–12
 - efferent ductules, 11
 - epididymal duct, 11–12
- epididymitis
 - bacterial infections, 77
 - caused by leprosy, 78
 - caused by syphilis, 78
 - filariasis, 78
 - tuberculous infection, 78
 - unicellular organisms, 78
 - viral infections, 78
- epididymo-epididymostomy, 81
- epididymo-orchitis, 77, 92–3
- epispadias, 227–8
- erectile dysfunction
 - anatomy and physiology of
 - erection, 134–8
 - anatomy of the penis, 134–7
 - definition of erectile failure, 134
 - incidence of erectile failure, 134
 - mechanism of erection, 138–9
 - possible accompanying disorders, 134
 - spinal cord injury, 168–9
- erectile dysfunction aetiology, 139–43
 - aging, 139
 - arteriosclerosis, 140
 - cavernosal smooth muscle
 - dysfunction, 140
 - chronic illness, 142
 - cigarette smoking, 139–40
 - diabetes mellitus, 141
 - drug-induced erectile failure, 141–2
 - endocrine causes, 140–1
 - hyperprolactinaemia, 141
 - inadequate production of
 - nitric oxide (NO), 140
 - neurological impotence, 140
 - prostatic surgery, 140
 - psychogenic erectile failure, 142–3
 - recreational drugs, 141–2
 - reduced testosterone levels, 140–1
 - venogenic impotence, 142
- erectile dysfunction clinical
 - evaluation, 143–4
 - clinical history, 143
 - physical examination, 143–4
- erectile dysfunction
 - investigations, 144
 - hormonal investigations, 144
 - pharmaco-cavernosography, 144
 - the “Rigiscan,” 144
 - ultrasound examination of
 - the penis, 144
- erectile dysfunction treatment, 144–52

	Index	257
arterial surgery, 151–2 intra-cavernosal injection of prostaglandin E ₁ , 146–9 penile prostheses, 149–51 phospho-diesterase inhibitors, 145–6 sildenafil (Viagra), 146 tadalafil (Cialis), 146 topical and urethral agents, 149 vardenafil (Levitra), 146 vascular surgery, 151–2 venous surgery, 152 erection anatomy and physiology of, 134–8 neuroendocrine aspects, 137–8 role of nitric oxide (NO), 138 role of oxytocin, 138 erection mechanism, 138–9 changes in the erectile tissue, 139 ejaculation, 139 neurological control, 138–9 sexual stimulation, 138 striated muscle action, 139 ethylene glycol effects on male fertility, 208 etoposide, 200 excurrent duct system obstruction, 74–87 ejaculatory duct obstruction, 83–6 epididymal duct obstruction, 76–82 intra-testicular obstruction, 74–5 obstruction of the efferent ductules, 75–6 partial or incomplete obstruction, 86–7 rete testis, 75 seminiferous tubules, 74 unilateral obstruction, 87 vasa deferentia, 82–3 Fabry's disease, 79 Ferning test, 69 fertilization of the oocyte, 25–8 acrosome reaction, 26 capacitation process, 25–6	development of the embryo, 28 fusion of the sperm with the oocyte, 26–7 hyperactivated sperm movement, 26 sperm binding to the oocyte, 26 syngamy, 27 zygote formation, 27 filariasis, 78 flutamide, 201 focal tubular atrophy, 57 follicle stimulating hormone (FSH), 17 follistatins, 18 Foster Kennedy's syndrome, 96 genetic disorders azoospermia factors (AZF), 96 causes of primary testicular disease, 93–6 Foster Kennedy's syndrome, 96 gr-gr micro-deletions, 96 increased numbers of triplet repeats, 96 karyotypic analysis, 95–6 Kennedy's syndrome, 96 Klinefelter's anomaly, 93–4, 97 micro-deletions on the Y chromosome, 96 Noonan's syndrome, 94–5 Robertsonian translocations, 95–6 use of donated sperm, 232 genital herpes, 213 Giemsa stain, 64 globozoospermia, 64 gonadotropin-releasing hormone (GnRH), 16, 138 gonadotropin-releasing hormone analogues, 201–3 gonadotropin-secreting tumours of the pituitary, 188–9 gonococcal urethritis, 217 gonorrhoea, 76, 82 gossypol, 203 granulomatous epididymo- orchitis, 133 granulomatous orchitis, 133	gr-gr micro-deletions on the Y chromosome, 96 H2 inhibitors, 141 hematoma, 132 hematospermia, 40–1 hemochromatosis, 192–3 heat effects on male fertility, 198–9 heavy metals effects on male fertility, 205–6 hepatitis B and C, 213 herbicides effects on male fertility, 207 heroin addiction, 203 herpes simplex type 2, 218 HIV, 137, 213, 231 Holoxan, 200 homosexuality incidence of anti-sperm antibodies, 175 human chorionic gonadotrophin (hCG), 16 human papilloma virus, 213 hyperactivated sperm movement, 26, 53 hyperprolactinaemia, 185–7 and erectile dysfunction, 141 hyperpyrexia effects on fertility, 92 effects on male fertility, 198–9 hyperspermia, 42 hyperviscosity of seminal fluid, 44–5 hypogonadotropic hypogonadism, 90 hypo-osmotic swelling (HOS) test, 61 hypospadias, 89, 226–7 hypospermatogenesis, 99–100 hypospermia, 42 hypothalamic disorders, 181–3 causes of hypothalamic dysfunction, 181–3 clinical presentation, 183 treatment of infertility caused by, 183 ICSI (intra-cytoplasmic sperm injection), 81–2, 231, 232, 244 <i>See also</i> IVF/ICSI ifosfamide (Holoxan), 200 immotile cilia syndrome, 58–9

- immune infertility, 47, 173–80
 - actions of anti-sperm antibodies, 175–7
 - anti-sperm antibodies in cervical mucus, 179
 - causes of anti-sperm antibody formation, 174–5
 - detection of anti-sperm antibodies, 177–9
 - female response to spermatozoa, 174
 - immunoglobulins which generate anti-sperm antibodies, 173–4
 - infertility caused by anti-sperm antibodies, 175–7
 - tests for anti-sperm antibodies, 177–9
 - treatment, 179–80
- Immuno-bead test, 177–8
- impotence. *See* erectile dysfunction
- incomplete ejaculation, 42
- infections of the male genital tract, 211–18
 - actinomyces, 214
 - acute bacterial epididymitis, 211–12
 - acute bacterial epididymo-orchitis, 211–12
 - acute bacterial orchitis, 211–12
 - acute balanitis, 218
 - acute prostatitis, 215–16
 - bilharzia, 214
 - brucellosis, 214
 - candidiasis, 218
 - chancroid ulcers, 218
 - Chlamydia trachomatis* urethritis, 217
 - chronic epididymo-orchitis, 212
 - chronic prostatitis, 216
 - cytomegalovirus, 213
 - genital herpes, 213
 - gonococcal urethritis, 217
 - hepatitis B and C, 213
 - herpes simplex type 2, 218
 - HIV, 213
 - human papilloma virus, 213
 - lymphogranuloma venereum, 218
 - mumps orchitis, 212–13
 - Neisseria gonorrhoeae* infection, 215, 217
 - orchitis, 211–12
 - pathogenic organisms, 218–20
 - penile infections, 217–18
 - prostatic brucellosis, 217
 - prostatic infections, 215–17
 - seminal vesicle infections, 215
 - syphilitic infection of the testes, 214
 - syphilitic ulcers, 218
 - tuberculosis, 214–15
 - tuberculous prostatitis, 216–17
 - urethritis, 217
 - variola (smallpox), 213
 - vasa deferentia infections, 214–15
 - vasitis nodosa, 215
 - viral infections, 212–13
- infectious mononucleosis, 213
- infertility
 - definition, 1–2
- infertility treatments
 - donated sperm, 101
 - intrauterine insemination, 99
 - IVF/ICSI, 101–2
 - surgically retrieved sperm, 102
 - See also* sperm donation
- inhibin A, 18
- inhibin B, 17–18
- insecticides
 - effects on male fertility, 207
- Insler score, 69–70
- intra-gonadal axis, 15
- intrauterine insemination, 99
- irradiation
 - effects on male fertility, 197–8
- irradiation therapy
 - cryopreservation of semen prior to, 235
- IVF, 81–2, 232
 - capacitation of sperm, 53
- IVF/ICSI, 101–2
 - for vasectomy-related infertility, 122
 - retrograde ejaculation, 159
 - See also* ICSI
- Kallman's syndrome, 182
- Kartagener's syndrome, 58–9
- karyotypic analysis of infertile men, 95–6
- Kennedy's syndrome, 96
- Klinefelter's anomaly, 93–4, 97
- lead
 - effects on male fertility, 206
- leprosy, 78, 93, 132
- leuprolide acetate, 201
- Levitra, 146
- Leydig cells, 15–16
- liquefaction of seminal fluid, 43–4
- liver disease, 193
- lumbar plexus neuropraxia, 166
- luteinizing hormone (LH), 15–16
 - effects of testosterone, 17
- lymphogranuloma venereum, 218
- lysergic acid diethylamide (LSD), 205
- Makler Counting Chamber, 48–9
- malakoplakia, 133
- malathion, 207
- male genital tract anatomy, 7–15
 - accessory glands, 14–15
 - bulbourethral glands, 15
 - ejaculatory ducts, 14
 - epididymis, 11–12
 - prostate gland, 14–15
 - scrotum, 7
 - seminal vesicles, 14
 - testes, 7–11
 - urethral glands, 15
 - vas deferens, 12–14
- male infertility
 - age-related effects, 5–6
 - definition of infertility, 1–2
 - interactive factors, 4–2
 - “normal” values for semen analysis, 4
 - semen analysis as indicator, 2–4
- male infertility management
 - importance of diagnosis, 4
 - role of testicular biopsy, 6
- malignant hypertension, 40
- marijuana, 204
- melanocyte releasing hormone, 138
- melphalan, 201
- meningitis, 181
- mercury
 - effects on male fertility, 206

	Index	259
metabolic syndrome, 141	Parkinson's disease, 160	posterior urethral valves, 229
methotrexate, 201	pathogenic organisms, 218–20	Prader–Labhart–Willi
Microcell Chambers, 51	<i>Candida albicans</i> , 220	syndrome, 182
micro-deletions on the	<i>Chlamydia trachomatis</i> , 220	premature ejaculation, 34, 134,
Y chromosome, 96	<i>E. coli</i> , 219	142, 163–4
microlithiasis in the testis, 130	<i>Enterococcus faecalis</i> , 219	pre-operative storage of sperm,
Mixed Antiglobulin Reaction	<i>Mycobacterium tuberculosis</i> ,	245
(MAR) test, 178	219	priapism, 146, 148, 229–30
morphine, 203	<i>Mycoplasma hominis</i> , 220	primary spermatogenic failure.
motor neurone disease, 160	<i>Neisseria gonorrhoeae</i> , 219	See primary testicular
Mullerian duct cyst, 84–5	staphylococci, 219	disease
multiple sclerosis, 143, 160	<i>Trichomonas vaginalis</i> , 220	primary testicular disease,
mumps orchitis, 93, 212–13	<i>Ureaplasma urealyticum</i> , 220	88–102
<i>Mycobacterium tuberculosis</i> , 219	penile disorders and fertility,	carcinoma-in-situ of the
<i>Mycoplasma hominis</i> , 219	226–30	testis, 99
nandrolone, 205	anterior urethral valves, 229	causes, 88–97
narcotics addiction and erectile	chordee, 230	clinical presentation, 97–8
dysfunction, 142	epispadias, 227–8	cryopreservation of semen,
<i>Neisseria gonorrhoeae</i> infection,	hypospadias, 226–7	98
215, 217, 219	Peyronie's disease, 228	damage from testicular
nerve supply to the testes, 9	phimosis, 230	biopsy, 92
Neubauer Counting Chamber,	posterior urethral valves, 229	effects of chemotherapy,
49–51	priapism, 229–30	96–7
neuroendocrine aspects of	urethral strictures, 230	effects of ischemia, 89
erection, 137–8	urethral valves, 228–9	effects of prolonged
neurological disease	penile infections, 217–18	hyperpyrexia, 92
retrograde ejaculation, 156	penis anatomy, 134–7	effects of radiotherapy, 96–7
neurological impotence, 140	arterial supply, 137	effects of X-irradiation,
neuropeptide Y, 138	coverings of the penis, 136–7	96–7
nicotine	erectile bodies, 134–6	epididymo-orchitis, 92–3
effects on male fertility, 205	erectile tissue, 136	genetic causes, 93–6
nitric oxide (NO)	nerve supply, 137	hypospermatogenesis,
role in erection, 138, 140	venous drainage, 137	99–100
nitrofurantoin, 202	peptic ulcer, 142	importance of correct
Noonan's syndrome, 94–5	perchlorethylene	diagnosis, 102
normospermia, 42	effects on male fertility, 208	infection of the testis, 92–3
normozoospermia, 46	peroxidase stain, 66	orchitis, 92–3
obesity and infertility, 193	pesticides	precautionary
oligospermia	effects on male fertility, 207	cryopreservation of
definition, 46	Peyronie's disease, 144, 228	semen, 244–5
oligozoospermia	pH of seminal fluid, 43	testicular histology, 98–9
cryopreservation of semen,	phenytoin, 202	testicular maldescent,
234	phimosis, 230	88–91
definition, 46	phosphodiesterase inhibitors,	testicular microlithiasis, 99
opiate addiction, 203	138, 145–6	torsion of the testis, 91–2
opiate-induced erectile	phthalates, 207–8	trauma, 92
dysfunction, 142	physical properties of seminal	treatment of infertility
orchidopexy, 91	fluid, 40–5	caused by, 99–102
orchitis, 92–3, 211–12	pituitary gland disorders,	unknown cause, 88
oxytocin	183–9	use of testicular biopsy,
role in erection, 138	pituitary tumors, 143	98–9
paclitaxil (Taxol), 200	pituitary–hypothalamic–	prolactin, 138
Papanicolaou stain, 63	gonadal axis, 15	drugs which increase
	polyarteritis nodosa, 79	secretion, 203
	polyzoospermia, 58	prostate cancer, 33, 221–5
	definition, 46	as cause of infertility, 224

260	Index	
prostate cancer (cont.)	psychogenic erectile failure,	liquefaction of seminal fluid,
blood in semen, 40	142–3	43–4
digital rectal examination	radiotherapy	men with ejaculatory failure,
(DRE), 222	cryopreservation of semen	160
effects of anti-androgen	prior to, 235	“normal” values, 4
therapy, 225	effects on fertility, 96–7	pH of seminal fluid, 43
effects of brachytherapy	ranitidine, 141	physical properties of
(“close” therapy), 224	recreational drug-induced	seminal fluid, 40–5
effects of pelvic irradiation,	erectile failure, 141–2	sperm numbers, 46–52
225	renal disease, 142	urine in semen, 41
effects of radical	retarded or psychogenic	varicocele, 108
prostatectomy, 224	ejaculatory failure, 164	viscosity of seminal fluid,
examination, 222	rete testis, 9	44–5
genetic risk factors, 221	cystic ectasia, 75, 133	volume of an ejaculate, 41–3
hereditary forms, 221	obstruction, 75, 125	semen composition, 29–30
histological confirmation,	retractile testis, 91	amyloid bodies, 34
223–4	retrograde ejaculation, 43,	bulbourethral gland
life-threatening	155–9	secretions, 34
consequences, 221	abnormalities that can	calcium, 34
pathology, 222	mimic, 157	citric acid and citrate salts,
presentation, 222	causes, 156–7	34
pre-treatment	damage to the sympathetic	coagulating polypeptides, 32
cryopreservation of	outflow, 156	diagnostic use in infertility,
semen, 225	diabetes mellitus, 156	34
prostate-specific antigen	idiopathic, 156	fructose, 32
(PSA) test, 222–3	laboratory diagnosis, 157–8	magnesium, 34
prostatic alkaline	medical treatment, 159	nitric oxide synthase (NOS),
phosphatase (PAP) test,	neurological disease, 156	32
222–3	retrieving sperm from the	prostaglandins, 32
risk factors, 221–2	bladder, 158	prostate gland secretions,
trans-rectal ultrasound	surgical damage to the	32–4
examination, 223–4	bladder neck, 156	prostate-specific antigen
treatment as cause of	surgical treatment, 159	(PSA), 33
infertility, 224–5	urethral obstructive lesions,	prostatic acid phosphatase
prostate gland, 14–15	157	(PAP), 33
benign hypertrophy, 41	urine in semen, 41	proteolytic enzymes, 33
infective disorders, 215–17	use of IVF/ICSI, 159	seminal vesicle secretions, 32
prostate-specific antigen (PSA),	Robertsonian translocations,	spermine, 33–4
33	95–6	testicular and excurrent duct
prostate-specific antigen (PSA)	<i>Salmonella typhi</i> , 77	secretions, 29–32
test, 222–3	sarcoidosis, 79, 181, 184	urethral gland secretions, 34
prostatic acid phosphatase	schistosomal infection, 41	vesiculase, 33
(PAP), 33	scrotum, 7	zinc, 34
prostatic alkaline phosphatase	semen	semen microbiology, 209–20
(PAP) test, 222–3	appearance, 29	expressed prostatic
prostatic biopsy, 40	semen analysis	secretions technique, 211
prostatic duct obstruction, 43	as indicator of fertility, 2–4	identifying the site of
prostatic secretions, 154	bilirubin in semen, 41	infection, 210–11
prostatic surgery	blood in semen, 40–1	identifying white blood cells
erectile dysfunction after, 140	clotting of seminal fluid,	in seminal fluid, 209–10
prostatitis, 33	43–4	infections of the male genital
prune belly syndrome, 90–1	colour of seminal fluid,	tract, 211–18
<i>Pseudomonas</i> infection	40–1	pathogenic organisms,
epididymitis, 77	hematospermia, 40–1	218–20
psychogenic ejaculatory failure,		split ejaculate technique,
164		210–11

	Index	261
semen sample analysis	thickening of the basement membrane, 126	blood group testing, 234
correct delivery to the laboratory, 37–8	seminoma, 125, 130–2	clinical assessment, 233
correct temperature in the laboratory, 38	Sertoli-cell-only, 126	donor identification issue, 241
forms to accompany to the laboratory, 38	Sertoli cells, 15, 17, 20	payment of, 240
temperature while in transit to the laboratory, 37–8	sex hormone-binding globulin (SHBG), 17	recruitment, 232–3
semen sample collection, 35–7	sex steroids	screening for genetic abnormalities, 233
coitus interruptus method, 37	effects on fertility, 202	screening for infections, 233
containers for collection of samples, 36	Sheehan’s syndrome, 184	screening of potential donors, 233–4
factors affecting sample quality, 35–6	sheep dip	sperm function tests, 68–73
manual masturbation method, 37	effects on health, 207	acrosome reaction ionophore challenge (ARIC) test, 70–1
methods of producing a sample, 36–7	Shorr stain, 64	entry into cervical mucus, 68–70
period of abstinence prior to, 35	sildenafil, 140, 146	in-vitro sperm-cervical mucus interaction test, 70
semen jars, 36	smallpox (variola), 78, 213	in-vivo post-coital test, 69–70
silastic condom method, 37	solvents	sperm chromatin dispersion (SCD) test, 72
site of production of a sample, 35–6	effects on male fertility, 208	sperm chromatin structure assay, 71–2
time of production of a sample, 36	sperm	sperm chromatin structure assay, 71–2
<i>See also</i> surgical collection of sperm.	location in ejaculate, 155	zona-binding tests, 72–3
semen sample collection	sperm chromatin dispersion (SCD) test, 72	sperm morphology, 62–7
artefacts, 38–9	sperm chromatin structure assay, 71–2	cytoplasmic droplets, 63
altered frequency of ejaculation, 39	sperm collection. <i>See</i> semen sample collection, surgical collection of sperm	electron microscopy, 66–7
contaminants, 39	sperm donation, 101, 231–43	fibrous sheath dysplasia, 63
loss of ejaculate, 38–9	acceptability of, 231	grossly abnormal, 125
low seminal volume, 38–9	donor identification issue, 241	mid-piece abnormalities, 63
low sperm count, 38–9	for men who produce no sperm, 232	range of abnormalities in human sperm, 62
reduced sperm count, 39	for men with genetic disorders, 232	sperm head abnormalities, 63
reduced sperm motility, 39	legal and ethical issues, 242–3	tail abnormalities, 63
semen samples	methods of insemination, 241–2	sperm morphology assessment
germinal cells in, 65–6	need for cryopreservation of semen, 231	“broken necks,” 64
identification of white blood cells, 65–6	number of children fathered by a single donor, 241	mid-piece, 64
numbers of round cells in, 66	payment of donors, 240	number of cells examined, 64
seminal vesicles, 14	quarantine period for stored sperm, 240	significance of abnormalities, 65
adenocarcinoma, 40	screening of potential donors, 233–4	sperm heads, 64
effects of abnormalities on ejaculatory volume, 42	situations where it is needed, 231	staining of sperm, 63–4
infections, 40	staffing of a donor insemination clinic, 241	tails, 64
infective disorders, 215	where IVF/ICSI is unwanted or unacceptable, 232	Tygerberg or “strict criteria” method, 65
seminal vesiculitis, 58	sperm donors	sperm movement, 53–6
seminiferous tubules, 8–9, 18	additional tests in particular populations, 234	acquisition of the ability to move, 53
atrophy, 126		artefactual causes of poor motility, 56–7
hypercurvature syndrome, 74		assessment of, 55–6
obstruction, 74		asthenozoospermia, 53
		autoimmune infertility, 59

- sperm movement (cont.)
 - capacitation process in sperm, 53
 - causes of
 - asthenozoospermia, 56–9
 - causes of loss of movement, 56–9
 - effects of seminal vesiculitis, 58
 - effects of varicocele, 58
 - effects of vasectomy reversal, 58
 - hyperactivated sperm movement, 53–5
 - Kartagener's syndrome, 58–9
 - linear movement, 54
 - mechanisms of movement, 53–5
 - number of moving sperm, 55–6
 - pathological causes of poor motility, 57–8
 - polyzoospermia, 58
 - poor sperm motility, 53
 - quality grading, 56
 - sperm viability
 - determination, 59–61
 - totally immotile sperm, 125
- sperm numbers, 46–52
 - azoospermia, 46
 - computer-assisted estimation, 52
 - counting chambers, 48–52
 - Makler Counting Chamber, 48–9
 - methods of estimation, 48–52
 - Neubauer Counting Chamber, 49–51
 - “normal” sperm counts, 47
 - normozoospermia, 46
 - oligospermia, 46
 - oligozoospermia, 46
 - polyzoospermia, 46
 - reasons for low sperm counts, 47–8
 - sperm concentration, 46–7
 - sperm count and fertility, 47
 - terminology, 46
 - total sperm count, 52
 - units of measurement, 47
 - visual assessment on a glass slide, 48
- sperm production, 18–20
 - primary and secondary spermatocytes, 19
 - seminiferous tubules, 18
 - spermatids, 20
 - spermatogenesis, 18–20
 - spermatogonia, 18–19
 - spermatozoa, 20
 - spermiation, 20
 - spermiogenesis, 20
 - testicular stem cells, 18
 - time required, 18
- sperm storage systems, 21
- sperm structure, 21–3
 - head, 21–2
 - mid-piece, 23
 - mitochondria, 23
 - neck, 22
 - tail, 23
- sperm transport in the female
 - genital tract, 23–5
 - cervix, 23–4
 - Fallopian tubes, 25
 - uterus, 24–5
- sperm viability determination, 59–61
 - eosin stain test, 59–60
 - eosin–nigrosin stain test, 60–1
 - hypo-osmotic swelling (HOS) test, 61
- spermatic artery, 9
- spermatids, 20
- spermatoceles, 75
- spermatocytes, 19
- spermatogenic epithelium, 8–9
- spermatogonia, 18–19
- spina bifida, 89, 160
- spinal cord injury, 138, 165–72
 - autonomic hyperreflexia, 168
 - bladder atony, 167
 - causes, 165
 - detrusor dyssynergia, 167–8
 - ejaculatory failure, 159
 - erectile dsyfunction, 168–9
 - impact on patients' lives, 165
 - incidence, 165
 - loss of erectile function and ejaculation, 165–6
 - loss of erotic zones, 169
 - loss of sexual skills, 169
 - management of infertility caused by, 169–72
 - mechanisms of disruption to sexual function, 166
 - sperm collection methods, 169–72
 - urological problems caused by, 166–9
- split ejaculate technique, 210–11
- squamous carcinoma, 132
- staining sperm for morphological assessment, 63–4
- staphylococcal infection, 219
- streptococcal epididymitis, 77
- sulfasalazine (Salazopyrine), 202
- surgical collection of sperm, 244–53
 - alternative to vasectomy reversal, 253
 - avoiding the need for, 244–5
 - causes of azoospermia, 244
 - collection from the epididymis, 247–9
 - collection from the testis, 249–51
 - collection from the vas deferens, 245–7
 - donor sperm as back-up, 253
 - egg cryopreservation option, 253
 - sites of surgical sperm retrieval, 245–51
 - situations where it may be required, 244
 - timing of a sperm search procedure, 251–2
 - timing of sperm pick-up, 252–3
 - when no sperm can be found, 253
- surgically retrieved sperm, 102
- syphilis, 78, 93, 132, 214
- syphilitic ulcers, 218
- tadalafil, 146
- Taxol, 200
- Taxotere, 200
- teratoma, 132
- testes, 7–11
 - blood supply, 9
 - endocrinology, 15–18
 - nerve supply, 9
 - rete testis, 9
 - seminiferous tubules, 8–9
 - spermatic artery, 9
 - spermatogenic epithelium, 8–9
 - tunica albuginea, 8–9
 - tunica vasculosa, 8–9

	Index	263
testicular biopsy, 98–9, 124–8 damage caused by, 92 fine needle aspiration, 126 fixation of the testicular tissue, 128 needle aspiration of testicular tissue, 127 open biopsy, 127 possible damage to the testis, 124 procedural variants, 126–8 role in infertility diagnosis, 124 role in male infertility management, 6 testicular biopsy histological findings, 125–6 carcinoma-in-situ, 125 maturation arrest, 126 normal testicular tissue, 125 seminiferous tubular atrophy, 126 seminoma, 125 Sertoli-cell-only, 126 testicular cancer, 125 thickened seminiferous tubular basement membrane, 126 testicular biopsy indications, 124–5 grossly abnormal sperm morphology, 125 rete testis obstruction, 125 sperm collection in primary testicular disease, 125 suspected carcinoma-in-situ of the testis, 124 totally immotile sperm, 125 testicular cancer, 90, 99, 129–33 adenocarcinoma, 132 association with male infertility, 129 conditions associated with, 130 diagnosis, 131 disorders which can mimic, 132–3 incidence, 129 lifetime risk, 130 metastatic tumors of the testis, 132 pre-malignant carcinoma-in- situ of the testis, 131 presenting symptoms, 130 racial variations in incidence, 130 risk factors, 130 seminoma, 130–2 social variations in incidence, 130 squamous carcinoma, 132 staging, 131 teratoma, 132 testicular biopsy, 125 testicular dysgenesis, 129 treatment, 133 tumor markers, 130 types of testicular tumor, 131–2 testicular disease. <i>See</i> primary testicular disease testicular dysgenesis, 89, 129 testicular maldescent, 88–91 causes, 89–90 incidence, 89 lesions associated with, 90–1 orchidopexy procedure, 91 retractile testis, 91 risk of testicular cancer, 130 treatment, 91 why it causes infertility, 90 testicular microlithiasis, 99 testicular torsion, 77 testicular trauma effects on fertility, 198 testicular ultrasound examination, 106 testosterone, 16–17 effects of reduced levels, 140–1 effects on LH, 17 testosterone therapy in the hypogonadal male, 194–6 tetrachloroethylene effects on male fertility, 208 thyroid disease, 189–90 torsion of the testis, 91–2 transurethral resection of the prostate, 41 trauma role in testicular disorders, 198 <i>Trichomonas vaginalis</i> , 220 tuberculosis, 82, 93, 132, 214–15, 219 tuberculous epididymitis, 78 tuberculous prostatitis, 216–17 tumors of the pituitary gland, 184–9 tunica albuginea, 8–9 tunica vasculosa, 8–9 ultrasound examination of the penis, 144 ultrasound examination of the testis, 106 undescended testes. <i>See</i> testicular maldescent <i>Ureaplasma urealyticum</i> , 219 uremia, 193 urethral glands, 15 secretions, 153 urethral obstructive lesions retrograde ejaculation, 157 urethral strictures, 230 urethral valves, 90, 228–9 urethritis, 217 urethrotomy, 41 urine in semen, 41 utricular cyst, 40, 84–6 vardenafil, 146 varicocele, 47, 58, 103–11 anatomy of, 104–5 clinical diagnosis, 105–6 clinical examination, 106 co-factor effect in infertility, 107 definition, 103 endocrine changes, 108 grading, 105 in the child or adolescent, 111 increase in testicular temperature, 106–7 ischemia caused by, 107 partial obstruction of the epididymis, 107 possible ways to cause infertility, 106–7 raised level of catecholamines, 107 role in infertility, 103–4 semen analysis characteristics, 108 testicular ultrasound examination, 106 venography, 106 varicocele treatment, 108–11 aim of, 108 complications of varicocele surgery, 110–11 percutaneous embolisation, 108–9 surgical ligation, 109–10		

variola (smallpox), 78, 213	damage to the epididymal epithelium, 116	vaso-vasostomy procedure, 118–21
vas deferens, 12–14	granuloma formation, 114	vasectomy-related infertility
vasa deferentia obstruction, 82–3	hematoma formation, 114	epididymal sperm collection and IVF/ICSI, 122
congenital absence of the vasa deferentia, 76–7, 82, 86	infection, 114	vasitis nodosa, 215
infective causes, 82–3	persistence of sperm in ejaculate, 115	vaso-epididymostomy, 76, 81
surgical trauma, 83	post-vasectomy “blow outs,” 116	venogenic impotence, 142
trauma, 83	post-vasectomy pain, 114	venography
treatment, 83	vasectomy reversal, 58, 114–23	varicocele, 106
vasectomy, 47	aspects to discuss with couples, 118	Viagra, 140, 146
cryopreservation of semen prior to, 234	complications, 121	vinblastine, 200
effects on ejaculatory volume, 43	counseling couples about, 118	viral infections of the genital tract, 212–13
obstruction of the efferent ductules, 75	cryopreservation of fertile semen, 122	epididymal obstruction, 78
reasons for undergoing, 112	factors which affect success, 118	viscosity of seminal fluid, 44–5
rete testis obstruction, 75	follow-up after, 121–2	white blood cells in seminal fluid, 65–6
surgical collection of sperm, 253	overview, 122–3	
surgical procedural variations, 112–13	persistent infertility following, 122	X-irradiation
vasectomy complications, 113–17	post-operative care, 121	effects on fertility, 96–7
anti-sperm antibody formation, 114–16	rate of requests for, 117	
changes in testicular histology, 117	reasons for request, 117	Y chromosome micro-deletions, 96
damage done to the genital tract, 116–17	surgical collection of sperm as alternative, 253	Young’s syndrome, 80
	surgical procedure, 118–21	
	time till semen analysis is fertile, 121–2	zona-binding tests, 72–3
		zona pellucida, 26