

Index

- absorption, 1
- absorption coefficient, 35
- absorption cross section, *see* cross section, absorption
- adding equations, 247–55, 306–11
- adding method, 250–5
- aerosol remote sensing, 363
- Alexander dark band, 297–8
- Ambarzumian equation, 258–9, 313, 379
- amplitude scattering matrix, 79
 - backscattering, 273–4
 - backscattering theorem for, 82–3
 - circular-polarization, 287–8
 - forward-scattering, 179, 270–2
 - reciprocity relation for, 82
 - symmetry properties of, 262–4
- angle
 - azimuth, 37
 - phase, 15, 327, 396
 - polar, 37
 - scattering, 237–9, 262, 265
 - zenith, *see* angle, polar
- angular frequency, 4, 26
- anomalous diffraction approximation, *see* approximation, anomalous diffraction
- approximation
 - anomalous diffraction, 234
 - Born, *see* approximation, Rayleigh–Gans
 - far-field, 6, 74
 - criteria of, 75–8
 - first-order-scattering, *see* first-order-scattering approximation
 - geometrical optics, 235–6
 - Kirchhoff, 236, 353
 - ray-tracing, *see* approximation, geometrical optics
 - Rayleigh, 234
 - Rayleigh–Debye, *see* approximation, Rayleigh–Gans
 - Rayleigh–Gans, 71, 234
 - scalar, *see* scalar approximation
 - single-scattering, *see* single-scattering approximation
- associated Legendre functions, 409, 424
- asymmetry parameter, 105, 275, 354
 - for spherical particles, 293–5, 301
- attenuation coefficient, *see* extinction coefficient
- averaging
 - configurational, 125–6
 - orientation, 126–8
 - analytical, 126, 233
 - over particle states, 125
 - shape, 126–7
 - size, 126–30
 - effects of, 291–4

- statistical, 123–30
 azimuth angle, *see* angle, azimuth
- backscattering depolarization ratio
 circular, 279
 linear, 279
 backscattering theorem, 82
 Bessel functions, spherical, 409
 blackbody
 energy distribution, 112
 Stokes column vector, 113
 Born approximation, *see* approximation, Rayleigh–Gans
 Bouguer–Beer law, 206, 222
 boundary conditions, 23–6
 absorbing, 229–30
 bulk matter, 67–8
 optical constants of, 67–8
- charge density, 21
 surface, 24
 circular-polarization column vector, 40
 additivity of, 52
 rotation transformation rule for, 48
 circularly polarized light, *see* polarization, circular
 cirrus cloud crystals, 352, 354
 cloud remote sensing, 354, 363
 clusters, 6–7, 233, 346
 of spheres, 232
 two-sphere, 147–9, 153–6
 coherency column vector, 38–9, 61–2
 of the coherent field, 180
 transfer equation for, 180
 coherency dyad of the electric field, 62–4, 105–9
 average, 108–10
 coherency dyadic, 13, 17, 191–2
 at a remote observation point, 368, 371
 at an external observation point, 211–2
 coherent, 193, 212, 368
 cyclical, 365, 368, 370
 diffuse multiple-scattering, 368
 ladder, 211, 365, 370
 ladder approximation for, 192–3
 single-scattering, 368
 coherency matrix, 38, 61
 additivity of, 52
 coherency reflection matrix, 372
 cyclical, 372
 for the exact backscattering direction, 377
 diffuse multiple scattering, 372
 single-scattering, 372
 coherent backscattering, 14–7, 203, 365–406
 angular profile of, 395–402
 benchmark results for, 386
 by polydisperse spheres, 386–93
 by polydisperse spheroids, 394–5
 by solar system bodies, 405–6
 half-width at half-maximum of, 397–9
 scalar theory of, 396, 399
 coherent field, 171–8
 at an external point, 210–1
 transfer equation for, 180
 transversality condition for, 177–8
 Twersky expansion of, 173
 coherent intensity, 207
 physical meaning of, 207
 coherent Stokes column vector, *see* Stokes column vector, of the coherent field
 coherent transmission amplitude matrix, 179
 reciprocity relation for, 180
 coherent transmission dyadic, 177
 reciprocity relation for, 180
 coherent transmission Stokes matrix, 181
 completely polarized light, *see* polarization, full
 complex permittivity, 27
 computer codes, xiii, 229, 233, 234, 342
 conductivity, 21
 constitutive relations, 21, 22, 27
 continuity equation, 21
 integral form of, 23
 coordinate system
 Cartesian, 37, 126, 411
 laboratory, 126, 270–1, 273
 particle, 126, 270–1, 273
 right-handed, 37
 spherical, 37
 cosine integral, 189
 coupled dipole method, *see* discrete dipole

- approximation
- cross section
- absorption, 102–3,
 - average, 147, 275
 - differential scattering, 104–5
 - extinction, 91, 102–4
 - average, 147, 272
 - scattering, 102–3, 105
 - average, 147, 275
 - for macroscopically isotropic and mirror-symmetric media, 275
- current density, 21
 - surface, 25
- cyclical diagrams, 15, 17, 366–8, 370, 402
- delta function, *see* Dirac delta function
- density matrix, *see* coherency matrix
- depolarization, 99, 279, 362, 390
- depolarization factor, 325
- dichroism, 1, 6, 101, 206
- differential equation methods, 227–30
- differential volume element, 140, 221–2
- diffraction, 296
- diffusing wave spectroscopy, 8, 17–9
- diffusion approximation, 396
- Dirac delta function, 69
 - solid-angle, 410
 - three-dimensional, 69
- discrete dipole approximation, 231, 233
- discrete ordinate method, 260, 323
- Doppler effect, 4, 18
- doubling method, 251, 253–5
- dyad, 407
 - zero, 70
- dyadic, 407–8
 - Hermitian, 63, 408
 - identity, *see* identity dyadic
 - symmetric, 408
 - transpose of, 407
- dyadic correlation function, 181
 - ladder approximation for, 191
- dyadic exponential, 176
- dyadic propagation constant, 177
- dyadic transition operator, 71, 78, 117
 - integral equation for, 71
- dynamic light scattering, *see* scattering,
- dynamic
- effective radius, 129
 - effective size parameter, *see* size parameter, effective
 - effective variance, 129
 - efficiency factor
 - for absorption, 104, 276
 - for spherical particles, 301
 - for extinction, 104, 276
 - for spherical particles, 291–5, 301
 - for scattering, 104, 276
 - for spherical particles, 301
 - electric displacement, 21
 - electric energy density, 30
 - electric field, 2, 21
 - electric permittivity, 21
 - frequency-dependent, 27
 - of free space, 21
 - electric polarization, 21
 - electric susceptibility, 21
 - electromagnetic energy density, 29
 - time-averaged, 35, 61, 91
 - electromagnetic scattering, 1
 - electromagnetic scattering problems,
 - classification of, 16–8
 - electromagnetic wave
 - plane, 1, 31–6
 - circularly polarized, 45
 - homogeneous, 33
 - inhomogeneous, 33
 - linearly polarized, 45
 - spherical, 58–62
 - incoming, 62
 - outgoing, 59
 - transverse, 5, 33, 59, 62
 - circular components of, 287
 - elementary volume element, *see* differential volume element
 - elliptically polarized light, *see* polarization, elliptical
 - emission Stokes column vector, 112, 114
 - average, 224, 276–7
 - emission, thermal, 4, 112, 224
 - energy conservation, 60, 69–70, 151, 208–9, 404
 - enhancement factor

- co-polarized, 381–2
 - general properties of, 383–5
- cross-polarized, 382
 - general properties of, 383–5
- helicity-preserving, 382
 - general properties of, 383–5
- opposite-helicity, 382
 - general properties of, 383–5
- scalar, 381
- unpolarized, 380
 - general properties of, 383–5
- equilibrium, thermal, 112, 114
- ergodic hypothesis, 10, 19, 123
- ergodicity, 9–10, 19, 181, 201, 208, 402
- Euler angles, 126, 270–1, 273, 411–2, 426–7
- extended boundary condition method, 233
 - iterative, 233
- extinction, 1
- extinction coefficient, 206
- extinction cross section, *see* cross section, extinction
- extinction matrix, 6, 99–102
 - circular-polarization, 102
 - reciprocity relation for, 102
- coherency, 100
 - average, 198
 - reciprocity relation for, 102
- modified Stokes, 102
 - reciprocity relation for, 102
- Stokes, 100
 - average, 135, 147, 162, 199
 - for macroscopically isotropic and mirror-symmetric media, 272
 - reciprocity relation for, 101
 - symmetry property of, 101
- far-field approximation, *see* approximation, far-field
- far-field scattering, *see* scattering, far-field
- far-field zone, 5–6, 13, 73, 119, 122, 222, 229
- finite-difference time-domain method, 230, 233
- finite-element method, 229–30, 233
- first-order-scattering approximation, 158–62, 216–7
 - conditions of applicability of, 164
- fluorescence, 4
- flux density vector, 208–9
- F_N method, 323
- Foldy approximation, 177
- Foldy–Lax equations, 6–7, 11, 13, 18, 115–8
 - far-field version of, 118–22, 165
- forward-scattering direction, 89–90, 99
- Fredholm integral equation method, 232
- Fresnel formulas, 235, 298
- fully polarized light, *see* polarization, full
- Gauss theorem, 23
- general problem in radiative transfer, 245, 304
- generalized spherical functions, 282, 425
 - completeness of, 425
 - normalization of, 425
 - symmetry relations for, 425
- geometrical optics approximation, *see* approximation, geometrical optics
- glory, 297–8, 348, 355
- Green’s function
 - dyadic, free space, 69–70
 - differential equation for, 69
 - scalar, 70
 - differential equation for, 70
- halos, 353–4
- Henye–Greenstein phase function, 354–6
- hydrometeors, nonspherical and partially aligned, 279
- identity dyadic, 69, 408
- incident field, 2, 66, 69, 71
- independent scattering, 201
- integral equation methods, 227
- intensity, 35, 60, 62
- interaction principle, 260
- interference of light, 14–5
 - forward-scattering, 146–51
- interference structure, 291
- interstellar dust grains, 206
- interstellar polarization, 206, 279
- invariance principles, 260

- invariant imbedding equations, 255–8,
311–3, 327, 378, 379
- irradiance, *see* intensity
- Jacobi polynomials, 422
- Jones lemma, 410
- Kirchhoff approximation, *see*
approximation, Kirchhoff
- Kronecker delta, 419
- ladder approximation, 191–2, 201, 366
- ladder diagrams, 13, 17, 191
- Lambert law, 327
- Lambertian albedo, 327
- laser Doppler methods, 19
- Legendre functions, associated, *see*
associated Legendre functions
- Legendre polynomials, 409, 413–4, 424
- Leibniz rule, 195, 420
- levitation, 131
electrostatic, 7
optical, 7
- lidar observations, 362
- linearly polarized light, *see* polarization,
linear
- Lippmann–Schwinger equation, 71, 84
- Lorenz–Mie
coefficients, 291
resonance behavior of, 291
computer code, 229
identities, 279
scattering matrix, 278
theory, 227–9, 278, 291, 353
- magnetic energy density, 30
- magnetic field, 2, 21
- magnetic induction, 21
- magnetic permeability, 21
of free space, 21
- magnetization, 21
- matrix exponential, 179, 181
- matrix operator method, 260
- matrix propagation constant, 178
- maximally crossed diagrams, *see* cyclical
diagrams
- Maxwell equations, macroscopic, 3, 20
- curl, 68
- integral form of, 22–3, 27–8
- linearity of, 80
- plane-wave solution of, 31–6
- spherical-wave solution of, 58–62
- mean free path, 397
- measurement techniques for scattering,
237–9
using microwaves, 238–9
using visible and infrared light, 237–8
- medium
absorbing, 34
lossless, 34
nonabsorbing, 34
nondispersive, 34
time-dispersive, 22, 27
- meridional plane, 37
- method of moments, 231, 233
- microwave analog technique, 7, 86, 238–9
- modified Stokes column vector, 40
additivity of, 52
rotation transformation rule for, 48
- modulator, electro-optic, 237–8
- monochromatic light, 1, 26, 33
- Monte Carlo method, 323, 396
- natural light, *see* unpolarized light
- Newman expansion, *see* order-of-
scattering series
- nonsphericity, effects of, 278–9, 298–301
- observable, 5, 109
- optical coherence tomography, 19
- optical depth, 303
- optical equivalence principle, 39–40, 52
- optical theorem, 90, 101, 178
- optical thickness, 304
- order-of-scattering approach, 315
- order-of-scattering series, 313, 328
- orientation angle of the polarization
ellipse, *see* polarization ellipse,
orientation of
- orientation averaging, *see* averaging,
orientation
- orientation distribution, 127
axially symmetric, 127–8
random, 127

- orientation of the scattering object, *see*
particle orientation
- outgoing wave, 59, 70
- parallel beam of light, 1, 33
- partially polarized light, *see* polarization,
partial
- particle collection, random and tenuous,
17, 140
- particle depth, 242
- particle number density, 125
- particle orientation, 126
- particle thickness, 243
- particles
hexagonal, 352–3
independently scattering, *see*
independent scattering
irregular, 352
random-fractal, 352–3
spherically symmetric, 277–8
- phase angle, *see* angle, phase
- phase function, 105, 280, 321
backscattering, 387, 389
expansion in Legendre polynomials,
285
for polydisperse spherical particles,
296–8, 347–8, 354–5
for randomly oriented spheroids, 298
Henyey–Greenstein, *see* Henyey–
Greenstein phase function
normalization condition for, 280
Rayleigh, 295–6
- phase matrix, 6
circular-polarization, 96, 288
average, 289
normalized, 288
Fourier decomposition in
azimuth of, 318–21
symmetry properties of, 290
reciprocity relation for, 98
- coherency, 95
average, 198
reciprocity relation for, 98
- modified Stokes, 96
reciprocity relation for, 98
- normalized Stokes, 280–1
symmetry properties of, 281, 315–6
- Stokes, 95–6
average, 135, 147, 162, 199
backscattering, 98
expression in terms of the
scattering matrix, 266–8
for macroscopically isotropic and
mirror-symmetric media,
266–70
inequalities for, 97
reciprocity relation for, 97
symmetry relations for, 269
- phase velocity, 31, 34, 59
- phenomenological radiative transfer
theory, *see* radiative transfer
theory, phenomenological
- photon, 223–6
- photon correlation spectroscopy, 8, 17–9
- photon distribution function, 223
- photon gas, 223
- physical optics approximation, *see*
approximation, Kirchhoff
- plane albedo, 355–6
- plane wave, expansion in spherical waves,
409–10
- Poincaré recurrence theorem, 19
- Poincaré sphere, 64
- point matching method, 230
generalized, 230
multiple-expansion, 230, 233
- polar angle, *see* angle, polar
- polarization, 99, 357
circular, 43, 45, 99, 390
degree of, 45, 53
complete, *see* polarization, full
degree of, 52
elliptical, 43, 52, 99
degree of, 52
full, 51–3, 99
left-handed, 42, 53
linear, 43, 45, 99, 390
degree of, 52–3
for spherical particles, 292–3,
298–9
for spheroidal particles, 299
signed, 53–4, 400
- of multiply scattered light, 357–9
- partial, 51–3, 99, 390

- right-handed, 42, 53
- polarization analyzer, 237–8
- polarization ellipse, 42–5, 51–3
 ellipticity of, 42, 52–3
 orientation of, 42, 52–3
- polarization modulation technique, 238
- polarization opposition effect, 366, 401–2, 405
- polarization ratio
 linear, 382
 diffuse, 382
 general properties of, 383–5
 circular, 382–3
 diffuse, 382–3
 general properties of, 383–5
- polarizer, 54–8, 237–9
- position vector, 2
- potential dyadic, 117
- potential function, 116
- Poynting vector, 28–30
 complex, 30
 time-averaged, 30, 34–5, 60, 88–9
- probability density function, 124
 normalization condition for, 124
- propagator, 243–5
- quadrature division points, *see* quadrature formula
- quadrature formula, 251, 413–5
 Gauss, 413–4
 Lobatto, 415
 Markov, 415
 Radau, 415
- quadrature sum, *see* quadrature formula
- quadrature weights, *see* quadrature formula
- quarter-wave plate, 237–8
- quasi-monochromatic light, 4, 49–54, 97, 101, 108, 218, 245, 379, 402
- radar observations, 362
 of solar system bodies, 406
- radiance, *see* specific intensity
- radiation condition, 231
- radiative transfer
 in particulate surfaces, 363–4
 in plane-parallel media, 240–60, 302–64
 in plane-parallel, macroscopically isotropic and mirror-symmetric media, 302–64
 in Rayleigh-scattering slabs, 324–37, 363
- radiative transfer equation, 13, 165, 199, 365
 for macroscopically isotropic and mirror-symmetric media, 302
 scalar, 321
 Fourier decomposition of, 321–2
 vector, 199
 Fourier decomposition of, 318–9
- radiative transfer theory, 14, 16–7
 phenomenological, 218–25
- radius, 127
 effective, *see* effective radius
 equivalent-sphere, 127
- radius vector, *see* position vector
- rainbows, 297–8, 348
- ray-tracing approximation, *see* approximation, geometrical optics
- Rayleigh approximation, *see* approximation, Rayleigh
- Rayleigh–Debye approximation, *see* approximation, Rayleigh–Gans
- Rayleigh–Gans approximation, *see* approximation, Rayleigh–Gans
- Rayleigh hypothesis, 230, 233
- Rayleigh scattering, 294–6, 325, 386, 396
- reciprocity, 15, 80–4
- reference plane, 47
 rotations of, 47
- reflection coefficient, 326
- reflection matrix, 246, 305, 372
 cyclical, 372
 for the exact backscattering direction, 377–8
 diffuse multiple-scattering, 372
- reciprocity relations for, 259
- single-scattering, 372
- symmetry properties of, 316–7
- refractive index, 3, 34
 relative, 68
- relativity theory, 64
- retarder, 56–8

- ripple, high-frequency, 291
- rotation matrix
 for circular-polarization representation, 48
 for modified Stokes column vector, 48
 Stokes, 48
- scalar approximation, 321, 324, 381
 accuracy of, 324–5, 363, 381
 for Rayleigh-scattering slabs, 325–37
 for polydisperse spheres, 337–42
 for polydisperse spheroids, 342–7
- scale invariance rule, 84–7, 97, 101, 104, 238
- scattered field, 2, 66, 69–71
- scattering
 Brillouin, 4
 by a fixed finite object, 1–5
 by random particles, 10–2, 131–9
 by variable objects, 110–1
 dynamic, 9, 17
 elastic, 1
 electromagnetic, *see* electromagnetic scattering
 far-field, 5, 11, 71–8, 131–6
 forward, 270–3
 independent, *see* independent scattering
 inelastic, 18
 multiple, 12–4
 Raman, 4
 single, 10–2
 static, 9, 17
- scattering angle, *see* angle, scattering
- scattering cross section, *see* cross section, scattering
- scattering dyadic, 78
 average, 173
 forward-scattering, 178
 reciprocity relation for, 82
- scattering matrix, circular-polarization, normalized, 288–9
 expansion in generalized spherical functions, 289–90
 symmetry properties of, 289
- scattering matrix, Stokes, 261–2
 average, 264
 effects of nonsphericity on, 278–9
 for backward scattering, 273–5
 for forward scattering, 272–3
 for macroscopically isotropic and mirror-symmetric media, 266
 for rotationally symmetric particles, 272–3
 for spherically symmetric particles, 278
 inequalities for, 266, 275
 normalized, 280
 expansion in generalized spherical functions, 282
 expansion in Wigner d -functions, 282–6
 for polydisperse spheres, 285, 287, 298–300, 347–8
 for randomly oriented spheroids, 298–300
 for rotationally symmetric particles, 281
 for spherically symmetric particles, 281
 properties of, 280–1
 symmetries of, 264–5
- scattering medium
 macroscopically isotropic, 265
 macroscopically isotropic and mirror-symmetric, 261, 266
 macroscopically mirror-symmetric, 265–6
- scattering plane, 261–3
- scattering tensor, 80
 reciprocity condition for, 81
- secondary waves, 2
- separation of variables method for spheroids, 229, 233
- shape averaging, *see* averaging, shape
- sine integral, 189
- single-scattering albedo, 103–4
 average, 276
 for spherical particles, 293–5, 301, 387–8
- single-scattering approximation, 11, 12, 141–57
 far-field, 142–5

- modified uncorrelated, 145–7, 222
 - conditions of validity of, 151–7, 163
 - uncorrelated, 145–7
- effects of forward-scattering
 - interference on, 147–50
- size averaging, *see* averaging, size
- size distribution, 127–30
 - gamma, 128–30, 294, 338, 348, 354, 387–9
 - log normal, 128–30
 - modified bimodal log normal, 128–9
 - modified gamma, 128–9
 - modified power law, 128, 130
 - power law, 128
- size parameter, 86
 - effective, 293, 338
- Snell law, 235
- snow crystals, 352, 354
- solid angle element, differential, 61
- specific coherency column vector, 371
 - cyclical, 372
 - diffuse, 198
 - integral equation for, 198
 - integro-differential equation for, 198
 - multiple-scattering, 371
 - single-scattering, 371
- specific coherency dyadic, 13, 366–71
 - at an external observation point, 211–3, 368
 - coherent, 368–9, 371
 - cyclical, 370–1
 - for the exact backscattering direction, 373
 - diffuse, 195, 369
 - integral equation for, 195
 - integro-differential equation for, 196–7
 - multiple-scattering, 368–9, 371
- ladder, 13, 194–5
 - integral equation for, 194
- single-scattering, 368–9
- specific coherency matrix
 - diffuse, 197
 - integral equation for, 197
 - integro-differential equation for, 197
 - specific intensity, diffuse, 207
 - physical meaning of, 207
 - specific intensity column vector, 13
 - at an external observation point, 213–4
 - diffuse, 199
 - integral equation for, 199
 - integro-differential equation for, 199
 - full, 200
 - integral equation for, 200
 - integro-differential equation for, 200
 - physical meaning of, 203–8
 - speckle pattern, 8, 403
 - speed of light
 - in a nonabsorbing medium, 35, 61
 - in a vacuum, 34
 - spherical albedo, 349–52, 357
 - spherical harmonics, scalar, 409
 - completeness relation for, 410
 - spherical harmonics solution, 323
 - spherical wave functions, vector, 228, 230, 232, 233
 - standard problem in radiative transfer, 240–3, 247, 302–6
 - static light scattering, *see* scattering, static
 - stationary phase method, 188, 416–7
 - Stokes column vector, 5, 39, 61–2
 - emission, *see* emission Stokes column vector
 - modified, *see* modified Stokes column vector
 - of the coherent field, 180, 199
 - at an external observation point, 211
 - physical meaning of, 203–8
 - transfer equation for, 180, 199
 - Stokes identity, 40
 - Stokes parameters, 5, 39
 - ellipsometric interpretation of, 41–5
 - for quasi-monochromatic light, 49
 - additivity of, 52
 - quadratic inequality for, 50–1
 - measurement of, 54–8
 - rotation transformation rule for, 48
 - Stokes theorem, 22

-
- strong localization of light, 405
 successive orders of scattering method, 313–5
 superposition method, 232–3
 superposition principle, 28, 71
 Système International, 20, 429–30
- T* matrix, 232–3
 for a cluster, 233
- T*-matrix computer codes, 233
T-matrix method, 126, 232–3, 284
 superposition, 18, 147, 233, 284
- temperature, absolute, 4, 112, 224
 thermal emission, *see* emission, thermal
 thermal equilibrium, *see* equilibrium, thermal
- time, 2, 21
 time-harmonic factor, 5, 36, 171
 time-harmonic field, 3, 26
 total field, 2, 7, 66, 71, 118
 transformation dyadic, 108–11
 of a multi-particle group, 217
 transition matrix, *see T* matrix
 translation addition theorem, 232–3
 transmission matrix, 246, 305
 reciprocity relation for, 259
 symmetry properties of, 316–7
 transport mean free path, 398, 404
 Twersky approximation, 13, 169–71, 201, 402–3
- unpolarized light, 51–3, 99, 321, 326, 348, 357, 380
- vector spherical wave functions, *see* spherical wave functions, vector
- Venus clouds, 348, 359–62
 volume integral equation, 70–1
 volume integral equation method, 231
- wave equation, vector, 68
 wave number, 34, 59
 wave vector, 4, 31
- wavelength
 free-space, 35
 in a nonabsorbing medium, 36, 86
- weak localization of electromagnetic waves, 14
- Wigner *d*-functions, 282–4, 418–22
 addition theorem for, 426–7
 completeness of, 422
 orthogonality of, 422
 recurrence relations for, 423–4
 symmetry properties of, 419
 unitarity condition for, 427
- Wigner *D*-functions, 426
 addition theorem for, 426
 unitarity condition for, 426
- zenith angle, *see* angle, polar