

Index

- ablation area 17
- accumulation area 17
- accumulation area ratio 31
- activation
 - energy xv, 49, 52, 67–68
 - enthalpy 68
 - volume 68
- Admundsen Sea 39
- Agassiz Ice Cap 311, 364
- Aleutian low 37, 39
- Antarctica
 - accumulation rate 35–36, 39
 - basal drag 138–139
 - basal temperature 138–142
 - basal temperature gradient 139
 - drifting (of snow) 99
 - ice shelves 333
 - ice streams in, *see* ice streams
 - mass balance 32
 - Pleistocene–Holocene transition 366
 - surface topography 138
- Arolla ice tunnel 323
- Athabasca Glacier 86–87, 95, 155
- Atnedalen, Norway 241
- axes
 - instantaneous stretching 351
 - principal, of strain 267, 352
 - principal, of strain rate 15
 - principal, of stress 254, 267
- B* 15, 66
 - effect of dirt on 160–161
 - effect of fabric on 69–70
 - effect of water content on 70
 - variation with temperature 67–68
- backward difference 296
- balance
 - net 23
 - specific 23
 - summer 23
 - winter 23
 - velocity 78–79
- Barnes Ice Cap
 - borehole deformation in 341–348
 - cumulative strain in 354–356
 - foliation in 361
 - ice fabrics in 62–63, 69–70
 - near surface temperature in 122
 - Pleistocene ice in 343–344
 - rheology of Pleistocene ice in 311
 - temperatures in 295–296
 - winter balance of 29
- basal, *see* bed
- basal ice, rheology of 159–160
- basal plane 43, 53
- bed
 - drag on 85–86, 163
 - freezing at 123–124, 136, 137
 - melting at 34, 123–124, 136
 - temperature at 135–137, 306
- Bindschadler Ice Stream 188–189, 192
- Bingham material 259
- Bjerrum defects 44
- Black Rapids Glacier 189
- Blue Glacier 155, 177, 197, 199, 238
- Böðvarsson effect 379–381
- borehole
 - closure 321–323
 - deformation 338–341
 - problem near surface 346
 - use to determine *n* and *B* 346–348
- Boudinage 364
- Breidamerkurjökull 177, 189
- budget 23
 - gradient 29–31
- budget imbalance 24
- bulk modulus xv
- bullet boulders 247
- Burgers vector xv, 49

- Byrd Station
 debris in basal ice 137
 ice fabrics at 62
 thinning rate 131
 Pleistocene–Holocene transition 366
- c*-axis 44
- calving
 as a mode of ice loss 31–32
 numerical modeling of 304–305
 of ice shelves 36
 relation to water depth 33
 submarine 32–33
- Camp Century 137
- cavities, subglacial 162–167
- centered difference 296
- cirques 248–250
- Clausius Clapeyron slope 8
- clay, in till 169, 171–172
- climate
 continental 29, 31, 200
 maritime 29, 31, 200
- climatic change
 instabilities in response to 366–367
 isostatic response to 366–367
 modeling the response to 381–383
 response of glaciers 365–390
 analysis using perturbation theory 27–28,
 371–373
 effect of diffusion 375–376
 effect of longitudinal strain rate 367–368
 observations of 383–384
 problem at terminus 376
 with uniform longitudinal strain rate 373–375
 response time–volume time scale 376–379
 thermal response to 366
- coaxial deformation 351
- cohesion 168, 169
 apparent 169
 role of clay 169
- cold patches 156–158
- Columbia Glacier 3, 34, 177
- compressive flow 276
- conduits
 englacial 197–201
 subglacial
 closure of 202, 324–326
 equilibrium size 202
 linked cavity 216–221
 multibranching arborescent 221–223
- Nye or N 216
 on eskers 238–240
 on till 223–230
 Røthlisberger or R 216
 shape of 213–215
 tunnel 215–216, 220–221
- conservation of mass 9–10, 78
- consolidation
 normal 170
 overconsolidated 170
- controlling obstacle size 152
- Crank–Nicolson 295
- creep
 Coble 64
 diffusional 63, 65–66
 Nabarro Herring 64
 power law 63
 primary 51
 secondary 51
 steady state 52
 tertiary 52
 transient 52
- crevasses
 formation of 73–74
 water flow in 200–201
- critical state line 173
- cross glide 47
- cross slip 52
- crystal size 65, 68–69
- cumulative strain
 calculating 353–354
 in Barnes Ice Cap 354–356
 parameters describing 346–348,
 352
- cylindrical hole
 closure of 321–323
 strain rates around 317–318
 stresses around 316–321
- Dansgaard–Oeschger cycles 129
- Dawson's integral 133
- debris entrainment, *see* erosion
- debris in basal ice 100, 137, 160
- debris-bearing ice
 rheology of 159–160, 161
- deformation, *see also* strain 262–264
 elastic 53, 54
 mechanism maps 63–66
 mechanisms 63–64
- Del operator 116

- density
 bubble-free ice xiv
 water xiv
- depth hoar 21
- Devon Ice Cap 311, 364
- Des Moines Lobe 174
- diffusion
 effect on response to climatic change
 375–376
- diffusional flow 63, 65–66
- dihedral angle xv
- dilation, of till 171
- disintegration ridges 103–105
- dislocation
 climb 50–52, 63
 cross slip 52
 density 49, 50
 edge 44
 formation of 46–47
 glide 63
 healing 66
 kinks in 47–48
 movement of 47–48
 recovery 50
 screw 44
 tangles 46, 50–52
- dislocations 44–48
- doughnuts 104
- drag, basal, *see* bed
- drainage systems, subglacial
 conduit 215–216
 linked cavity 216–220, 231
 multi-branched arborescent 221–223
 on till 223–230
- drumlins 309–310
- dry snow
 line 20
 zone 20
- effective normal pressure 161
- electrical conductivity 65
- electromagnetic forces, on clays 169
- EISMINT 302
- energy, specific surface
 of grain boundary xv
 of liquid–solid interface xv, 7
- energy balance 112–117
 advection effect 112–114
 conduction effect 114–115
 strain heating effect 115–116
- energy grade line 210
- Engabreen 156
- enhancement factor 69–70, 311
- ENSO 39–40
- equilibrium line 17
 altitude 27–29
- equipotential surfaces 201–204
- erosion 142, 157–158
 thrust features 142
- error function 121–122
- eskers 232–241
 conduits on 238–240
 Katahdin 236, 241
 nets 240–241
 on valley sides 235
 over ridges 234–235
 ramp structures 240–241
 sediment supply to 236
- Eulerian coordinate system 114, 117
- extending flow 276
- fabric 55
 conical 59
 development of 59
 effect on *B* 69–70
 measurement of 55–58
 multiple maximum 61–62, 65
 single maximum 61, 62
 small circle 60, 62
 variation with depth 62–63
- facies 20
- Findelengletscher 165–167, 203, 223
- finite-difference modeling 291–298
 alternating direction schemes 295–296
 backward, forward and centered differences
 296
 higher-order solutions 298
 implicit methods 294–295
 non-dimensionalization 296–297
 shallow ice approximation 297–298
- finite-element modeling 298–299
- firm 17
- flow field 92–94
- flow law 15–16, 66–70, 267–268
 effect of fabric 69–70
 effect of grain size 68–69
 effect of pressure 68
 effect of temperature 67–68
- flowlines 92–93
- flux, ice 87

- foliation
 - components of 356–358
 - folds in 361–364
 - in the marginal zone 359–361
- force balance 326–330
- forward difference 296
- fracture
 - mechanics 70–74
 - toughness xvi, 72
- Frank Reed sources 46
- frazil ice 249
- free energy 58, 59
- freezing at bed 123–124, 136, 137
- friction
 - angle of internal 168, 171–172
 - rock to rock 156, 171
- gas constant 49
- Gaukler Manning Strickler equation
 - 206
- geothermal heat flux 119–120, 190
- glacier
 - cirque 6
 - classification 6–7
 - mining near 3
 - outlet 6
 - polar 6–7
 - polythermal 7
 - sources of water 3
 - subpolar 7
 - temperate 7–8
 - temperature of 6–8, 112–146
 - tidewater 6
 - valley 6
- Glen's flow law 15, 66
- global warming 3
- global positioning systems 77
- Gornergletscher 223
- grain boundary
 - melting 65
 - migration 52, 53, 58–59, 63, 65–66
 - mobility 64
- grain bridges 174–175, 177, 178
- grain nucleation 58–59
- grain size (ice) 65, 68–69
- Greek lead smelting 2
- Greenland Ice Sheet
 - dating ice in 21–22
 - folds in 364
 - lead in 2
 - mass balance of 32, 41
 - numerical model of 311
- hazards 2–3
- heat
 - advection 112–114
 - conduction 114–115
 - sensible 26
- heat capacity 8
 - air-free water xiv, 8
 - air-saturated water 8
 - ice xiv, 65
- heat flow unit 119
- heat of fusion xiv, 7, 124
- Heinrich layers 36, 110, 367
- Hill lake pair 142
- Hintereisferner 24, 381–383
- Hudson Bay 311
- Hudson Strait 36, 109, 311
- hydraulic grade line 210
- hydraulic jacking 163–165
- hydroelectric power 3, 156
- ice
 - crystal structure of 43–44
 - dating 21–23
 - electrical conductivity of 22
 - forms of 43–44
 - Ic 43
 - Ih 43–44
 - as a metamorphic rock 2
 - microparticles in 23
 - Pleistocene 102, 311, 343–344
 - water content of 70, 160
 - volcanic ash in 23
- ice cap 6
- ice sheet 6
- ice shelves
 - bottom melting of 36–37
 - calving of 36
 - creep of 333–338
 - Larsen 36, 37–39, 74
 - side drag on 337–338
 - Ross 36
- ice streams 105–110
 - erosional capabilities of 168
 - in Pleistocene ice sheets 109–110
 - speed of 168
 - stability of 190–193

- temporal changes in
 - shear margins 108–109
 - speed 108
 - water pressure under 168
- ice-walled lake plains 105
- impurities
 - effect on ice rheology 65
 - effect on sliding 158–159
- incompressibility condition 9–10
- internal friction, angle of 168, 171–172
 - effect of granulometry on 171–172
 - frictional component of 171
- invariant, stress 256, 260–261
- irrotational deformation 264, 351
- isotropic 267

- Jokulhlaup 3, 206

- Kangerlussuaq 102
- Kamb Ice Stream 108, 192, 319
- kettled outwash plain 241
- kinematic waves
 - definition of 368
 - equation of 370
 - modeling 381–383
 - on Nisqually Glacier 386
 - speed of 369–370
 - theory 368–371
- kink pairs 47–48
- Kronecker delta 257

- Lagrangian coordinate system 114, 117
- Lake Vostok 99, 138
- lapse rate 31, 129
- Laurentide Ice Sheet
 - evidence of collapse 367
 - ice shelves 333
 - ice streams in 109
 - numerical models of 306–309, 310–313
 - temperature distribution in 135–137, 306
- Late Glacial Maximum (LGM) 306
- latent heat of fusion xiv, 7, 124
- linked cavity drainage system
 - orifice 216–219
 - stability of 218–219
 - transition to tunnel 219
- liquid–solid surface energy xv, 7
- Little Ice Age 2–3, 33

- longitudinal strain rate
 - depth variation 88–89
 - effect on transverse profiles 94–96
 - effect on longitudinal velocity profile 285
 - effect on glacier response to climatic change 367–368, 374–375
 - role in balancing b_n 286
 - role in calving 304
 - role in borehole deformation 338

- MacAyeal Ice Stream 192
- Manning equation 206
- Manning roughness 206
- mass, conservation of 9–10, 78
- Mass balance, *see also* balance
 - causes of fluctuations 26–29
 - cumulative 25–26
 - global 40–41
 - of Alaskan glaciers 41
 - of polar ice sheets 34–36
 - effect of atmospheric circulation patterns on 36, 37–39
 - measurement of 23–24
 - principles 23–26
- material lines 351
- melting
 - at bed 124, 136
 - of conduit walls 205–207
- melting point depression xiv, 7–8
- meltwater, percolating 20, 122
- Mer de Glace 3
- microcracks 247
- Mohr's circle 255–256
- Mohr–Coulomb relation 168
- momentum balance 261–262, 327, 333
- monocrystals 53
- moraines
 - ribbed 143, 194
 - stoss side moraines 143
 - Thule–Baffin 99
- moulin 200–201

- n 15, 49–54, 66
- non-dimensionalization 296
- North Atlantic Oscillation 40
- normal consolidation line 173
- Nisqually Glacier 383–387
- numerical integration 289–291
- numerical modeling 288–313
 - goals of 289
 - coupling 301, 303–304

- numerical modeling (*cont.*)
 finite-difference, *see* finite-difference modeling
 finite-element 298–299
 forcing 300–301
 initial conditions 299–300
 intercomparison of 301–302
 sensitivity testing 302–303
 thermomechanical 303
 three-dimensional 310
 tuning 303
 validation 301
- numerical models of
 Antarctica 138
 basal drag 138–139
 basal temperatures 139–142
 Laurentide Ice Sheet 310–313
- Nye channels 216
- octahedral plane 15
- orifice 216–219
- overdeepenings 248–250
- oxygen isotopes 22
- Pacific Decadal Oscillation 39–40
- paleoclimatology 2, 307
- Penobscot River 236
- percolation zone 20
- permafrost, role in glacier flow 305–310
- permeability of glacier ice 198–199, 201
- perturbation techniques
 applied to changes in ELA 27–28
 applied to changes in profile 371–373
- Peyto Glacier 38
- piezometric head 210
- plane strain
 cylindrical hole 316–321
 stresses in
 nonlinear material 281, 284–285
 perfectly plastic 273–277
 velocities in
 nonlinear material 281–285
 perfectly plastic 278–281
- plasticity, perfect 259, 268
- Pleistocene ice, rheology of 343–344
- ploughing 185–186
- Poisson's ratio xv
- polygonization 58
- pore close off 19
- precipitates, subglacial 158
- precipitation gradient 30
- preconsolidation test 174
- pressure
 critical 165
 effective 161
 separation 163
- principal
 stresses 15
 strain rates 15
- prismatic plane 52
- profiles, transverse surface 94–96
- pure shear 59, 351
 distribution of in an ice cap 353
- pyramidal plane 52
- quarrying 244–248
- quadrature 290
 Gaussian 290
- radar stratigraphy 96–98
- radiation 26, 28, 29
- radioactive waste 3–4
- ramp structures 240–241
- rate limiting processes
 in ice deformation 48–53
 climb as 50–52
 cross slip as 52
 definition of 48
 drag as 49–50
 slip on pyramidal plane as 52, 53
 in till deformation 178
- Raymond bump 98
- receiving area 231
- recrystallization 54–59
 dynamic 58, 64
 by grain growth 58
 by nucleation of new grains 58–59
 by polygonization 58
- regelation 148, 156
 effect of impurities 158–159
 into subglacial till 137
 theory 149–150, 158
 thickness of layer 154–155
 unknown pressure field 158
- relict surfaces 142–143
- reservoir area 231
- response time 374, 376–379
- response to climatic change
 volume time scale 376–379
- rheology
 of Holocene ice 343–344
 of Pleistocene ice 343–344
- Roman lead smelting 2

- Ross Ice Shelf 106, 108, 109
 rotation 263
 rotation rate 264
 Röthlisberger channels 216
 roughness of bed 149, 153–154
 truncated white 154
 white 152, 154
- sea level 109
 satellite interferometry 109
 Sentinel Glacier 38
 shallow ice approximation 297–298
 shape factor 84, 86–87
 shear
 pure 59, 351
 simple 61, 351–352
 shear modulus xv, 49
 shear stress
 basal 85–86
 calculation from force balance 326–330
- SI units 5
 simple shear 61, 351–352
 distribution of in an ice cap 353
 sintering 19
 Siple Coast 106, 107
 Siple Dome 97, 108
 Site 2 131
 sliding 148–159
 at subfreezing temperatures 193–194
 by plastic flow 148, 150
 by regelation 148
 effect of cavities 162, 163
 effect of impurities 158–159
 effect of rock–rock friction 156
 effect of water pressure 162–167
 over till 184–185
 regelation theory 149–150, 158
 role of normal pressure 161
 speed 151–153, 154, 177
 tests of theories 154–155
 weaknesses of theory 156–159
 slip line field 277
 snow drifting
 effect on budget gradient 30
 effect on velocity field 98–105
 snow
 line 20
 stratigraphy 20–21
 transformation to ice 20
 South Cascade Glacier 37, 387–390
 steady state 78–79, 91–93, 365
- Storglaciären
 basal shear stress 330–333
 conduit character 221–222, 228
 conduit roughness 206
 response time 381
 sliding speed 166–167
 till composition 170
 till rheology 177, 180–182
 water pressure in 249
- strain 262–264
 definition 12
 elastic 53, 54
 ellipse 349–351
 general theory of 262–264
 inhomogeneous 52–53
 logarithmic 13, 265
 notation 10–11
 plane, *see* plane strain
 principal axes of 267, 352
 rate 12, 263–264
 sign convention 10–11, 18
 transformation of 265
- strain heating 115–116
 boundary condition 132
- strain rate 12, 263–264
 effective 14–15, 258
 in monocrystals 53
 longitudinal, *see* longitudinal strain rate
 octahedral 14–15
 principal 15
 principal axes of 15
- stratigraphy, radar 96–98
- strength, crushing, of ice xvi, 32
- strength, of granular medium
 failure 172
 residual 172
 ultimate 172
 yield 172
- stress 252–261
 basal shear 79–81, 326–330
 comparison of theory with real glaciers 286–287
 definition 10
 deviatoric 13–14, 257, 276
 effective shear 14–15, 258
 equilibrium 261–262, 327, 333
 general theory of 252–261
 in a slab
 nonlinear material 281
 perfectly plastic material 273–277
 in plane strain 260, 272–277, 281, 284–285
 intensity factor 71, 72

- stress (*cont.*)
 internal 53–54
 invariants 256, 260–261
 longitudinal, effect on conduits 214, 326
 normal 10
 notation 10–11
 octahedral 14–15
 preconsolidation 170
 principal 15, 254–255
 principal axes of 254, 267
 shear 10, 255
 shear, depth variation 79–81
 sign convention 10–11, 18
 transformation of 252–254
 yield 13, 258–260
- striations, formation of 156
- structural geology 2
- summation convention 257
- superimposed ice 21
- superimposed ice zone 21
- surface, 500 mb 37
- surface elevation
 transverse profiles of 94–96
- surges 230–232
- Svartisen 156, 160
- Taylor Dome 98
- temperature
 homologous 63
 melting 7–8
 near surface 122–123
 mean annual 122–123, 127–129
 pressure melting 7–8
- temperature boundary conditions
 bed 119–120, 123–124
 surface 121–122
- temperature distribution along a flowline 135–137, 306
- temperature profile
 ablation area 127, 291–292
 accumulation area 133–134
 at a divide 117–123, 124–126
 column model 131–134, 139–142
 effect of sinusoidal oscillations at surface on 127–129
 error induced by assumed vertical velocity
 distribution 126–127
 near surface 127–131
 using to estimate thickening rate 130–131
 warming rate problem 137, 138
 with only conduction and warming 134–135
- tensor 11
 first rank 11
 invariants of 256, 260–261
 rotation rate 264
 second rank 11
 strain 263
 strain rate 263–264
 symmetric 12
 velocity derivative 264
- texture 54
- thermal conductivity
 ice xiv, 114, 150
 rock 150
 temperature dependence of 117
- thermal diffusivity xiv, 115
- thermal expansion coefficient
 ice xv
 water xv
- thrust features 142, 309–310
- Thule, Greenland 100
- Thule–Baffin moraines 99
- thin section 55
- tidewater glaciers 6
 cyclic behavior of 33–34
- till
 consolidation of 170–171
 decoupling of ice from 184–185
 deformation measurements in 180–182, 188–189, 190
 deformation of 168–184
 depth variation of 187
 rate controlling process in 178
 deforming, thickness of 186–190
 dilation of 171
 dilatant hardening of 182
 flow into subglacial conduits 223–224, 225
 fractal size distribution of 175–177
 grain bridges in 174–175, 177, 178
 grain fracture 170, 174–177
 granulometry of 174–177
 in overdeepenings 249–250
 ploughing of 185–186
 residual strength 172, 178
 rheology of 177–184
 strain rates in 177
 transport 186
 yield strength 172
- tiltmeters 181, 189
- time constant (for change in profile) 374
- Trapridge Glacier 177
- trimline 86

- transverse till scarps 143, 194
 trapezoidal integration 290
 triple point
 pressure xvi, 159
 temperature xvi, 7, 8
 tunnel closure 202, 321–323
 tunnel valleys 241–244, 309–310
T term 328, 345
- uniaxial compression 59
 units 5
 unloading–reloading line 173
 Urumqi Glacier No. 1 193
- Variiegated Glacier
 drainage system 216
 surge of 231–232
- veins, water flow through 197–199
- velocity
 balance 78–79
 comparison of theory with field data 84, 86–87, 286–287
 depth averaged 87–88
 effect of drifting snow on 98–105
 emergence 91–92, 365
 flow field 92–94
 in a slab of nonlinear material 282–284
 in a slab of perfectly plastic material 278–280
 in a valley glacier 83–87
 in plane strain 278–285
 measurement of 77–78
 from satellite imagery 77–78
 GPS 77
 theodolite 77
 submergence 91–92, 365
 variation with depth
 horizontal 81–82
 vertical 88–90
 vertical under divide 89–90
 viscoplastic 259
 viscous heating in
 ice 115–116
 water 199, 200, 202, 205–206
 void ratio 173–174
- water equivalent line 210
 water content of ice 70
 water flow
 in englacial conduits 199–200
 in subglacial conduits
 on hard beds 208–223
 on soft beds 223–230
 in veins 197–199
 up adverse bed slopes 213, 249
- water pressure
 during surges 231–232
 effect of *B* on 210
 effect of bed slope on 211–213
 in conduits 208–213
 in conduits in till 225, 228
 in pore water 142, 174, 312
- water table in glaciers 200
- waves, kinematic, *see* kinematic waves
- West Antarctic Ice Sheet
 collapse of 367
 ice streams in, *see* ice streams *or* ice stream
 name
- wet snow
 line 20
 zone 20
- Whillans Ice Stream
 changes in drainage under 193
 geothermal heat under 192
 nature of bed under 107, 168
 pulsed movement of 193
 shear margins 108
 speed of 107, 108
 till composition 170
 till deformation 177, 186
 till void ratio 187
- Wolverine Glacier 37
- work hardening 50
- Worthington Glacier 94
- yield criterion 258–260
 yield strength 72
 yield stress 13
 Young's modulus xv, 63