

Cambridge University Press

978-0-521-84404-8 - Deformation of Earth Materials: An Introduction to the Rheology of Solid Earth

Shun-ichiro Karato

Index

[More information](#)

# Materials index

- Ag, 55  
akimotoite, 409  
 $\text{Al}_2\text{O}_3$ , 127, 134, 142, 375, 378  
albite, 27, 53  
alkali halide, 54, 171  
anorthite, 27, 172, 241  
Au, 55  
basalt, 254, 315, 317, 345  
 $\text{CaIrO}_3$ , 410  
calcite, 62, 190, 209, 226, 245, 266, 378  
carbon, 193  
carbon dioxide, 20, 102  
carbonaceous chondrite, 316  
 $\text{CaTiO}_3$ , 209  
CaTiO<sub>3</sub> perovskite, 410  
clinopyroxene, 84, 186, 190, 345, 351  
cobalt, 275  
coesite, 272  
corundum, 65  
 $\text{CsCl}$ , 171, 172, 274  
Cu, 55  
diabase, 254, 345, 346, 348  
diopside, 53, 241, 347  
dunite, 189  
eclogite, 314, 318, 348, 405  
enstatite, 55, 65, 347  
 $\text{Fe}_2\text{SiO}_4$ , 26  
feldspar, 190, 215, 245, 347  
forsterite, 55, 65  
gabbro, 254, 317, 345  
garnet, 26, 53, 69, 84, 172, 186, 190, 215, 318, 319, 347  
garnetite, 405  
granite, 317  
 $\text{H}_2\text{O}$ , 274, 275  
halite, 187  
hydrogen, 104, 127, 129, 144, 149, 181, 183, 193, 195, 209, 287  
hydrogen-related defect, 82  
hydrous mineral, 318  
ice, 53, 55, 274, 275  
iron, 23, 28, 209, 275, 316  
 $\alpha$ -iron, 55, 209  
 $\varepsilon$ -iron, 53, 362, 410  
ferric iron, 28, 128  
ferrous iron, 28, 128  
 $\text{KBr}$ , 172  
 $\text{KCl}$ , 55, 172  
lherzolite, 241  
garnet lherzolite, 319  
spinel lherzolite, 319  
magnesiowüstite, 27, 215, 274, 282, 386, 405, 409  
magnetite, 28  
majorite, 319, 359, 375, 409  
majorite-pyrope, 69  
metal  
bcc metal, 84  
fcc metal, 84  
hcp metal, 71, 84  
meteorite, 305  
 $\text{Mg}_{24}\text{SiO}_4$ , 26, 70, 71, 81, 127, 134, 203  
 $\text{MgO}$ , 53, 54, 81, 82, 126, 132, 133, 134, 142, 171, 172, 209, 337, 375, 378, 406  
 $\text{MgSiO}_3$ , 26, 81, 82  
mica, 215  
mid-ocean ridge basalt, 315  
MORB, 315  
mylonite, 232, 246, 295, 300, 317, 346  
ultra-mylonite, 232  
 $\text{NaBr}$ , 172  
 $\text{NaCl}$ , 55, 83, 172, 245, 274

- NaNO<sub>3</sub>, 245  
Ni, 245
- olivine, 21, 23, 26, 27, 28, 53, 69, 70, 71, 79, 83, 84, 91, 108, 126, 134, 135, 149, 171, 172, 173, 181, 182, 185, 186, 187, 189, 190, 192, 193, 200, 201, 203, 208, 209, 215, 225, 234, 240, 241, 245, 254, 269, 272, 274, 282, 286, 298, 318, 319, 337, 338, 345, 347, 350, 359, 375, 378, 386, 406, 407, 408, 409
- A-type fabric, 408, 409
- B-type fabric, 409
- C-type fabric, 409
- metastable olivine, 23, 24
- olivine + melt, 212
- olivine-spinel phase transformation, 359
- orthopyroxene, 53, 69, 82, 84, 162, 186, 215, 254, 318, 350, 351, 409
- periclase, 55, 65
- peridotite, 23, 26, 28, 55, 65, 190, 209, 215, 241, 266, 274, 278, 279, 282, 287, 320, 341, 360, 375, 378, 381, 386, 405, 409, 410
- perovskite, 23, 26, 28, 55, 65, 190, 209, 215, 241, 266, 274, 278, 279, 282, 287, 320, 341, 360, 375, 378, 381, 386, 405, 409, 410
- CaTiO<sub>3</sub> perovskite, 410
- perovskite (CaTiO<sub>3</sub>), 84
- perovskite (cubic), 84
- MgSiO<sub>3</sub> perovskite, 53
- orthorhombic perovskite, 162
- plagioclase, 23, 27, 187, 317
- post-perovskite, 381, 410
- post-perovskite phase, 361, 390, 410
- proton, 128, 129, 182, 190
- pseudotachylite, 122, 295
- pyrolite, 315, 316, 382
- pyrolite model, 315, 316
- pyrope, 55, 65, 134, 375
- pyroxene, 26, 190, 314, 317, 318
- quartz, 23, 84, 135, 149, 157, 162, 181, 182, 186, 187, 188, 189, 190, 191, 192, 195, 196, 215, 226, 240, 241, 245, 269, 272, 317, 345, 347
- α-quartz, 53
- β-quartz, 53, 55
- ringwoodite, 26, 53, 55, 65, 69, 182, 185, 187, 190, 241, 273, 274, 282, 319, 359, 375, 386, 409
- SiO<sub>2</sub>, 81, 134, 181
- serpentine, 318, 351
- sheared lherzolite, 318
- spinel, 54, 55, 65, 84, 272
- SrTiO<sub>3</sub>, 209
- stishovite, 53, 74, 272, 279, 287
- titanium, 275
- wadsleyite, 23, 26, 53, 55, 65, 69, 84, 182, 185, 186, 187, 190, 239, 240, 241, 242, 272, 273, 274, 282, 286, 319, 359, 375, 386, 409
- water, 20, 22, 100, 102, 127, 144, 168, 169, 171, 181–196, 209, 272, 273, 287, 317, 319, 322, 342, 346, 354, 355, 356, 357, 359, 361, 366, 383, 386, 387, 388
- water content, 317, 320, 322, 338, 340, 341, 346, 350, 354, 357, 358, 361
- water fugacity, 22, 33, 104, 268, 277, 345
- water-related defect, 75
- wüstite, 28
- xenolith, 318, 385

# Subject index

“O” ring, 102  
 $(\text{Mg}, \text{Fe})_2\text{SiO}_4$ , 82, 91, 225  
 $(\text{Mg}, \text{Fe})\text{O}$ , 82, 85, 92, 129, 225, 320, 341, 360, 410  
 $(\text{Mg}, \text{Fe})\text{SiO}_3$ , 225, 390, 410  
 $(\text{Mg}, \text{Fe})\text{SiO}_3$  perovskite, 360, 410  
 410-km discontinuity, 358, 386, 389  
 660-km discontinuity, 369, 386

absolute rate theory, 32, 33  
 absorption band model, 326  
 acoustic wave, 64  
 activation  
     activation energy, 47, 130, 144  
     activation enthalpy, 33, 47, 109, 137–139, 221, 340, 379  
     activation volume, 47, 109, 130, 168, 169, 170, 171, 174, 175, 176–181  
 activity, 17–20, 28  
     activity coefficient, 18, 21  
 actuator, 99, 104  
 Adams–Williamson equation, 306, 309  
 adiabatic  
     adiabatic compression, 313  
     adiabatic elastic constant, 55, 58  
     adiabatic instability, 289, 294, 295  
     adiabatic temperature gradient, 312, 356  
 ak135, 318  
 aliovalent ion, 76  
 analog material, 272, 275, 276  
 Anderson–Grüneisen parameter, 66  
 Andrade creep, 39, 157  
 anelasticity, 39, 42, 44, 57, 199, 200, 201, 202, 357, 370, 378, 379, 380  
 anelastic behavior, 205  
 anelastic deformation, 34  
 anelastic relaxation, 210  
 anharmonicity, 51, 63, 64, 357, 374  
     anharmonic effect, 378  
     anharmonic parameter, 63, 65  
     anharmonic properties, 375  
 anisotropy, 318, 320, 322, 351, 362

**454**      amplitude of anisotropy, 401

azimuthal anisotropy, 393, 395, 397, 398–399, 409  
 polarization anisotropy, 393, 399–401, 409  
 radial anisotropy, 404  
 apparatus distortion, 109  
 asthenosphere, 317, 325, 327, 354, 409  
 athermal motion, 33  
 atmosphere, 314, 317  
 attenuation, 41, 326, 363  
     attenuation coefficient, 200  
     attenuation of seismic wave, 199, 323  
     attenuation tomography, 365, 382, 387  
     bulk attenuation, 208, 211, 212, 384, 385  
     seismic wave attenuation, 34, 199, 199–213, 321, 323, 324, 337, 372, 373  
 Avogadro number, 16, 77  
 Avrami  
     Avrami equation, 252  
     Avrami length, 252  
     Avrami time, 252

B1 structure, 72  
 B2 structure, 72  
 back-stress, 34, 44  
 bending, 352  
 Bethe lattice, 223, 224  
 Bi (NaCl-type), 84  
 bifurcation, 290  
 Birch’s law, 51, 59, 59–67, 73, 280, 374  
     Birch’s law of correspondent state, 61  
 body force, 4  
 body wave, 351, 364  
 Boltzmann constant, 16  
 bond  
     bond length, 71  
     bond percolation, 223  
     bond strength, 70  
 Bordoni peak, 206  
 Born–Meyer type interatomic potential, 68, 69  
 boundary condition, 336  
 boundary layer, 144, 337, 360, 410  
 Brillouin scattering, 58

[Subject index](#)

455

- brittle
  - brittle deformation, 114
  - brittle failure, 288, 339, 340, 342
  - brittle faulting, 293
  - brittle fracture, 35, 114, 115, 115–118, 119, 121, 188
  - brittle to plastic transition, 114
  - brittle–ductile transition, 115
  - brittle–plastic transition, 114, 122, 342–345
- B-type fabric, 409
- bulk modulus, 25, 52, 61, 63, 66
- bulk sound wave velocity, 372
- bulk viscosity, 228
- Bullen parameter, 313, 320
- Burgers model, 43, 44
- Burgers vector, 83, 85, 86, 88, 102, 126, 145, 164, 169, 175, 191, 204
- Byerlee’s law, 116–117
- cataclastic
  - cataclastic deformation, 114
  - cataclastic flow, 115
- Cauchy relation, 54–55
- cavitation, 102
- Chandler wobble, 202, 323, 324
- charge neutrality condition, 80, 92, 128, 129, 185, 186
- chemical
  - chemical bonding, 51, 271, 272, 278
  - chemical composition, 67–70, 381, 382
  - chemical defect, 76
  - chemical environment, 103–104
  - chemical equilibrium, 13, 21, 77
  - chemical heterogeneity, 370, 381, 388, 390
  - chemical layering, 319
  - chemical potential, 13, 14, 17, 18, 21, 24, 25, 27, 31, 32, 123, 125, 183
  - chemical reaction, 21, 22
  - chemical stress, 160
- chondrite model, 316
- Christoffel equation, 393, 396
- circum-Pacific high velocity anomaly, 366
- Clapeyron
  - Clapeyron slope, 13, 22–24, 381, 386, 388
  - Clapeyron–Clausius relation, 24
- climb, 85, 152–153, 158
  - climb control model, 158–160
- coarse microstructure approximation, 217
- Coble creep, 130–132, 135, 142, 229, 254
- coincident-site-lattice, 95
- compaction, 136, 228, 410
  - compaction length, 228
- complex compliance, 46
- condensation, 316
- constitutive relation, 34, 36–38, 339–342
- continent
  - continental crust, 317, 345, 346
  - continental lithosphere, 168, 311, 353, 358
  - continental lower crust, 408
  - continental root, 353, 357, 388
  - continental upper crust, 408
  - continental upper mantle, 357
  - deep continent, 358
  - deep continental root, 357
  - convective flow, 334
  - converted wave, 400
  - coordination polyhedron, 71
  - core, 306, 314, 316, 320
    - core–mantle boundary, 390, 410
    - CMB, 390
  - Cottrell drag, 151
  - Coulombic interaction, 69
  - Coulomb–Navier criterion, 118
  - Coulomb–Navier law, 116–118, 119, 120, 293
  - CPO, 255, 256
  - crack, 114, 115, 121, 288, 345, 408
    - crack-tip, 121
  - craton, 352
    - Archean craton, 352, 357
  - creep
    - creep compliance function, 40, 42
    - creep response function, 39, 40
    - diffusional creep, 123, 129–142, 143, 166, 173, 175, 176, 189, 191, 203, 229, 232, 263, 266, 278, 296, 330, 340, 345, 358, 359, 360
    - dislocation creep, 130, 143, 144, 162–164, 191–193, 330, 341, 354, 358, 359, 360, 362, 406, 411
    - dissolution–precipitation creep, 135
    - long-term creep, 325, 326
    - steady-state creep, 136
    - transient creep, 38, 46, 143, 146, 156, 326, 329–330, 337
    - transient diffusional creep, 203
    - transient dislocation creep, 204
  - cross slip, 149, 152–154
  - crust, 306, 317, 408
  - crystal
    - crystal chemistry, 71
    - crystal plasticity, 114
    - crystal structure, 51, 70–72, 271, 272, 280
    - crystal surface, 29
  - crystalline defect, 75
  - crystallographic orientation, 100
  - crystallographic preferred orientation, 255
  - CSL, 95
  - C-type fabric, 409
  - D'' layer, 213, 314, 320, 366, 381, 386, 402, 405, 408, 410
  - dead weight
    - dead weight creep apparatus, 106
    - dead weight loading, 104
  - Debye model, 51, 59, 61, 64, 67
    - Debye frequency, 17, 59, 175, 277

**456** Subject index

- Debye model (cont.)  
 Debye temperature, 59, 66  
 Debye–Hückel atmosphere, 97  
 Debye–Hückel length, 98  
 decoration, 91  
 deep mantle, 338  
 defect, 76  
   defect mobility, 168  
 deformation  
   coaxial deformation, 11, 112  
   deformation gradient tensor, 3, 11  
   deformation mechanism map, 165–167, 269  
   deformation-DIA, 105, 106  
   irrotational deformation, 3, 11  
   non-coaxial deformation, 12  
   non-elastic deformation, 34, 35, 39  
 delamination, 319  
 density, 59, 61  
   density anomaly, 336, 370, 372  
 denuded zone, 141  
 diagenesis, 136  
 diamond anvil cell, 274, 275  
 dielectric constant, 74, 92, 177  
 diffusion, 32, 123, 125–126, 143, 149, 173–174, 188, 190, 235, 342  
   chemical diffusion, 126, 127  
   chemical diffusion coefficient, 127  
   diffusion coefficient, 30, 123, 124, 125, 187, 195, 360  
   diffusion flux, 32  
   diffusional creep, 123, 129–142, 130–136, 139, 141, 143, 166, 173, 175, 176, 189, 191, 203, 229, 232, 263, 266, 278, 296, 330, 340, 345, 358, 359, 360  
   self diffusion, 126  
   self diffusion coefficient, 127, 128  
   tracer diffusion coefficient, 127  
 dihedral angle, 97, 117, 135, 227, 230, 356, 357  
 dimensional analysis, 327  
 dislocation, 31, 33, 75, 76, 82–94, 121, 126, 136, 143, 204, 345  
   dislocation climb, 86, 152–154, 159, 192, 205, 263  
   dislocation creep, 130, 143, 144, 162–164, 191–193, 330, 341, 354, 358, 359, 360, 362, 406, 411  
   dislocation density, 29, 89, 93–94, 108, 145, 233, 266  
   dislocation dipole, 153, 159  
   dislocation energy, 233  
   dislocation glide, 205, 267  
   dislocation microstructure, 35, 36, 164  
   dislocation mobility, 191  
   dislocation multiplication, 154–155, 191  
   dislocation network model, 161  
   dislocation node, 154  
   dislocation pinning, 205  
   dislocation recovery, 158, 188, 192, 285  
   dislocation splitting, 88, 91  
   dislocation velocity, 145  
   dissociation of a dislocation, 88–89  
   edge dislocation, 82  
   geometrically necessary dislocation, 90, 248, 266, 284  
   mixed dislocation, 83  
   screw dislocation, 83, 154  
   partial dislocation, 83, 88–89, 149  
   displacement gradient tensor, 7, 8  
 $\delta_K$ , 373  
 $\delta_\mu$ , 373  
 ductile fault, 120  
   ductile faulting, 115, 120  
   ductile flow, 35  
   ductile regime, 345  
 Dufour effect, 31  
 dynamic recrystallization, 90, 101, 141, 155, 188, 190, 232, 233, 243–249, 253, 265, 266, 267, 268, 270, 276, 296, 298, 301, 342, 362  
   dynamically recrystallized grain-size, 245, 248  
 dynamic topography, 333–335, 336  
 Earth's interior, 294–295, 305–322  
   See also: continent, crust, upper mantle, transition zone, lower mantle, core  
 earthquake, 300  
   deep and intermediate earthquake, 114, 295, 361  
 EBSD, 256, 259, 260, 269  
 Ehrenfest relation, 24  
 Ehrenfest slope, 22–24  
 Einstein formula, 229  
 elastic  
   elastic anisotropy, 70–71, 71–72  
   elastic constant, 23, 51, 52–53, 57, 59, 61, 74  
   elastic constant tensor, 392  
   elastic deformation, 29, 34, 51, 52, 75  
   elastic lithosphere, 332  
   elastic material, 43  
   elastic strain energy model, 177  
   elasticity, 51  
 electric  
   electric charge, 91, 92–93  
   electrical conductivity, 185, 189–190, 383, 384  
   electron backscattered diffraction, 255, 256  
 electrostatic energy, 177  
 energy, 63  
   energy dissipation, 32  
 enthalpy, 14  
 entropy, 14, 15, 16, 17, 18, 23, 29, 30  
   configurational entropy, 16, 27  
   entropy production, 14, 32  
 equation of motion, 392  
 equation of state, 18  
 error function, 311  
 etch pit, 93  
 Euler angle, 258, 259, 260  
 exponential flow, 340, 345  
 extensive quantity, 16

[Subject index](#)

457

- extensive variable, 17, 31
- extrinsic defect, 76
- fabric, 255
  - fabric development, 190
  - fabric diagram, 268–269
  - fabric transition, 268
- fault, 115
- faulting, 115–116
- Fick's law, 30, 31, 123–124
  - Fick's first law, 123
  - Fick's second law, 124
- film, 211
- finite amplitude instability, 290–292
- first principle of thermodynamics, 13
- first-order phase transformation, 23, 72, 271, 280, 286
- first-order transformation, 23, 272
- flexural rigidity, 328, 352
- Flinn diagram, 10, 11
- flow law, 164
- fluctuation, 29
- foliation, 11, 257
  - foliation plane, 11
  - foliation/lineation, 11
- four-grain junction, 138, 141
- Fourier's law, 30, 309
- Frank energy criterion, 88
- Frank-Read source, 155, 329
- free oscillation, 324, 364, 400, 410
- Frenkel pair, 79, 79–80, 81
- frequency-dependent modulus, 201
- frequency-dependent phase-lag, 201
- friction
  - friction coefficient, 116, 117
  - frictional heating, 310
- FT-IR, 196
- fugacity, 17, 18, 18–20, 28, 168, 182
  - fugacity coefficient, 18, 22
  - fugacity of water, 20, 21, 22
- gas-medium apparatus, 102, 106
- generalized force, 30, 30–32
- geochemical reservoir, 361
- geodetic observation, 306
- geoid, 332, 333
  - geoid anomaly, 332, 334, 335, 336, 337
  - geoid kernel, 334
- geometrical hardening, 299
- geometry of partial melt, 227
- Gibbs free energy, 14, 15, 18, 21, 23, 24, 25, 29, 77, 87
- Gibbs phase rule, 24, 27
- Gibbs–Duhem relation, 16
- glide control model, 160, 192
- glide plane, 102
- Goetze criterion, 120
- grain boundary, 29, 31, 75, 76, 94–98, 126, 132, 134, 136, 155, 187, 200, 202, 206
  - grain-boundary charge, 97–98
  - grain-boundary ledge, 97
  - grain-boundary migration, 232, 233, 243, 246, 262, 265, 266, 299
  - grain-boundary mobility, 234
  - grain-boundary process, 100
  - grain-boundary sliding, 123, 130, 136–137, 138, 139, 140, 141, 206–207
  - high-angle boundary, 94, 243
  - low-angle boundary, 94, 243
- grain growth, 100, 188, 190, 232, 233, 236, 236–242, 253, 297, 298, 342
  - abnormal grain growth, 240
  - normal grain growth, 236–237, 239, 240
- grain size, 36, 100, 101, 123, 126, 130, 134, 139, 226, 232–254, 271, 273, 274, 286, 295, 317, 318, 320, 322, 338, 340, 341, 342, 354, 357, 358, 362, 385
  - grain-size distribution, 101
  - grain-size reduction, 265, 267, 295, 301, 359
  - grain-size sensitive creep, 130
- gravity, 3
  - gravity field, 3, 305, 324, 331, 333, 365
  - gravity potential, 332
- Greenwood–Johnson model, 281–283, 286
- Griggs apparatus, 106, 171, 188, 345
- growth, 251–245
  - Grüneisen parameter, 56, 63, 64, 65, 66, 67, 175, 177, 180, 208, 373, 374, 375
  - thermodynamic Grüneisen parameter, 57
- Handy's model, 220
- hardness, 111
- hardness test, 111
- harmonic oscillation, 64
- Harper–Dorn creep, 144, 145, 160–161, 164
- hcp, 362
- heat flux, 314
- Helmholtz free energy, 14, 63
- heterogeneity, 363–390
- high diffusivity path, 126–127
- high pressure, 58
- high spin, 61
- high temperature, 102–103
- high-temperature plasticity, 171–173
- Hill average, 216
- HIP, 100
- Hoff's analogy, 215
- homogeneous nucleation, 250
- homologous temperature, 178, 277, 280, 358
- homologous temperature scaling, 176, 177–178, 193
- Hooke's law, 52–53
- hot-isostatic-pressing, 100
- hotspot, 401

**458** Subject index

- hydrated jog, 192  
hydrated kink, 192  
hydro-isostasy, 331  
hydrostatic equilibrium, 306  
hydrostatic stress, 3  
hydrous mineral, 318
- ICB, 312  
ideal gas, 18, 20, 22  
ideal solution, 18  
ilmenite, 26, 84, 409  
impurity, 98  
    impurity atom, 149–151, 154  
    impurity drag, 234–235  
inclusion, 237, 264  
    anisotropic inclusion, 219  
incompatible element, 197  
infrared spectroscopy, 104, 184  
inhomogeneous nucleation, 250  
inner core, 232, 254, 278, 321, 338, 362, 402, 408, 410–411  
    inner core boundary, 312  
    inner core rotation, 322, 362  
intensive parameter, 30  
intensive quantity, 16  
intensive variable, 31  
interconnected weak layers, 220  
interconnectedness, 222  
interface, 29  
    interface reaction, 135, 136  
    interface-reaction-controlled creep, 135  
    interfacial boundary, 250  
    interfacial energy, 250  
internal energy, 13, 15, 29  
internal loading, 323  
internal load cell, 106  
interphase boundary, 225  
interstitial atom, 75, 76  
intirinsic temperature derivative, 64  
intrinsic defect, 76  
invariant of stress tensor, 5, 36  
inverse pole figure, 257  
ionic crystal, 30, 31, 71, 171  
ionic radius, 27, 70, 71, 277  
ionic solid, 78–82, 132  
ionicity, 71  
irreversible, 30  
    irreversible process, 13, 14, 29–32  
island structure, 136  
isomechanical group, 275–280  
isostasy, 332–333  
isothermal elastic constant, 55  
IWL, 220
- jacket, 101, 102  
J-index, 260, 261
- jog, 90–91, 151, 152, 154, 165  
joint inversion, 386  
Jordan–Handy mode, 219–220
- Kikuchi pattern, 256  
kinetics, 23  
    kinetics of chemical equilibrium, 345  
kink, 88, 90–91, 146, 206  
    geometrical kink, 91, 147, 149, 206  
    kink density, 91  
Knoop indenter, 111  
Kramers–Kronig relation, 41, 201  
Kröger–Vink diagram, 80–82  
Kröger–Vink notation, 79, 80  
Kronecker’s delta, 4, 52
- Lame’s constant, 52  
lateral heterogeneity, 51, 363  
lattice strain, 107  
lattice vibration, 16, 17, 32, 33, 51, 59, 61, 64  
lattice-preferred orientation, 12, 36, 85, 139, 141, 246, 255, 255–270, 300, 318, 362, 386, 391, 392, 402, 405–407, 408
- law of mass action, 13, 21, 22, 80, 81, 82, 183, 185  
layered structure, 391, 402, 403–405, 407
- LBF, 220  
ledge, 139, 234  
Lehmann discontinuity, 318, 358, 386  
Levy–von Mises equation, 37  
    Levy–von Mises flow law, 113  
    Levy–von Mises formulation, 329  
Lifshitz–Shikin theory, 140–141  
light element, 321, 322  
Lindemann’s law, 178  
linear instability analysis, 292  
linear rheology, 329  
linear-variable-displacement-transducer, 105  
lineation, 11, 257  
line-tension, 155  
liquid–solid contact, 97  
liquidus, 24, 197  
lithosphere, 288, 317, 325, 327, 328, 350, 351, 354  
    lithosphere–asthenosphere structure, 317, 339, 351  
    lithosphere–asthenosphere system, 338  
    lithosphere–asthenosphere transition, 351, 354, 355
- load cell, 105  
load transfer, 226  
load-bearing frame, 220  
local equilibrium, 29  
localization, 288–301  
localized deformation, 288, 351  
long-term creep, 325, 326  
long-term viscosity, 326  
Love wave, 397  
lower continental crust, 317

[Subject index](#)

459

- lower crust, 254, 408  
 lower mantle, 130, 254, 306, 317, 320, 325, 360–361, 389–390,  
     402, 409–410  
 low-spin, 61  
 low-temperature plasticity, 161–162, 166, 171  
 low-velocity zone, 213, 351  
     ultra-low velocity layer, 320  
     ultra-low velocity region, 213  
     ultra-low velocity zone, 385  
 LPO, 85, 246, 255, 256, 258, 262, 263, 264, 265,  
     266, 268, 269, 270, 300, 402, 405, 406, 407, 408,  
     409, 410, 411  
 Lüders band, 289, 298  
 LVDT, 105
- machine stiffness, 291–292  
 Madelung constant, 68, 69  
 magnetic field, 305, 322, 411  
 mantle, 317  
     mantle convection, 301, 316, 323, 335  
     mantle viscosity, 336  
 martensitic transformation, 250  
 Maxwell model, 42, 43, 45  
 Maxwell relation, 15, 25, 57, 63  
 Maxwell time, 42, 202, 354  
 mechanical equation of state, 38  
 mechanical microprobe, 111  
 melt, 408  
     melt geometry, 384  
     melt pocket, 210, 211  
     melt tube, 211  
     melt-induced anisotropy, 410  
         fraction of melt, 197, 355, 372  
 melting, 24, 27  
     batch melting, 197  
     degree of melting, 197, 355, 356  
     eutectic melting, 27  
     fractional melting, 197, 198, 356  
 Mg#, 382  
 micro-crack, 115–116  
 microstructure, 226  
 mid-ocean ridge, 352, 366, 367, 370, 382, 384, 388  
 Miller index, 56  
 M-index, 261  
 mineral physics, 338  
 misorientation, 259  
 mixing, 361  
 Moho, 317  
 Mohr-circle construction, 118  
 Mohr's circle, 5–6  
 moment of inertia, 331  
 M-site vacancy, 129, 183  
 multi-component aggregate, 341  
 multi-component system, 5–6, 24  
 multi-phase material, 214–231
- Nabarro model, 159  
 Nabarro–Herring creep, 130–132, 278  
 NaCl structure, 86  
 NaCl-type crystal, 85  
 Navier–Stokes equation, 327  
 necking instability, 289, 294  
 Nernst field, 129  
 neutron diffraction, 257  
 nominally anhydrous mineral, 181  
 non-hydrostatic stress, 28, 29  
 non-ideal gas, 18  
 non-linear rheology, 34, 36–38, 328, 337  
 non-stoichiometry, 27, 28  
 normal strain, 8  
 normal stress, 5–6, 29  
 normalization parameter, 277  
 nucleation, 250–251  
     nucleation and growth, 232, 233, 247, 250
- oceanic crust, 317, 319  
 oceanic lithosphere, 350, 352, 353  
 oceanic upper mantle, 357, 358, 408  
 ODF, 258, 259, 260, 261, 269  
 OH bond, 184  
 OH dipole, 184  
 olivine fabric, 409  
     A-type fabric, 408, 409  
     B-type fabric, 409  
     C-type fabric, 409  
 Onsager reciprocal relation, 31, 32, 125, 128  
 optical mode, 64  
 opto-elastic technique, 58  
 orientation distribution function, 258, 260  
 orientation of shear zone, 292–293  
 oriented crystallization, 265  
 oriented growth, 265  
 Orowan equation, 145, 156, 158, 159, 284, 285, 329  
 Ostwald ripening, 236, 238–239, 240  
 outer core, 312, 320, 361–362  
 oxide activity, 28, 81, 82, 103  
 oxygen fugacity, 21, 22, 28, 80, 82, 101, 103  
 oxygen fugacity buffer, 22
- paleo-oceanic crust, 405  
 paleopiezometer, 108, 244, 248–249  
 partial melt, 210, 212–213, 214, 408  
 partial melting, 24, 197, 213, 315, 317, 318, 320, 342, 354–357,  
     370, 380, 384–385, 387, 390, 408  
 partial molar thermodynamic potential, 15  
 partially molten material, 51, 199, 210–213, 227–231  
 partitioning of an element, 98  
 Paterson apparatus, 345  
 Pauling's rule, 70, 71  
 Peach–Koehler force, 32, 33, 88  
 Peclet number, 309

**460** Subject index

- Peierls mechanism, 122, 162, 166, 174, 175–176, 192, 340, 345  
 Peierls potential, 119, 146, 147, 148, 340  
 Peierls stress, 143, 145, 146–149, 150, 157, 160, 161, 162, 164, 171, 204, 205, 206, 274, 275  
 percolation, 222–224  
 percolation threshold, 222, 224, 231  
 peridotite, 317, 318, 348, 405  
 permeability, 228  
 PH wave, 404  
 phase diagram, 25–28, 268  
 phase lag, 40, 210  
 phase transformation, 22–24, 26, 72, 233, 249–253, 271–287, 319, 341, 342, 374, 375, 381, 382  
 phenomenological coefficient, 30, 31  
 phenomenological theory, 34  
 phonon density of state, 59  
 physical dispersion, 42  
 pinning, 154, 206  
 pinning point, 205  
 pipe diffusion, 159–160  
 plane strain, 10, 11  
 planet, 316  
 plastic anisotropy, 51, 279  
 plastic deformation, 34–36, 99–113, 114–122, 143–167, 168–198, 214–231, 271–287, 288–302  
 plastic flow, 3, 6, 30, 51, 75, 99, 114, 119, 188  
 plastic flow regime, 115, 119, 121, 339  
 plate tectonics, 122  
 plume, 350  
 point defect, 31, 32, 75, 76–82, 125, 126, 182, 202, 361  
 Poirier model, 283–286  
 Poisson's equation, 92  
 Poisson's ratio, 52, 53, 321  
 polarization, 397  
 pole figure, 257  
 polycrystalline aggregate, 162, 163  
 polycrystalline material, 12, 32, 51  
 polycrystalline sample, 100  
 polyhedral model, 70–71  
 pore pressure, 116  
 pore-fluid pressure, 102  
 porosity, 100  
 Portevin–Le Chatelier effect, 151, 289, 298  
 post-glacial crustal uplift, 337  
 post-glacial rebound, 136, 140, 163, 323, 324, 326, 328, 334, 335, 337, 352  
 power law, 339  
     power-law behavior, 208  
     power-law creep, 165, 166, 174, 175, 340, 341  
     power-law dislocation creep, 171, 175, 176, 278  
     power-law rheology, 109  
 Preliminary Reference Earth Model, 306  
 PREM, 306, 307, 318, 363, 365  
 pressure, 3, 102, 189  
 pressure dependence of activation volume, 175, 180–181  
     pressure derivative, 61  
     pressure shadow, 141  
     pressure solution creep, 130, 135–136, 267  
     primary recrystallization, 254  
     principal strain, 9, 10, 11  
     principal stress, 4–5  
     principle of minimum entropy production, 32  
     pure shear, 3, 85  
     PV wave, 404  
     P-wave velocity, 52  
     Q, 45, 46, 47, 200, 201, 321, 324, 326, 362  
     Q factor, 41, 324  
     Q<sup>-1</sup>, 200  
     radial anisotropy, 404  
     radioactive heating, 312  
     rate and state dependent friction, 117  
     Rayleigh number, 309  
     Rayleigh wave, 397, 399, 400, 401, 408  
     RDA, 105  
     recovery, 155, 188  
     recrystallized grain size, 244, 249  
     relative sea level, 326, 330  
     relaxation process, 39  
     relaxation time, 39, 45, 47  
     resolved shear stress, 83  
     Reuss average, 216, 218, 287  
     reversible, 29  
     reversible process, 14  
     R<sub>φ/S</sub>, 373, 381, 390  
     rheologically critical melt fraction, 231  
     rigid body rotation, 3, 7, 8, 85  
     rotational deformation, 3, 11  
     rotational deformation geometry, 11  
     rotational Drickamer apparatus, 105, 106, 274  
     R<sub>P/P</sub>, 373  
     R<sub>P/S</sub>, 373, 378, 379, 380, 381, 382  
     Rs/p, 368, 373, 377, 379, 380, 381, 382, 384, 390, 405  
     RSL, 330, 331  
     S wave, 397  
     S(P), 397  
     Sachs average, 216  
     Sachs model, 218  
     saddle point, 32, 33  
     sample preparation, 99–101  
     sandwich method, 100, 101, 112  
     S–C mylonite, 11  
     scaling, 276  
     scaling law, 268, 270, 276, 277, 278, 286  
     Schmid factor, 83, 84, 88, 233  
     Schmid–Boas relation, 263  
     Schottky defect, 79, 133, 171, 180  
     Schottky group, 176

[Subject index](#)**461**

- Schottky pair, 78–79  
 ScS, 397  
 sea-level change, 323  
 second invariant of deviatoric stress, 6  
 second invariant of stress, 285  
 second invariant of the deviatoric stress tensor, 281, 283  
 second principle of thermodynamics, 14  
 secondary phase particle, 235  
 secondary recrystallization, 254  
 secondary-ion-mass-spectrometer (SIMS), 184  
 secondary-ion-mass-spectroscopy (SIMS), 104  
 second-order phase transformation, 23, 73, 74, 271, 286–287  
 second-order transformation, 23, 272  
 sectioning effect, 101  
 segregation, 98  
 seismic wave propagation, 392–398  
 seismic anisotropy, 51, 53, 61, 213, 254, 255, 329, 337, 353, 354, 359, 360, 391–411  
     amplitude of anisotropy, 401  
     azimuthal anisotropy, 393, 395, 397, 398–399, 409  
     polarization anisotropy, 393, 399–401, 409  
         radial anisotropy, 404  
     seismic lithosphere, 352  
     seismic tomography, 61, 363, 365, 370, 387, 391  
     seismic wave, 305, 324  
         P wave, 397, 401, 408  
         S wave, 52  
         seismic wave attenuation, 34, 199–213, 321, 323, 324, 337, 372, 373  
         seismic wave propagation, 51  
         seismic wave velocity, 23, 47, 51, 61, 214, 363  
     SH wave, 396, 397, 398, 405  
     SV wave, 396, 397, 398, 399  
     seismological observation, 306–309, 312–314, 323–326, 363–390, 391–410  
     self-consistent approach, 214–231, 263, 264  
     self-consistent model, 221  
     self-diffusion, 144  
     SEM, 102, 164  
     semi-brittle behavior, 345, 351  
     semi-brittle regime, 120–122  
     semiconductor, 149  
     sense of shear, 267  
     sensor, 99  
     servo-control system, 104  
     servo-controlled actuator, 109  
     Shannon–Prewitt ionic radius, 61  
     shape-preferred orientation, 402  
         SPO, 402, 408  
     sharpness of the boundary, 365  
     shear band, 292  
     shear localization, 121, 226, 232, 288, 289, 295  
     shear modulus, 52, 86  
     shear strain, 3, 8  
     shear stress, 5–6, 52  
     shear wave splitting, 399, 400, 401, 409  
     shear zone, 300  
     sheared lherzolite, 318  
     SH-SV polarization anisotropy, 400  
     simple shear, 3, 10, 11, 37, 264, 292  
     simple shear deformation, 112–113  
     Si-site vacancy, 183  
     site percolation, 223  
     SKS, 397  
     SKS wave, 399, 400  
     slip, 82, 263  
         slip direction, 82  
         slip plane, 82  
         slip system, 82, 83, 87, 100, 148, 162, 258, 269, 360, 410  
     Snoek peak, 203  
     soft mode, 74  
     solar nebula, 316  
     solar system, 305, 316  
     solid-medium apparatus, 103  
     solid skeleton, 228  
     solid solution, 27, 401  
     solidus, 24, 178, 197, 354, 356  
     solubility, 181  
     solute atmosphere, 298  
     solvus, 27  
     Soret effect, 31  
     S–P mylonite, 299  
     specific heat, 25  
     spheroidal mode, 365  
     splitting function, 364  
     splitting of peaks, 400  
     SPO, 402, 408  
     stability of deformation, 137  
     stacking fault, 76, 83, 89  
     stagnant-lid convection, 350  
     standard linear solid, 44  
     stationary state, 32  
     statistical mechanics, 29  
     statistical physics, 33, 109  
     steady state  
         steady-state creep, 136  
         steady-state deformation, 35, 110  
         steady-state dislocation creep, 157–161  
         steady-state flow, 38  
         stereographic projection, 257  
     Stirling's formula, 16, 77  
     stochastic process, 76  
     stoichiometry, 28, 133, 134  
     strain, 3, 7, 7–12  
         dilatational strain, 3  
         Eulerian strain, 7  
         finite strain ellipsoid, 267, 268  
         Lagrangian strain, 7  
         strain ellipsoid, 9, 10, 11

**462** Subject index

- strain (cont.)
  - strain energy, 29
  - strain gradient, 90
  - strain hardening, 38
  - strain marker, 101
  - strain partitioning, 226
  - strain tensor, 7–8, 9
  - strain-induced grain-boundary migration, 246
- strain rate, 35
  - constant strain-rate test, 108
- stress, 3, 4, 12, 34, 35
  - chemical stress, 160
  - constant stress test, 109
  - deviatoric stress, 3, 6, 29, 31, 104
  - equivalent stress, 37
  - internal stress, 38, 111, 145, 152, 164, 280, 281, 283
  - internal stress–strain, 271
  - stress concentration, 114, 203, 229, 299, 345
  - stress exponent, 101, 165, 221
  - stress invariants, 4–5
  - stress partitioning, 226
  - stress relaxation function, 40
  - stress-dip test, 111, 164
  - stress-relaxation test, 110–111
  - stress–strain curve, 110
  - stress–strain distribution, 214, 215
- subboundary, 96
- subduction
  - subducted slab, 23, 334, 359, 360, 370, 389, 410
  - subduction zone, 334, 367, 409
- subgrain, 96, 158, 243
  - subgrain boundary, 158, 243, 246
  - subgrain growth, 248
  - subgrain rotation, 243, 246, 248, 265
- superplasticity, 109, 129–142, 266, 267, 288–301, 360
  - structural superplasticity, 137
  - superplastic creep, 266
  - superplastic deformation, 264
  - superplastic flow, 123
  - transformational plasticity, 137, 280–286, 359
- surface force, 4
- surface reaction, 236
- surface tension, 96, 233
- surface topography, 328
- surface wave, 317, 351, 364, 366, 399, 408
  - Love wave, 397
  - Rayleigh wave, 397, 399, 400, 401, 408
- Suzuki effect, 151
- synchrotron-based technique, 108
- systematics, 275
- Szigetti relation, 177
- Taylor
  - Taylor average, 216
  - Taylor factor, 299
- Taylor model, 218
- Taylor–Bishop–Hill model, 264
- tectonic field, 408
- TEM, 93, 97, 102, 196, 273
- tensor
  - fourth-rank tensor, 53
  - second-rank tensor, 3, 4, 53
- ternary system, 81
- terrestrial planet, 314
- texture, 255
- thermal activation, 33
- thermal defect, 76
- thermal diffusion, 207
- thermal expansion, 23, 25, 56, 61, 63, 66, 374
- thermal lithosphere, 352–353
- thermal pressure, 56
- thermal runaway instability, 294–295, 305–322
- thermally activated motion, 35, 76
- thermally activated process, 13, 32–33, 123, 125
- thermo-chemical environment, 102–104
- thermocouple, 103
- thermodynamics, 13
  - thermodynamic force, 31
  - thermodynamic Grüneisen parameter, 57
  - thermodynamic potential, 15
- thermoelasticity, 207–208
- thickness of grain boundary, 97
- thin film, 136
- thin fluid film, 136
- tidal deformation, 324
- tidal dissipation, 199
- tilt boundary, 94
- tomography, 364
- topography, 385
  - topography on discontinuity, 385–386, 388
- torsion apparatus, 99
- torsion test, 99, 100, 101, 112–113
- transformation kinetics, 190
- transformation plasticity, 280–286
- transient behavior, 140
- transient creep, 38, 46, 143, 146, 156, 326, 329–330, 337
  - transient diffusional creep, 203
  - transient dislocation creep, 204
- transition zone, 254, 271, 306, 312, 317, 319–320, 336, 359–360, 386, 387, 388–389, 401, 405, 409
- transmission electron microscope, 93, 97, 164
- transpression, 409
- transverse isotropy, 400, 404, 407
- trench, 409
- tri-axial compression, 3, 37, 112
- tri-axial compression test, 100, 112
- tri-axial testing apparatus, 99
- twin boundary, 207–212
- twinning, 122, 162, 263, 406
- twist boundary, 94

[Subject index](#)

463

- two-phase material, 215, 299  
two-phase mixture, 405
- ultra-low velocity region, 213, 320, 385  
ultra-mylonite, 232  
ultrasonic technique, 58  
ultrasonic wave, 58, 200  
uni-axial compression, 37  
unrelaxed model, 281  
upper mantle, 130, 254, 306, 317, 350–358, 382, 387–388, 408–409  
Urey ratio, 310
- V\**, 345  
vacancy, 29, 75, 76, 80, 182  
variational principle, 216, 217  
velocity of elastic waves, 41, 58  
Venus, 322, 346  
vibrational entropy, 17, 29  
Vickers indenter, 111  
viscoelasticity, 39, 199, 202  
viscosity, 339
  - effective viscosity, 36, 37, 342, 354
  - viscosity profile, 360
  - viscosity tensor, 36
  - viscosity-depth profile, 336viscous motion of melt, 210
- Voigt average, 216, 218  
Voigt model, 43, 44  
Voigt notation, 53  
volatile, 314, 318  
von Mises condition, 85–86  
vorticity, 8, 11
- Walsh mechanism, 211  
waveform inversion, 364  
Weertman model, 159  
wetting behavior, 230  
whole mantle convection, 316  
work hardening, 88, 110, 145, 146, 149, 155, 157, 188, 285,  
286, 293, 299  
work softening, 188, 293
- X-ray, 256  
X-ray diffraction, 57, 99, 106, 107, 108
- yield stress, 33, 116, 148, 161, 351  
yielding, 35
- Zener model, 43, 44, 45, 47  
Zener peak, 203  
Zener pinning, 225, 237–238, 296, 358  
zirconia sensor, 104