

Author Index

- Abe, M., 523
 Abowd, J. M., 767
 Abramowitz, M., 352, 390
 Abrevaya, J., 914
 Ahn, S. C., 766, 768, 777
 Aitchison, J., 235
 Aitken, M., 621, 623
 Akaike, H., 278
 Albert, J. H., 442, 450, 519
 Alexander, J. N., 630
 Allen, R. G. D., 3, 19
 Allenby, G. M., 482, 513
 Allison, P. D., 608, 609, 927, 940
 Al-Osh, M. A., 806
 Altman, N. S., 334
 Altonji, J. G., 177, 192, 379, 403, 767
 Alzaid, A. A., 806
 Amemiya, T., 3, 4, 119, 124, 126, 128, 163–4, 192, 196, 219–20, 237, 278, 283, 293, 328, 352, 370, 472–4, 479–80, 487, 499, 528, 537, 541, 547–8, 557, 561, 567, 569, 761, 857, 932, 946, 953, 956
 Amemiya, Y., 912–3, 921
 Andersen, E. B., 782, 809
 Andersen, P. K., 595, 609
 Anderson, K. H., 663
 Anderson, T. W., 191, 373, 758, 764, 765
 Andrews, D. W. K., 250, 257, 266–7, 322, 325, 334, 361, 362, 566, 638
 Andrews, W. H., 3
 Angrist, J. D., 34, 36, 38, 62, 70, 97, 106, 112, 192, 199, 770, 858, 872, 879, 883–5, 896–7, 909, 920
 Anselin, L., 845
 Arellano, M., 220, 707, 723, 740, 753, 758–9, 765–7, 777, 809
 Ashenfelter, O., 54, 57, 896
 Athey, S., 770
 Avery, R. B., 762, 789, 796
 Baker, M., 104, 106–8, 113, 624, 637–8, 767
 Balestra, P., 777
 Balshaw, R., 682
 Baltagi, B. H., 693, 722, 737–41, 760, 762, 767, 777, 801, 809
 Basmann, R. L., 190
 Bassett, G., 67, 87, 90, 113
 Bayes, T., 458
 Becker, S. O., 878, 889, 896
 Beckett, S., 61
 Beggs, S., 529
 Begun, J. M., 330
 Bekker, P. A., 191
 Bellemare, C., 334
 Ben-Akiva, M., 487, 516, 528
 Bera, A. K., 220, 233, 630
 Beran, R., 374
 Berkson, J., 472, 487
 Berndt, E., 138, 210, 238, 343
 Berry, S. T., 82, 513
 Bertrand, M., 708, 777
 Bhargava, A., 764
 Bhat, C. R., 409–10
 Bickel, P. J., 376, 382
 Bierens, H. J., 163, 268, 331, 374
 Biliyas, Y., 220
 Binder, M., 768
 Bingley, P., 888
 Bjorklund, A., 886, 896
 Bjørn, E., 920
 Blake, D., 600–1, 609
 Bliss, C. I., 487
 Blomquist, S., 192
 Blundell, R., 468, 558, 561–2, 766, 768, 805–7, 810
 Böckenholt, U., 807
 Bolduc, D., 528
 Bollinger, C. R., 907–8, 921
 Bond, S., 113, 758, 765–6, 777

AUTHOR INDEX

- Borgan, O., 595, 609
 Borjas, G., 641
 Borsch-Supan, A., 506, 528
 Bound, J., 104, 106–8, 113, 911
 Bover, O., 759, 766
 Bowley, A. L., 3, 19
 Bradley, P., 411–2
 Brännäs, K., 691
 Breitung, J., 789
 Breslow, N. E., 479
 Breunig, R., 820, 857
 Breusch, T. S., 275, 737, 761
 Bronars, S. G., 57
 Brooks, J. C., 562
 Brown, C., 58, 379–80, 911
 Browning, M., 771
 Brownstone, D., 382, 939
 Brundy, J. M., 211
 Bryk, A. S., 429, 847, 858
 Buchinsky, M., 88, 113, 361–2
 Bult, J. R., 622
 Bunch, D., 517
 Burkhauser, R. V., 663
 Burtless, G., 49–50, 61
 Buse, A., 235, 257
 Butler, J. S., 663, 786, 809
- Cameron, A. C., 149, 158, 267–9, 292, 329, 347, 482, 487, 520, 560, 562, 638, 665–6, 671, 673, 675–6, 683, 685, 687, 691, 806, 809, 915
 Campbell, D., 55, 62, 897
 Cappè, O., 458
 Card, D. E., 54, 97, 110, 112, 767, 770, 896, 900
 Cardell, S., 529
 Carlin, J. B., 432, 445–6, 451–2
 Carrasco, R., 888
 Carroll, R. J., 328, 333, 901, 921
 Carter, C. A., 562
 Casella, G., 409, 446, 459
 Chamberlain, G., 202, 220, 334, 701, 719, 753, 766, 777, 784, 786, 796–8, 802, 809–10
 Charlier, E., 808
 Chay, K. Y., 565, 570, 797–8
 Chen, M.-H., 609
 Chernozhukov, V., 190
 Chesher, A., 265, 267, 290, 292, 544, 916
 Chib, S., 450, 458–9, 519, 563, 595, 609, 687
 Chu, S. J. C., 767
 Cincera, M., 667
 Clayton, D. G., 649–50
 Cleveland, W., 320
 Cleves, M. R., 607–8
 Cochran, W. G., 817, 857
 Cockburn, I. M., 667
 Collado, M. D., 771, 773
 Conway, D., 920
 Cornwell, C., 762
 Cosslett, S. R., 479, 827
- Cox, D. R., 280, 289, 292, 574, 594–5, 608, 646
 Cragg, J. G., 545, 903–4, 909
 Crépon, B., 667, 687, 753, 804, 807
 Crooke, S. T., 491
 Cuzick, J., 649–50
- Dagenais, D. L., 909
 Dagenais, M. G., 909
 Dagpunar, J., 411
 Dagsvik, J. K., 507, 512, 528
 Dahlberg, M., 192
 Daly, A., 506
 Danielsson, J., 409
 Das, M., 566
 Davey, A., 939
 David, H. A., 643
 Davidson, J., 164, 956
 Davidson, R., 38, 109, 112, 134, 163, 175, 180, 191, 220, 233, 241, 251, 257, 276, 283, 292, 352, 956
 Davis, P., 739, 857
 Davison, A. C., 374
 Dean, C., 682
 Deaton, A., 59–61, 771–3, 820, 857–8
 Deb, P., 553, 666, 671, 679, 688, 690–1, 888
 Dehejia, R. H., 873, 875–6, 889–90, 893–8
 Deistler, M., 126
 Delgado, M. A., 685
 Dempster, A. P., 346
 Deng, Y., 641
 DeSarbo, W. S., 622
 Devroye, L., 411
 Diggie, P. J., 740, 783, 809
 DiNardo, J., 112, 716
 Domowitz, I., 159, 164
 Donald, S. G., 103, 858
 Dorsey, R. E., 486
 Drukker, D. M., 379
 Duan, N., 545, 552, 555, 569
 Dubin, J. A., 558–9, 569
 Duflo, E., 708, 777
 Duguet, E., 667, 687, 807
 DuMouchel, W. K., 819–21
 Duncan, G. J., 58, 819–21, 911
 Durbin, J., 271, 908
- Efron, B., 257, 357, 361, 364–5, 375, 382
 Eicker, F., 81, 112, 137
 Elbers, C., 619
 Engel, E., 3
 Engle, R. F., 38, 325, 654
 Ervin, L. H., 75
- Fahrmeir, L., 600, 621, 809
 Fan, J., 320, 333
 Farkas, G., 888
 Ferall, C., 609
 Ferguson, T. S., 202
 Ferrier, G. D., 347, 352

AUTHOR INDEX

- Fisher, R. A., 49, 139, 164, 459
 Fleming, T. R., 609
 Flinn, C., 663
 Fox, B. L., 411–2
 Freedman, D. A., 38, 321, 381, 382
 Frees, E. W., 655, 663
 Friedlander, D., 860
 Friedman, J. H., 382
 Fuller, W., 920
- Gallant, A. R., 163, 321, 328–9, 404, 564–5
 Gamerman, D., 433, 446, 458
 Geil, P., 42, 666
 Gelfand, A. E., 449
 Gelman, A., 432, 445–6, 451–2, 458
 Geman, D., 449
 Geman, S., 449
 Gentle, J., 352
 George, E., 459
 Georges, P., 655
 Geweke, J., 403, 406–8, 444–5, 458–9, 518
 Ghosh, A., 233
 Gijbels, I., 320, 333
 Gilks, W. R., 447, 458
 Gill, J., 458
 Gill, R. D., 595, 609
 Girma, S., 771
 Gleason, J. R., 374
 Glewwe, P., 59
 Godambe, V. P., 135
 Goffe, W. L., 347, 352
 Goldberg, P. K., 512
 Goldberger, A. S., 68, 130, 543, 908, 920
 Götze, F., 374, 376
 Gould, W. W., 607–8
 Gouriéroux, C., 38, 148, 158, 257, 290, 394, 396, 404,
 416, 569, 621, 667–8, 683, 685, 691, 940
 Gowrisankaran, G., 888
 Granger, C. W. J., 325
 Grasdal, A., 800–1
 Graubard, B. I., 857
 Greenberg, D., 860
 Greenberg, E., 450, 459
 Greene, W. H., 14, 38, 112, 119, 164, 191, 214,
 220, 252, 280, 292, 487, 511, 523, 528, 550,
 569, 609, 638, 666, 736, 740, 784–5, 800, 908,
 920, 956
 Greenwald, B. C., 858
 Gregory, A. W., 232
 Griffith, R., 805–7
 Griliches, Z., 667, 691, 792, 793, 802, 805–6, 810,
 853
 Gritz, M. R., 609
 Grogger, J., 57
 Gronau, R., 558
 Grootendorst, P., 666
 Grosh, M. E., 59
 Groves, R. M., 857
- Gruber, J., 54
 Guitierrez, R. G., 607–8
 Guo, J. Q., 677, 915, 921
 Gurmu, S., 665–6, 691
- Haan, W. J., 175
 Hahn, J., 107, 113, 192, 877, 896, 920
 Haisken-DeNew, J., 716
 Hajivassiliou, V. A., 396, 407–8, 416, 518–9, 521
 Hale, C., 192
 Hall, A., 105, 267
 Hall, B., 138, 343, 667, 691, 792–3, 802, 805–6, 810,
 853
 Hall, D. B., 844
 Hall, R., 138, 343
 Hall, P., 371, 374, 379, 382
 Hall, W. J., 330
 Hallock, K. F., 89–90, 113
 Hamilton, J., 131, 175, 220
 Han, A. K., 485, 601–2, 609, 620, 637–8, 662–3
 Hanemann, W. M., 560
 Hanratty, M., 54
 Hansen, C., 190
 Hansen, L. P., 166, 171, 176, 220, 277, 789, 796
 Hansen, P. R., 286
 Härdle, W., 295, 299, 314–9, 321, 326, 333–4, 395,
 415
 Harrington, D. P., 609
 Harris, R. D. F., 768
 Hartley, R., 347
 Harvey, A., 352
 Harville, D. A., 775–6
 Hastie, T. J., 327
 Hastings, W. K., 451
 Haughton, D., 625
 Hausman, J. A., 52, 61, 107, 113, 138, 192, 271, 276,
 292, 343, 503, 520, 529, 601–2, 609, 620, 637–8,
 662–3, 667, 691, 718, 761, 777, 792–3, 801–2,
 805–6, 810, 829, 853, 857, 904, 913–4, 918,
 920
 Hayashi, F., 112, 220
 Heagerty, P., 740, 783, 809
 Heckman, J. J., 3, 38, 49, 61, 52–3, 543, 547, 549–50,
 558, 562, 569, 617, 619–22, 637–8, 641, 646, 655,
 663, 800, 860–1, 869, 874, 877, 886, 896–7
 Hendry, D. F., 19, 38, 257, 956
 Herriges, J. A., 491, 512
 Heyde, C. C., 459
 Hinkley, D. V., 374
 Hirano, K., 143, 896
 Hoch, I., 740
 Hoerl, A. E., 440
 Holland, P. W., 23, 32, 34, 38
 Holly, A., 257, 274
 Holt, D., 724, 836, 838
 Holtz-Eakin, D., 758, 765
 Honore, B. E., 565, 570, 646, 656, 766, 777, 798, 802,
 808–9

AUTHOR INDEX

- Horowitz, J. L., 177, 319, 326, 333, 347, 361, 368,
 370, 372–3, 377, 379, 380–2, 484, 486–7, 569, 656,
 808
 Horton, N. J., 940
 Hosmer, D. W., 638
 Hotz, J., 53, 655, 789, 796, 869, 896
 Hougaard, P., 615, 621, 637, 651
 Houthakker, H. S., 3
 Hoynes, H., 797
 Hsiao, C., 36, 737–8, 740, 758, 764–6, 768, 777, 801,
 809, 909, 912–4, 918
 Huang, W., 330
 Huber, P. J., 119, 137, 144, 146
 Hyslop, D., 797–8
- Ibrahim, J. G., 609
 Ichimura, H., 325, 327, 485, 874, 877, 896
 Ichino, A., 878, 889, 896
 Imbens, G. W., 192, 206, 220, 479, 770, 822, 827,
 857, 863, 883–5, 896–7
 Irish, M., 62, 290, 544, 771
 Isacsson, G., 62
- Jaeger, D. A., 104, 106–8, 113
 Jaggia, S., 574, 609, 621, 630, 632, 635–6, 638
 Jeliaskov, I., 458
 Jennrich, R. I., 126
 Jensen, E. R., 888
 Joe, H., 652–3, 654
 Johansson, P., 329, 347, 675, 687, 691
 Johnson, N. L., 112, 477, 541, 674
 Johnston, J., 112
 Johnstone, I. M., 459
 Jordan, P., 915
 Jorgenson, D. W., 211
 Judge, G. G., 112, 220
 Jureen, L., 3
- Kadane, J. B., 390
 Kalbfleisch, J., 576, 578, 580, 582, 576, 595, 597–8,
 600, 608
 Kamakura, W. A., 515
 Kapteyn, A., 739
 Karlström, A., 507, 512, 528
 Karlin, S., 638
 Kass, R. E., 390, 456, 457
 Kazimi, C., 382
 Keane, M. P., 403, 406, 408, 459, 517–8
 Keiding, N., 595, 609
 Kelijian, H. H., 487
 Kemp, A. W., 674
 Kenkel, D. S., 888
 Kennan, J., 574
 Kennard, R. W., 440
 Kennedy, W., 352
 Kennickell, A. B., 924, 939
 Kiefer, N., 590, 600, 609, 638
 Killingsworth, M., 558
- Kim, E. H., 62
 King, G., 479
 Kish, L., 857
 Klein, J. P., 588
 Klein, R. W., 324, 485–6, 523, 914
 Klepper, S., 906, 907, 908
 Kling, C. L., 491, 512
 Kling, J. R., 110–1
 Kloek, T., 407, 444, 724, 836, 838, 857
 Kmenta J., 723
 Kniesner, T. J., 685
 Koenker, R., 67, 87, 89–90, 113, 275
 Kollia, G. D., 586
 Koop, G., 458, 775, 809
 Koopmans, T. C., 38
 Koppelman, F., 511
 Korn, E. L., 857
 Kotz, S., 477, 541, 674
 Krashinsky, H., 910
 Krewski, D., 855
 Krueger, A. B., 36, 38, 54, 57, 70, 97, 106, 112, 192,
 196, 716, 770, 872, 920
 Kuan, C. M., 322
 Kuersteiner, G., 192
 Kuh, E., 740
 Künsch, H. R., 374
 Kyriazidou, E., 798, 808–9
- Laird, N. M., 346
 Lalonde, R., 860, 873, 889, 896
 Lancaster, T., 265, 292, 458, 479, 576, 578, 584, 586,
 588, 595, 609, 616–8, 629, 638, 782, 809, 822, 827,
 857
 Lang, K., 858
 Lavy, V., 62, 858, 879
 Lawless, J. F., 220, 586, 608
 Leamer, E. E., 419, 439, 458–9, 906–8, 920
 Lechner, M., 789
 Lee, C.-I., 113
 Lee, L.-F., 523, 557–8, 561, 563, 569–70, 810, 845,
 911
 Lee, M.-J., 68, 302, 304, 306, 331–3, 487, 569, 701,
 730, 748, 777, 798, 809
 Lee, S., 656, 808
 Lemeshow, S., 638
 Lerman, S. R., 416, 479, 487, 528, 828, 857
 Leung, S. F., 551–3
 Levi, M., 904
 Levin, A. T., 175
 Levin, L., 767–8
 Li, D., 693
 Li, H., 381
 Li, Q., 722
 Li, T., 687, 913, 915, 918, 921
 Liang, K.-Y., 796, 809, 970
 Lien, D., 283
 Lillard, L., 940
 Lin, C.-F., 767–8

AUTHOR INDEX

- Lindeboom, M., 648, 651
 Lindley, D. V., 429, 775, 847
 Lindsey, B. G., 622
 Linton, O., 314, 333, 415
 Lipsitz, S. R., 940
 Little, R. J. A., 940
 Liu, R. Y., 377
 Lo, A. W., 520
 Loh, W.-Y., 374
 Long, J. S., 75
 Lovell, M. C., 285
 Luce, R. D., 500
 Lunde, A., 600–1, 609
- MaCurdy, T. E., 171, 729, 754, 761, 767–8, 800
 MacKinlay, A. C., 520
 MacKinnon, J. G., 38, 75, 109, 112, 134, 163, 175, 180, 191, 220, 233, 241, 251, 257, 276, 283, 292, 352, 362, 382, 956
 Madansky, A., 920
 Maddala, G. S., 3, 4, 6, 352, 381, 472–4, 480, 487, 499, 509, 511, 526, 528, 537, 541, 556–7, 561, 569
 Magdalinos, M. A., 277
 Magnac, T., 798
 Mairesse, B., 753
 Mammen, E., 319, 377
 Manning, W. G., 545, 552, 555, 569, 671
 Manski, C. F., 29, 38, 44, 67–8, 85, 112, 135, 381, 416, 479, 483–4, 487, 528, 566, 808, 828, 857
 Manton, K. G., 620, 637
 Marron, J. S., 395
 Marschak, J., 3, 28, 38
 Marshall, A. W., 649
 Martin, M. A., 374
 Mathiowetz, N., 920
 Matzkin, R. L., 322
 Mátyás, L., 740, 777, 809
 Mayer, W. J., 486
 McCall, B. P., 603, 639, 644–5, 658, 661, 663
 McCallum, B. T., 900
 McCullagh, P., 149, 164, 289, 343, 667, 683, 691, 783
 McCulloch, C. E., 655
 McCulloch, R., 519
 McDonald, J., 542
 McFadden, D., 3, 124, 126, 127, 163–4, 248, 400, 403, 406–7, 416, 474, 479, 482, 487, 499, 503, 506, 508–9, 510–2, 515, 518–9, 528, 558–9, 569, 953
 Mealli, F., 643, 655, 657–8, 663
 Meijer, E., 906, 909–10, 920, 921
 Melenberg, B., 334, 544, 565–6, 570, 808
 Melino, A., 619, 624, 637–8
 Melion, A., 42, 666
 Meng, X.-L., 940
 Meyer, B. D., 55, 61, 600–1, 609, 620, 637–8, 662
 Miller, D. J., 112, 220
 Miller, R. G., 375
 Milne, F., 560, 665–6, 687
 Min, C.-K., 458
- Mittelhammer, R. C., 112, 220
 Mizon, G. E., 283, 761
 Moeschberger, M. L., 643
 Moffitt, R., 542, 786, 809, 860, 886, 896
 Monfort, A., 38, 148, 158, 257, 290, 394, 396, 404, 416, 569, 621, 667–8, 683, 685, 691, 940
 Montalvo, J. G., 807
 Moon, H. R., 767
 Morgan, M. S., 19
 Morris, C. N., 545, 552, 555, 569
 Mosteller, F., 89
 Moulton, B. R., 836, 837, 841, 857
 Mroz, T. A., 276, 548, 558, 569
 Mudholkar, G. S., 586
 Mullahy, J., 546, 555, 684, 687–8, 691
 Mullainathan, S., 708, 777
 Mundlak, Y., 719, 740, 786
 Munkin, M., 687
 Murphy, K., 200, 220
- Nadaraya, E. A., 312, 334
 Nagar, A. L., 113,
 Nagase, N., 551
 Nakamura, T., 915–6, 918
 Narendranathan, W., 609, 616
 Nawata, K., 551
 Nelder, J. A., 149, 164, 289, 343, 667, 683, 691, 783
 Nelsen, R. B., 652
 Nelson, C. R., 108, 113–4
 Nelson, F. D., 547, 561, 651
 Nerlove, M., 36, 777
 Nevo, A., 482, 513
 Newey, W. K., 103, 124, 126–7, 137, 159, 163–4, 175, 180, 200, 220, 257, 264, 292, 322, 330, 334, 380, 566, 723, 758, 765, 913, 918, 953
 Newhouse, J. P., 50, 545, 552, 555, 569, 671
 Newman, J. L., 655
 Neyman, J., 32, 233, 237, 781
 Nickell, S., 609, 616, 618, 764
 Nychka, D. W., 328–9, 564–5
- Oakes, D., 595, 608
 Olkin, L., 561, 649
 Olsen, R. J., 551, 888
 Owen, A. B., 203, 220
- Paarsch, H. J., 563
 Pagan, A. R., 200, 220, 264, 275, 292, 302, 304, 306, 310, 317, 319, 325, 330, 333–4, 486–7, 534, 565, 569, 737
 Pakes, A. S., 406, 416
 Palmgren, J., 805
 Park, J. Y., 233
 Parzen, E., 334
 Pearl, J., 38
 Pearson, E. S., 237
 Pedroni, P., 767
 Pendergast, J., 841, 857

AUTHOR INDEX

- Pesaran, B., 280–1, 292, 492
 Pesaran, M. H., 280–1, 292, 492, 723, 766–8
 Phillips, G. D. A., 192
 Phillips, P. C. B., 233, 371, 767
 Piggott, J., 560, 665–6, 687
 Pischke, S., 716
 Pitt, M. M., 888
 Pohlmeier, W., 666, 681, 691
 Politis, D. N., 373
 Polivka, A. E., 58
 Pollard, D., 406, 416
 Porter, J., 143
 Poskitt, D. S., 105
 Poterba, J. M., 914
 Powell, J. L., 85, 88, 322, 324, 326, 334, 486, 564–6,
 570, 808, 913, 918
 Prais, S. J., 3
 Prentice, R. L., 479, 576, 578, 580, 582, 595, 597–8,
 600, 608
 Press, W. H., 352, 390, 409, 416
 Pritchett, J. B., 609
 Pudney, S., 5, 643, 655, 657–8, 663, 857
 Puterman, M. L., 667
 Pyke, R., 479
- Qin, J., 220
 Quandt, R., 352
 Quenouille, M. H., 375
 Quigley, J., 641
- Rabe-Hesketh, S., 786
 Radulović, D., 663
 Raftery, A. E., 456–7
 Ramaswamy, V., 622
 Ramsey, J. B., 278
 Rao, C. R., 946–50, 956
 Rao, J. N. K., 855
 Raudenbush, S. W., 429, 847, 858
 Reid, F., 482
 Reiersol, O., 908
 Renault, E., 290, 404
 Revelt, D., 513, 528
 Rice, J., 325
 Richard, J.-F., 38, 283, 409
 Richardson, S., 447, 458
 Ridder, G., 619, 896
 Ripley, B. D., 408, 411
 Rivers, D., 561
 Robb, R., 896
 Robert, C. P., 409, 446, 458
 Roberts, H. V., 920
 Robins, P., 860
 Robinson, P. M., 323–5, 328, 334, 565, 566
 Rogers, J., 347, 352
 Rogers, W. L., 911
 Romano, J. P., 373
 Rose, N., 665
 Rosen, H. S., 528, 758, 765
- Rosenbaum, P., 865, 873, 881, 896
 Rosenblatt, M., 299, 334
 Rosenzweig, M., 57, 62, 888
 Rossi, P. E., 482, 513, 519
 Rothenberg, T. J., 202, 370–1
 Rotte, R., 42, 666
 Roy, A., 32, 555, 557, 569
 Rubin, D. B., 32, 346, 432, 445–6, 451–2, 458, 621,
 623, 863, 865, 873, 881, 883, 885, 896, 925–6, 934,
 940
 Rubin, H., 191
 Rudebusch, G., 105
 Runkle, D., 403
 Rupert, P., 762
 Ruppert, D., 333, 901, 921
 Russell, J. R., 654
 Rust, J., 29
 Ruud, P. A., 112, 292, 403, 416, 472, 521, 956
- Sakata, S., 856
 Salant, S. W., 617, 626–7, 638
 Sapra, S., 609, 638, 663
 Sargan, J. D., 20, 23–5, 40, 113, 220, 277, 286, 371,
 764
 Savin, N. E., 210, 230, 238
 Schafer, J. L., 927–8, 935, 939
 Schafgens, M. M. A., 566
 Schechtman, E., 374
 Schmidt, C. M., 716
 Schmidt, P., 25, 214, 761, 766, 768, 777
 Schrage, L. E., 411–2
 Schwarz, G., 279
 Schweizer, B., 653
 Scott, A. J., 724, 836, 838
 Scott, E. L., 781
 Scott-Morton, F. M., 914
 Segal, L. M., 177, 192, 379, 403, 767
 Seifert, H.-G., 126
 Sepanski, J. H., 911
 Serfling, R., 119
 Severini, T. A., 330, 334, 844
 Sevestre, P., 740, 777, 809
 Shanahan, M. J., 939
 Shao, J., 855
 Shaw, D., 823
 Shea, J., 105, 107, 109
 Sherman, R. C., 485, 523, 914
 Silverman, B. W., 334
 Silvey, S. D., 235
 Singal, V., 62
 Singer, B., 617, 619–22, 637–8
 Singh, K., 370, 382
 Singleton, K. J., 171
 Sinha, D., 609
 Skeels, C. L., 105
 Skinner, C. J., 857
 Sklar, A., 651, 663
 Skrondal, A., 786

AUTHOR INDEX

- Small, K. A., 528
 Smith, A. A., 404
 Smith, A. F. M., 429, 449, 775, 847
 Smith, J. A., 49, 52, 53, 61, 860–1, 874, 877, 896
 Smith, J. P., 940
 Smith, M. D., 654
 Smith, R., 767
 Smith, R. J., 561–2
 Snell, E. J., 289
 Solari, M. E., 907
 Solon, G., 767, 921
 Spady, R. H., 324, 485–6, 523
 Speckman, P., 325
 Spiegelhalter, D. J., 447, 458
 Srivastava, D. K., 586
 Stafford, F. P., 58
 Staiger, D., 105, 109
 Stallard, E., 620, 637
 Startz, R., 108, 113–4
 Stefanski, L. A., 915–6, 921
 Stegun, I. A., 352, 390
 Steinbrickner, T. R., 939
 Stern, H. S., 432, 445–6, 451–2
 Stern, J., 609, 616
 Stern, S., 416
 Stevens, A. H., 656
 Stigler, S. M., 112, 458
 Stock, J. H., 105, 109, 112–3, 326
 Stoker, T. M., 92, 326, 487
 Stone, C. J., 322, 334
 Stone, R., 3
 Sueyoshi, G. T., 601, 619
 Sullivan, R., 286
 Summers, L. H., 914
 Sun, B. H., 914
 Swait, J., 515
 Swamy, P. A. V. B., 775
 Szu, H., 347
- Tahmiscioglu, M., 766
 Tanner, M. A., 449, 455
 Tauchen, G., 264, 292, 404
 Taylor, H. M., 638
 Taylor, W. E., 761, 777
 Terza, J., 688, 691, 888
 Theil, H., 189, 209, 214
 Thistlethwaite, D., 897
 Thomas, J. M., 646
 Thompson, T. S., 484
 Thomson, C. J., 491
 Tibsharani, R. J., 327
 Tierney, L., 390
 Timmermann, A., 286, 600–1, 609
 Tobias, J. I., 897
 Tobin, J., 3, 529, 536, 569
 Todd, P. E., 874, 896
 Topel, R., 200, 220
 Town, R. J., 888
- Trebbi, F., 113
 Train, K. E., 409–10, 416, 433, 459, 487, 505, 511, 513–4, 518, 528, 798
 Tripathi, G., 330, 334
 Trivedi, P. K., 149, 158, 267–8, 289, 292, 520, 553, 560, 630, 632, 638, 655–6, 671, 673, 675–7, 683, 685, 687–8, 690–1, 806, 809, 888, 915, 921
 Trochim, W., 879
 Trognon, A., 148, 158, 290, 667–8, 683, 685, 691
 Trost, R. P., 561
 Tsiatsis, A., 646
 Tu, D., 855
 Tukey, J. W., 89, 375
 Tunali, I., 609
 Tutz, G., 600, 621, 809
 Tzavalis, E., 768
- Ullah, A., 302, 304, 306, 310, 317, 319, 325, 330, 333–4, 486–7, 534, 565, 569, 820, 857
 Ulrich, V., 666, 681, 691
 U. S. Census Bureau, 855
- Valdez, E. A., 655, 663
 Valletta, R., 939
 Van den Berg, G., 609, 619, 638, 646, 648, 651, 802, 809
 Van Dyck, H., 407, 444
 Van der Klaauw, W., 879–81, 896
 Van Ophem, H., 888
 Van Order, R., 641
 Van Reenen, J., 805–7
 Van Soest, A., 334, 544, 565–6, 570, 808
 Van Zwet, W. R., 376
 Vaupel, J. W., 620, 637
 Veall, M. R., 232
 Vella, F., 264, 275, 292, 534, 566, 570, 801, 897
 Verbeek, M., 773, 801, 897
 Verdinelli, I., 457
 Vuong, Q. H., 280–3, 292, 479, 561
 Vytlačil, E., 886, 897
- Wahba, S., 873–5, 889–96, 898
 Wald, A., 99, 224
 Walker, I., 888
 Walker, J., 516
 Walker, J. R., 566
 Wand, M. P., 333
 Wang, P., 667
 Wansbeek, T. J., 739, 906, 909–10, 920–1
 Wasserman, L., 457
 Watson, G. S., 312, 334
 Wedderburn, R. W. M., 667, 683
 Wedel, M., 515, 622
 Wegkamp, M., 663
 Weiss, A., 325
 Welch, F., 940
 Wellner, J. A., 330

AUTHOR INDEX

- Wen, C., 511
West, K. D., 137, 159, 175, 257, 723
White, H., 75–6, 91, 102, 112, 131, 137, 146–7, 155,
159, 163–4, 265, 275, 286, 292, 322, 948, 951, 956
Wilcox, D., 105
Williams, H., 506
Willmot, G. E., 677
Windmeijer, F. A. G., 113, 289, 806, 810
Winkelmann, R., 665, 674, 687
Wise, D. A., 52, 61, 801, 829, 857
Wolak, F. A., 257
Wold, H., 3
Wolf, M., 373
Wolff, E. F., 653
Wolpin, K., 57, 62
Wolter, K. M., 855
Wong, W. H., 449, 455
Wooldridge, J. M., 119, 150, 217, 220, 238, 244, 263,
274–5, 292, 701, 718, 740, 784, 801, 809, 858, 863,
886–7, 953, 956
Wright, J. H., 109, 112–3
Wu, C. F. G., 377, 855
Wu, D., 271
Yatchew, A., 319, 325, 333–4, 380
Yogo, M., 109, 112–3
Yoon, M.-J., 630
Yu, S., 551–3
Yule, G. U., 112
Zachary, S., 506
Zaman, A., 164
Zellner, A., 209, 214, 419, 435–6,
458–9
Zeng, L., 479
Ziliak, J. P., 192, 709, 752, 754–6
Zeger, S. L., 796, 809, 970
Zimmer, D. M., 687
Zimmerman, D. J., 921
Zimmermann, K. F., 42, 666

Subject Index

- accelerated failure time (AFT) model, 591–2
 coefficient interpretation, 606–7
 definition, 592
 leading examples, 585
- accept-reject methods, 413–4, 445
- ACD. *See* average completed duration
- acronyms, 17
- AD estimator. *See* average derivative
- adaptive estimator, 323, 328, 684
- adding-up constraints, 210
- additive model, 323, 327, 523
- additive random utility model (ARUM)
 binary outcome models, 476–8
 generalized random utility models, 515–6
 identification, 504
 multinomial outcome models, 504–7
 nested logit model, 509, 526–7
 RPL model, 513
 welfare analysis in, 506–7
- admissible estimator, 435
- AFT. *See* accelerated failure time
- aggregated data
 binary outcomes, 480–2
 cohort-level, 772
 nonlinear models, 482, 487
 multinomial outcomes, 513
 time-aggregated durations, 578, 600–3
see also discrete-time duration data
- AIC. *See* Akaike information criterion
- AID. *See* average interrupted duration
- Akaike information criterion (AIC), 278–9, 284, 624
- almost sure convergence, 947–8
- analog estimator, 135
- analog principle, 135
 and method of moments estimators, 167
- analysis of covariance, 733
- analysis of variance, 733
- Anscombe residual, 289
- antithetic sampling, 408–9, 445
- applications with data
 competing risks models, 658–62
 duration models, 603–8, 632–6
 IV estimation, 110–2
 kernel regression, 295–7, 300
 logit and probit models, 464–6, 486
 multinomial and nested logit models, 491–5, 511
 Poisson and negative binomial models, 671–4, 690
 panel fixed and random effects estimation, 708–15
 panel GMM linear estimation, 754–6
 panel nonlinear estimation, 792–5
 quantile regression, 88–90
 selection and two-part models, 553–6, 565
 survival function, 574–5, 582
 treatment evaluation estimation, 889–96
see also data sets used in applications
- Archimedean family, 654
- Arellano-Bond estimator, 765–6, 777
 application, 754–6
 nonlinear models, 791
 unit roots, 768
- ARMA. *See* autoregressive moving average
- artificial nesting, 283
- ARUM. *See* additive random utility model
- asymptotic distribution, 953–4
 asymptotic efficiency, 954
 asymptotic normal distribution, 953
 definition, 74, 120, 953
 estimated asymptotic variance, 954
 of extremum estimators, 127–31
 of FGLS estimator, 82–3
 of FGNLS estimator, 156–7
 of first-differences estimator, 730–1
 of fixed effects estimator, 727–9
 of GMM estimator, 173–4, 182–3, 185–6, 194–5, 745–6
 of Hausman test statistic, 271–4

SUBJECT INDEX

- of kernel density estimator, 301–2, 330–1
- of kernel regression estimator, 313, 331–3
- of LM test statistic, 235, 237–8
- of LR test statistic, 235, 237
- of m-estimators, 119–21
- of MD estimator, 292
- of ML estimator, 142–3
- of MM estimator, 134, 174
- of MSL estimator, 394–5
- of MSM estimator, 400–2
- of m-test statistics, 260, 263
- of NLS estimator, 152–4
- of NL2SLS estimator, 195–6
- of OIR test statistic, 181, 183
- of OLS estimator, 73–4, 80–1
- of panel GMM estimator, 745–6
- of quasi-ML estimator, 146
- of random effects estimator, 735
- of Wald test statistic, 226–8
see also asymptotic theory
- asymptotic efficiency, 954
- of optimal GMM, 177
- asymptotic refinement, 359, 371–2
 - by bootstrap, 256, 363–7, 371–2, 378–9
 - definition, 359
 - by Edgeworth expansion, 371–2
 - by nested bootstrap, 374, 379
- asymptotic theory definitions, 943–55
 - asymptotic distribution, 953
 - asymptotic variance, 954
 - central limit theorems, 949–52
 - consistency, 945
 - convergence in distribution, 948–9
 - convergence in probability, 944–7
 - laws of large numbers, 947–8
 - limit distribution, 948
 - limit variance, 952–3
 - stochastic order of magnitude, 954
 - summary of definitions and theorems, 944
- asymptotic variance, 74, 120, 954
 - estimated asymptotic variance, 74, 954
 - see also* asymptotic distribution
- asymptotically pivotal statistic, 359–60, 363–4, 366, 372, 374, 379–80
- ATE. *See* average treatment effect
- ATET. *See* average treatment effect on the treated
- attenuation bias, 903–5, 911, 915, 919–20
- attrition bias, 739, 800–1, 940
- augmented regression model, 429
- autocorrelation
 - in panel model errors, 705–8, 714–5, 722–5, 745–6
 - dynamic panel models, 763–8, 791–2, 797–9, 806–7
 - see also* panel-robust inference
- autoregressive moving average (ARMA) errors
 - definition, 159
 - NLS estimator, 159
 - panel data, 722–5, 729
- auxiliary model, 404
- auxiliary regression
 - bootstrapping, 379, 382
 - example, 241–3, 269–71
 - Hausman test, 276, 718–9
 - LM test, 240–1, 274
 - m-test, 261–4, 544
- available case analysis. *See* pairwise deletion
- average completed duration (ACD), 626
- average derivative (AD) estimator
 - definition, 326
 - uses, 317, 483
- average interrupted duration (AID), 626
- average selection bias, 868
- average squared error, 315
- average treatment effect (ATE), 33–4, 866–71
 - definition, 866
 - difficulties estimating, 866
 - local ATE, 883–6
 - matching estimators, 871–8
 - potential outcome model, 33–4
 - selection on observables only, 868–9
 - selection on unobservables, 868–71
 - see also* ATET; LATE; MTE
- average treatment effect on the treated (ATET), 866–78
 - application, 889–6
 - definition, 866
 - difficulties estimating, 866
 - matching estimators, 871–8, 894–6
 - selection on observables only, 868–9
 - selection on unobservables, 868–71
 - see also* ATE; LATE; MTE
- averaged data. *See* aggregated data
- backward recurrence time, 626
- balanced bootstrap, 374
- balanced repeated replication, 855
- balancing condition, 864, 893–4
- bandwidth, 299, 307, 312
- bandwidth choice for kernel density estimator, 302–4
 - cross validation, 304
 - example, 296–7
 - optimal, 303, 306
 - Silverman's plug-in estimate, 304
- bandwidth choice for kernel regression estimator, 314–6
 - cross validation, 314–6
 - example, 297, 316
 - optimal, 314, 318
 - plug-in estimate, 314
- baseline hazard, 591
 - in AFT model, 592
 - identification in mixture models, 618–20
 - in multiple spells models, 655–6
 - in PH model, 591, 596–7, 601–2
- Bayes factors, 456–8
- Bayes rule. *See* Bayes theorem

SUBJECT INDEX

- Bayes theorem, 421
 example, 422–4, 435–9
- Bayesian central limit theorem, 433
- Bayesian information criterion (BIC), 278, 284
see also AIC
- Bayesian methods, 419–59
 Bayes 1764 example, 458–9
 Bayesian approach, 420–35
 binary outcome models, 475
 compared to non-Bayesian, 164, 424–5, 432–41, 439–41
 count models, 687
 data augmentation, 454–5, 932–3, 935–9
 decision analysis, 434–5
 examples, 452–4
 hierarchical linear model, 847
 importance sampling, 443–5
 linear regression, 435–43, 449–50, 452–4
 Markov chain Monte Carlo simulation, 445–54, 935–9
 measurement error model, 915
 mixed linear model, 775
 model selection, 456–8
 multinomial outcome models, 514, 519
 panel data, 775, 809
 posterior distribution, 421, 430–4
 prior distribution, 425–30
 Tobit model, 563
- BCA method. *See* bias-corrected and accelerated before-after comparison
 application, 890–1
- Berkson error model, 920
- Berkson's minimum chi-square estimator, 480–1
- Berndt, Hall, Hall, and Hausman (BHHH) estimate, 138, 241, 395
- Berndt, Hall, Hall, and Hausman (BHHH) iterative method, 343–4
- Bernoulli distribution, 140, 148, 468, 475, 483
- Bernstein-von Mises Theorem, 433, 459
- best linear unbiased predictor, 738, 776
- between estimator, 702, 736, 841
 application, 710–3
- between-group variation, 709, 733
- between model, 702
- BFGS algorithm. *See* Boyden, Fletcher, Goldfarb, and Shannon
- BHHH estimate. *See* Berndt, Hall, Hall, and Hausman
 BHHH method. *See* Berndt, Hall, Hall, and Hausman
- bias-corrected and accelerated (BCA) bootstrap method, 360
- biased sampling, 42–5, 626–7
see also sample selection; endogenous stratification
- BIC. *See* Bayesian information criterion
- binary endogenous variable, 562
- binary outcome models, 463–89
 additive random utility model, 476–8
 aggregated data, 480–2
 alternative-invariant regressors, 478
 alternative-varying regressors, 478
 choice-based samples, 478–9
 corrected score estimator, 916–8
 definition, 466
 example, 464–5
 identification, 476, 483
 index function model, 475–6
 marginal effects, 467, 470–1
 measurement error in dependent variable, 914
 measurement error in regressors, 919
 ML estimator, 468–9
 model misspecification, 472
 multiple imputation example, 937–8
 OLS estimator, 471
 panel data, 795–9
 semiparametric estimation, 482–6
see also logit models; probit models
- binding function, 404–5
- bivariate counts, 215, 685–7
- bivariate negative binomial distribution, 686–7
- bivariate ordered probit model, 523
- bivariate Poisson distribution, 686
- bivariate Poisson-lognormal mixture, 686
- bivariate probit model, 522–3
- bivariate sample selection model, 547–53
 application, 553–5
 bounds, 566
 conditional mean, 548–50
 conditional variance, 549–50
 definition, 547
 Heckman two-step estimator, 550–1
 identification, 551, 565–6
 marginal effects, 552
 ML estimator, 548
 outcome equation, 547
 participation equation, 547
 semiparametric estimator, 565–6
 versus two-part model, 546, 552–3
- Bonferroni test, 230
- bootstrap hypothesis tests
 asymptotic refinement, 363–4, 366–7, 371–2, 378–9
 bootstrap critical value, 256, 363
 bootstrap p-value, 256, 363
 example, 366–8
 nonsymmetrical test, 363, 380
 power, 372–3
 symmetrical test, 363
 without asymptotic refinement, 363, 367–8, 378
- bootstrap methods, 357–83
 asymptotic refinement, 359, 366–7
 bias estimate, 365
 bias-corrected estimator, 365, 368
 clustered data, 363, 377–8, 845
 confidence intervals, 364–5, 368
 consistency, 369–70
 critical value, 363

SUBJECT INDEX

- examples, 254–6, 366–8
 for functions of parameters, 363
 general algorithm, 360
 for GMM, 379–80
 heteroskedastic data, 363, 376–7
 introduction, 254–6
 for nonsmooth estimators, 373, 380–1
 number of bootstrap samples, 361–2
 panel data, 363, 377–8, 708, 746, 751
 p-value, 363
 recentering, 374, 379
 rescaling, 374
 sampling methods for, 360
 smoothness requirements, 370
 standard error estimate, 362, 366
 time series data, 381
 variance estimate, 362
 without asymptotic refinement, 358, 367–8
see also bootstrap hypothesis tests
- bounds identification, 29
 in measurement error models, 906–8
- bounds in selection model, 566
- Boyden, Fletcher, Goldfarb, and Shannon (BFGS)
 algorithm, 344
- CAIC. *See* consistent Akaike information criterion
- calibrated bootstrap, 374
- caliper matching, 874, 895
- canonical link function, 149, 469, 783
- case-control analysis, 479, 823
- causality, 18–38
 examples, 69–70, 98
 Granger causality, 22
 identification frameworks and strategies,
 35–3
 in linear regression model, 68–9
 in potential outcome models, 32–4, 862–5
 in simultaneous equations model, 26–7
 in single-equation model, 31
 and weighting, 820–1
see also endogeneity
- cdf. *See* cumulative distribution function
- censored least absolute deviations (CLAD) estimator,
 564–5, 808
- censored models, 530–44, 579–80
 conditional mean, 535
 count models, 680
 definitions, 532, 579–80
 examples, 530–1, 535
 ML estimator, 533–4
 semiparametric estimation, 563–5
see also duration model; selection models; Tobit
 models; truncated models
- censored normal regression model. *See* Tobit model
- censoring mechanisms, 532, 579–80
 censoring from above, 532, 579
 censoring from below, 532, 579
 left censoring, 532, 579, 588
 independent censoring, 580
 interval censoring, 579, 588
 noninformative censoring, 580
 random censoring, 579
 right censoring, 532, 579, 581, 589
 sample selection, 44–5, 547
 type 1 censoring, 579
 type 2 censoring, 580
- census coefficient, 819
- central limit theorem (CLT), 949–2
 Cramer linear transformation, 952
 Cramer-Wold device, 951
 definition, 950
 examples of use, 80, 130
 Liapounov CLT, 950
 Lindeberg-Levy CLT, 950
 multivariate, 951–2
 sample average, 949
 sampling scheme, 131, 950
- CGF tests. *See* chi-square goodness-of-fit
- characteristic function, 370, 913, 950
- chatter, 394, 410
- Chebyshev's inequality, 946
- chi-square goodness-of-fit (CGF) tests, 266–7, 270–1,
 474
- choice-based samples, 823
 binary outcome models, 478–9
see also endogenous stratification
- Choleski decomposition, 416, 448
- CL model. *See* conditional logit
- CLAD estimator. *See* censored least absolute
 deviations
- Clayton copula, 654
- CLT. *See* central limit theorem
- clustered data, 829–53
 application, 848–53
 cluster bootstrap, 363, 377–8, 845
 cluster-robust inference, 707, 834, 842,
 845
 cluster sampling, 41–2
 cluster-specific effects, 830–2, 837–45
 comparison to panel data, 831–2
 diagnostic tests, 841
 dummy variables model, 840
 fixed effects estimator, 840–1, 843–5
 hierarchical models, 845–8
 large clusters, 832
 nonlinear models, 841–5
 OLS estimator, 75, 833–7
 quasi-ML estimator, 150
 random effects estimator, 837–9, 843
 small clusters, 832
see also panel data
- cluster-robust standard errors
 bootstrap, 363, 377–8, 845
 clustered data, 834, 842
 panel data, 706–7, 745–6, 789
see also robust standard errors

SUBJECT INDEX

- cluster-specific fixed effects (CSFE) estimator,
 839–41, 843–4
 application, 848–53
 between estimator, 840–1
 nonlinear models, 843–4
 within estimator, 140–1
- cluster-specific fixed effects (CSFE) model, 831, 843
- cluster-specific random effects (CSRE) estimator,
 837–9, 843–4
 application, 848–53
- cluster-specific random effects (CSRE) model, 831,
 843–4
- cluster variable, 707
- CM tests. *See* conditional moment
- coefficient interpretation
 in binary outcome models, 467, 473
 in competing risks model, 646
 in count model, 669
 in duration models, 606–7
 in misspecified linear model, 91–2
 in multinomial outcome models, 493–4, 501–3
 in nonlinear models, 122–4, 162–3
 in Tobit model, 541–2
see also marginal effects
- coherency condition, 562
- cohort-level data. *See* pseudo panels
- cointegration, 382, 767
- common parameters, 801
- compensating variation, 500–7, 512
- competing risks model (CRM), 642–8, 658–62
 application, 658–62
 censoring, 642
 coefficient interpretation, 646
 definitions, 642–4
 dependent risks, 647–8
 exit route, 643
 identification, 646
 independent risks, 644–6
 ML estimator, 644–5
 proportional hazards, 645–6
 spell duration, 643
 with unobserved heterogeneity, 647, 659
- complementary log-log model, 466–7, 603
- complete case analysis. *See* listwise deletion
- complex surveys, 41–2, 814–6, 853–6
- composition methods, 415
- computational difficulties, 350–2
- concentration parameter, 109
- conditional analysis, 717
- conditional expectations, 955–6
- conditional independence assumption, 23, 863, 865
 definition, 863
 for participation, 863
 given propensity score, 865
 selection on observables only, 868
 unconfoundedness, 863
- conditional likelihood, 139–40, 824
 panel models, 731–2, 782–3, 796–9, 805
- conditional logit (CL) model, 500–3, 524–5
 application, 491–4
 definition, 500
 fixed effects binary logit, 797, 844
 marginal effects, 493, 501–3, 525
 ML estimator, 501
 from ARUM, 505
see also multinomial outcome models
- conditional ML estimator, 731–2, 782–3, 796–9, 805,
 824
- conditional moment (CM) tests, 264–5, 267–9, 319
 consistent CM test, 268
 in duration models, 632
 example, 269–71
 in Tobit model, 544
see also m-tests
- conditional mean
 squared error loss, 67–9
- conditional mode
 step loss, 68
- condition number, 350
- conditional quantile
 asymmetric absolute loss, 68
- confidence intervals, 231–2, 316, 364–5, 368
- consistent Akaike information criterion (CAIC), 278
- consistent test statistic, 248
- consistency
 definition, 945
 of extremum estimators, 125–7, 132–3
 of GMM estimator, 173–4, 182
 of m-estimator, 132–3
 of ML estimator, 142, 146–50
 of NLS estimator, 155
 of OLS estimator, 73, 80
 strong consistency, 947
 weak consistency, 947
see also asymptotic distribution; identification;
 pseudo-true value
- constant coefficients model. *See* pooled model
- contagion, 612
- contamination bias, 903–4
- contemporaneous exogeneity assumption, 748–9, 752,
 781
- continuous mapping theorem, 949
- control function approach, 37
- control function estimator, 869–70, 890
- control group, 49
- conventions, 16–17
- convergence criteria, 339–40, 458
- convergence in distribution, 948–9
 continuous mapping theorem, 949
 definition, 948
 limit distribution, 948
 transformation theorem, 949
 vector random variables, 949
see also central limit theorem
- convergence in probability, 944–7
 alternative modes of convergence, 945

SUBJECT INDEX

- consistency, 945
 definition, 945
 probability limit, 945
 Slutsky's theorem, 945
 uniform convergence, 126, 301
 vector random variables, 945
see also law of large numbers
- copulas, 216, 651–5
 count example, 687
 definition, 651–2
 dependence parameter, 653–4
 leading examples, 654
 ML estimator, 655
 survival copulas, 652
- correlated random effects model, 719, 786
- counterfactual, 32, 555, 861, 871
see also potential outcome model
- count data, 665
 examples, 665
 heteroskedasticity, 665
 right-skewness, 665
see also count models
- count models, 665–93
 censored, 680
 application, 671–4, 690
 endogenous regressors, 683, 687–9
 endogenous sampling, 823
 finite mixture models, 678–9
 hurdle models, 680–1
 measurement error in dependent variable, 915
 measurement error in regressors, 915–8
 mixture models, 675–7
 multivariate, 685–7
 OLS estimator, 684
 negative binomial model, 675–7
 NLS estimator, 684
 panel data, 792–5, 802–8
 Poisson model, 666–74
 sample selection, 680
 semiparametric regression, 684–5
 truncated, 679–80
 zero-inflated, 681
- covariance matrix. *See* variance matrix
- covariance structures, 177, 379, 753, 766–7
- covariates. *See* regressors
- Cox CRM model. *See* competing risks
- Cox PH model. *See* proportional hazards
- Cox-Snell residual, 289, 631, 633–6
- CPS. *See* Current Population Survey
- Cramer linear transformation, 952
- Cramer-Rao lower bound, 143, 954
see also semiparametric efficiency bound
- Cramer's theorem, 949
- Cramer-Wold device, 130, 951
- CRM. *See* competing risks model
- cross-equation parameter restrictions, 210
- cross-section data, 47
- cross-validation, 304, 314–6, 318, 321
- CSFE estimator. *See* cluster-specific fixed effects
- CSRE. *See* cluster-specific random effects
- cumulant, 370
- cumulative distribution function (cdf), 576
- cumulative hazard function
 definition, 577–8
 in competing risks model, 644–5
 as diagnostic tool, 631–2
 in likelihood function, 588
 Nelson-Aalen estimator, 582–4, 605–6, 662
 in proportional hazards model, 590
- Current Population Survey (CPS), 58, 814–5
- curse of dimensionality
 in Bayesian methods, 419–20
 multivariate kernel density estimator, 306
 multivariate kernel regression estimator, 319
 high-dimensional integrals, 393
- data augmentation, 454–5, 932
 imputation step, 455, 932
 for missing data, 932–8
 prediction step, 455, 933
 regression example, 933
- data-generating process (dgp), 72–3, 124
 misspecified, 90, 132
- data mining, 285–6
- data sets. *See* microdata
- data sets used in applications
 Current Population Survey Displaced Workers
 Supplement (McCall), 603–8, 632–6, 658–62
 fishing-mode choice data (Kling and Herriges),
 463–6, 486, 491–5
 National Longitudinal Survey (Kling), 110–2
 National Supported Work demonstration project
 (Dehejia and Wahba), 889–95
 Panel Survey of Income Dynamics cross-section
 sample, 295–7, 300
 Panel Survey of Income Dynamics panel sample
 (Ziliak), 708–15, 754–6
 patents-R&D panel data (Hausman, Hall, and
 Griliches), 792–5
 Rand Health Insurance Experiment expenditures,
 553–6, 565
 Rand Health Insurance Experiment medical doctor
 contacts, 671–4, 692
 strike duration data (Kennan), 574–5, 582
 Vietnam World Bank Livings Standards Survey,
 88–90, 848–53
see also applications with data
- data structures, 39–62
 data sources, 58–9
 handling microdata, 59–61
 natural experiments, 54–8
 observational data, 40–8
 social experiments, 48–54
- data summary approach to regression, 820
- Davidon, Fletcher, and Powell (DFP) algorithm, 344,
 350–1

SUBJECT INDEX

- decomposition of variance, 955–6
 degenerate distribution, 948
 degrees-of-freedom adjustment, 75, 102, 138, 185–6, 278, 841
 delta method, 231–2
 bootstrap alternative, 363
 density kernel, 421
 density-weighted average derivative (DWAD)
 estimator, 326
 dependent variable, 71
 descriptive approach to regression, 820
 deviance, 149, 244
 deviance residual, 289, 291
 DFP algorithm. *See* Davidon, Fletcher, and Powell algorithm
 dgp. *See* data-generating process
 diagnostic tests. *See* specification tests
 DID estimator. *See* differences-in-differences
 differences-in-differences (DID) estimator, 55–7, 768–70, 878–9
 application, 890–1
 consistency, 770
 definition, 768
 introduction, 55–7
 natural experiments, 878
 with controls, 878–9
 without controls, 878
 direct regression, 906
 disaggregated data
 contrasted with aggregated data, 5–10
 discrete factor models, 678
 see also finite mixture models
 discrete outcomes. *See* binary outcomes; counts; multinomial outcomes
 discrete-time duration data, 577–8, 600–3
 cumulative hazard function, 578
 discrete-time proportional hazards, 600–3
 gamma heterogeneity, 620
 hazard function, 578
 logit model, 602
 ML estimator, 601
 nonparametric estimation, 581–4
 probit model, 602
 survivor function, 578
 dissimilarity parameter, 509
 disturbance term. *See* error term
 double bootstrap, 374
 dummy endogenous variable model, 557
 dummy variable estimator, 784–5, 800, 805, 840
 see also LSDV estimator
 duration data, 573–664
 different types, 626, 641
 duration models, 573–664
 accelerated failure time, 591–2
 applications, 574–5, 583, 589, 603–8, 632–6, 658–62
 censoring, 579–82, 587–9, 595, 642
 competing risks, 642–8, 658–62
 cumulative hazard function, 577–8
 discrete time, 577–8, 600–3
 generalized residual, 631
 hazard function, 576, 578
 key concepts, 576–8
 mixture models, 613–25
 ML estimator, 587–9
 multiple spells, 655–8
 multivariate, 648–55
 nonparametric estimators, 580–4
 OLS estimator, 590–1
 panel data, 801–2
 parametric models, 584–91
 proportional hazards, 592–7
 risk set, 581, 594
 semiparametric estimation, 594–600, 610–2
 specification tests, 628–32
 survivor function, 576, 578
 time-varying regressors, 597–600
 see also proportional hazards model
 DWAD estimator. *See* density-weighted average derivative
 dynamic panel models, 763–8, 791–2, 797–9, 806–7
 Arellano-Bond estimator, 765–6
 binary outcome models, 806–7
 count models, 806–7
 covariance structures, 766–7
 inconsistency of standard estimators, 764–5
 initial conditions, 764–5
 IV estimators, 764–5
 linear models, 763–8
 MD estimator, 767
 nonlinear models, 791–2, 797–9, 806–7
 nonstationary data, 767–8
 transformed ML estimator, 766
 true state dependence, 763–4
 unobserved heterogeneity, 764
 weak exogeneity, 749
 EDF bootstrap. *See* empirical distribution function bootstrap
 Edgeworth expansions, 370–1
 efficient score, 141
 Eicker-White robust standard errors, 74–5, 80–1, 112, 137, 164, 175
 see also heteroskedasticity robust-standard errors
 EM algorithm *see* expectation maximization
 empirical Bayes method, 442
 empirical distribution function (EDF) bootstrap, 360
 see also paired bootstrap
 empirical likelihood, 203–6
 empirical likelihood bootstrap, 379–80
 encompassing principle, 283
 endogeneity
 definition, 92
 due to endogenous stratification, 78, 824–5
 Hausman test for, 271–2, 275–6

SUBJECT INDEX

- identification frameworks and strategies, 35–7
see also endogenous regressors; exogeneity
- endogenous regressors, 78
 binary, 557, 562
 in count models, 683–4, 687–9
 in discrete outcome models, 473
 in duration models, 598
 dummy, 557, 562
 inconsistency of OLS, 95–6
 in linear panel models, 744–63
 in linear simultaneous equations model, 23–30
 in nonlinear panel models, 792
 in potential outcome model, 30–3
 returns-to-schooling example, 69–70
 in selection models, 559–62
 in single-equation models, 30
see also GMM estimator; IV estimator
- endogenous sampling, 42–5, 78, 822–9, 856
 consistent estimation, 827–9
 leading examples, 823
see also censored models; endogenous stratification; sample selection models
- endogenous stratification, 820, 826–7, 856
 equation-by-equation OLS, 210
 equicorrelated errors, 701, 722–4, 804
 equidispersion, 668, 670
 error components model. *See* RE model
 error components SEM, 762
 error components SUR model, 762
 error components 2SLS estimator, 760
 error components 3SLS estimator, 762
 error term, 71, 168
 additive, 168
 nonadditive, 168
 errors-in-variables. *See* measurement error
 estimated asymptotic variance, 954
see also asymptotic distribution
- estimated prediction error. *See* cross-validation
- estimating equations estimator, 13–5
 asymptotic distribution, 134–5, 174
 clustered data, 842
 computation, 339
 definition, 134
 generalized, 134, 790, 794, 804
 variance matrix estimation, 137–9
 weighted, 829
see also MM estimator
- Euler conditions, 171, 749
- exact identification. *See* just identification
- exchangeable errors, 701, 804
- exhaustive sampling, 815–6
- exogeneity, 22–3
 conditional independence, 23
 Granger causality, 22
 of instrument, 106
 overidentifying restrictions test for, 277
 panel data assumptions, 700, 748–52, 754, 781
 strong exogeneity, 22
 weak exogeneity, 22
- exogenous sampling, 42–3
 exogenous stratified sampling, 42, 78, 814–5, 820, 825, 856
 exogenous regressor. *See* exogeneity
- expectation maximization (EM) algorithm, 345–7
 for data imputation, 930–2
 E (Expectation) step, 346
 for finite mixture model, 623–5
 M (Maximization) step, 346
 compared to NR algorithm, 625
- expected elapsed duration, 626
- experimental data, 48–58
 control group, 49
 natural experiments, 54–8
 social experiments, 48–54
 treatment group, 49
- explanatory variables. *See* regressors
- exponential conditional mean, 124, 155, 669
 coefficient interpretation, 124, 162–3, 669
- exponential distribution, 140, 584–6
 for generalized (Cox-Snell) residual, 631
- exponential family density, 427
 conjugate prior for, 427–8
see also linear exponential family
- exponential-gamma regression model, 616, 633–4
- exponential-IG regression model, 634
- exponential regression model
 application with censored data, 606–8, 633
 example with uncensored data, 159–63
- extreme value distribution. *See* type 1 extreme value
- extremum estimator, 124–39
 asymptotic distribution, 127–31
 consistency, 125–7
 definition, 125
 formal proofs, 130–2
 informal approach, 132–3
 statistical inference, 135–9
 variance matrix estimation, 137–9
- factor analysis, 650
 factor loadings, 517, 650–1, 689
- factor model, 517, 648, 686
- Fairlee-Gumble-Morgenstern copula, 654
- fast simulated annealing (FSA) method, 347–8
- FD estimator. *See* first-differences
- FE estimator. *See* fixed effects
- feasible generalized least squares (FGLS) estimator, 81–3
 asymptotic distribution, 82
 definition, 82
 example, 84–5
 in fixed effects model, 729
 in mixed linear model, 775
 nonlinear, 155–8
 in pooled model, 720–1

SUBJECT INDEX

- feasible generalized least squares (*cont.*)
 in random effects model, 705, 734–6, 738, 837–9,
 849–51
 as sequential two-step m-estimator, 201
 systems FGLS, 208–9
- feasible generalized nonlinear least squares (FGNLS)
 estimator, 155–8
 asymptotic distribution, 156
 definition, 156
 example, 159–63
 as optimal GMM estimator, 180–1
 systems FGNLS, 217
- FGLS estimator. *See* feasible generalized least squares
- FGNLS estimator. *See* feasible generalized nonlinear
 least squares
- FIML estimator. *See* full information maximum
 likelihood
- finite mixture models, 621–5
 counts, 678–9
 definition, 622
 EM algorithm, 623–5
 latent class interpretation, 623
 number of components, 624–5
 panel data, 786
see also mixture models
- finite-sample bias
 of GMM estimator, 177
 of IV estimator, 108–12
 of tests, 250–4, 262
- finite-sample correction term
 for sampling without replacement, 817
- first-differences (FD) estimator, 704–5, 729–31
 application, 710–11, 714
 asymptotic distribution, 730–1
 compared to FE estimator, 731
 consistency, 730, 764
 definition, 704–5, 730
 IV estimator, 758
- first-differences (FD) model, 704, 729–31, 758
- first-differences (FD) transformation, 783–4
- fixed effects (FE) estimator, 704, 726–9, 756–9,
 781–5, 791–2
 application, 710–3, 792–5
 asymptotic distribution, 727–9
 binary outcome models, 796–9
 clustered data, 839–41
 compared to DID estimator, 768
 compared to FD estimator, 729
 as conditional ML estimator, 732
 consistency, 727, 764, 781–2, 784–5
 count models, 802–8
 definition, 704, 726, 781–4
 duration models, 802
 dynamic models, 764–6, 791–2, 797–9, 806–7
 as FGLS estimator, 729
 Hausman test for, 717–9
 identification, 702
 incidental parameters, 704, 726
- inconsistency, 764, 781–2, 784–5
- IV estimators, 758
 as LSDV estimator, 733
 multinomial outcome models, 798
 selection models, 801
 Tobit model, 800
 versus random effects, 701–2, 715–9, 788
- fixed effects (FE) model, 704, 726–33, 756–9, 781–5,
 791–2
 cohort-level, 772
 clustered data, 831, 843
 definition, 700, 726
 dynamic models, 764–6, 791–2, 797–9, 806–7
 endogenous regressors, 756–9
 identification, 702
 incidental parameters, 704, 726
 marginal effects, 702
 nonlinear models, 781–5, 796–808, 791
 time-varying regressors, 702
 versus random effects, 701–2, 715–9, 788
see also fixed effects estimators
- fixed coefficient, 846
- fixed design. *See* fixed in repeated samples
- fixed in repeated samples, 76–7
 bootstrap sampling method, 360
 in kernel regression, 312
 Liapounov CLT, 951
 Markov LLN, 948
 Monte Carlo sampling method, 251
- fixed regressors. *See* fixed in repeated samples
- flexible parametric models
 count models, 674–5
 hazard models, 592
 selection models, 563
- flow sampling, 44, 626
- forward orthogonal deviations IV estimator, 759
- forward orthogonal deviations model, 759
- forward recurrence time, 626
- Fourier flexible functional form, 321
- frailty, 612, 662
see also unobserved heterogeneity
- Frank copula, 654
- Frechet bounds, 653–4
- frequentist approach, 421–2, 424, 439–40
- FSA method. *See* fast simulated annealing
- full conditional distributions, 431
see also Gibbs sampler
- full information maximum likelihood (FIML)
 estimator, 214
 nested logit model, 510–2
 nonlinear models, 219
- functional approach
 to measurement error, 901
- functional form misspecification, 91–2
 diagnostics for, 272–3, 277–8
- gamma distribution, 585–6, 614
- gamma function, 586

SUBJECT INDEX

- Gaussian quadrature, 389–90, 393, 809
 Gauss-Hermite quadrature, 389–90
 Gauss-Laguerre quadrature, 389–90
 Gauss-Legendre quadrature, 389–90
 Gauss-Newton (GN) algorithm, 345
 example, 348
 GEE estimator. *See* generalized estimating equations
 general to specific tests, 285
 generalized additive model, 323, 327
 generalized cross-validation, 315
 generalized estimating equations (GEE) estimator,
 790, 794, 804, 809
 generalized extreme value (GEV) distribution, 508
see also nested logit model
 generalized information matrix equality, 142, 145, 264
 generalized inverse, 261
 generalized IV estimator, 187
 generalized least squares (GLS) estimator, 81–5
 asymptotic distribution, 82
 definition, 82
 as efficient GMM, 179
 example, 84–5
 nonlinear, 155–8
 generalized linear models (GLMs), 149–50, 155
 count data, 683
 conditional ML estimator, 783
 GEE estimator, 791
 quasi-ML estimator, 149–50
see also LEF models
 generalized method of moments (GMM) estimator,
 166–222
 asymptotic distribution, 173–4, 182–3
 based on additional moment restrictions, 169,
 178–9
 based on moment conditions from economic theory,
 171
 based on optimal conditional moment, 179–80
 bootstrap for, 379–80
 computation, 339
 definition, 173
 endogenous counts, 683–4, 687–9
 with endogenous stratification, 827
 with exogenous stratification, 823–4
 examples, 167–71, 178–9
 finite-sample bias, 177
 identification, 173, 182
 linear IV, 183–92
 linear systems, 211–2
 nonlinear IV, 192–9
 one-step GMM estimator, 187, 196, 746, 755
 optimal GMM, 176
 optimal moment condition, 179–81, 188
 optimal weighting matrix, 175–6
 panel data, 744–66, 789–90, 792
 practical considerations, 219–20
 test based on, 245
 two-step, 176, 187, 746, 755
 variance matrix estimation, 174–5
 weak instruments, 177–8
see also panel GMM estimator
 generalized nonlinear least squares (GNLS) estimator.
See feasible generalized nonlinear least squares
 generalized partially linear model, 323
 generalized random utility models, 515–6
 generalized residual, 289–90
 in duration models, 631
 in LM test, 239–40
 plots of, 633–6
 generalized Tobit model, 548
 generalized Weibull distribution, 584–6
 genetic algorithms, 341
 GEV distribution. *See* generalized extreme value
 Geweke, Hajivassiliou, Keane (GHK) simulator,
 407–8
 for MNP model, 518
 GHK simulator. *See* Geweke, Hajivassiliou, Keane
 simulator
 Gibbs sampler, 448–50
 data augmentation, 454–5, 933
 example, 452–4
 in latent variable models, 514, 519, 563
see also Markov chain Monte Carlo
 GLMs. *See* generalized linear models
 GLS estimator. *See* generalized least squares
 GMM estimator. *See* generalized method of moments
 GN algorithm. *See* Gauss-Newton
 GNLS estimator. *See* feasible generalized nonlinear
 least squares
 Gompertz distribution, 585–6
 Gompertz regression model, 606–8
 gradient methods, 337–48
see also iterative methods
 Granger causality, 22
 grid search methods, 337, 351
 grouped data. *See* aggregated data
 Halton sequences, 409–10
 Hausman test, 271–4
 applications, 719, 850–1
 asymptotic distribution, 272
 auxiliary regressions, 273
 bootstrap, 378
 computation, 272–3, 378, 717–9
 definition, 271–2
 for endogeneity, 271–2, 275–6
 for fixed effects, 717–9, 737, 788, 839
 for multinomial logit model, 503
 power, 273–4
 robust versions, 273, 378, 718–9
 Hausman-Taylor IV estimator, 761
 Hausman-Taylor model, 760–2
 Hawthorne effect, 53
 hazard function
 baseline in PH model, 591
 cumulative hazard, 577–8, 582–4
 definition, 576, 578

SUBJECT INDEX

- hazard function (*cont.*)
 in mixture models, 616–8
 multivariate, 649
 nonparametric estimator, 581, 583
 parametric examples, 585
 piecewise constant, 591
see also duration models
- Health and Retirement Study (HRS), 58
- Heckit estimator. *See* Heckman two-step estimator
- Heckman two-step estimator
 application, 554
 in Roy model, 556
 in selection model, 550–1
 semiparametric estimator, 565–6
 in Tobit model, 543, 567–8
- Hessian matrix
 estimate, 137
 Newton-Raphson algorithm, 341–2
 singular, 350–1
- heterogeneous treatment effects, 882, 885–7
 IV estimator, 886–7
 LATE estimator, 885
 RD design, 882
- heterogeneity
 within-cell, 480
see also unobserved heterogeneity
- heteroskedastic errors
 adaptive estimation, 323, 328
 conditional heteroskedasticity, 78
 definition, 78
 in GLMs, 149–50
 in linear model, 84–5, 94–5
 multiplicative, 84–5, 86–7
 in nonlinear model, 157–63
 residuals, 289–90
 tests for, 241, 267, 275
 Tobit MLE inconsistency, 538
 working matrix for, 82–3, 156–8
- heteroskedasticity-robust standard errors
 bootstrap, 379–80
 clustered data, 834
 example, 84–5
 for extremum estimator, 137, 164
 intuition, 81
 for NLS estimator, 155, 164
 for OLS estimator, 74–5, 80–1, 112
 panel data, 705
 for WLS estimator, 83
see also robust standard errors
- hierarchical linear models (HLMs), 845–8
 Bayesian analysis, 847
 clustered data, 845
 coefficient types, 846–7
 individual-specific effects, 848
 mixed linear models, 774–6, 847
 panel data, 847–8
 random coefficients model, 847
 two-level model, 846
- hierarchical models, 429
 Bayesian analysis, 441–2, 447, 450, 514
see also hierarchical linear models
- histogram, 298
see also kernel density estimator
- HLM. *See* hierarchical linear model
- hot deck imputation, 929, 940
- HRS. *See* Health and Retirement Study
- Huber-White robust standard errors, 137, 144, 146
see also robust standard errors
- hurdle model, 680–1, 690
see also two-part model
- hyperparameters, 428, 847
- hypothesis tests, 223–58
 based on extremum estimator, 224–33
 based on ML estimator, 233–43
 based on GMM estimator, 245
 based on m-estimator, 244
 bootstrap, 254–6, 363–8, 372–3, 378–9
 for common misspecifications, 274–7, 670–1
 examples, 236, 241–3, 252–4, 254–6, 372–3
 induced test, 230
 joint versus separate, 230–1, 285, 629–30
 power, 247–50, 253–4
 size, 246–7, 251–3
see also LM tests; LR test; Wald tests, m-tests
- identification
 in additive random utility models, 504
 in binary outcome models, 476, 483
 bounds identification, 29
 definitions, 29–31
 in fixed effects model, 702
 of GMM estimator, 173, 182
 just identification, 31, 214
 in linear regression model, 71–2
 in measurement error models, 905–14
 in mixture models, 618–20
 in multinomial probit model, 517
 in natural experiments, 57–8
 observational equivalence, 29
 order condition, 31, 213
 over identification, 31, 214
 rank condition, 31
 in sample selection model, 551, 565, 566
 set identification, 29
 in simultaneous equations model, 29–31, 213–4
 in single-index models, 325
 and singular Hessian, 351
 weak identification, 100
see also identification strategies
- identification strategies, 36–7
 control function approach, 37
 exogenization, 36
 incidental parameter elimination, 36–7
 instrumental variables, 37
 matching, 37
 reweighting, 37

SUBJECT INDEX

- identified reduced form, 36
 IG distribution. *See* inverse-Gaussian
 ignorable missingness, 927
 estimator consistency if MCAR, 927
 estimator inconsistency if MAR only, 927
 problems if nonignorable, 940
 weak exogeneity, 927
 ignorability assumption, 863
 see also conditional independence assumption
 importance sampling, 407–8, 443–5, 518
 accelerated, 409
 GHK simulator, 407–8
 importance sampling density, 444
 importance sampling estimator, 444
 importance weight, 445
 target density, 444
 imputation methods, 928–39
 data augmentation, 454–5, 932–4
 example, 936–8
 hot deck imputation, 929
 listwise deletion, 928
 mean imputation, 928–9
 multiple imputation, 934–5
 pairwise deletion, 928
 regression-based imputation, 930–2
 imputation (I) step, 455, 932
 IM test. *See* information matrix test
 IMSE. *See* integrated mean squared error
 incidental parameters, 36
 clustered data FE model, 832, 840, 844
 panel data FE model, 704, 726, 781–2, 805
 inclusive value, 510–1
 incomplete gamma function, 586
 incomplete panels. *See* unbalanced panels
 independence of irrelevant alternatives, 503, 505, 527
 independent variables. *See* regressors
 independently-weighted IV estimator, 192
 independently-weighted optimal GMM estimator, 177
 index function model
 binary outcome model, 475–6, 482–3
 bivariate probit model, 522–3
 ordered multinomial model, 519–20
 Tobit model, 536
 see also single-index model
 indicator function, 298
 indirect inference, 404–5
 individual-specific effects model
 additive, 780
 binary outcome models, 795–6
 cluster-specific effects, 830
 count models, 802–3
 definitions, 700, 780
 duration models, 802
 multiplicative, 780, 793
 one-way, 700
 parametric, 780
 selection models, 801
 single-index, 780
 Tobit models, 800–1
 two-way, 738
 see also FE models; RE models
 induced test, 230
 information criteria, 278–9, 283–4
 Akaike, 278–9, 284, 624
 Bayesian, 278, 284
 consistent Akaike, 278
 Kullback-Liebler, 147, 169, 278, 280
 Schwarz, 278, 284
 information matrix, 142
 block-diagonal, 144, 240, 329
 information matrix equality, 141–2, 145
 generalized, 142, 145
 see also BHHH estimate; OPG version
 information matrix (IM) test, 265–6
 bootstrap, 378
 computation, 261–2, 378
 definition, 265
 example, 270
 power, 267
 instrumental variables (IV) estimator
 alternative estimators, 190–2
 application, 110–2
 definition, 100–1
 example, 102–3
 finite-sample bias, 108–12, 191–2, 196
 identification, 100, 105–7
 independently-weighted IV estimator, 192
 jackknife IV estimator, 192
 LIML estimator, 191, 214
 in linear model, 98–112, 183–92, 211–2
 linear IV as GMM estimator, 170, 186
 local average treatment effects estimator, 883–9
 in measurement error models, 908–10, 912–3
 in natural experiments, 54–5
 in nonlinear models, 192–9
 in panel models, 764–5, 757–61
 quantile regression, 190
 in selection models, 559
 split-sample estimator, 191–2
 systems IV estimator, 211–2, 218–9
 in treatment effects models, 883–9
 two-stage IV estimator, 102, 187
 two-stage least squares estimator, 101–2, 187–91
 Wald estimator, 98–9
 see also GMM estimator; panel GMM estimator
 instruments
 definition, 96–7, 100
 examples, 97–8
 by exclusion restriction, 106
 by functional form restriction, 106
 invalid, 100, 105–7
 optimal, 180
 for panel data, 750–1, 754–6
 relevance, 108
 weak, 100, 104–12, 177–8, 191–2, 196, 751–2, 756
 see also instrumental variables estimator

SUBJECT INDEX

- integrated hazard function. *See* cumulative hazard function
- integrated mean squared error (IMSE), 303
- integrated squared error (ISE), 302, 314
- interval data models
 definition, 532–3, 579
 ML estimator, 534–5
- interruption bias, 626
- intraclass correlation, 816, 831, 835–8
- inverse-Gaussian (IG) distribution, 614–5, 677
- inverse law of probability, 421
- inverse-Mills ratio, 540–1, 553–4
- inverse transformation method, 409, 412–3
- inverse-Wishart distribution, 443, 453, 514
- irrelevant regressors, 93
- ISE. *See* integrated squared error
- iterated bootstrap, 374
- iterative methods, 337–48
 BFGS, 344
 BHHH, 343–4
 convergence criteria, 339–40
 DFP, 344, 350–1
 expectation maximization, 345–7, 623–5, 930–2
 fast simulated annealing, 347–8
 Gauss-Newton, 345, 348
 line search, 338
 Newton-Raphson, 338–9, 341–3, 348
 numerical derivatives, 340
 simulated annealing, 347
 starting values, 340, 351
 step size adjustment, 338
- IV estimator. *See* instrumental variables
- jackknife, 374–6
 bias estimate, 375
 bias-corrected estimator, 375
 example, 376
 IV estimator, 192
 standard error estimate, 375, 855
- Jensen's inequality, 956
- jittered data, 290
- joint duration distributions, 648–55
 copulas, 651–5
 mixtures, 650–1
 multivariate hazard function, 649
 multivariate survivor function, 649–50
- joint limits, 767
- joint versus separate tests, 230–1, 285, 629–30
- just identification, 31, 100, 173
- Kaplan-Meier (KM) estimator, 581–3
 application, 575, 583, 604–5
 for baseline hazard, 596–7
 confidence bands for, 583
 definition, 581
 tied data, 582
- kernel density estimator, 298–306
 alternatives to, 306
 application, 296–7, 300
 asymptotic distribution, 301–2, 330–1
 bandwidth choice, 302–4
 bias, 301, 330–1
 confidence interval for, 305
 consistency, 300
 convergence rate, 302
 definition, 299
 derivative estimator, 305
 examples, 252–3, 367–8
 multivariate, 305–6
 Nadaraya-Watson kernel regression estimator, 312
 optimal bandwidth, 303
 optimal kernel, 303
 variance, 301, 331
- kernel functions, 299–300
 comparison, 300
 definition, 299
 higher-order, 299, 306, 313
 leading examples, 300
 optimal for density estimation, 303
 properties, 299
- kernel matching, 875, 895–6
- kernel regression estimator, 311–9
 alternatives to, 319–22
 asymptotic distribution, 313, 331–3
 bandwidth choice, 314–6
 bias, 313, 331–2
 bootstrap confidence interval for, 380–1
 boundary problems, 309, 320–1
 conditional moment estimator, 317–8
 confidence interval for, 316
 consistency, 313
 convergence rate, 314
 definition, 312
 derivative estimator, 317
 introduction to nonparametric regression, 307–11
 multivariate, 318–9
 optimal bandwidth, 314
 optimal kernel, 314
 undersmoothing, 380
 variance, 301, 331
see also nonparametric regression
- Khinchine's theorem, 948
- KLIC. *See* Kullback-Liebler information criterion
- KM estimator. *See* Kaplan-Meier
- k-NN estimator. *See* nearest neighbors estimator
- Kolmogorov LLN, 80, 111, 947
- Kolmogorov test, 267
- Kullback-Liebler information criterion (KLIC), 147, 169, 278, 280
- LAD estimator. *See* least absolute deviations
- Lagrange multiplier (LM) test
 asymptotic distribution, 235, 237–8
 based on GMM-estimator, 245
 based on m-estimator, 244
 bootstrap, 379

SUBJECT INDEX

- comparison with LR and Wald tests, 238–9
 computation, 239–41, 256, 274
 definition, 234–5
 examples, 236, 241–3
 for heteroskedasticity, 241, 267, 275
 in duration models, 632
 interpretation, 239–40
 for omitted variables, 274
 OPG version, 240–1
 for random effects, 737, 841
 score test, 234–5
 in Tobit model, 544
 for unobserved heterogeneity, 630, 636
see also hypothesis tests
 Laplace approximation, 390
 Laplace distribution, 178, 541
 Laplace transform, 577
 LATE estimator. *See* local average treatment effects
 latent class model, 622
see finite mixture models
 latent variable, 475, 532
 latent variable models
 additive random utility model, 476–8, 504–7
 binary outcomes, 475–8
 endogenous, 560–1
 ordered multinomial model, 519–20
see also censored models; truncated models
 law of iterated expectations, 955
 law of large numbers (LLN), 947–8
 definition, 947
 examples of use, 80, 129
 Khinchine's theorem, 948
 Kolmogorov LLN, 947
 Markov LLN, 948
 sampling schemes, 131, 948
 strong law, 947
 weak law, 947
 least absolute deviations (LAD) estimator
 application, 88–90
 asymptotic distribution, 88
 binary outcome models, 484
 bootstrap, 381
 censored LAD, 564–5, 808
 definition, 87
 two-stage LAD, 190
see also quantile regression
 least-squares dummy variable (LSDV) estimator, 704, 732–3, 840
 least-squares dummy variable (LSDV) model, 704, 732, 840
 least squares (LS) estimators
 clustered data, 833–7
 feasible generalized LS, 81–3, 155–8
 generalized LS, 81–5, 155–8
 linear, 70–85
 nonlinear LS, 150–9
 ordinary LS, 70–81
 panel data, 211, 702–3, 720–5
 systems of equations, 207–8, 211, 217
see also FGLS; FGNLS; OLS; NLS
 leave-one-out estimate, 192, 304, 315, 375
 LEF. *See* linear exponential family
 length-biased sampling, 43–4, 626
 Liapounov CLT, 80, 131, 950
 likelihood-based hypothesis tests, 233–43
 comparisons of, 235–6, 238–9
 definitions, 234–5
 examples, 236–7, 241–3
see also LM tests; LR tests; Wald tests
 likelihood function, 139–41
 conditional likelihood function, 139, 731–2, 824
 definition, 139
 joint, 19, 824–7
 leading examples, 140–1
 marginal, 432, 595
 partial, 594–6
 likelihood principle, 139, 420, 433
 likelihood ratio (LR) test
 asymptotic distribution, 235, 237
 based on GMM-estimator, 245
 based on m-estimator, 244
 comparison with LM and Wald tests, 238–9
 definition, 234
 examples, 236, 241–3
 nonnested models, 279–83
 quasi-LR test statistic, 244
 uniformly most powerful test, 237
see also hypothesis tests
 LIML estimator. *See* limited information maximum likelihood
 limit distribution, 948
see also asymptotic distribution
 limit variance matrix, 952–3
 definition, 952
 replacement by consistent estimate, 952
 sandwich form, 953
 limited information maximum likelihood (LIML)
 estimator, 191, 214
 Lindeberg-Levy CLT, 80, 131, 950
 line search, 338
 linear exponential family (LEF) models, 147–9
 conjugate priors, 427–8
 conditional ML estimator, 782
 consistency, 148
 leading examples, 148
 pseudo- R^2 , 288
 residuals, 289–90
 tests based on, 240, 268, 274–5
see also generalized linear models
 linear panel estimators, 695–778
 application, 708–15, 725
 Arellano-Bond estimator, 764–5
 between estimator, 703
 covariance estimator, 733
 conditional ML estimator, 731–2
 differences-in-differences estimator, 768–70

SUBJECT INDEX

- linear panel estimators (*cont.*)
 error components 2SLS estimator, 760
 error components 3SLS estimator, 762
 first differences estimator, 704–5, 729–31
 first differences IV estimator, 758
 fixed effects estimator, 704, 726–9
 fixed effects IV estimators, 757–9
 forward orthogonal deviations IV estimator, 759
 Hausman-Taylor IV estimator, 761
 LSDV estimator, 704, 732–3
 MD estimator, 753, 76–7
 panel bootstrap, 708, 377–8, 708, 746, 751
 panel GMM estimators, 744–68
 panel-robust inference, 705–8, 722, 745–6, 751
 pooled OLS estimator, 702–3, 720–5
 random effects estimator, 705, 734–6
 random effects IV estimator, 759–60
 within estimator, 704, 726–9
 within IV estimator, 758
- linear panel models, 695–778
 analysis-of-covariance model, 733
 application, 708–15, 725
 between model, 702
 dynamic models, 763–8
 endogenous regressors, 744–63
 first differences model, 704, 730, 758
 fixed effects model, 700–2, 726–34, 757–9
 fixed versus random effects, 701–2, 715–9
 forward orthogonal deviations model, 759
 Hausman-Taylor model, 760–2
 incidental parameters problem, 704, 726
 individual dummies, 699
 individual-specific effects model, 700
 LSDV model, 704, 732
 minimum distance estimator, 753, 766–7
 mean-differenced model, 758
 measurement error, 739, 905
 mixed linear models, 774–6
 pooled model, 699, 720–5
 random effects differenced model, 760–1
 random effects model, 700–2, 734–6, 759–60
 residual analysis, 714–5
 strong exogeneity, 700, 749–50, 752
 time dummies, 699
 time-invariant regressors, 702, 749–51
 time-varying regressors, 702, 749–51
 two-way effects model, 738
 unbalanced data, 739
 weak exogeneity, 749, 752, 758
 within model, 704, 758
see also linear panel estimators
- linear probability model, 466–7
 linear programming methods, 341
 linear regression model
 definition, 16–17, 70–1
 linear systems of equations, 207–14
 panel data models as, 211
 seemingly unrelated regressions, 209–10
 simultaneous equations, 22–31, 213–4
 systems FGLS estimator, 208
 systems GLS estimator, 208
 systems GMM estimator, 208
 systems ML estimator, 214
 systems OLS estimator, 211
 systems 2SLS estimator, 212
- linearization method, 855
 link function, 149, 469, 783
 listwise deletion, 60, 928
 consistency under MCAR, 928
 example, 936–8
 inconsistency under MAR only, 928
- Living Standards Measurement Study (LSMS), 59,
 88–90, 848–53
- LLN. *See* law of large numbers
 LM test. *See* Lagrange multiplier test
 local alternative hypotheses, 238, 247–8, 254
 local average treatment effects (LATE) estimator,
 883–9
 assumptions, 884–5
 comparison with IV estimator, 885
 definition, 884
 heterogeneous treatment effect, 885
 monotonicity assumption, 885
 selection on unobservables, 883
 Wald estimator, 886
see also ATE; ATET; MTE
- local linear regression estimator, 320–1, 333
 local polynomial regression estimator, 320–1
 local running average estimator, 308, 320
 local weighted average estimator, 307–8
 logistic distribution, 476–7
 logistic regression. *See* logit model
 logit model, 469–70
 application, 464–5
 as ARUM, 477, 486–7
 clustered data, 844
 definition, 469
 for discrete-time duration data, 602
 GLM, 149
 imputation example, 937–9
 index function model, 476
 marginal effects, 470
 measurement error example, 919
 ML estimator, 468–9
 multinomial logit, 494–5, 500–3, 525
 nested logit, 509–12, 526–7
 ordered logit, 520
 panel data, 795–9
 probit model comparison, 471–3
 random parameters logit, 512–6
see also binary outcome models
- log-likelihood function. *See* likelihood function
 length-biased sampling, 43–4
 log-logistic distribution, 585–6, 592
 log-normal distribution, 585–6, 592
 log-normal model, 533, 545–6

SUBJECT INDEX

- log-odds ratio, 470, 472
 log-sum, 510
 log-Weibull distribution. *See* type 1 extreme value
 long panel, 723–5, 767
 longitudinal data. *See* panel data
 loss function, 66–69
 absolute error, 67
 asymmetric expected error, 67
 Bayesian decision analysis, 434–5
 expected, 66
 KLIC, 68, 147, 168, 278–9
 squared error, 67–9, 156
 step, 67–8
 Lowess regression estimator, 320–1
 application, 297, 309–10, 712–5
 LR test. *See* likelihood ratio test
 LS estimators. *See* least squares
 LSDV. *See* least-squares dummy variable
 LSMS. *See* Living Standards Measurement Study

 MAR. *See* missing at random
 marginal analysis of panel data, 717, 787
 marginal effects, 122–4
 in binary outcome models, 466–5, 467, 470–1
 calculus method, 123
 computing, 122–4
 definition, 122
 example, 162–3
 finite-difference method, 123
 in fixed effects model, 702, 788
 in multinomial models, 493–4, 501–3, 519–23, 525
 population-weighted, 821
 in sample selection models, 552
 in single-index models, 123
 in Tobit model, 541–2
 see also coefficient interpretation
 marginal likelihood, 432, 595
 marginal treatment effects (MTE) estimator, 886
 market-level data, 482, 513
 Markov chain Monte Carlo (MCMC) methods,
 445–54
 convergence, 449, 458
 in data augmentation, 933
 examples, 452–4, 512, 687, 936–9
 Gibbs sampler, 448–50, 514, 519, 563
 Metropolis algorithm, 450–1
 Metropolis-Hastings algorithm, 451–2, 512
 Markov LLN, 77, 131, 948
 Marshall-Olkin method, 649–51, 686
 matching assumption, 864
 see also overlap assumption
 matching estimators, 871–8, 889–96
 application, 889–96
 assumptions, 863–5
 ATE matching estimator, 877
 ATET matching estimator, 874, 877, 894–6
 balancing condition, 893
 caliper matching, 874
 counterfactuals, 871
 exact matching, 872, 891
 inexact matching, 873
 interval matching, 875–6
 kernel matching, 875, 895–6
 nearest-neighbor matching, 875, 894–6
 propensity score matching, 873–8, 892
 radius matching, 876, 895–6
 selection on observables only, 871
 stratification matching, 875–6, 893–6
 variance computation, 877–8, 895
 maximum empirical likelihood (MEL) estimator, 206
 maximum likelihood (ML) estimator, 139–46
 asymptotic distribution, 142–3
 conditional ML estimator, 731–2, 782–3, 796–9
 consistency, 142, 824
 definition, 141
 endogenous stratification, 824–7
 example, 143–4
 exogenous stratification, 824
 MSL estimator, 393–8
 quasi-ML estimator, 146–50
 regularity conditions, 141, 145–6
 restricted, 233
 unrestricted, 233
 variance matrix estimation, 144
 weighted ML estimator, 828
 see also quasi-ML estimator
 maximum rank correlation estimator, 485
 maximum score estimator, 341, 381, 483–4, 800
 maximum simulated likelihood (MSL) estimator,
 393–8
 asymptotic distribution, 394–5
 bias-adjusted MSL, 396–7
 compared to MSM, 402–3
 count model examples, 677–8, 687, 689
 definition, 394
 example, 397–8
 multinomial probit model, 518
 number of simulations, 396
 random parameters logit model, 522
 MCAR. *See* missing completely at random
 MD estimator. *See* minimum distance estimator
 mean-differenced estimator, 783, 805–6
 mean-differenced model, 758, 783
 mean imputation, 928, 936–8
 mean integrated squared error (MISE), 303, 314
 mean-scaling estimator, 783, 805–6
 mean-square convergence, 946
 mean substitution. *See* mean imputation
 measurement error
 in cohort-level data, 772–3
 in dependent variable, 913–4
 in microdata, 46, 60
 in panel data, 739, 905
 in regressors, 899–922
 see also measurement error model estimators;
 measurement error models

SUBJECT INDEX

- measurement error model estimators, 899–922
 attenuation bias, 903–5, 911, 915, 919–20
 bounds identification, 906–8
 corrected score estimator, 916–8
 IV estimator, 908–10, 912–3
 linear models, 900–11
 nonlinear models, 911–20
 OLS estimator inconsistency, 902–4
 using additional moment restrictions, 909–10
 using instruments, 908–9
 using known measurement error variance, 902–3, 910
 using replicated data, 910–1, 913
 using validation sample, 911
- measurement error models, 899–922
 attenuation bias, 903–5, 911, 915, 919–20
 classical measurement error model, 901–2
 dependent variable measured with error, 913–4
 examples, 919–20
 identification, 905–14
 linear models, 900–11
 multiple regressors, 904
 nonclassical measurement error, 904, 920
 nonlinear models, 911–20
 panel models, 905
 scalar regressor, 903
 serial correlation, 909
 variance inflation, 904, 916
see also measurement error model estimators
- median regression. *See* LAD estimator
- MEL. *See* maximum empirical likelihood
- m-estimator, 118–22
 asymptotic distribution, 120
 clustered data, 842–3
 definition, 118–9
 sequential two-step, 200–2
 simulated m-estimator, 398–9
 tests based on, 244, 263–4
 weighted m-estimator, 829, 856
see also extremum estimators
- method of moments (MM) estimator
 asymptotic distribution, 134, 174
 definition, 172
 examples, 167
see also estimating equations estimator; GMM estimator
- method of scoring, 343, 348
- method of simulated moments (MSM) estimator, 399–404
 asymptotic distribution, 400–2
 compared to MSL, 402–3
 definition, 400
 example, 403
 MNP model, 497, 518
 number of simulations, 399
- method of simulated scores (MSS) estimator
 for MNP model, 519
- method of steepest ascent, 344
- Metropolis algorithm, 450–1
- Metropolis-Hastings algorithm, 451–2, 512
- microdata sets, 58–61
 handling, 59–61
 leading examples, 58–9
- microeconometrics overview, 1–17
- midpoint rule, 388, 391–2
- minimum chi-square estimator, 203
see also Berkson's minimum chi-square estimator
- minimum distance (MD) estimator, 202–3, 753, 766–7
 asymptotic distribution, 202
 bootstrap for, 379–80
 covariance structures, 766–7
 definition, 202
 equally-weighted, 202
 generalized, 222
 indirect inference, 404–5
 OIR test, 203
 optimal, 202, 753
 panel data, 753, 766–7
 relation to GMM, 203, 753
- misclassification, 914
- MISE. *See* mean integrated squared error
- missing at random (MAR), 926–7
 definition, 926
 and ignorable missingness, 927, 932
 relation to MCAR, 927
- missing completely at random (MCAR), 926–7
 definition, 927
 and ignorable missingness, 927
 relation to MCAR, 927
- missing data, 923–41
 deletion methods, 928
 examples, 924
 ignorable assumption, 927
 imputation with models, 929–41
 imputation without models, 928–9
 MAR assumption, 926–7
 MCAR assumption, 927
 nonignorable missingness, 927, 940
see also imputation methods
- misspecification tests. *See* specification tests
- mixed estimator, 439–41
- mixed linear model, 774–6
 Bayesian methods, 775
 FGLS estimator, 775
 fixed parameters, 774
 ML estimator, 776
 random parameters, 774
 restricted ML estimator, 776
 nonstationary panel data, 767–8
 prediction, 776
see also hierarchical linear model
- mixed logit model, 500–3
 example, 495
 definition, 500
see also RPL model

SUBJECT INDEX

- mixed proportional hazards (MPH) model,
 611–25
 Weibull-gamma mixture, 615
see also mixture models
- mixture hazard function, 616–8
- mixture models, 611–25
 application, 623–6
 counts, 675–9
 durations, 611–25
 identification, 618–20
 MSL estimator, 393–8, 687
 multinomial outcomes, 515–6
 multiplicative heterogeneity, 613
 specification tests, 628–32
see also finite mixture models; unobserved heterogeneity
- ML estimator. *See* maximum likelihood
- MM estimator. *See* method of moments
- MNL estimator. *See* multinomial logit
- MNP estimator. *See* multinomial probit
- model diagnostics, 287–91
 binary outcome models, 473–4
 duration models, 628–32
 example, 290–1
 multinomial outcome models, 499
 pseudo- R^2 measures, 287–9, 291
 residual analysis, 289–91
see also model selection methods
- model misspecification, 90–4
see also endogeneity; functional form
 misspecification; heterogeneity; omitted values;
 pseudo-true value
- model selection methods
 Bayesian, 456–8
 nested models, 278–81
 nonnested models, 278–84
 order of testing, 285
see also model diagnostics; specification tests
- moment-based simulation estimators,
 398–404
see MSL estimator; MSM estimator
- moment-based tests. *See* m-tests
- moment matching. *See* indirect inference
- Monte Carlo integration, 391–2
 direct, 391
 example, 392
 importance sampling, 407, 443–5
 simulators, 393–4, 406–10
see also quadrature
- Monte Carlo studies, 250–4
 example, 251–4
- moving average estimator, 308
- moving blocks bootstrap, 373, 381
- MPH model. *See* mixed proportional hazards
- MSL estimator. *See* maximum simulated likelihood
- MSM estimator. *See* method of simulated moments
- MSS estimator. *See* method of simulated scores
- MTE. *See* marginal treatment effects
- m-tests, 260–71
 asymptotic distribution, 260, 263
 auxiliary regressions, 261–3
 bootstrap, 261, 379
 chi-square goodness of fit, 266–7, 270–1,
 474
 conditional moment test, 264–5, 267–9, 319
 CM test interpretation, 268
 computation, 261–3
 definition, 260
 Hausman test, 271–4, 717–9
 information matrix tests, 265–6, 270
 outer-product-of-the-gradient form, 262
 overidentifying restrictions test, 181, 183, 267,
 747
 power, 268
 rank, 261
- multicollinearity, 350–1
 in multinomial probit model, 517
 in panel model, 752
 in sample selection model, 542, 551
- multilevel models. *See* hierarchical models
- multinomial logit (MNL) model, 500–3, 525
 application, 494–5
 as additive random utility model, 505
 definition, 500
 marginal effects, 494, 501–3, 525
 ML estimator, 501
 panel data, 798
see also multinomial outcome models
- multinomial outcome models, 490–528
 application, 491–5
 alternative-invariant regressors, 498
 alternative-varying regressors, 497
 conditional logit, 500–3, 524–5
 definition, 496–7
 identification, 504
 index function model, 519–20
 marginal effects, 501–3, 524–5
 mixed logit, 500–3
 ML estimator, 496, 501
 multinomial logit, 500–3, 525
 multinomial probit, 516–9
 ordered models, 519–20
 OLS estimator, 471
 panel data, 798
 random parameters logit, 512–6
 random utility model, 504–7
 semiparametric estimation, 523–4
- multinomial probit (MNP) model, 516–9
 Bayesian Methods, 519
 definition, 516–7
 identification, 517
 ML estimator, 518
 MSL estimator, 518
 MSM estimator, 518
 MSS estimator, 518
see also multinomial outcome models

SUBJECT INDEX

- multiple duration spells, 655–8
 fixed effects, 656
 lagged duration dependence, 657
 ML estimator, 658
 random effects, 657
 recurrent spells, 655
- multiple imputation, 934–9
 estimator, 934
 examples, 935–9
 relative efficiency, 935
 variance of estimator, 934–5
- multiple treatments, 860
- multiplicative errors
- multistage surveys, 41–2, 814–6, 853–6
 variance estimation, 853
- multivariate data
 binary outcomes, 521–3
 counts, 685–7
 durations, 640–64
see also systems of equations
- multivariate-*t* distribution, 442
- NA estimator. *See* Nelson-Aalen
- National Longitudinal Survey (NLS), 58, 110–2
- National Longitudinal Survey of Youth (NLSY), 58–9
- National Supported Work (NSW) demonstration project, 889–95
- natural conjugate pair, 427–8
- natural experiments, 32, 54–8
 definition, 54
 differences-in-differences estimator, 55–7, 768–70, 878–9
 examples, 54
 exogenous variation, 54–5
 identification, 57–8
 instrumental variables, 54–5
 regression discontinuity design, 879–83
- ncp. *See* noncentrality parameter
- nearest neighbors (k-NN) estimator, 319–20
 definition, 319
 example, 308–9
 symmetrized, 308, 320
see also nonparametric regression
- nearest-neighbor matching, 875, 894–6
- negative binomial distribution, 675
- negative binomial model, 675–7
 application, 690
 bivariate, 215, 686–7
 hurdle model, 681
 ML estimator, 677
 MSL estimator, 677–8
 NB1 variant, 676
 NB2 variant, 676
 panel data, 804, 806
- negative hypergeometric distribution, 806
- neglected heterogeneity. *See* unobserved heterogeneity
- Nelson-Aalen (NA) estimator, 582–4
 application, 605–6, 662
 confidence bands for, 584
 definition, 582
 tied data, 582
- nested bootstrap, 374, 379
- nested logit model, 507–12, 526–7
 from ARUM, 526–7
 definition 510–1
 different versions of, 511–2
 example, 511
 GEV model, 508, 526
 ML estimator, 510
 sequential estimator, 510
 welfare analysis, 510
see also multinomial models
- nested models 278, 281
see also nonnested models
- neural network models, 322
- Newey-West robust standard errors, 137, 175, 723
 definition, 175
see also robust standard errors
- Newton-Raphson (NR) method, 341–3
 examples, 338–9, 348
- NLFIML estimator. *See* nonlinear full-information maximum likelihood
- NLS estimator. *See* nonlinear least squares
- NLSY. *See* National Longitudinal Survey of Youth
- NL2SLS estimator. *See* nonlinear two-stage least squares
- NL3SLS estimator. *See* nonlinear three-stage least squares
- noise-to-signal ratio, 903
- noncentral chi-square distribution, 248
- noncentrality parameter (ncp), 248
- nonclassical measurement error, 904, 920
- nongradient methods, 337, 341, 347–8
- nonignorable missingness, 927, 940
 attrition bias due to, 940
 selection bias due to, 927, 932, 940
- nonlinear estimators
 coefficient interpretation, 122–4
 extremum estimator
 m-estimator, 118–22
 GMM estimator, 166–222
 ML estimator, 139–46
 NLS estimator, 150–9
 overview, 117–22
 panel models, 779–810
- nonlinear full-information maximum likelihood (NLFIML) estimator, 219
- nonlinear GMM estimator, 192–9
 asymptotic distribution, 194–5
 definition, 194–5
 example, 197–8, 199, 688
 instrument choice, 196
 NL2SLS estimator, 196

SUBJECT INDEX

- optimal, 195
- panel data, 789–90
- nonlinear in parameters, 27
- nonlinear in variables, 27
- nonlinear IV estimator. *See* nonlinear GMM
- nonlinear least squares (NLS) estimator, 150–9
 - asymptotic distribution, 152–4
 - consistency, 152–3
 - definition, 151
 - example, 155, 159–64
 - time series, 158–9
 - variance matrix estimation, 154–5
- nonlinear panel estimators, 779–810
 - application, 792–5
 - conditional ML estimator, 781–2, 805
 - dummy variable estimator, 784–5, 800, 805
 - first-differences estimator, 783–4
 - fixed effects estimator, 783–5, 794, 796–802, 805–8
 - GEE estimator, 790, 794, 804
 - mean-differenced estimator, 783, 805–6
 - mean-scaling estimator, 783, 805–6
 - ML estimator, 785–6
 - NLS estimator, 787, 794
 - panel GMM estimator, 789–90
 - panel-robust inference, 788–91
 - quadrature, 785–6, 796, 800
 - quasi-differenced estimator, 783–4
 - quasi-ML estimator, 791
 - random effects estimator, 785–6, 794–6, 800–1, 803–4
 - selection models, 801
 - semiparametric, 808
- nonlinear panel models, 779–810
 - application, 792–5
 - binary outcome models, 795–6
 - conditional mean models, 780–1
 - count models, 792–5, 802–6
 - dynamic models, 791–2, 797–9, 806–7
 - endogenous regressors, 792
 - exogeneity assumptions, 781
 - finite mixture models, 786
 - fixed effects models, 781–5, 791–2
 - fixed versus random effects, 788
 - incidental parameters problem, 781–2, 805
 - individual-specific effects models, 780–1
 - parametric models, 780, 782–3, 785–7, 792
 - pooled models, 787, 794
 - random effects models, 785–6, 792
 - selection models, 801
 - semiparametric, 808
 - Tobit models, 800–1
 - transition models, 801–2
- nonlinear regression model, 151
 - additive error, 168, 193, 217
 - nonadditive error, 168, 193, 218
- nonlinear systems of equations, 214–9
 - additive errors, 217
 - copulas, 651–5
 - mixtures, 650–1
 - ML estimator, 215–6
 - NLFIML estimator, 219
 - NL3SLS estimator, 219
 - nonadditive errors, 217–8
 - nonlinear panel model, 216
 - nonlinear SUR model, 216
 - quasi-ML estimator, 150
 - seemingly unrelated regressions, 216
 - simultaneous equations, 219
 - systems FGNLS estimator, 217
 - systems GMM estimator, 219
 - systems IV estimator, 218–9
 - systems MM estimator, 218
 - systems NLS estimator, 217
- nonlinear three-stage least squares (NL3SLS) estimator, 219
- nonlinear two-stage least squares (NL2SLS) estimator
 - asymptotic distribution, 195–6
 - definition, 195–6
 - example, 199
 - see also* nonlinear GMM estimator
- nonnested models
 - Cox LR test, 279–80
 - definition, 278
 - example, 283–4
 - information criteria comparison, 278–9
 - overlapping, 281
 - strictly nonnested, 281
 - Vuong LR test, 280–3
- nonparametric bootstrap. *See* paired bootstrap
- nonparametric density estimation. *See* kernel density estimator
- nonparametric maximum likelihood (NPML) estimator, 622
- nonparametric regression, 307–22
 - convergence rate, 311, 314
 - kernel, 311–9
 - local linear, 320
 - local weighted average, 307–8
 - Lowess, 320
 - nearest-neighbors, 308–9, 319–20
 - series, 321
 - statistical inference intuition, 309–11
 - test against parametric model, 319
 - see also* semiparametric regression
- nonrandomly varying coefficient, 846
- normal copula, 654
- normal distribution, 140
 - truncated moments, 540, 566–7
- normal limit product rule. *See* Cramer linear transformation
- NPML estimator. *See* nonparametric maximum likelihood
- NR method. *See* Newton-Raphson method
- NSW demonstration project. *See* National Supported Work
- nuisance parameters. *See* incidental parameters

SUBJECT INDEX

- numerical derivatives, 340, 350
 numerical integration. *See* quadrature
- observational data, 40–8, 814–7
 biased samples, 42–5
 clustering, 42
 identification strategies, 36–7
 measurement error, 46
 missing data, 46
 population, 40
 sample attrition, 47
 sampling methods, 40–4, 815–7
 sampling units, 41, 815
 sampling without replacement, 816–7
 survey methods, 41–2, 814–7
 survey nonresponse, 45–6
 types of data, 47–8
- observational equivalence, 29
 odds ratio, 470
 see also posterior odds ratio
- OIR test. *See* overidentifying restrictions test
- OLS estimator. *See* ordinary least squares
- omitted variables bias, 92–3, 700, 716
 LM tests for, 274
- one-step GMM estimator, 187, 196
 panel, 746, 755
 see also two-stage least squares
- one-way individual-specific effects model. *See*
 individual-specific effects model
- on-site sampling, 43, 823
- optimal Bayesian estimator, 434
- optimal GMM estimator, 176, 179–81, 187, 195
 compared to 2SLS, 187–8
- optimal MD estimator, 202, 753
- OPG. *See* outer-product of the gradient
- Orbit model, 914
- order of magnitude, 954
- ordered logit model, 520, 682
- ordered multinomial models, 519–20
- ordered probit model, 520, 535
- ordinary least squares (OLS) estimator, 70–81
 asymptotic distribution, 73–4, 80–1
 bias in standard errors with clustering, 836–7
 binary data, 471
 clustered data, 833–7
 coefficient interpretation in misspecified model,
 91–2
 consistency 72, 80
 definition, 71
 example, 84–5
 finite-sample distribution, 79
 heteroskedasticity-robust standard errors, 74–5, 81
 identification, 71–2
 inconsistency, 91, 95–6
 inefficiency, 80
 nonlinear, 150–9
 panel data, 702–3, 720–5
 see also least squares estimators
- orthogonal polynomials, 321, 329, 390
 definition 390
- orthogonal regression approach, 920
- orthonormal polynomials, 321, 329, 390
- outcome equation, 547, 867
- outer product (OP) estimate, 138, 241, 395
- outer-product of the gradient (OPG) version
 LM test, 240–1
 m-test, 262–4
 small-sample performance, 262
- overdispersion, 670–1, 674–6, 690
 measurement error, 915–6
 panel data, 794, 806
 tests for, 671
- overidentification, 31, 100, 173, 176, 379–80, 747
 see also GMM estimator
- overidentifying restrictions (OIR) test
 asymptotic distribution, 181, 183
 bootstrap, 379–80
 definition, 181, 267, 277
 panel data, 747, 756
- overlap assumption, 864, 871
 in RD design, 881
- oversampling, 41, 478–9, 814, 872
- paired bootstrap, 360, 366–8, 376, 378
- pairwise deletion, 928
 biased standard errors, 928
- panel attrition, 739, 801
- panel bootstrap, 377, 707, 746, 751, 789
- panel data, 47
- panel data models and estimators, 695–810
 comparison to clustered data, 831–2
 see also linear panel; nonlinear panel
- panel GMM estimators, 744–68, 789–90
 application, 754–6
 Arellano-Bond estimator, 765–6
 asymptotic distribution, 745–6
 bootstrap, 389–90
 compared to MD estimator, 753
 computation, 751–2
 definition, 745
 efficiency, 747, 756
 exogeneity assumptions, 748–52
 instruments, 744, 747–51
 IV estimators for FE model, 757–9
 IV estimators for RE model, 759–60
 just-identified, 745
 nonlinear, 789–90
 OIR test, 747, 756
 one-step GMM estimator, 746, 755
 overidentified, 745
 2SLS estimator, 746, 755
 two-step GMM estimator, 746, 755
 variance matrix estimation, 751
- panel GMM model, 744–66
 application, 754–6
 dynamic, 763–6

SUBJECT INDEX

- with individual-specific effects, 750–62
- without individual-specific effects, 744–53
- see also* panel GMM estimators
- panel IV estimators. *See* panel GMM estimators
- panel-robust statistical inference, 377, 705–7, 722, 746, 751, 788–90
- for Hausman test, 718
- Panel Study in Income Dynamics (PSID), 58, 889
- parametric bootstrap, 360
- Pareto distribution
 - of the first kind, 609
 - of the second kind, 616
- partial additive model, 323
- partial equilibrium analysis, 53, 862, 972
- see also* SUTVA
- partial F-statistic, 105, 109, 111
- partial likelihood estimator, 594–6
- partial ML estimator, 140
- partial R-squared, 104–5, 111
- partially linear model, 323–5, 327, 565, 684
- participation equation, 547, 551
- Pearson chi-square goodness-of-fit test, 266
- Pearson residual, 289, 291
- peer-effects model, 832
- percentile, 86
- percentile method, 364–5, 367–8
- percentile-*t* method, 364, 366–7
- PH model. *See* proportional hazards
- piecewise constant hazard model, 591
- Pitman drift, 248
- PML estimator. *See* pseudo-ML estimator
- Poisson distribution, 668
- Poisson-gamma mixture, 675
- Poisson-IG mixture, 677
- Poisson regression model, 666–74
 - application, 671–4, 690, 792–5, 850–3
 - asymptotic distribution of estimators, 668–9
 - bivariate, 686
 - censored MLE, 535
 - with clustered data, 844, 850–3
 - coefficient interpretation, 669
 - definition, 668
 - equidispersion, 668
 - example, 117–8, 121–2
 - LEF density, 148
 - measurement error, 915–8
 - mixtures, 675–9
 - ML estimator, 668
 - overdispersion, 670–1
 - panel data, 792–5, 802–6
 - quasi-ML estimator, 668–9, 682–3
 - truncated MLE, 535
 - underdispersion, 671
 - zero-truncated, 680
 - see also* count models
- polynomial baseline hazard, 591, 636
- pooled cross-section time series model. *See* pooled model
- pooled estimators, 702–3, 720–5
 - application, 710–2, 725
 - FGLS estimator, 720–1
 - GEE estimator, 790, 794
 - NLS estimator, 794
 - OLS estimator, 211, 702–3, 720–5
 - WLS estimator, 702–3, 721
- pooled model, 699, 720–5, 787–8
- pooling tests, 737
- population-averaged model. *See* pooled model
- population moment conditions
 - for estimation, 172
 - for testing, 260
 - see also* GMM estimator; MM estimator; m-tests
- posterior distribution, 421, 430–4
 - asymptotic behavior, 432–4
 - conditional posterior, 431
 - definition, 421
 - expected posterior loss, 434
 - expected posterior risk, 434
 - full conditional distribution, 431
 - highest posterior density interval, 431
 - highest posterior density region, 431
 - marginal posterior, 430
 - observed-data posterior, 930
 - posterior density interval, 431
 - posterior mean, 423, 434
 - posterior mode, 433
 - posterior moments, 430
 - posterior precision, 423
 - see also* Bayesian methods
- posterior odds ratio, 456
- posterior (P) step, 455, 933
- potential outcome model, 30–4, 861–5
- see also* treatment effects; treatment evaluation
- power of tests, 247–50, 253–4
 - bootstrapped tests, 372–3
 - conditional moment test, 267–9
 - example, 253–4
 - Hausman test, 273–4
 - local alternative hypotheses, 247–8
 - uniformly most powerful test, 237
 - Wald tests, 248–50
- precision parameter, 423
- predetermined instruments. *See* weak exogeneity
- prediction, 66–70
 - best linear, 70
 - conditional, 66
 - error, 66–70
 - in linear panel models, 738
 - in mixed linear model, 774–6
 - optimal, 66–70
 - rotation groups, 814
 - in structural model, 28
 - weighted, 821
- pretest estimator, 285
- primary sampling units (PSUs), 41, 815, 845–55

SUBJECT INDEX

- prior distribution, 425–30
 conjugate prior, 427
 definition, 420
 Dickey's prior, 439
 diffuse prior, 426
 flat prior, 426
 hierarchical priors, 428–9, 441–2
 improper prior, 426
 informative prior, 437–9
 Jeffreys' prior, 426
 noninformative prior, 425, 435–7
 normal-gamma prior, 437
 sensitivity analysis for, 429–30
see also Bayesian methods
- probit model, 470–71
 application, 465–6
 as additive random utility model, 477
 bivariate probit, 522–3
 bootstrap example, 254–6
 definition, 470
 discrete-time duration data, 602
 as GLM, 149
 index function model, 476
 logit model comparison, 471–3
 marginal effects, 467, 471
 ML estimator, 470
 Monte Carlo study example, 251–4
 multinomial probit, 516–9
 ordered probit, 520, 535
 panel data, 795–6
 simultaneous equations probit, 523, 560–1
see also binary outcome models
- probit selection equation, 548
- product copula, 654
- product integral, 578
- product rule, 949
see also Cramer linear transformation
- program evaluation. *See* treatment evaluation
- projection pursuit model, 323
- propensity score, 864–5
 application, 893–4
 balancing condition, 864, 893–4
 conditional independence assumption, 865
 definition, 864
 matching, 873–8, 892
see also treatment evaluation
- proportional hazards (PH) model, 592–7
 application, 605–7
 baseline survivor function estimator, 596–7
 coefficient interpretation, 606–7
 competing risks model, 645–6
 definition, 591
 discrete-time model, 600–3
 leading examples, 585
 mixed PH, 611–25
 panel data, 802
 partial likelihood estimator, 594–6
 pseudo-ML estimator (PML). *See* quasi-ML estimator
- pseudo panels, 771–3
 cohort, 771
 cohort fixed effects, 772–3
 measurement error, 772–3
- pseudo-random number generators, 410–6, 957–9
 accept-reject methods, 413–4
 composition methods, 415
 inverse transformation method, 413
 leading distributions, 957–9
 multivariate normal, 416
 transformation method, 413
 uniform variates, 412
see also MCMC methods
- pseudo R-squared measures
 for binary outcome models, 473–4
 definitions, 287–9
 example, 290–1
 for multinomial outcome models, 499
- pseudo-true value, 94, 132, 146, 281
- PSID. *See* Panel Study in Income Dynamics
- PSUs. *See* primary sampling units
- pure exogenous sampling, 825
- p-value, 226, 229, 234, 286, 363
- quadrature, 388–90
 Gaussian, 389–90
 multidimensional, 393
 in nonlinear panel models, 785–6, 796, 800
see also Monte Carlo integration
- qualitative response models. *See* binary outcomes, multinomial outcomes
- quantile, 86–7
- quantile regression, 85–90
 application, 88–90
 asymmetric absolute loss, 68, 85
 asymptotic distribution, 88
 bootstrap, 381
 computation, 341
 definition, 87
 IV estimator, 190
 multiplicative heteroskedasticity, 86–7
- quasi-difference, 783–4
- quasi-experiment. *See* natural experiment
- quasi-maximum likelihood (QML) estimator, 146–50
 asymptotic distribution, 146
 in binary outcome models, 469
 in clustered models, 842–3
 definition, 146
 in LEF, 147–9
 with multivariate dependent variable, 150
 in nonlinear systems, 216
 in panel models, 768, 786
 in Poisson model, 668–9, 682–3
- quasi-random numbers. *See* pseudo-random numbers
- QML estimator. *See* quasi-ML estimator
- random assignment, 49–50, 862
see also sampling schemes

SUBJECT INDEX

- random coefficients model, 94, 385, 774–6, 786
see also hierarchical models
- random effects (RE) estimator, 705, 734–6, 759–62, 785–6
 application, 710–1, 725
 asymptotic distribution, 735
 clustered data, 837–9, 843–4
 consistency, 699, 764
 definition, 705, 734
 error components 2SLS estimator, 760
 error components 3SLS estimator, 762
 FGLS estimator, 734–6
 GEE estimator, 790, 794, 804
 Hausman test, 717–9
 incidental parameters, 704, 726
 IV estimators, 759–60
 ML estimator, 736, 785–6, 794–7, 800–1, 803–4
 NLS estimator, 787, 794
 quasi-ML estimator, 791
 two-way effects model, 738
 versus fixed effects, 701–2, 715–9
- random effects (RE) model, 700–2, 734–6, 759–62, 785–6
 binary outcome models, 795–6
 Chamberlain model, 719, 786
 clustered data, 831, 843–4
 count models, 794, 803–4
 definition, 700, 734
 dynamic models, 792
 duration models, 801–2
 endogenous regressors, 756–7, 759–62
 Mundlak model, 719
 nonlinear models, 785–6
 selection models, 801
 Tobit model, 800–1
 two-way effects model, 738
 versus random effects, 701–2, 715–9
see also hierarchical models; random effects estimator
- random number generators. *See* pseudo-random numbers
- random parameters logit (RPL) model, 512–6
 Bayesian methods, 514
 definition, 513
 ML estimator, 513–4
- random parameters model. *See* random coefficients model
- random utility models. *See* ARUM
- randomization bias, 53, 867
- randomized experiment, 50–3
 National Supported Work demonstration project, 889
- randomized trials, 49–53
- randomly varying coefficient, 847–8
- rank condition for identification, 31, 182, 214
- rank-ordered logit model, 521
- rank-ordered probit model, 521
- raw residual, 289, 291
- RD design. *See* regression discontinuity design
- receiver operators characteristics (ROC) curve, 474
- reduced form, 21, 25, 213
see also structural model
- RE estimator. *See* random effects
- regression-based imputation, 930–2
 EM algorithm, 932
 nonignorable missingness, 932
- regression discontinuity (RD) design, 879–83
 fuzzy RD design, 882
 heterogeneous treatment effects, 882
 RD estimator, 882–3
 sharp RD design, 880–1
 treatment assignment mechanism, 879–81
- regressors, 71
 alternative-varying, 478, 497–8
 endogenous, 23–33
 fixed, 76–7
 irrelevant, 93
 omitted, 92–3
 stochastic, 77
 time-varying, 597–600, 702, 749–51
see also endogenous regressors
- regularity conditions for ML, 141–2, 151–6
- relative risk, 470, 503
- reliability ratio, 903
- renewal function, 626
- renewal process, 626, 638
- repeated cross section data, 47, 770–3
see also differences-in-differences
- repeated measures. *See* panel data
- replicated data, 910–1, 913
- RESET test, 277–8
- residual analysis
 definitions, 289–90
 duration data, 633–6
 example, 290–1
 panel data, 714–5
 small-sample correction, 289
- residual bootstrap, 361
- response-based sampling, 43
- restricted ML estimator, 233, 776
- revealed preference data, 498, 516
- ridge regression estimator, 440
- Robinson difference estimator, 324–5, 565
- robust sandwich variance matrix estimate. *See* sandwich variance matrix
- robust standard errors
 bootstrap, 362–3, 376–8
 Eicker-White, 74–5, 80–1, 112, 137
 for extremum estimator, 137–9
 Huber-White, 137, 144, 146
 Newey-West, 137, 175, 723
see also cluster-robust; heteroskedasticity-robust; panel-robust; systems-robust
- ROC curve. *See* receiver operators characteristics curve
- rotating panels, 739

SUBJECT INDEX

- Roy model, 555–7, 562
 definition, 556
 dummy endogenous variable, 557
 Heckman two-step estimator, 556
 ML estimator, 556
 panel semiparametric estimation, 808
 as treatment effects model, 867
- RPL model. *See* random parameters logit
- R-squared, 287
 pseudo, 287–9
 uncentered, 241, 263
- running mean estimator, 308
- SA method. *See* simulated annealing
- sample attrition, 47
- sample moment conditions
 see population moment conditions
- sample selection bias, 44–5
- sample weights, 817–21, 853–6
 see also weighting
- sampling schemes
 assumptions for OLS, 76–78
 case-control, 479, 823
 choice-based sampling, 43, 478–9, 823
 endogenous sampling, 42–5, 78, 822–9, 856
 endogenous stratified sampling, 78, 820, 825–6,
 856
 exogenous stratified sampling, 42, 78, 814–5, 820,
 825, 856
 fixed in repeated samples, 76–7
 flow sampling, 44, 626
 multi-stage surveys, 41–2, 814–6, 853–6
 on-site sampling, 43, 823
 simple random sampling, 41, 76–7, 816
 stock sampling, 44, 626–7
 with replacement, 816
 without replacement, 816–7
- sandwich variance matrix
 clustered data, 834, 842
 extremum estimator, 132, 137–9
 GMM estimator, 175
 ML estimator, 144, 148
 NLS estimator, 150
 OLS estimator, 74
 panel data, 705–7, 722, 746, 751
 for Wald test, 277
 see also robust standard errors
- Sargan test, 277
 see also overidentifying restrictions test
- scale parameter, 509
- scanner data, 499
- Schwarz criterion. *See* BIC
- SCLS estimator. *See* symmetrically censored least squares
- score test, see Lagrange multiplier test
- score vector, 141
- secondary sampling units (SSUs), 41, 815, 854
- seed, 411
- seemingly unrelated regressions (SUR) model,
 209–10, 216
 Bayesian MCMC example, 452–4
 count data, 685
 error components, 762
 nonlinear, 216
 selection bias, 445
 nonignorable missingness, 927, 932, 940
 treatment effects models, 867–71
 see also selection models
- selection models, 546–62
 bivariate sample selection model, 547–53
 count models, 680
 example, 553–5
 panel data, 801
 Roy model, 555–7, 867
 sample selection, 546
 self selection, 546
 semiparametric estimation, 565–6
 structural models, 558–62
 treatment effects model, 862–4
 versus selection on observables only, 552–3, 864,
 868–71
 versus two-part models, 546, 552–3
 see also Tobit models
- selection on observables only, 552–3, 862–4, 868–9,
 878–3, 889–96
 compared to selection models, 552–3, 864, 871
 conditional independence assumption, 868
 control function estimator, 869
 definition, 868–9
 DID estimator, 878–9
 RD design estimator, 879–83
 treatment effects model, 862–4, 889–96
- selection on unobservables, 552–3, 865–71, 883–9
 definition, 868
 in treatment effects model, 862–4
 IV estimators, 883–9
 Roy model, 867
 selection bias, 867–71
 selection model, 552–3
- self-weighting sample, 818
- SEM. *See* simultaneous equations model
- seminonparametric ML estimator, 328–9, 485
- semiparametric efficiency bounds, 323, 329–30, 485
- semiparametric estimators, 322–30
 adaptive, 323
 application, 565
 average derivative estimator, 326
 efficiency bounds, 323, 329–30
 nonparametric FGLS, 328
 Robinson difference estimator, 324–5, 565
 semiparametric least squares, 327, 483
 seminonparametric ML estimator, 328–9, 485
 see also semiparametric models
- semiparametric heterogeneity model, 622
 see also finite mixture models
- semiparametric least squares, 327, 483

SUBJECT INDEX

- semiparametric ML estimator, 328–9, 485
 semiparametric models, 322–30
 additive models, 327
 binary outcome models, 482–6
 censored models, 563–5
 count models, 684–5
 definition, 322
 duration models, 594–600, 601–2
 flexible parametric models, 563
 heteroskedastic linear model, 323, 328
 identification, 325–6
 leading examples, 322
 multinomial outcome models, 523–4
 panel data models, 808
 partially linear model, 324–5
 selection models, 565–6
 single-index models, 325–7
 see also semiparametric estimators
 sequential limits, 767
 sequential multinomial models, 520–1
 sequential two-step m-estimator, 200–2
 bootstrap for, 362
 sequence of random variables, 943, 945
 serial correlation. *See* autocorrelation
 set identification, 29
 series estimator, 321
 for binary outcomes, 483
 shared frailty model, 662
 short panel
 definition, 700
 statistical inference in, 705–8, 721–2, 746, 751, 768
 shrinkage estimator, 440
 Silverman's plug-in estimate, 304
 simple random sampling (SRS), 41, 76–7, 816
 simple stratified sampling, 818
 Simpson's rule, 388–9
 simulated annealing (SA) method, 347
 simulated m-estimator, 398–9
 simulation-based estimation methods, 364–418
 motivating examples, 385–6
 see MSL, MSM, indirect inference, simulators
 simulators, 393–4, 406–10
 antithetic sampling, 408–9
 direct, 393
 frequency, 406
 GHK, 407–8
 Halton sequences, 409–10
 importance sampling, 407
 smooth, 407
 subsimulator, 394
 unbiased, 394, 400
 see also quadrature
 simultaneous equations model (SEM), 22–31, 213–4,
 219
 causal interpretation, 26
 error components, 762
 extension to nonlinear models, 27
 FIML estimator, 214
 identification, 29–31, 213–4
 LIML estimator, 214
 nonlinear, 219
 order condition, 213
 rank condition, 214
 reduced form, 25, 213
 single-equation models, 31
 structural form, 25, 213
 structural model, 24
 2SLS estimator, 214
 3SLS estimator, 214
 simultaneous equations probit, 523, 560–1
 simultaneous equations Tobit, 560–1
 single-index models, 123, 323, 325–7
 definition, 123
 identification, 325
 marginal effects, 123
 nonlinear panel model, 780
 semiparametric estimators, 325–7
 SIPP. *See* Survey of Income and Program Participation
 size of test, 246–7, 251–3
 nominal size, 251
 size-corrected test, 251
 true size, 251–3
 Sklar's theorem, 652
 Slutsky's Theorem, 945–6
 alternative version, 949
 small-sample bias. *See* finite-sample bias
 smooth maximum score estimator, 484
 smoothing parameters, 307
 smoothing spline estimator, 321
 social experiments, 32, 48–54
 advantages, 50–2
 examples, 51, 889
 limitations, 52–4
 randomization, 49–50
 span, 320
 specific to general test, 285
 specification tests, 259–78
 for clustered data, 840
 for duration models, 628–32
 for endogeneity, 275–6
 for exogeneity, 277
 for heteroskedasticity, 275
 for individual-specific effects, 737
 for omitted variables, 274
 for overdispersion, 670–1
 for pooling, 737
 for unobserved heterogeneity, 628–32
 for Tobit model, 543–4
 see also m-tests; model diagnostics
 spherical errors, 78
 split-sample IV estimator, 191–2
 SRS. *See* simple random sampling
 SSUs. *See* secondary sampling units
 stable family of distributions, 621
 stable unit treatment value assumption (SUTVA), 872
 standard errors. *See* robust standard errors

SUBJECT INDEX

- starting values, 340, 351
 state dependence. *See* true state dependence
 stated preference data, 498, 516
 stationary population, 40
 statistical packages, 349
 step size adjustment, 338
 stochastic order of magnitude, 954–5
 stock sampling, 44, 626–7
 strata, 41, 815
 see also sampling schemes; weighting
 stratification matching, 875–6, 893–6
 stratified random sampling, 76–7, 814–5
 use of Liapounov CLT, 951
 use of Markov LLN, 948
 see also sampling schemes; weighting
 strict exogeneity. *See* strong exogeneity
 strong consistency, 947
 strong exogeneity, 22
 in panel models, 700, 749–50, 752, 781
 structural approach
 to measurement error, 901
 to weighting, 820–1
 structural economic models, 28, 171
 with selection, 558–60
 structural form, 20, 25, 223
 structural model, 20–31, 35–6
 based on economic model, 28
 exogeneity, 22–3
 full information, 35
 limited information, 35
 reduced form, 21, 25, 223
 structural form, 20, 25, 223
 structure, 20
 see also simultaneous equations model
 structural selection models, 558–62
 based on utility maximization, 558–60
 endogenous regressors, 561–2
 simultaneous equations Tobit, 560–1
 studentized statistic, 359
 subsampling method, 373
 substitution bias, 53, 867
 sufficient statistic, 732, 782, 799, 805
 definition, 782
 summation assumption, 748, 752
 superpopulation, 40, 816
 supersmoother, 321
 SUR model. *See* seemingly unrelated regressions
 survey methods, 41–2, 84–7, 814–8, 853–6
 survey nonresponse, 45–6, 60, 739
 see also attrition bias; imputation methods
 Survey of Income and Program Participation (SIPP),
 59
 survival analysis. *See* duration models
 survival function. *See* survivor function
 survivor function
 aggregate survivor function, 619
 definition, 576–8
 estimator in PH model, 596–7
 Kaplan-Meier estimator, 581–2, 604–5
 in mixture models, 615–6
 multivariate, 649–50
 parametric examples, 585
 SUTVA. *See* stable unit treatment value assumption
 switching regressions model. *See* Roy model
 symmetrically censored least squares (SCLS)
 estimator, 565
 synthetic panels. *See* pseudo panels
 systems of equations, 206–19
 linear systems, 206–14
 nonlinear systems, 214–9
 seemingly unrelated regression, 209–10, 216
 simultaneous equations model, 22–31, 213–4, 219
 systems-robust standard errors, 208–9, 212, 219
 target density, 444
 tests. *See* hypothesis tests, m-tests, specification tests
 three-stage least squares (3SLS) estimator, 214
 3SLS estimator. *See* three-stage least squares
 time series data
 bootstrap, 381
 NLS estimator, 158–9
 Newey-West standard errors, 137, 175, 727
 time-varying regressors
 in duration models, 597–9
 in panel data models, 702, 749–51
 Tobit model, 536–44
 Bayesian methods, 563
 censored mean, 538–41
 censoring mechanism, 532, 579
 consistency of MLE, 538
 definition, 536
 example, 530–1
 generalized, 548
 Heckman two-step estimator, 543, 567–8
 identification, 536
 as imputation method, 932
 inverse-Mills ratio, 540–1
 marginal effects, 541–2
 measurement error in dependent variable, 914
 ML estimator, 537–8
 NLS estimator, 542
 OLS estimator, 543
 panel data, 800–1
 simultaneous equations, 560–1
 specification tests, 543–4
 with stochastic thresholds, 547
 with truncated data, 538
 truncated mean, 538–41, 566–7
 two-limit, 536
 type 2, 547
 type 5, 557
 see also selection models
 top-coded data, 532–3, 541, 563
 transformation methods, 413
 transformation theorem, 949
 transformed ML estimator, 766

SUBJECT INDEX

- transition data. *See* duration models
- trapezoidal rule, 388
- treatment-control comparison
 application, 890–1
- treatment effects framework, 862–5, 871–8, 889–96
 balancing condition, 864, 893–4
 binary treatment variable, 862
 conditional independence assumption, 863, 865
 conditional mean independence assumption, 864
 heterogeneous treatment effects, 882, 885
 multiple treatments, 860
 overlap assumption, 864, 871
 propensity score, 864–5
 Roy model, 867
 stable unit treatment value assumption, 872
see also treatment evaluation
- treatment evaluation, 860–98
 application, 889–96
 IV estimators, 883–9
 matching estimators, 871–8
 DID estimators, 878–9
 selection bias, 865–71
 selection on observables, 862–4, 878–3, 889–96
 selection on unobservables, 865–71, 883–9
 regression discontinuity design, 879–83
see also treatment effects framework
- treatment group, 49, 862
- trimming, 316, 333
- trivariate reduction, 686
- true state dependence
 duration models, 612, 630, 636
 dynamic panel models, 763–4, 798, 802
see also unobserved heterogeneity
- truncated models, 530–44
 conditional mean, 535
 count models, 679–80
 definition, 532
 examples, 530–1, 535
 ML estimator, 534
see also Tobit model; selection models
- truncated moments of standard normal, 540, 566–7
- truncation mechanisms, 532
 truncation from above, 532
 truncation from below, 532
- 2SLS estimator. *See* two-stage least squares
- two-limit Tobit model, 536
- two-part model, 544–6
 application, 553–5
 compared to selection models, 546, 552–3
 definition, 545
 example, 545–6
see also hurdle model
- two-stage IV estimator, 187
- two-stage least squares (2SLS) estimator, 101–2, 187–91
 alternatives to, 190–2
 Basman's approach, 190–1
 compared to optimal GMM, 187–8
 as GLS in transformed model, 188–9
 as GMM estimator, 187
 nonlinear, 195–6, 199
 panel data, 746, 755
 in SEM, 214
 Theil's interpretation, 189–90
- two-stage sampling, 41, 818
- two-step estimators
 GMM, 176, 187
 Heckman, 543, 550–1, 556, 567–8
 sequential m-estimator, 200–2
- two-step GMM estimator, 176, 187
 panel, 746, 755
- two-way effects model, 738
- type I error, 246–7
- type II error, 246–7
- type 1 extreme value distribution, 477, 486–7
 duration model error, 590
 multinomial logit model, 505
- type 2 Tobit. *See* bivariate sample selection model
- type 5 Tobit. *See* Roy model
- ultimate sampling units (USUs), 41, 815
- unbalanced panels, 739
- uncentered explained sum of squares (ESS), 241
- uncentered R-squared, 241, 263
- unconfoundedness assumption. *See* conditional independence assumption
- underrecording, 915
- undersmoothing, 305, 333, 380
- uniform convergence in probability, 126, 301
- uniform number generators, 412
- uniformly most powerful (UMP) test, 247
- unit roots, 382, 767–8
- universal logit model, 500
- unobserved heterogeneity
 application, 632–6
 in competing risks model, 647
 in count models, 675–7, 686
 distributions for, 614–5, 620–1
 in duration models, 611–25
 finite mixture models for, 621–5
 identification, 618–20
 IM test for, 267
 individual-specific effects, 700, 764
 mixture models for, 613–21
 MSL example, 397–8
 MSM example, 403
 multiplicative, 613, 686
 in nonlinear systems, 215
 specification tests for, 629–32
 variance inflation, 614
 versus true state dependence, 612, 630, 636, 763–4, 798, 802
- USUs. *See* ultimate sampling units
- validation sample, 911
- variance components, 735, 845

SUBJECT INDEX

- variance matrix estimation
 BHHH estimate, 138
 degrees-of-freedom adjustment, 75, 102, 138, 185–6, 278, 841
 expected Hessian estimate, 138
 for extremum estimator, 137–9
 for GMM estimator, 174–5
 Hessian estimate, 138
 for NLS estimator, 154–5
 OPG estimate, 138
 robust estimate, 137
 sandwich estimate, 137, 144
 for weighted estimators, 854–6
see also robust standard errors
- variance reduction for simulation, 478
- Wald estimator
 in treatment effects models, 886
- Wald test, 136–7, 224–33
 asymptotic distribution, 226–8
 comparison with LM and, LR tests, 238–9
 definition, 136
 examples, 236, 241–3
 exclusion restrictions, 227
 F-test version, 226
 introduction, 136–7
 lack of invariance, 232–3
 likelihood based, 234, 241–3
 linear models, 224–5
 linear restrictions, 136–7
 in misspecified models, 229–30
 nonlinear restrictions, 224, 229
 power, 248–50
 of statistical significance, 228
 t-test version, 226–8
see also hypothesis tests
- weak consistency, 947
- weak exogeneity, 22
 in panel data, 749, 752, 758
- weak instruments, 100, 104–12
 application, 110–2
 definition, 104
 finite sample bias, 108–12, 177–8, 191–2, 196
 GMM estimator, 177–8
 inconsistency, 105–7
 indicators 104–5, 756
 panel data, 751–2, 756
- Weibull distribution, 584–6
- Weibull-gamma regression model, 615
- Weibull regression model, 143–4, 589, 606–8, 635
- weighted estimation
 endogenous stratification, 828–9
 exogenous stratification, 818–20
- weighted exogenous sampling ML (WESML)
 estimator, 828
- weighted least squares (WLS) estimator, 81–5
 asymptotic distribution, 83
 contrasted with GLS, 83
 definition, 83
 example, 84–5
 in pooled model, 702–3, 721
see also FGLS estimator
- weighted maximum likelihood (WML) estimator, 828
- weighted semiparametric least squares (WSWL)
 estimator, 327
 for binary outcome models, 485
- weighting, 817–21, 827–9, 853–6
 descriptive versus structural approach, 820
 with endogenous stratification, 827–9
 sample weights, 817–8
 variance estimation, 853–6
 weighted prediction, 821
 weighted regression, 818–20
 whether to weight, 820–1
- welfare analysis
 with ARUM, 506–7
 with nested logit model, 512
- WESML estimator. *See* weighted exogenous sampling ML
- White standard errors. *See* robust standard errors
- wild bootstrap, 377–8
- window width, 299, 307, 312
- Wishart distribution, 443
see also inverse-Wishart distribution
- within estimator. *See* fixed effects estimator
- within model. *See* fixed effects model
- within-group variation, 709, 733
- with-zeros model, 681
- WLS estimator. *See* weighted least squares
- WML estimator. *See* weighted maximum likelihood
- WNLS estimator, 156–7
 asymptotic distribution, 156
 definition, 156
 example, 159–63
 as GLM, 158
- working matrix
 definition, 82
 for GLM estimator, 158
 for pooled GEE estimator, 794
 for pooled WLS estimator, 721
 for WLS estimator, 82–3
- WSLS estimator. *See* weighted semiparametric least squares
- zero-inflated count model, 680–1