

Index

- $A\beta$ proteins, 301
 soluble, 307, 309
 $A\beta 40$, 309
 $A\beta 42$, 309
 activity, 42
 of activated complex, 287
 of monomer, 287
 of solute, 42
 adhesive square well model, 94
 aggregates, 242
 α -crystallins, 217, 243, 244
 effect of PEG, 217
 isoelectric point, 217
 molecular weight, 217
 α -helices, 243
 Alzheimer's disease, 299
 $A\beta 40$, 299
 $A\beta 42$, 299
 synaptic efficacy, 308
 amphipathic substance, 223
 amphiphilic substance, 228
 amyloid β protein, 299; *see also*
 $A\beta$ proteins
 amyloid fibers, 302
 amyloid fibrils, 301
 amyloid hypothesis, 300, 301
 amyloids, 299
 critical concentration, 303
 kinetic evolution, 303
 kinetics, 305
 analyte, 31
 anisotropic interactions, 101, 128, 254, 267
 hydration effects, 107
 lattice approach, 132
 nucleation, 128
 patch model, 101
 site model, 103, 128
 annexin V, 235
 apoferritin, 218
 hydrodynamic radius, 218
 isoelectric point, 218
 molecular weight, 218
 quasi-planar critical nuclei, 218
 second virial coefficient, 218
 solubility curve, 218
 Asakura–Oosawa depletion potential, 71
 aspartate transcarbamylase
 (ATCase), 217
 effect of PEG, 217
 isoelectric point, 217
 molecular weight, 217
 β -crystallins
 isoelectric point, 245
 β -pleated sheets, 243
 bicelles, 224
 Bjerrum length, 197
 bond-order parameter (Q6), 233
 bond-order correlation function, 230
 BPTI, 215
 brome mosaic virus, 75
 cataract, 241, 244, 256
 punctate opacities, 259
 R14C, 259, 262
 R36S, 264
 R58H, 264
 CD spectra measurements, *see under* circular
 dichroism spectroscopy
 chaotropic ions, 88
 chaperones, 244
 circular dichroism spectroscopy, 30, 243
 spectra measurements, 260
 classical nucleation theory, *see* nucleation
 theory
 cloud point, 28
 definition, 28
 measurement, 28
 collision, 315
 condensation, 1, 109
 Coulomb force, 64
 Creutzfeldt–Jacob disease, 309
 critical cluster, 292
 critical point, lower, 280
 critical temperature, 252
 cross-linking, 31, 312

crystallins, 241
 α -crystallins, 242
 α A, 242
 α B, 242
 β -crystallins, 245
 γ -crystallins, 241, 252
 structural stability, 242
 crystallization, 109

Debye length, 80
 delay time, 124, 150
 for sickle hemoglobin, 278
 depletion potential, urate oxidase, 212
 depletion zone, 206
 differential scanning calorimetry,
 30, 260
 diffusion constant, 27
 dimers, 243, 307
 discrete molecular dynamics, 314
 DLVO model
 BPTI, 216
 urate oxidase, 212
 DLVO theory, 63, 67, 95
 Donnan theory
 contribution to B_2 , 108, 186
 osmotic equilibrium, 181
 dynamic light scattering, 26
 diffusion constant, 26
 quasi-elastic, 26

enthalpy, 35
 equilibrium cluster formation, 197
 equilibrium constant, 47, 52
 Euler relation, 34
 excess number of molecules, 118
 excluded volume interaction, 63

fibrillar plaques, 307
 fibrils, 306
 fluid-fluid coexistence curve, 254
 four-bead model, 319
 free interface diffusion method, 29

γ -crystallins, 246, 258, 264
 cataracts, 254
 diffusion coefficient, 250
 diffusion constant, 251
 fluid-fluid coexistence
 curves, 254
 kinetics, 258
 liquidus lines, 254
 phase diagram, 53
 phase separation, 254
 protein-protein interactions, 253
 second virial coefficient, 246
 short range attractions, 265
 short range attractive interaction, 254
 tertiary structure, 254
 gel, 56
 gel line, 56
 lysozyme, 56
 Gibbs free energy, 35

Gibbs-Duhem equation, 34
 Gibbs-Helmholtz equation, 36
 glucose isomerase, 206
 molecular weight, 206
 phase diagram, 206
 Greek key motif, 245

Hamaker constant, 95
 hard sphere model, 64
 HbS, *see* sickle hemoglobin 155
 heat-shock proteins, 244
 Helmholtz free energy, 34
 Henderson-Hasselbach equation, 48
 BPTI, 216
 heptamers, 311
 hexamers, 311
 hexatic phase, 230
 high pressure liquid chromatography, 31
 Hofmeister effect, 73
 direct order, 73
 reverse order, 73
 Huntington's disease, 309
 hydration force, 64, 82
 hydrodynamic radius, 27
 hydrogen bonding, 317
 hydrophobic force, 64, 82, 86
 hypernetted chain approximation, 74, 100
 urate oxidase, 212

ideal solution, 45
 induction time, definition, 21
 ion dispersion force, 65, 76

kinetic pathways, 2
 kinetics, 313
 kosmotropic ions, 88

Landau theory, 58
 law of corresponding states, 97
 Lennard-Jones potential, 92
 modified, 93, 114
 lens, 242
 liquid-liquid phase separation, 143
 BPTI, 216
 effect on nucleation rate, 143
 measurement, 28
 role in crystallization, 206
 for sickle hemoglobin, 280
 for urate oxidase, 214
 liquidus line, *see* solubility curve
 lysozyme, 156
 binodal curve, 194
 diffusion constant, 179
 effect of PEG, 88, 192
 Hofmeister effect, 73, 177
 isoelectric point, 157
 limit of metastability, 159, 188
 molecular weight, 157
 nucleation rate, 196
 nucleation rate measurements, 135
 phase diagram, 96
 potential of mean force, 81

- scaling of crystallization boundary, 159
- second virial coefficient, 172
- solubility curve, 158
- spinodal curve, 194
- spinodal decomposition, 193
- theory for charge and salt effects, 181
- McMillan–Mayer solution theory, 37
 - binary mixture, 41
 - mixed solvent, 43
 - ternary mixture, 37
- mean spherical approximation, 100
- membrane protein crystallization
 - bicelle method, 225
 - in cubo* method, 224
 - in meso* method, 225
 - in surfo* method, 224
- membrane protein crystals
 - three-dimensional, 224
 - two-dimensional, 228
- membrane proteins, 221
 - hydrophilic interactions, 221
 - hydrophobic interactions, 221
 - integral, 222
- Lennard-Jones potential, 92, 126, 199, 234
 - lipid linked, 222
 - membrane associated, 222
 - mesophases, 224
 - modified Lennard-Jones potential, 91, 93, 98, 114, 126
 - peripheral, 222
 - second virial coefficient, 226
 - square well model, 232
 - transmembrane, 222
- mesophases, 224
- metastability limit, 188
- metastable state, 54, 241
 - critical point, 3
- microbatch method, 29
- mode coupling theory, gel line, 57
- molecular dynamics, 315
- monomers, 307, 311
- Monte Carlo method, 265
 - umbrella sampling, 114
- mutations, 258
- neurofibrillary tangles, 299
- neutron scattering, 23
- NMR studies, 20
 - induction time, 21
- nucleation, 54
 - cluster formation, 109
 - cluster free energy, 110
 - from condensed phase, 112
 - critical cluster size, 110
 - free energy barrier, 110
 - nucleation event, 109
 - steady state, 110
 - two-step, *see* two-step nucleation 133
- nucleation rate, 109; *see also* nucleation rate measurements
 - of anisotropic interactions, 128, 130
 - heterogeneous, 109, 285
 - homogeneous, 109, 285
 - steady state, 111
- nucleation rate measurements, 135, 146, 148, 153
 - direct determination, 135, 146
 - in porous media, 153
- nucleation theorem, 113
- nucleation theory
 - Becker–Döring, 112
 - classical, 110
 - density functional, 117
- oligomers, 245, 307, 311
- pair distribution function, 230
- Parkinson’s disease, 309
- partition function
 - canonical partition function, 38
 - grand partition function, 39
- pentamers, 311
- pH, 47
 - of lysozyme, 49
- phase behavior, 264, 313
- phase diagram, 53
 - of lysozyme, 55
 - of sickle hemoglobin, 280
- phase field model, 117
 - phase diagram, 117
- phase separation, 258
- phase transitions, 52
- PICUP, 32
- pK, 48
- plaques, 299
- Poisson–Boltzmann equation, 69
 - ion dispersion interactions, 77
- polymer reference interaction site model (PRISM), 72
- polymers, 315
- post-translational modification, 242, 243
- potential of mean force, 40
- preferential interaction parameter, 46
- protein aggregates, 258
- protein folding, 313
- protein–detergent complex (PDC), 223
- proteins, 315
 - amino acid, 9
 - fibrous, 4
 - secondary structure, 14
 - globular, 4
 - secondary structure, 14
 - membrane, 4
 - peptide chain, 9
 - primary structure, 10
 - quaternary structure, 17
 - secondary structure, 11
 - α -helix, 12
 - β -sheet, 12
 - tertiary structure, 14
- pseudobonds, 321

quasi-elastic light scattering, 248
 quasi-light scattering, 258
 quaternary structure, 243

renormalization group, 59

SAXS, *see* X-ray scattering, small angle
 SDS-PAGE analysis, 32
 SE-HPLC, 262
 second virial coefficient, 21
 optimal crystallization, 25
 potential of mean force, 22
 structure factor, 24
 self-consistent Ornstein–Zernike approximation, 100
 self-interaction chromatography, 28
 second virial coefficient, 28
 short range oscillatory force, 84
 sickle cell anemia, 269
 sickle hemoglobin, 269
 copolymerization study, 276
 double nucleation, 149, 278
 fiber structure, 273
 intermolecular contacts, 272
 isoelectric point, 271
 liquid–liquid phase separation, 280
 molecule, 272
 nucleation rate measurements, 146, 148
 physiological conditions, 271
 polymerization, 148, 270, 285
 kinetic model, 285
 progress curve, 149, 278
 simulation, 314
 solubility; *see also* solubility curve
 correlation with B_2 , 178
 definition, 21
 measurement column technique, 21
 UV absorption spectroscopy, 21
 supersaturated, 21
 undersaturated, 21
 solubility curve
 normal, 21
 retrograde, 21, 280
 temperature-independent, 21
 solubility line, *see* solubility curve
 solvation force, 82
 solvation free energy, 45
 spherulites, 141, 146
 spinodal, 72

spinodal curve, 54
 square well, 266
 square well model, 94, 254, 268
 isotropic, 267
 structure factor, 24
 multicomponent system, 26
 osmotic compressibility, 24
 supersaturation, dependence on ionic strength, 191
 surfactant, 223, 225
 cloud point, 224, 227

τ protein, 300, 309
 tertiary structures, 260
 tetramers, 243, 311
 thermodynamic perturbation theory, 98
 modified Lennard-Jones, 98
 titration diagram, 48
 two-step nucleation, 121, 284
 density functional approach, 126
 steady state, 123
 two-bead models, 315

urate oxidase, 208
 effect of PEG, 209
 isoelectric point, 208
 molecular weight, 208
 phase diagram, 214
 second virial coefficient, 208

van der Waals free energy, 53
 van der Waals force, 64, 66
 dipole–dipole interaction, 65
 dipole-induced dipole interaction, 65
 induced dipole-induced dipole interaction, 65
 Van 't Hoff equation, 45
 solubility line, 50
 vapor diffusion method, 29
 vision, 241

wild-type form, 253

X-ray crystallography, 19
 X-ray scattering, small angle, 23

Yukawa model, 95
 Zeldovich factor, 111