

Cambridge University Press

978-0-521-85336-1 - An Executive's Guide to Information Technology: Principles, Business Models, and Terminology

Robert Plant and Stephen Murrell

Index

[More information](#)

Index

- 10 base 2, 100 base T, 139
- 16 bit, 32 bit, 64 bit, 320
- abuse of computers, 182, 287
- ACM (*Association for Computing Machinery*), 3
- Ada, programming language, 271
- address, network, 102
- administrator, database, 90
- ADSL (*Asymmetric Digital Subscriber Line*), 69
- adware, 4
- agent, artificially intelligent, 5
- agile organization, 336
- Algol, programming language, 270
- algorithm, 9
 - complexity, speed, 73
 - efficiency, 124
- Amdahl's law, 56
- analysis, of web site, 59
- anonymous FTP, 159
- ANSI C, programming language, 47
- anti-Virus, 11
- Applet, Java, 4
- application, 167
- architecture
 - client-server, 62
 - hardware, network, software, 16
 - legacy, 203
 - two-tier, three-tier, 14
- archive, 24
- ARPANET, *see Internet*, 333
- artificial intelligence, 17
 - agents, 5
 - fuzzy logic, 196
 - instant messaging, 181
 - knowledge-based systems, 196
 - logic programming, 205
 - machine learning, 207
 - natural language processing, 221
 - neural network, 229
 - robotics, 285
- ASCII, 19
- ASP
 - (*Active Server Pages*), 121
 - (*Application Service Provider*), 15
- assembler, 20
- assigned name, internet, *see ICANN*, 174
- asynchronous transfer mode, 186
- ATM (*Asynchronous Transfer Mode*), 186
- attack
 - brute force, 275
 - denial of service, 99
 - password file, 255, 256
 - spoofing, 307
 - Trojan horse, 322
 - virus, 339
- audio, 21, 23
- audit, data quality, 96
- authority, certification, 105
- autocode, programming language, 268
- AVI, video format, 330
- B-tree, database index, 176
- B2B (*Business to Business*), 123
- B2C (*Business to Customer*), 123
- backbone, internet, 189
- backup, 24
- bandwidth, 26, 27
- bar code, 29
- Basic, programming language, 342, 343
- batch processing, 30
- BCS (*British Computer Society*), 31
- benchmark, 32
- binary, 33
- biometric, 34
- bit, 26, 35, 41
 - 16, 32, and 64 bit, 319
- block, 66
- blog, 354
- blu-ray, optical storage, 246
- blue screen of death, 241
- bluetooth, 36
- bot, 5
- bridge, network device, 185, 228
- British Computer Society, 31
- broadband, 37
- broadcast, network, 201
- brute force attack, 275

Index

- BS-15000, 178
- bug, 28, 40
- bus, 40
- business
 - continuity, 41
 - decision support system, 98
 - intelligence, 42
 - process, 44
- byte, 212

- C, programming language, 46
- C#, programming language, 47
- C++, programming language, 47
- CA (*Certification Authority*), 105
- Cable Communications Policy Act 1984, 48
- cable modem, 37
- cache, 60, 210
- CAD (*Computer Aided Design*), 51
- CAM (*Computer Aided Manufacturing*), 51
- CAN-SPAM Act 2003, 296
- capability maturity model, 154
- capacity of disk, memory, 211
- capacity planning, 52
- cascading style sheets, 172
- cash, digital, 103, 104
- CCPA (*Cable Communications Policy Act 1984*), 48
- CD (*Compact Disc*), 147, 245
- cell computing, 54
- central processing unit, CPU, 85
- certificate, digital, 105
- certification authority, 105
- CGI (*Common Gateway Interface*), 120
- chaos theory, 56
- chief information officer, CIO, 59
 - responsibilities of, *see also* security
 - bandwidth assessment, 60
 - business continuity planning, 42
 - capacity planning, 52
 - data backup, 42
 - database administrator, 90
 - distributed database, 115
 - information lifecycle management, 177
 - management information systems, 214
 - Sarbanes-Oxley Act 2002, 289
 - system architecture, 62
- chief security officer, CSO, 296
- circuit switching, 250
- CISC (*Complex Instruction Set Computer*), 85
- click-stream tracking, 60
- clicks and bricks, 123
- client
 - application server, 14
 - network access application, 61
 - networked computer, 353
- clone, 64
- cluster, 65

- CMM (*Capability Maturity Model*), 154
- CobiT, 291
- Cobol, programming language, 67, 270
- COCOMO (*Constructive Cost Model*), 259
- coding, *see* programming, 121
- collision, network, 138
- Colossus, 157
- commerce, electronic, 227
- communicating sequential processes, 55
- communications
 - bandwidth, 27
 - interception and disclosure, 110
 - middleware, 213
 - peer to peer, 258
- community, on-line, 237
- compact disc, 245
- compact flash, 150
- compiler, 69
- compression, 73
 - audio, 22
 - data, 75
 - Zip, 363
- computability, 76
- computer, 77
 - analog, 10
 - CPU, 85
 - quantum, 277
- computer aided design, CAD, 51
- computer aided manufacturing, CAM, 51
- computer-based training, 79
- computer society
 - ACM, 3
 - BCS, 31
 - IEEE, 174
- conceptual data model, 137
- connectivity standard, 82
- constructive cost model, 259
- continuity, business-service provider, 41
- cookie, 83
- COPPA (*Children's Online Privacy Protection Act 1998*), 59
- copyright, Digital Millennium Copyright Act 1998, 107
- CORBA, 214
- core, storage, 310
- COTS (*Commercial Off The Shelf*), 66
- CPU (*Central Processing Unit*), 85
- cracking, 86, 87
- crash
 - computer system, 40, 100
 - disk, 114
- cryptanalysis, 131
- CSCW (*Computer Supported Cooperative Work*), 164
- CSO (*Chief Security Officer*), 296
- CSS (*Cascading Style Sheets*), 172
- cybersquatting, 118

Index

- data
 - cluster, 66
 - compression, 63
 - cube, 98, 235
 - definition language, DDL, 88
 - encryption standard, DES, 131
 - flow diagram, 91
 - interchange, 126
 - mining, 93
 - pool, 68, 94
 - Protection Act, 95
 - quality audit, 96
 - storage, 310
 - synchronization hub, 68
 - warehouse, 97
- database, 166
 - administrator, 90, 176
 - data interchange, 126
 - data mining, 93
 - data pool, 94
 - data quality audit, 96
 - data warehouse, 97
 - distributed, 115
 - enterprise resource planning, 135
 - entity relationship diagram, 137
 - extracting, transforming, and loading, 139
 - index, 176
 - normalization, 231
 - on-line analytical processing, 235
 - query language, 89
 - transaction, 321
- DBMS (*Database Management System*), 88
- death, blue screen of, 40
- debugging, 21, 38
- decimal, 33
- decision support system, 98, 99
- denial of service attack, 99
- DES (*Data Encryption Standard*), 131
- development
 - end user, 133
 - software, 299
- devices, network, 227
- DFD (*Data Flow Diagram*), 91
- DHCP (*Dynamic Host Control Protocol*), 101
- Dhrystone, benchmark, 32
- Diffie-Hellman, 255, 294
- digest, message, 236
- digital, 102
 - cash, 103
 - certificate, 105
 - compression, 22
 - signature, 107
 - video, 330
 - wallet, 110
- Digital Millennium Copyright Act, 107
- digital signal processing, 22
- digital signature, 107
- disclosure and interception of communications, 110
- disk, 111
 - cache, 50
 - compact, 245
 - DVD, 25, 245
 - failure, 24
 - file system, 146
 - optical, 147
 - RAID, 278
 - size, 211
 - storage, 24
 - striping, 278
 - zip, 363
- diskless, 78, 145
- distributed
 - database, 115, 116
 - denial of service attack, 100
 - processing, 115, 253
- divide and conquer, 316
- DNS (*Domain Name Service*), 117
- domain name, 117
- domain name service, 117
- DoS (*Denial of Service Attack*), 100
- DPA (*Data Protection Act 1998*), 95
- DSA (*Digital Signature Algorithm*), 109
- DSL (*Digital Subscriber Line*), 37
- DSS
 - (*Decision Support System*), 98
 - (*Digital Signature Standard*), 109
- DVD, 25, 245
- DVD-RW, +RW, etc., 25
- Dvorak keyboard, 119
- Dynamic Host Control Protocol, 101
- dynamic web content, 121, 172

- e-business, 123
- e-commerce, 123, 349
- EDI (*Electronic Data Interchange*), 126, 127
- EEPROM, 150
- efficiency, of processing method, 124
- EIP (*Enterprise Information Portal*), 134
- EISA (*Extended Industry Standard Architecture*), 41
- electro-magnetic interference, 265
- electronic
 - business, commerce, 123
 - mail, 306
- electronic data interchange, 126
- electronic signature, 109
- Eliza, 221
- email, 118
 - spam, 304
- embedded system, 78
- EMI (*Electro-magnetic Interference*), 265
- encoding
 - cryptography, 241
 - digital, 74

Index

- encryption, 131
 - one-way hash, 236
 - public key–private key, 274
- end user development, 133
- entanglement, 277
- enterprise information portal, 134
- enterprise resource planning, 135
- entity relationship diagram, 137
- ERD (*Entity Relationship Diagram*), 137
- ergonomics, 170
- ERP (*Enterprise Resource Planning*), 135
- estimation, software metrics, 301
- ethernet, 254
- ETL (*Extracting, Transforming, and Loading*), 139
- expert systems, 161
- Export restrictions on cryptographic systems, 243
- Extensible Markup Language, 359
- extracting, transforming, and loading, 139

- FAT, file system, 147
- fat client, 64
- FDDI (*Fiber Distributed Data Interface*), 143
- feed, RSS, 286
- fiber optic, 143
- file server, 144, 145
- file sharing, 259
- file system, 146
- File Transfer Protocol, 158
- fingerprint, 35, 108
- firewall, 148
- firmware, 167
- first generation, 157
- flash memory, 150
- flop, performance measure, 32
- floppy disk, 113
- forecasting
 - capacity requirements, 54
 - weather, 55, 57
- formal methods, 40, 151
- formatting, disk, 114
- Fortran, programming language, 155, 156
- four-layer model, 316
- fourth generation, 156
- fractals, 57
- frame relay, 250
- fraud, Computer Fraud and Abuse Act 1986, 80
- Free Software Foundation, 238
- freeBSD, 325
- front end, 213
- FSF (*Free Software Foundation*), 238
- FTP (*File Transfer Protocol*), 158
- functional programming, 159, 160
- fuzzy logic, 161

- gateway, network device, 185, 228
- GB (Gigabyte), 211

- generation, first to fourth, 157
- generation loss, 76
- gigabit
 - bandwidth, 27
 - ethernet, 139
- gigabyte, 211
- Global Positioning System, 163
- GNU, 239
- GPS (*Global Positioning System*), 163
- grid computing, 54
- groupware, 164

- hacker, 166
- hardware, 24, 167
- hash, one-way, 236
- hash table, database index, 176
- Haskell, programming language, 160
- HCI (*Human-Computer Interaction*), 170
- head crash, disk, 112
- Health Insurance Portability and Accountability Act 1996, 168
- HFS (file system), 147
- HIPAA (*Health Insurance Portability and Accountability Act*), 168
- Hoare logic, 153
- holographic storage, 246
- home page, 354
- host, 169
- host name, 169, 327
- hosting, 169, 189
- HTML (*HyperText Markup Language*), 353
 - Dynamic Content, 353
- HTTP (*HyperText Transfer Protocol*), 272, 353, 354
- hub, 185, 227
- human–computer interaction, 170
- hyper link, 173
- hypertext, 171, 353

- IANA (*Internet Assigned Numbers Authority*), 174
- IC (*Integrated Circuit*), 157
- ICANN (*Internet Corporation for Assigned Names and Numbers*), 174, 183
- IEEE (*Institute of Electrical and Electronic Engineers*), 174
- ILM (*Information Lifecycle Management*), 177
- IM (*Instant Messaging*), 180
- IMAP (*E-mail Protocol*), 128
- imperative programming style, 204
- index, database, 176
- information lifecycle management, 177
- information technology infrastructure library, 178
- Institute of Electrical and Electronic Engineers, 174
- instant messaging, 180
- integrated circuit, 157
- intellectual property, 108
- intelligence
 - artificial, 17
 - business, 42

Index

- interactive voice response, 222
- interception of communications, 110
- internet, 182, 183, 184
 - address, 101, 117, 183, 186
 - advertising, 5
 - hosting, 170
 - multicast, 219
 - protocol, 185
 - internet service provider, 189
 - telephony, 344
- Internet 2, 184
- intranet, 201
- IOS (*Inter-Organizational Systems*), 127
- IP
 - intellectual property, 166
 - internet protocol, 185
- IP address, 101, 117, 183
- ISA (*Industry Standard Architecture*), 37
- ISAM (*Indexed Sequential Access Method*), 176
- ISDN (*Integrated Services Digital Network*), 37
- island of automation, 44
- ISO-1989 (Cobol Programming Language), 67
- ISO-8859 (Extended ASCII), 19
- ISO-9660 (file system), 147
- ISO-9899 (C programming language), 47
- ISO-9945 (Posix), 326
- ISO-14882 (C++ programming language), 47
- ISO-17799 (security), 290, 296
- ISO-20000 (IT infrastructure library), 179
- ISP (*Internet Service Provider*), 189
- ITIL (*Information Technology Infrastructure Library*), 178
- IVR (*Interactive Voice Response*), 222

- Jackson structured programming, 313
- JAD (*Joint Application Design*), 352
- Java, 191
 - virtual machine, 332
 - J2EE application server, 15
- JavaScript, 193, 194
- Jaz disk, 113
- job control language, 241
- joint application design, 194
- JSP
 - (*Jackson Structured Programming*), 313
 - (*Java Server Pages*), 121
- Jurassic Park*, 56
- JVM (Java Virtual Machine), 193, 332

- KB, memory size measurement, 212
- KBS (*Knowledge-Based Systems*), 271
- DDD (*Knowledge Discovery in Databases*), 93
- kernel, 325
- key
 - session, 275
 - exchange, 275
- keyboard, 119

- kilobit, 27
- kilobyte, 212
- knowledge
 - based systems, 196, 197
 - discovery, 93
 - engineer, 198, 199
 - management, 198

- LAN (*Local Area Network*), 183, 201
- language
 - Ada, 271
 - Algol, 269
 - Assembler, 20
 - autocode, 268
 - Basic, 342
 - C, 46
 - C#, 47
 - C++, 84
 - Cobol, 20, 269
 - computer, 77
 - Fortran, 155
 - functional, 159
 - Haskell, 160
 - Java, 191
 - JavaScript, 193
 - Lisp, 160
 - Miranda, 160
 - Occam, 55
 - Pascal, 270
 - PL/I, 270
 - Prolog, 204
 - Visual Basic, 342
- Latex, 171
- law
 - Amdahl's, 55
 - Cable Communications Policy Act 1984, 48
 - CAN-SPAM Act 2003, 296
 - Children's Online Privacy Protection Act 1998, 59
 - Computer Fraud and Abuse Act 1986, 150
 - Computer Misuse Act 1990, 81
 - Computer Security Act 1987, 82
 - Cyber-Security Enhancement Act 2002, 111
 - Data Protection Act 1998, 95
 - Digital Millennium Copyright Act 1998, 107
 - Digital Signature and Electronic Authentication Act 1998, 109
 - Electronic Signature Directive 1998, 109
 - Electronic Signatures Act 2000, 109
 - Health Insurance Portability and Accountability Act 1996, 168
 - Moore's, 86
 - Privacy Act 1974, 266
 - Privacy in Electronic Commerce, EU directive, 141
 - Privacy Protection Act 1980, 267
 - Regulation of Investigatory Powers Act 2000, 133
 - Sarbanes-Oxley Act 2002, 289
 - Uniform Electronic Transactions Act 1999, 109

Index

- law (*cont.*)
 - Unlawful Access to Stored Communications Act, 110
 - Voluntary Disclosure of Communications, 110
 - Wiretap Act, 111
- learning, machine, 207
- legacy system, 203
- lifecycle, software development -, 299
- line conditioning, 264
- Linux, 239
- Lisp, programming language, 160
- Lisp machine, 196
- Listserv, 129
- load balancing, 65
- local area network, 183, 201
- logic
 - fuzzy, 161
 - programming, 204
- logical data model, 137

- machine
 - code, 20
 - intelligence, 17, 18
 - language, 20
 - learning, 207
- mail, electronic, 306
- mainframe, 49
- maintenance, 208
- man-month, 259
- management information systems, 7, 214
- master data registry, 94
- MB (*Megabyte*), 210
- MD5 (*Message Digest Algorithm*), 237
- measurement of computing power, 32
- megabit, 27
- megabyte, 210
- megaflop, performance measurement, 32
- magnetic
 - disk, 111
 - tape, 25
- magneto-optical disk, 246
- memory, 209
 - flash, 150
 - size, 212
 - stick, 211
 - storage, 310
 - virtual, 333
- message, instant, 180
- metrics, software, 301
- middleware, 213
- Miranda, programming language, 160
- mirroring, disk, 278
- MIS (*Management Information Systems*), 214
- modem, 215
- Moore's law, 86
- motherboard, 217
- MPEG (*Motion Picture Experts Group*), 330

- multi-threading, 253
- multicast, 219
- multiprogramming, 241

- NAT (*Network Address Translation*), 226
- natural language processing, 221
- network, 102, 223
 - address, 102
 - address translation, 226
 - architecture, 17
 - bandwidth, 6
 - circuit switched, 344
 - devices, 227
 - DHCP, 101
 - domain name, 117
 - ethernet, 138
 - file server, 144
 - file transfer protocol, 158
 - firewall, 148
 - internet, 182
 - intranet, 201
 - IP, 185
 - LAN, 201
 - multicast, 219
 - neural, 207, 229
 - OSI seven-layer model, 247
 - packet switched, 344
 - peer to peer, 258
 - port, 262
 - private, 337
 - proxy, 273
 - server, 297
 - subnet, 201
 - TCP/IP, 315
 - value added, 329
 - virtual, 264
 - voice, 22
 - WAN, 201
 - web services, 348
 - wireless, 351
 - Wireless Application Protocol, 349
 - World Wide Web, 353
 - X.25, 359
- neural net, 229, 230
- NFS (*Network File Server*), 145
- NLP (*Natural Language Processing*), 221
- normal form, 232
- normalization, 231
- NTFS (file system), 147

- object oriented, 233
 - C++, 47
 - Java, 191
 - UML, 324
- Occam, programming language, 55
- OCR (*Optical Character Recognition*), 243
- OLAP (*On-Line Analytical Processing*), 235

Cambridge University Press

978-0-521-85336-1 - An Executive's Guide to Information Technology: Principles, Business Models, and Terminology

Robert Plant and Stephen Murrell

Index

[More information](#)

Index

- OLTP (*On-Line Transaction Processing*), 321
- on-line analytical processing, 235
- on-line community, 237
- one-way hash, 236
- open source, 239
- operating system, 114, 240
- optical storage, 244
- optical character recognition, 243
- OSI
 - (*Open Source Initiative*), 239
 - (*Open Systems Interconnection*), 247
- outsourcing, 248

- package, software, 302
- packet, 250
- packet sniffer, 254
- packet switching, 250
- page, home, 354
- palmtop, 77
- parallel port, 263
- parallel processing, 251, 253
- partition
 - database, 117
 - disk, 114
- Pascal, programming language, 270
- password, 86, 256
- patent, 257
- PCI (*Peripheral Component Interconnect*), 41
- PDA (*Portable Digital Assistant*), 77
- peer to peer, 258, 337
- performance
 - of computational method, 14, 321
 - of process, 72
- person month, 259
- phishing, 260
- physical data model, 137
- piconet, 36
- PL/I, programming language, 270
- POP (*Post Office Protocol*), 128
- port, 262
- portal, enterprise information, 134
- Posix, 326
- power protection, 264
- primary domain controller, 298
- privacy (*see also law and security*), 141
- Privacy Act 1974, 202
- Privacy Protection Act 1980, 202
- private key, 274
- procedural programming style, 160
- process, re-engineering, 45
- process modeling, 92
- processing efficiency, 145
- productivity, of programmer, 160
- professional association
 - Association for Computing Machinery, 3
 - Association for Information Systems, 7
 - British Computer Society, 31
- Institute of Electrical and Electronic Engineers, 174
- program, 209
- programming
 - algorithm, 204
 - application development methods, 12
 - application generator, 14
 - choice of method, 185
 - compiler, 155
 - formal methods, 314
 - logic programming, 204
- programming language, 268
 - Ada, 269
 - Algol, 269
 - assembler, 20
 - autocode, 268
 - Basic, 269
 - C, 46
 - C#, 46
 - C++, 46
 - Cobol, 67, 209
 - Fortran, 20, 155
 - functional, 159
 - Haskell, 160
 - Java, 191
 - JavaScript, 193
 - Lisp, 270
 - logic, 186
 - Miranda, 160
 - object oriented, 233
 - Occam, 55
 - Pascal, 270
 - PL/I, 270
 - Prolog, 204
 - Visual Basic, 269, 342
- Prolog, 196
- protection, *see security*
- Protocol, 272
 - connectivity standard, 82
 - DHCP, 101
 - FTP, 158
 - HTTP, 259, 272, 327
 - IMAP, 128
 - IP, 185
 - POP, 129
 - SMTP, 128
 - TCP/IP, 315
 - WAP, 349
 - X.12, 358
- proxy, 273
- public key, 105

- quantization effect, 21
- quantum computing, 277
- quarantine, 11
- query language, 89
- QWERTY, keyboard, 119

Index

- RAD (*Rapid Application Development*), 12
- radio frequency identity tag, 282
- RAID (*Redundant Array of Inexpensive Disks*), 26, 278
- RAM (*Random Access Memory*), 245, 310
- rapid application development, 279
- really simple syndication, 286
- redundant array of inexpensive disks, 26
- relational database, 89
- reliability, 280
- RFID (*Radio Frequency Identity Tag*), 282
- RISC (*Reduced Instruction Set Computer*), 85
- robotics, 285
- ROM (*Read-Only Memory*), 311
- router, 224
- RSS (*Really Simple Syndication*), 286

- Sarbanes-Oxley Act 2002, 289
- scalability, 292
- scripting, 121, 193, 269
- SCSI (*Small Computer Systems Interface*), 263
- SEAL (*Digital Signature and Electronic Authentication Act 1998*), 109
- search, database, 135
- second generation, 157
- secure, 293
 - digital, 150
 - electronic transaction, 294
 - shell, 318
 - sockets layer, 294, 350
- security, 295
 - Children's Online Privacy Protection Act 1998, 59
 - Computer Security Act 1987, 202
 - cracking, 86
 - denial of service attack, 99
 - digital cash, 103
 - digital certificate, 351
 - digital signature, 237
 - digital wallet, 110
 - encryption, 307
 - encryption keys, 86
 - firewall, 42
 - hacking, 167
 - ISO-17799, 290
 - one-way hash, 107
 - password, 257
 - phishing, 261
 - scripting, 121
 - secure, 293
 - spoofing, 307
 - spyware, 99
 - Trojan horse, 99
 - virus, 339
- seek time, disk, 112
- serial port, 262
- server, 297
 - application server, 14
 - computer, 228
 - data warehouse, 97
 - database, 14
 - farm, 65
 - file, 144
 - network address translation, 226
 - networked application, 316
 - proxy, 183
- services
 - application service provider, 15
 - business continuity service provider, 41
 - hosting, 189
 - web, 630
- session key, 275
- SET (*Secure Electronic Transaction*), 294
- SETI at home, 253
- seven-layer model, 316
- SHA (*Secure Hash Algorithm*), 256
- shell
 - operating system, 241
 - secure, 318
- SHTML (*Server Parsed HTML*), 120
- signature, digital, 107, 275
- SIIA (*Software and Information Industry Association*), 298
- SIPERNET, 184
- small computer systems interface, 263
- Smalltalk, programming language, 234
- SMTP (*Simple Mail Transfer Protocol*), 128
- software, 304
 - capability maturity model, 300
 - compiler, 20
 - development (*see also* programming), 13, 55
 - data flow diagram, 313
 - formal methods, 40
 - joint application design, 280
 - object oriented, 137
 - rapid application development, 279
 - structured, 67
 - UML, 324
 - walk-through review, 346
 - waterfall model, 347
 - maintenance, 209
 - metrics, 301
 - middleware, 213
 - package, 302
 - publishers association, 299
 - reliability, 282
 - scalability, 293
- sound, 10
- spam, 304
- special interest group
 - Association for Computing Machinery, 3
 - Association for Information Systems, 7
- speed
 - of computational method, 14, 133
 - of data access, disk, 112
 - of process, 254

Cambridge University Press

978-0-521-85336-1 - An Executive's Guide to Information Technology: Principles, Business Models, and Terminology

Robert Plant and Stephen Murrell

Index

[More information](#)

Index

- spoofing, 307
- spyware, 308
 - advertising, 4
 - Computer Misuse Act 1990, 202
- SQL (*Structured Query Language*), 89
- squatting, domain name, 118
- SSH (*Secure Shell*), 318
- SSL (*Secure Sockets Layer*), 255, 318
- standard template library, 47
- star topology, network, 224
- step-wise refinement, 313
- STL (*Standard Template Library*), 47
- storage, 111
 - capacity, 77
 - disk, 114
 - flash memory, 150
 - memory, 310
 - size, 292
 - optical, 244
 - RAID, 278
 - service provider, 178
- striping, disk, 278
- structured design, 300
- style sheet, 172
- subnet, 201
- superposition, 277
- surge protection, 264
- switch, 93, 224

- T-1 line, 315
- T-carrier, 315
- tape, magnetic, 25
- TB (terabyte), 212
- TCP/IP, 315
- telephony, internet, 344
- Telnet, 317
- terabyte, 116
- text mining, 93
- thin client, 63, 114
- third generation, 157
- thread, 253
- time sharing, 334
- token ring network, 224
- topology, network, 225
- TPS (*Transaction Processing System*), 321
- training, computer-based, 79
- transaction, 358, 360
- transaction set, x.12, 358
- transistor, 157
- transport control protocol, 315
- transputer, 55
- Trojan horse, 322
- Turing test, 17

- UDP (*User Datagram Protocol*), 316
- UFS (*Unix File System*), 147
- UML (*Unified Modeling Language*), 324

- Unicode, 19
- Unified Modeling Language, 93
- uniform product code, 29
- uniform resource locator, 326
- uninterruptible power supply, 265
- Unix, 324, 326
- UPC (*Uniform Product Code*), 29
- UPS (*Uninterruptible Power Supply*), 265
- URL (*Uniform Resource Locator*), 326
- USB
 - key drive, 275
 - port, 114, 263

- vacuum tube, 157
- validation and verification, 188, 347
- value added network, 593
- VAN (*Value added network*), 329
- video, 329
- virtual
 - Java virtual machine, 332
 - machine, 331
 - memory, 333
 - organization, 335
 - private network, 336
 - reality, 338
- virus, 11, 339
- Visual Basic, 121, 269, 342
- VLSI (*Very Large Scale Integration*), 158
- VM
 - (Virtual Machine), 191
 - (Virtual Memory), 333
- Voice over IP, 182
- VoIP (*Voice over IP*), 343
- VPN (*Virtual Private Network*), 608
- VR (*Virtual Reality*), 338

- W3C (*World Wide Web Consortium*), 346
- walk-through review, 346
- wallet, digital, 110
- WAN (*Wide Area Network*), 251
- WAP (*Wireless Application Protocol*), 349
- waterfall model, 347
- Watfor Fortran, 155
- web, 355
 - address, 169
 - hosting, 15, 170
 - hypertext, 353
 - ICANN, 174
 - internet, 185
 - page, 51, 350
 - phone, 344
 - services, 348
 - site analysis, 112
 - URL, 327
- webcast, 23
- wide area network, 201
- wiki, 354

Cambridge University Press

978-0-521-85336-1 - An Executive's Guide to Information Technology: Principles, Business Models, and Terminology

Robert Plant and Stephen Murrell

Index

[More information](#)

Index

- Winbench, benchmark, 32
- Windows operating system, 146
- winstone, benchmark, 32
- wire tap, 111
- Wireless Application Protocol, 349
- wireless network, 36, 351
- WML (*Wireless Markup Language*), 350
- word, unit of memory, 20
- World Wide Web, 348
- World Wide Web Consortium, 360
- WYSIWYG (*What You See Is What You Get*), 356
- X.12, 127, 358
- X.25, 359
- XML (*Extensible Markup Language*), 359
- Y2K (*Year 2000 Problem*), 362
- year 2000 problem, 362
- Yourdon design method, 313
- Z, 153
- zip, 43, 363
- zombie computer, 100