

Cambridge University Press

0521853621 - Computational and Mathematical Modeling in the Social Sciences

Scoot de Marchi

Index

[More information](#)

Index

- Abraham, David, xiv
- Achen, Christopher, 10
- ActiveState Komodo debugging system, 118
- Adams, Henry, xiii
- Adams, Henry Baxter, xiii
- adaptive landscapes, 156
- adjacency matrix
- algorithms
 - genetic, 115–130
 - hill-climbing, 130
 - machine, 85
- alliance games
 - agent identification within, 111
 - backwards induction in, 121
 - Build/Remove phase of, 103
 - C (programming) language in
 - component games and, 104,126
 - component utility functions within, 105–109
 - as computational models, 102–109,121
 - encoding for, 122–126,133
 - ending condition of, 104
 - Fall phase of, 103
 - game theory usage for, 110,126
 - genetic algorithms, 130
 - idiosyncratic utility functions for, 104,122
 - naïve parameter space in, 121,125,128
 - normal form matrix in, 125,126
 - optimization theory in, 111,129–133
 - payoff matrix in, 124
 - Spring phase of, 103
 - stability in, 111
 - strategies in, 121,126
 - undirected graphs in
- American National Election Survey. *See* A-NES
- American Political Science Review*, xii,2, 16,56
- A-NES (American National Election Survey), 147–152,159
 - abortion positions on, 148
 - Democratic placement within, 148, 150
 - Republican placement within, 148, 151
- Arab-Israeli conflict, 58
- Arming America: The Origins of a National Gun Culture* (Bellesile), xv
- artificial intelligence, 83
 - Deep Blue as, 83
- artificial test sets
 - for out-of-sample testing, 55
- assumption constraints
 - conditions for, 26–27
 - in instrumentalism, 24–30
 - logical implications of, 29
 - parameter space generation from, 29
 - rival hypotheses as part of, 26
 - technical, 28
 - zero turnout in, 26
- assumption of unidimensionality
 - in conflict initiation model, 92
- “assumption spaces”
 - disturbance terms for, 29
 - in game theory, 29
 - IID values in, 29,30

Cambridge University Press

0521853621 - Computational and Mathematical Modeling in the Social Sciences

Scoot de Marchi

Index

[More information](#)

192

Index

- “assumption spaces” (*cont.*)
 - importance of, 29–30
 - MLE generation in, 29
 - OLS model and, 29
- Beck, Nathaniel, 34
- Bellesile, Michael, xv
- binary dependent variables
 - in mathematical models, 67
- Binmore, Ken, 82
- Borland Builder series, 119
- brittle models, 79,88–90
 - encoding for, 110
 - equivalence class theory within, 89
 - IPD and, 88
 - political economy computational models and, 97
- C (programming language), 117
 - adjacency matrix in
 - in alliance games
 - custom data structure in,
- Car Talk*, 22
- Central European History*, xiv
- chess. *See* machine chess
- chi-square test, 71
- coding (computational models), 115–121
 - Matlab and, 115
 - Perl, 113
 - programming languages and, 115–117
- combinational game theory, 97–98
 - computational political economy v., 98
 - properties of, 97–98
- component games, 107
 - alliance games and, 104,126
 - associated utility functions in, 86,123
 - For Better or For Worse game, 106
 - Friend and Enemies game, 105
 - idiosyncratic utility functions and, 87
 - in machine chess, 86–88
 - Simple Diplomacy game, 102
 - Tough Choices game, 106
- computational models, 9
 - alliance games as, 102–109
 - creation of, 121–129
 - defects in, 16–18
 - encoding for, 115–121,128–129
 - examples of, 17
 - formal theory v., 17
 - game theory and, 33
 - machine chess as, 98
 - for political economy, 96–97
 - rules as part of, 9
 - state formation investigation as, 97
- conflict initiation model
 - assumption of unidimensionality as part of, 92
 - asymmetric/incomplete information as part of, 93
 - empirical estimations for, 89
 - Nash equilibrium in, 95
 - noncooperative game theory in, 95
 - peace dividend as part of, 88
 - player limitations as part of, 92
 - relevant agent identification as part of, 91
 - standard bargaining game in, 90
- COW (Correlates of War) project, 56,57
 - alliance portfolio similarity as variable in, 59
 - alliance status as variable in, 60
 - coding rules within, 62
 - contiguous landmass as variable in, 59
 - democracy as variable in, 60
 - dependent variables for, 57,59
 - distance as variable in, 59
 - feature extraction in, 65
 - high-risk dyads in, 58,60
 - independent variables for, 61,66
 - military capability asymmetry as variable in, 60
 - neural networks in, 56
 - out-of-sample sets in, 62
 - overfitting in, 62
 - peace years as variable for, 60,61
 - power status as variable in, 60
 - ROC curves in, 69–70
- creative modeling, 38
- The Currency Game, 98–102
 - bivariate relationships within, 42
 - convergence periods within, 99
 - DGP in, 41
 - in empirical models, 39–43
 - multiple regime shifts within, 99
 - natural dependent variables in, 40
 - path dependent process study in, 99
 - penalty terms in, 43
 - Perl Code for, 73–74,77,98,100,120
 - Poisson model and, 101
 - polynomial models in, 42
 - programming languages for, 118
 - Python Code for, 140–143

Cambridge University Press

0521853621 - Computational and Mathematical Modeling in the Social Sciences

Scoot de Marchi

Index

[More information](#)*Index*

193

- “smoothing” in, 43
- stochastic terms within, 41
- “curse of dimensionality,”
 - xvii,xix,35,48,177–178
- complex model testing and, 79,110, 178
- mathematical models and, xix–xx
- for non-parametric estimation, 47
- out-of-sample testing and, 178
- parameter spaces and, 43–48
- parsimonious features for, 177
- research design and, 176–177
- in voter preferences, 145
- data generating processes. *See* DGP
- data mining, 36
- data sources
 - observed, 35–36
- Davis, Natalie Zemon, xiii
- deductive models
 - game theory in, 12–13
 - “state of nature variables” as part of, 8
 - testing for, 73
- Deep Blue, 83
 - as artificial intelligence, 83
 - game theory and, 84–86
 - partial extensive form value generation in, 85
- DGP (data generating processes), 3,23
 - for The Currency Game, 41
 - in empirical models, 35,36
 - feature sets and, 65
 - for voter preferences, 145
- Dickens, Charles, xvi
- dispositive testing, 6
- domain-specific knowledge, xviii–xix
 - in machine chess, 87
 - for parameter spaces, 51
- Eddington, Sir Arthur, 32
- EITM (“Empirical Implications of Theoretical Models”), 3
 - empirical models and, 10–11
 - goals of, 4
- “Empirical Implications of Theoretical Models.” *See* EITM
- empirical models
 - for conflict initiation, 89
 - The Currency Game in, 39–43
 - DGP in, 35,36
 - game structure within, 89–90
 - ITM and, 10–11
 - modeling choice as factor in, 43
 - observed data in, 35–36
 - overfitting for, 35–38
 - underfitting in, 39
- encoding
 - for alliance games, 122–126,133
 - for brittle models, 110
 - for computational models, 115–121,128–129
 - preference complexity, 156–157
- epistemology, 18–24. *See also* instrumentalism
- equivalency class theory, 136
 - within brittle models, 89
 - for theoretic models, 73
- estimable models, 36
- Euclidean preferences, 146,161,174
 - one dimension, 161
 - salience issues for, 149
 - two dimensional, 162
 - unidimensional weak ordering, 163
- explicit utility functions
 - in game theory, 80
- face recognition, 52
 - as feature space utility, 51
- false correlation
 - in instrumentalism, 24
- feature extraction
 - explicit, 53
 - feature spaces and, 52
 - parameter spaces and, influence on, 51
- feature sets, 65
 - DGP and, 65
- feature spaces
 - data-driven methods for, 51,52
 - face recognition and, 51
 - feature extraction and, 52
 - in machine chess, 87
 - in nonparametric estimation, 49–53
 - principal component analysis for, 52
 - “process tracing” as part of, 49
 - “uninformed search methods” for, 52
- feed forward neural networks, 64
 - ROC curves and, 69
- Feldman, Gerald, xiv
- fitness functions, 131,134
 - in genetic algorithms, 133–134
 - measures of, 134–135
 - OLS models and, 134

- formal theory
 - computational models v., 17
 - empirical work v., 13
 - feature selection as part of, 55
 - logical consistency as part of, 13–15
 - transparency of, 12
- game theory, xvi,xix,28
 - ahistoric assumptions in, 81
 - in alliance games, 110,126
 - applications for, 78–79
 - “assumption spaces” in, 29
 - combinational, 97–98
 - computational models and, 33
 - in deductive models, 12–13
 - Deep Blue and, 84–86
 - explicit utility functions in, 80
 - games immune from, 83
 - instantiation as part of, 80
 - machine chess and, applications in, 83,84,85
 - mathematics v., 5
 - Nash equilibrium as part of, 80
 - noncooperative, 95
 - rationality v., 5,73,80–81
 - solution concepts as part of, 80
- Geertz, Clifford, 49
- Gelpi, Christopher, 3,34
- genetic algorithms, 115–130
 - crossover in, 131,132
 - fitness functions in, 133–134
 - as stochastic method, 130
- Graphical User Interface. *See* GUI
- Grynaviski, Jeffrey, 3,34
- GUI (Graphical User Interface)
 - in programming languages, 118
- Harrod, Jennifer, 149
- hill-climbing, 86
 - as algorithm, 130
- histograms, 63–64
 - in MLE model, 63
 - in OLS model, 63
 - overfitting for, 64
- historiography (as discipline), xiii–xv,176
 - alternative approaches to, xiii–xiv
 - causality in, xiii
- human rationality. *See* rationality
- idiosyncratic utility functions
 - in alliance games, 104,122
 - component games and, 87
 - in machine chess, 84
 - machine chess and, 126
 - OLS models and, 86
- IID (independent identically distributed)
 - observations, 8
 - in “assumption spaces,” 29,30
- “Improving Quantitative Studies of International Conflict: A Conjecture” (Beck/King/Zheng), 2
- independent identically distributed observations. *See* IID
- “informed search methods”
 - “uninformed search methods” v., 52
- instantiation
 - in game theory, 80
 - in programming languages, 124
- instrumentalism, 19,93
 - assumption constraints as part of, 24–30
 - debates over, 27–28
 - false correlation in, 24
 - theory development and, 20
- IPD (iterated prisoner’s dilemma), 30
 - brittle models and, 88
 - as toy model, xxi
- issue space, 173
- iterated prisoner’s dilemma. *See* IPD
- Java (programming language), 117
- Kasparov, Gary, 83
- King, Gary, 34
- Kolmogorov-Smirnov test
 - for ROC curves, 71
- Kopeikin, Sergei, 32
- logical completeness, 14
- logical consistency
 - in formal theory, 13–15
- logit models
 - neural networks v., 65
 - ROC curves and, 69
- Macchiavelli, Nicolas, xiii
- machine algorithms, 85
- machine chess, 87
 - component games as part of, 86–88
 - as computational model, 98
 - Deep Blue and, 83
 - domain-specific knowledge in, 87
 - feature spaces as part of, 87

Cambridge University Press

0521853621 - Computational and Mathematical Modeling in the Social Sciences

Scoot de Marchi

Index

[More information](#)*Index*

195

- game theory applications for, 83,84, 85
- idiosyncratic utility functions in, 84, 126
- Kasparov, Gary, and, 83
- Markov Perfect Equilibrium, 94
- mathematical models, 41,42
 - binary dependent variables in, 67
 - computational, 9
 - COW project as, 56
 - “curse of dimensionality” and, xix–xx
 - deductive, 8
 - empirical, 10–11
 - estimable, 36
 - evaluation of, 66–72
 - logical implications for, 30–32
 - logit, 65
 - polynomial, 42
 - predictive thresholds for, 68
 - reasonable loss function for, 66
 - ROC curves for, 68
 - theoretical, 36
 - toy, xxi
- mathematics, 5
 - game theory v., 5
- Matlab, 115
- maximum likelihood estimator. *See* MLE
- Microsoft Visual Studio, 119
- Miller, John, 7
- MLE (maximum likelihood estimator) model
 - from “assumption spaces,” 29
 - histograms in, 63
- model testing. *See* testing
- Monte Carlo experiment, 37
 - normals variable in, 37
- Munger, Michael, 149
- Nash equilibrium
 - in conflict initiation model, 95
 - in game theory, 80
- Nash, John, 82
- National Public Radio. *See* NPR
- National Science Foundation. *See* NSF
- neighborhood estimation
 - in parameter spaces, 37,48
- neural networks
 - in COW project, 56
 - feed forward, 64
 - logit models v., 65
- N-K models, 157–159,163
- non-Gaussian variables, 66
- nonparametric estimation, 45–46, 47–48
 - “curse of dimensionality” for, 47
 - feature spaces in, 49–53
- normal form matrix, 125,126
- normals variable
 - in Monte Carlo experiment, 37
- Novick, Peter, xiii,xiv
- NPR (National Public Radio), 22
- NSF (National Science Foundation), 3
- “Numerical Recipes” (Press), 117
- OLS (ordinary least squares) model
 - “assumption spaces” and, 29
 - fitness functions and, 134
 - histograms in, 63
 - idiosyncratic utility functions and, 86
 - overfitting and, 38
 - parameter spaces and, 44,46
- optimization theory
 - in alliance games, 111,129–133
 - genetic algorithms and, 131–132
 - TSP and, 153–154
 - voter preferences and, 153
- ordinary least squares. *See* OLS
- out-of-sample testing, 4,53–56,73–74, 77
 - artificial test sets for, 55
 - for COW project, 62
 - “curse of dimensionality” and, 178
 - model quality as factor for, 54–55
 - time series models for, 53
 - training sets for, 55
- overfitting, 72
 - in COW project, 62
 - data mining and, 36
 - for empirical models, 35–38
 - for histograms, 64
 - Monte Carlo experiment as, 37
 - OLS models and, 38
 - Stata function in, 37
 - underfitting v., 40
- Page, Scott, 7
- P-Alpha Model of Rugged Policies, 157
- parameter spaces, 40,72
 - from assumption constraints, 29
 - “curse of dimensionality” and, 43–48
 - domain-specific knowledge for, 51
 - feature extraction’s influence on, 51
 - modeling choice for, 44
 - naïve, 121,125,128

- parameter spaces (*cont.*)
 - neighborhood estimation in, 48
 - OLS model and, 44,46
 - size of, 44
 - for standard bargaining game, 95
- payoff matrix, 124
- Penrose, Roger, 49
- Perl Code (programming language), 113,118
 - for computational models and, 113,117,120
 - for The Currency Game, 73–74,77,98,100,120
- Poisson model, 45,101
 - The Currency Game and, 101
- properties, 45
- political economy computational models, 96–97
 - brittle models and, 97
 - combinational game theory v., 98
 - Markov Perfect Equilibrium within, 94
- Political Science Quarterly*, xiv
- polynomial models, 42
- predictive thresholds
 - for mathematical model comparisons, 68
- preference complexity
 - adaptive landscapes for, 156
 - encoding, 156–157
 - Euclidean preferences and, 161
 - issue space in, 173
 - measures of, 172
 - N-K models for, 157–159
 - P-Alpha Model of Rugged Policies, 157
 - simple v. complex, 153
 - variance in, 160
 - for voters, 154–155
- preference formation, xviii
- Press, William, 117
- principal component analysis
 - for feature spaces, 52
- “process tracing,” 49
- programming languages (coding), 115–117
 - ActiveState Komodo debugging for, 118
 - Borland Builder series and, 119
 - C, 117
 - conditional statements as part of, 116
 - for The Currency Game, 118
 - data structures as part of, 116
 - development environment for, 117–121
 - GUI as part of, 118
 - input/output variables in, 116
 - instantiation in, 124
 - Java, 117
 - loops in, 116
 - Microsoft Visual Studio and, 119
 - “Numerical Recipes” series, 117
 - Perl, 117,118
 - Python, 117,118,120
 - startup costs for, 119
 - structs as part of, 124
 - user-defined functions in, 116
- Python (programming language), 117,118,120
 - for The Currency Game, 140–143
- “Rationalist Explanations for War” (Fearon), 90
- rationality, 5
 - game theory v., 5,73,80–81
- reasonable loss function
 - for mathematical models, 66
 - non-Gaussian variables, 66
- research design
 - “curse of dimensionality” and, 176–177
- “resulting convergence”
- The Return of Martin Guerre* (Davis), xiii
- ROC curves
 - area under, 70
 - chi-square test for, 71
 - in COW project, 69–70
 - error function of area in, 69
 - feed forward neural networks, 69
 - Kolmogorov-Smirnov test for, 71
 - linear discriminants in, 69
 - logit model derivations for, 69
 - for mathematical model comparison, 68,69
 - for neural sets, 71
- separable/nonseparable preferences, 145, 152,157,168
- “smoothing,” 43
- social science theory. *See* formal theory
- solution concepts
 - in game theory, 80

- standard bargaining game
 - in conflict initiation model, 90
 - parameter space for, 95
- Stata function
 - for histograms, 63–64
 - in overfitting, 37
- state formation investigation, 97. *See also*
 - political economy computational models
- statistical methodology
 - in social sciences, xvi
- stochastic terms
 - in The Currency Game, 41
 - for genetic algorithms, 130
- structs, 124
- “Swiss Army Chainsaw,” 113. *See also*
 - Perl Code
- A Tale of Two Cities* (Dickens), xvi
- technical assumption constraints, 28
- testing
 - logical implications from, 32
- That Noble Dream: The “Objectivity Question” and the American Historical Profession* (Novick), xiii
- theoretic models, 36. *See also* game theory
 - equivalency class theory for, 73
- theory development
 - instrumentalism and, 20
 - mapping as part of, 15
- theory-driven feature extraction. *See* feature extraction
- toy models (mathematical), xxi
 - IPD, xxi
- training sets
 - for out-of-sample testing, 55
- Traveling Salesman Problem. *See* TSP
- TSP (Traveling Salesman Problem), 153
 - optimization theory and, 153–154
- Turner, Henry, xiv
- underfitting
 - in empirical models, 39
 - overfitting v., 40
- unidimensionality. *See* assumption of unidimensionality
- “uninformed search methods,” 52
- “informed search methods” v., 52
- voter preferences
 - complexity in, 154–155
 - computational results for, 165
 - “curse of dimensionality” in, 145
 - DGP assumptions for, 145
 - optimization theory and, 153
 - randomness in, 174
 - separable/nonseparable assumptions, 146, 147, 157
 - spatial, 146
 - subgroup variances in, 167, 169
- zero turnout
 - in assumption constraints, 26
- Zheng, Langche, 34