
Index

- Abadir, 2, 3, 148, 335
 Acceptance/rejection sampling, 160, 162
 Achcar, 98, 100
 Admissibility, 38, 47, 81
 Albert, 203, 211, 257
 Amemiya, 225
 Ancillarity, 57
 Andrews, 259
 AR model, 298, 320
 ARCH model, 310
 Asymptotics, 91
 Augmented joint posterior, 204, 205
 Autocorrelated errors, 198
 Autocorrelation, 130, 182, 211, 214
 Azzalini, 276

 Balakrishnan, 335
 Bartlett's paradox, 122
 Bauwens, xix, 297, 311, 314, 320
 Bayes factor, 61, 69, 87, 101, 112, 284
 Bayes risk, 38, 47
 Bayes' theorem
 for densities, 12, 60
 for events, 3, 13, 60
 Bayesian credible region, 51, 57
 Bayesian critical value, 62, 68
 Bayesian econometrics, 1
 Bayesian inference, 11
 Bayesian model averaging, 281, 284
 Bayesian model selection, 281, 287
 Bayesian statistics, 1
 Berger, 12, 38, 47, 52, 57, 81, 82, 92,
 326
 Bernardo, 1, 6, 81, 91, 326

 Bernoulli, 1
 Bernoulli distribution, 4, 5, 7, 12, 73, 82, 84, 263,
 339
 Beta distribution, 13, 19, 73, 120, 263, 340
 Beta function, 13, 73
 Beta-binomial distribution, 73
 Bias, 43
 Binomial distribution, 263, 339
 Blocking steps, 181, 211
 Blundell, 230
 Branco, 276
 Burn-in, 118, 143

 Carlin, B. P., 117, 141, 177, 181, 184, 259
 Carlin, J. B., 117, 152, 266
 Casella, 52, 129
 Cauchy distribution, 338
 Celeux, 253
 Chan, 327
 Change point, 138, 140
 Chen, 214, 235
 Chi-square distribution, 54, 120, 262, 336
 Chib, 117, 118, 181, 203, 211, 220, 257, 290, 293,
 296
 Choice of prior, 79, 82
 Cobb–Douglas production function, 146
 Coherence principle, 2, 81
 Cointegration, 330
 Component indicator variables, 262
 Component label vector, 265
 Conditional frequentist, 57
 Conditional independence, 8, 71, 169, 174
 Confidence, 51, 54
 Confidence interval, 57

- Conjugate analysis
 Bernoulli, 12
 Exponential, 22
 Exponential family, 23
 Multivariate normal, 25
 Normal with known mean and unknown variance, 20
 Normal with unknown mean and variance, 17
 Normal with unknown mean, known variance, 14
 Poisson, 22
 Uniform, 22
- Conjugate families, 12
 Conjugate priors, 19, 79
 Cost function, 29, 59
 all-or-nothing, 31, 32, 33
 alternative squared error, 34
 asymmetric linear, 31, 32
 balanced, 43
 linex, 36, 46
 predictive, 72
 quadratic, 31, 38, 40, 43, 75, 76
 symmetric linear, 31
 weighted squared error, 31, 34
- Count data, 140
 Cowles, 177
 Cragg, 240
- Dalla Valle, 276
 Data augmentation, 203, 204, 210, 212, 217, 219, 241, 276
- de Finetti, 2, 3
 Representation theorem, 4, 6
- Deb, 240
 Decision space, 59
 Denison, 290
 Dey, 276, 293, 296
 Diagnostics, 142
 Gibbs sampler convergence, 177, 178
- Dickey, 62
 DiNardo, 230
 Dirichlet distribution, 235, 265, 340
 Double exponential distribution, 259
 Duan, 240, 243
 Duncan, 230
 Dutch book, 2, 7
- Efron, 82
 Ellipsoid bound theorem, 111
 Empirical Bayes, 45, 198
 Exchangeability, 3, 4, 7
 Exponential density, 159
- Exponential distribution, 22, 40, 53, 78, 85, 97, 98, 100, 120, 336
 Exponential family, 12, 23
- Fair, 208
 Fernandez, 282, 284
 Frequentists, 2
 Fully exponential method, 93, 94, 98, 100, 101, 103
- g-prior, 282, 283, 290
 Gamerman, 167
 Gamma distribution, 21, 22, 40, 48, 73, 78, 86, 95, 96, 97, 103, 110, 123, 335
 Gamma function, 13, 73, 336
 Gamma-gamma distribution, 78
 Garthwaite, 79
 Geisser, 80
 Gelfand, 141, 167, 173, 184, 293, 296
 Gelman, 117, 152, 266
 Generalized inverse Gaussian distribution, 259
 Generalized tobit model, 225, 229
 George, 129, 282, 287, 290
 Geweke, 117, 118, 146, 147, 150, 196, 218, 219, 293, 298, 300, 311, 330
 Gibbs sampling, 118, 128, 130, 134, 135, 142, 144, 293
- Gill, 141
 Green, 253
 Greenberg, 118
 Greene, 222
 Gujarati, 208
- Haas, 259
 Hay, 243
 Heath, 5
 Heckman, 225
 Heijmans, 2
 Heteroscedasticity, 135, 193, 195
 Hierarchical model, 169, 210
 Hills, 173
 Hoeting, 282
 Holmes, 290
 HPD interval, 52, 54, 55, 58, 72
 HPD region, 51
 Hurdle model, 240
 Hurn, 253
 Hwang, 52
 Hypothesis testing, 59, 87
- Identification, 27, 206
 Importance sampling, 117, 124, 126
 Improper prior, 38, 81, 82, 87, 88, 112
 Incidental truncation, 225

- Independence chain, 118, 154
 Independent, 8
 Information matrix, 80, 83, 85, 86
 Intrinsic prior, 82
 Inverse Gaussian distribution, 259
 Inverse transform method, 157, 159
 Inverted Gamma distribution, 42, 86, 291, 336

 Jeffreys, 80
 Jeffreys' prior, 81–85, 324
 Jeffreys' rule, 81
 Jeliaskov, 290
 Johnson, 335

 Kadane, 62, 79, 93, 94, 98, 100, 103, 327
 Kadiyala, 314
 Karlsson, 314
 Kass, 79, 81, 82, 84, 89, 94, 102
 Keane, 117, 218
 Kemp, 335
 Kleibergen, 330
 Kohn, 289, 290
 Koop, xix, 117, 118, 143, 156, 192, 230, 284, 290,
 302, 307, 320, 330, 334
 Kotz, 335
 Kwan, 91, 319

 Lancaster, xix, 117, 143
 Laplace, 1, 5
 Laplace approximation, 92, 95–97, 101, 103
 Laplace distribution, 154, 259
 Latent variable models, 203
 Leamer, 112
 Learning, 28, 114, 229, 230
 LeSage, 123
 Let's make a deal, 6
 Leung, 243
 Ley, 282, 284
 Li, K., 225
 Li, M., 230, 232, 235
 Likelihood principle, 12, 48, 57, 82
 Lindley, 79, 175
 Linear regression model, 107, 119, 121, 134, 191,
 256, 265
 Lognormal distribution, 262
 Longitudinal data, *see* Panel data
 Loss function, *see* Cost function
 Lottery, 2
 Louis, 117
 Lubrano, xix, 297, 311, 314, 320

 Madigan, 282, 283
 Magnus, 2, 148, 335

 Mallick, 290
 Mallows, 259
 Manning, 240, 243
 Marginal effects, 209, 211, 219, 221
 Marginal likelihood, 11, 60, 61, 101, 281, 293, 295,
 308
 Marginal-conditional simulator, 150
 Marginalization paradox, 81
 Markov chain Monte Carlo model composition, 283,
 285
 McCulloch, 218, 282, 287, 290
 McDonald, 220
 McLachlan, 253
 Mean squared error, 38, 40
 Melino, 220
 Method of composition, 123, 150
 Metropolis–Hastings algorithm, 118, 152, 154, 194,
 257, 284
 Michael, 259
 Missing data, 246
 Mixed model, 181
 Mixtures, 23, 72, 253
 of binomials, 270
 of normals, 254, 262, 265, 266, 287, 328
 of Poissons, 260
 Model probability, 281, 283
 Moffitt, 220
 Moment generating function, 36, 46
 Monte Carlo integration, 117, 119, 121, 123, 124,
 130, 290
 Morris, 240
 Multicollinearity, 114
 Multinomial distribution, 265, 340
 Multinomial probit, 216
 Munkin, 240

 Nandram, 214, 235
 Negative binomial distribution, 83, 84, 260
 Newhouse, 240
 Neyman, 81
 Nobile, 218, 229
 Noninformative prior, 80
 Nonparametric regression, 289
 Normal distribution, 120
 half, 276
 matric variate, 313, 331
 multivariate, 25, 75, 130, 336
 piecewise, 327
 skew, 276
 split, 63
 truncated, 147, 200, 218, 220, 234, 268
 univariate, 14, 17, 19, 20, 38, 43, 63, 67, 74,
 86

- Normal-gamma distribution, 18, 21, 56, 76, 103, 108, 111, 192, 283, 287, 338
- Nuisance parameters, 12, 72
- Numerical standard error, 119, 121, 144, 182
- O'Hagan, 79
- Objective priors, 79, 81
- Olsen, 243
- One-sided hypotheses, 63
- Ordered probit model, 211, 214, 232
- Ordinary least squares, 108, 127, 177, 180
- Panel data, 169, 171, 210
- Pareto distribution, 22, 340
- Peel, 253
- Pericchi, 82
- Phillips, 320, 326
- Point estimation
 - all-or-nothing loss, 32, 33
 - alternative squared error loss, 34
 - asymmetric linear loss, 32, 33
 - Bayesian, 29, 30, 43, 46
 - conjugate normal analysis, 34
 - frequentist, 29
 - linex loss, 36
 - nonconjugate Normal analysis, 35
 - prediction, 71
 - quadratic loss, 31, 33
 - weighted squared error loss, 34
- Poirier, xix, 11, 42, 102, 107, 112, 122, 154, 220, 230, 259, 290, 291, 302, 335, 336
- Poisson distribution, 22, 48, 73, 84, 339
- Poisson-gamma distribution, 74
- Polson, 218, 259
- Population model, 184
- Posterior density, 11
- Posterior expected cost, 59, 60
- Posterior odds, 61
- Posterior predictive p -values, 143
- Posterior predictive density, 71, 320
- Posterior simulator
 - AR model, 298
 - ARCH model, 310
 - generalized tobit, 225, 229
 - hierarchical model, 173, 181
 - linear regression model, 134
 - mixture of binomials, 270
 - multinomial probit, 216
 - nonparametric regression model, 187, 289
 - Normal mixture model, 262, 265, 266
 - ordered outcomes model, 232
 - ordered probit, 211, 214
 - panel probit, 210
 - probit model, 204, 206
 - regression model with an unknown changepoint, 138, 140
 - regression model with autocorrelation, 198
 - regression model with heteroscedasticity, 135, 193, 195
 - regression model with linear constraints, 146
 - sample selection model, 243
 - stochastic frontier model, 236
 - SUR model, 136
 - TAR model, 300, 304, 307
 - tobit model, 219, 221
 - treatment effects model, 223
 - two-part model, 240
 - VAR model, 312
 - VECM, 330
- Potter, 290, 300, 306, 307
- Prediction, 71
- Prior density, 11
- Prior elicitation, 79, 303
- Prior odds, 61
- Probability, 2
 - long-run relative frequency, 2, 5
 - subjective, 2, 3, 55
- Probit model, 204, 206, 208, 210, 256, 257
- Proper prior, 38, 87
- QQ plot, 143
- Racine-Poon, 173
- Raftery, 282
- Ramsey, 2
- Random walk chain, 118, 154, 194, 284
- Reference prior, 81, 326
- Reparameterization, 58, 81, 85, 93, 94, 100, 214
- Richard, xix, 297, 311, 314, 320
- Richardson, 253
- Risk function, 29, 44, 46, 47
- Robert, 52, 253
- Rogers, 240, 243
- Rossi, 204, 218
- Rubin, 117, 152, 167, 266
- Runkle, 218
- Sahu, 184
- Sample selection model, 243
- Sampling distribution, 30, 71
- Sampling properties, 38, 40, 43
- Sampling-importance resampling, 167
- Savage–Dickey density ratio, 69, 198
- Schotman, 320
- Schucany, 259
- Schwarz, 102

- Scott, 81
 Shrinkage estimator, 171, 177
 Shuster, 259
 Silverman, 230
 Simple hypotheses, 62, 63, 66, 67
 Sims, 307, 319–322
 Smith, A.F.M., 1, 6, 91, 98, 100, 141, 167, 173, 175, 290
 Smith, M., 289, 290
 Steel, 282, 284
 Stern, 117, 152, 266
 Stirling, 1
 stochastic frontier model, 236
 Stochastic search variable selection, 287
 Strachan, 320, 330, 334
 Strong inconsistency, 88, 89
 Student t -distribution, 76, 120, 123, 124, 196, 254, 256, 283, 337
 Successive-conditional simulator, 150
 Sudderth, 5
 SUR model, 136, 314, 333

 Tanner, 203
 TAR model, 300, 304, 307
 Terui, 300
 Threshold triggers, 304
 Tierney, 93, 94, 98, 100, 103, 129
 Time series
 Nonstationary, 319
 Stationary, 297
 Tobias, 230, 232, 235, 290
 Tobin, 219
 Tobit model, 219, 221, 240
 Transition kernel, 150

 Treatment effects, 232
 Trivedi, 240
 Two-part model, 243
 Two-sided hypothesis, 66, 67
 Type I and II errors, 65, 68
 Type II maximum likelihood estimator, 45

 Uhlig, 319–322
 Uniform distribution, 22, 120, 335
 Unit root, 322, 324
 Unobserved confounding, 223

 van Dijk, 320, 330, 334
 van Hasselt, 240, 243
 VAR model, 312, 331
 Vector error correction model, 330
 Vijverberg, 230
 Villani, 320, 330, 334
 Volinsky, 282

 Wald, 38
 Wasserman, 79, 81, 82, 84, 89, 102
 Weighted bootstrap, 167
 Wishart distribution, 174, 339
 Wolfson, 327
 Wolpert, 12, 57
 Wong, 203

 Yang, 82, 326
 York, 283
 Yu, 243

 Zellner, 36, 43, 204, 283
 Zha, 307