

Cambridge University Press

978-0-521-85635-5 - Nuclear Reactions for Astrophysics: Principles, Calculation and Applications of Low-Energy Reactions

Ian J. Thompson and Filomena M. Nunes

Index

[More information](#)

## Index

- accelerator, 366  
 acceptance, 370  
 accuracy, 202  
 adiabatic, 229–237, 388  
   boundary condition, 231, 290  
   breakup, 235  
   coordinate, 230, 237  
   coupled-channels equations, 231, 290  
   elastic scattering, 232  
   form factor, 235  
   four-body model, 288  
   general equation, 231  
   Hamiltonian, 230  
   partial-wave decomposition, 231  
   special model, 233  
   T matrix, 232, 236  
   three-body model, 230  
   transfer, 232, 236  
   transition amplitude, 234  
   validity, 233  
   wave function, 231, 234, 290  
   zero range, 232  
 Airy function expansion, 213, 228  
 alpha-burning phase, 17  
 analytic continuation, 215  
 angular momentum, 49  
 annihilation, 7  
 antisymmetrization, 105, 176, 399  
   generalized principle, 107  
   three-body models, 284  
 astrophysical reactions, 247, 373, 375, 384, 396, 398,  
   399, 439, 441, 445, 447  
 asymptotic, 50, 286, 384  
   Faddeev wave function, 256  
   three-body bound state, 283  
 asymptotic expansion  
   coupled, 228  
 asymptotic normalization coefficient, 155, 303, 384,  
   398, 414, 445  
 Avogadro's number, 350, 352  
 axial-vector coupling constant, 197  
 back-shifted Fermi gas, 327  
 background, 368, 373  
 bare potential, 412  
 barrier  
   Hill-Wheeler, 158  
 basis expansion, 213  
 Bayesian method, 416  
 Berggren complex contour, 137  
 Bessel functions, *see* Coulomb functions  
 beta decay, 2, 19, 21, 22, 24, 160, 196, 358, 398  
 beta particle, 7  
 Big Bang, 6–9  
   primeval abundances, 9  
   primordial reactions, 8  
 binding energy, 1  
 black-body radiation, 349  
 body-fixed coordinate, 144, 180  
 Bogolyubov, 181  
 Born approximation  
   plane wave, 100, 103  
   second order, 103  
 Born series, 100  
   distorted wave, 101  
 Borromean nuclei, 275  
 bottleneck, 360  
 bound state, 28, 298  
 boundary condition, 200, 231, 260, 384  
   bound state, 133  
   continuum, 136  
   four-body adiabatic, 290  
   incoming, 98  
   incoming and outgoing waves, 54  
   natural, 300  
   three-body bound state, 283  
   three-body continuum wave function, 286  
 branching point, 19  
 breakup, 23, 31, 156, 396–398  
   absorption, 257  
   adiabatic, 235  
   angular-momentum decomposition, 258  
   average method, 259  
   bound-state wave function, 258  
   boundary condition, 260

- breakup (*Cont.*)  
 CDCC, 259–270  
 CDCC versus DWBA, 265  
 continuum bins, 259  
 continuum states, 258  
 continuum-continuum couplings, 262  
 Coulomb, 234, 396  
 deuteron, 233  
 differential cross section, 264  
 energy conservation, 258, 262  
 four-body CDCC, 293  
 in FRESKO, 441  
 inclusive, 270  
 mid-point method, 259  
 momentum distributions, 270  
 nuclear, 234  
 potential couplings, 262  
 projectile wave function, 262  
 pseudostate method, 259  
 radial equation, 258  
 resonance, 260  
 scattering amplitude, 263  
 semiclassical, 246, 271  
 T matrix, 268  
 three-body Hamiltonian, 261  
 three-body observables, 268  
 threshold, 174  
 transfer-to-continuum, 271  
 triple-differential cross section, 269  
 wave function, 258  
 Breit-Wigner resonance, *see* resonance,  
 Breit Wigner  
 bremsstrahlung integrals, 236  
 bremsstrahlung radiation, 377
- capture, 7, 31, *see* photo-production, 157, 252,  
 385, 396  
 in FRESKO, 447  
 neutron, 21, 23, 377, 396  
 proton, 373, 375, 441  
 CDCC, 157, 204  
 in FRESKO, 441  
 center of mass, 36  
 motion, 179  
 CERN experiment, 377  
 charge exchange, 24, 158–161, 196, 398–400  
 antisymmetrization, 399  
 exchange effects, 399  
 Fermi transition, 159  
 Gamow-Teller transitions, 160  
 multipole, 161  
 charged-particle beams, 373  
 chi-squared  
 distribution, 316, 406  
 fitting, 403–409  
 closure relation, 244  
 cluster, 195  
 model, 179  
 CNO cycles, 14–17  
 collectivity, 395  
 completeness relation, 136
- compound nucleus, 31, 33, 314  
 Porter-Thomas statistics, 315  
 production, 321  
 reactions, 158  
 Compton scattering, 377  
 conservation laws, 36  
 continuity equation, 70  
 continuum structure, 179  
 convergence, 264, 434  
 convolution, 187  
 coordinate  
 adiabatic, 237  
 adiabatic three-body model, 230  
 body-fixed, 144, 180  
 center of mass, 36, 174  
 eikonal model, 238, 241  
 four-body adiabatic, 288  
 four-body eikonal, 291  
 hyperspherical, 278  
 Jacobi, 255, 276  
 rescaled Jacobi, 278  
 spherical polar, 49  
 three-body model, 277  
 transfer, 150, 380  
 correlation, 175, 405  
 short range, 394  
 cosmic ray background, 373  
 Coulomb  
 and nuclear potentials, 62–66  
 barrier, 4–5, 414  
 bound state, 135  
 breakup, 236  
 classical cross section, 64  
 classical scattering, 64  
 closest approach, 64  
 constant, 61  
 dissociation, 23, 234, 396, 397  
 excitation, 245, 395  
 functions, 52, 61  
 asymptotic form, 53, 62  
 coupled, 228  
 Whittaker, 135  
 penetrability, 249  
 phase shift, 61  
 plane wave, 63  
 point scattering, 62  
 amplitude, 64  
 reduced matrix element, 142, 147  
 reduced transition probability, 142  
 screened potential, 64  
 Sommerfeld parameter, 63  
 trajectory, 245  
 transition rate, 196  
 turning point, 62  
 wave equation, 54  
 coupled channels, 204–228, 389  
 adiabatic, 231  
 approximate solutions, 105  
 Born approximation, 204, 212, 389, 394, 413  
 bound state, 216  
 close-coupling method, 205

- continuum bin, 293
- equations, 87
- four-body adiabatic, 290
- hyper-radial equations, 282
- in FRESKO, 441
- iterative solution, 207
- linear dependence, 205
- photo-nuclear, 119
- photon, 164
- coupled-reaction channels, 204, 390
- coupling, in FRESKO, 437
- covariance
  - matrix, 405
  - parameter, 408
- CRC, *see* coupled-reaction channels
- cross section, 5, 42–46, 400
  - absorption, 75, 85
  - angle integrated, 59
  - angle-integrated elastic, 85
  - average, 333
  - average  $\sigma_T$ , 336
  - breakup, 264
  - compound elastic, 329, 334
  - definition, 46
  - differential, 42
  - eikonal, 243
  - energy average, 319
  - experiment versus theory, 380
  - fluctuation, 333
  - identical particles, 112
  - inclusive, 244
  - integrated, 84
  - knockout, 393
  - Legendre expansion, 409
  - multi-channel, 81
  - normalization, 380
  - per partial wave, 445
  - photon, 118
  - photo-nuclear, 377
  - reaction, 75, 84
  - three-body elastic, 286
  - total, 85
  - triple differential, 269
- current
  - charge, 71, 116
  - conserved, 71, 73
  - free field, 71
  - nuclear, 70
  - two-body, 72
- cyclotron, 366
  
- data covariance matrix, 406
- Debye approximation, 350
- deformation, 395, 439
  - axial, 145
  - Coulomb, 146
  - improved accuracy, 148
  - length, 144, 185
  - matter, 185
  - prolate and oblate, 144
- density
  - collective, 182
  - deformation, 185
  - ground state, 243
  - nucleon, 180
  - phase space, 270
  - projectile, 292
- density matrix, 83
- density-functional theory, 180, 181
- detailed balance, 90, 349, 354
  - identical particles, 91, 113
  - photon, 91, 167
- detector, 367
  - gamma array, 371
  - magnetic spectrograph, 369
  - neutron array, 372
  - segmented charged-particle array, 370
- direct measurements, 373
- direct reactions, 32
- discrete state transition, 196
- discretization, 264, 293
- distorted-wave Born approximation, 32, 103, 204, 247, 380–382, 399
  - in FRESKO, 441
  - three-body projectile, 288
- distorted waves, 99
- double folding, 187
- DRAGON experiment, 375
- dripline, 181, 323, 362
- DWBA, *see* distorted-wave Born approximation
- dynamic polarization potential, 330
  
- effective
  - Hamiltonian, 178
  - interaction, 175, 400
- effective burning energy, 344
- effective radius, 154
- efficiency, 370
- eikonal, 237–245, 393
  - black disk, 240
  - boundary condition, 238
  - breakup cross section, 244
  - composite-body scattering, 241
  - coordinate, 238, 241, 291
  - Coulomb contribution, 239
  - elastic cross section, 244
  - elastic scattering, 239, 291, 292
  - equation, 238
  - few-body method, 241
  - inclusive cross section, 244
  - knockout, 244
  - optical limit, 242
  - phase, 238
  - reaction cross section, 244
  - S matrix, 241
  - scattering amplitude, 241
  - stripping, 244
  - thickness function, 292
  - three-body projectiles, 291
  - validity, 240
  - wave function, 238

460

elastic  
 solutions, 200  
 elastic breakup, 393  
 elastic scattering, 30, 38, 39, 204, 232, 387  
   eikonal, 239, 291  
   in FRESKO, 439  
   three-body, 286  
   WKB, 249  
 elastic transfer, 113  
 electric  
   multipole, 185  
   multipole operator, 166  
   transition, 122  
   vector potential, 124  
 electron screening, 350  
 energy  
   complex, 334  
   window, 345  
 energy average  
   amplitude, 332  
   cross section, 319  
 epsilon algorithm, 215  
 equilibrium  
   nuclear statistical, 358  
   thermodynamic, 354  
 Euler angles, 145  
 exchange effects, 194, 399  
 exchange scattering, 108  
 exchange transfer, 113  
 excitation energy, 29  
 excited state pair, 76  
 excited-state reactions, 358  
 expectation value, 405  
 experiment  
   indirect, 362  
 Faddeev equations, 256  
 Faddeev wave function, 255  
 fast fragmentation, 365  
 Fermi  
   transition, 159, 398  
   transition probability, 197  
 Fermi energy, 135, 180  
 Feshbach, 175  
 finite range, 152  
 fitting  
   Bayesian method, 416  
   grid search, 415  
   in FRESKO, 450  
   Progressive Improvement Policy, 414  
   R matrix, 297  
   strategies, 415  
   theoretical expectations, 416  
 fixed point, 354  
 flux, 42, *see* current, 341  
 flux factors, 81  
 folded potential, *see* potential, folded  
 force, *see* potential  
 form factor multipole, 139

*Index*

four-body  
   adiabatic approximation, 288  
   CDCC, 293  
   reaction models, 287–294  
 Fourier transform, 188  
 fractional parentage, 177, 192  
 freeze out, 360  
 FRESKO, 433  
   compilation and installation, 452  
   errors, 448  
   input and output files, 438  
   radial nodes, 193, 196  
 fusion, 31, 158, 250, 375  
 galactic abundances, 375  
 Gamow  
   distribution function, 344  
   factor, 251  
   peak, 344  
 Gamow-Teller  
   transition, 160, 398  
   transition probability, 197  
 gauge  
   Coulomb, 115, 123, 162  
   invariance, 73, 115  
   minimal coupling, 117  
 Gaussian method, 294  
 Green's function, 92–96  
 Green's function Monte Carlo, 175  
 GSI experiment, 373, 393  
 H-R diagram, 9  
 half-life, 30, 196  
 halo nuclei, 274  
 Hamiltonian, 277  
   Hermitian, 89  
   multi-channel, 86  
   three-body, 261  
 hard-sphere phase shift, 298  
 harmonic oscillator, 176  
 Hartree, 181  
 Hartree-Fock, 181  
 Hauser Feshbach, 318–326  
   branching ratio, 321  
   decay model, 323  
 heavy elements, 19, 21  
 heavy-particle transfer, 156  
 Hesse matrix, 408  
 higher-order, 232, 247, 263, 266, 389  
 Hilbert space, 175  
 hole state, 135, 178  
 Hoyle, 13  
 hydrogen-burning phase, 10  
 hyperspherical, 278–284  
   expansion, 281  
   hyper-radial equations, 282  
   hyper-radial momentum, 285  
   hyper-radius, 279  
   hyperangle, 279  
   hyperangular equation, 281

- hyperangular momentum, 282
- hyperharmonic functions, 282
- Jacobi polynomials, 282
- wave function, 281
- identical particles, 105–114, 341, 351
  - exchange transfer, 113
  - integrated cross sections, 112
  - overlap, 193
  - with spin, 111
  - without spin, 110
- incident flux, 45
- incoming channel, 79, 206, 211
- independence hypothesis, 33
- indirect methods, 396
- inelastic, 394–395
  - collective models, 143
  - coupling, 141, 203
  - fitting, 412
  - in FRESKO, 439
  - proton, 395
  - rotational model, 143
  - scattering, 30
  - single particle, 148
  - sub-Coulomb, 395
  - vibration, 148
- inert group, 194
- inhomogeneous solution, 92, 211
- instability, 206
- integral forms, 91
- integration, numerical, 201
- interaction Hamiltonian (photons), 118
- interference, 386, 394, 397, 400
  - nuclear Coulomb, 247
- intrinsic quadrupole moment, 186
- intruder state, 178
- isobaric analogue states, 108
- isomer, 29, 337
- isospin, 106, 194
  - composite systems, 107
  - influence on potential, 131
  - transitions, 158
- isotope separator on-line (ISOL), 365
- iterative solution, 207, 266
  - convergence, 211
  - partial iteration, 212
- Jacobi coordinate, 180
- JLM folding, 387
- Johnson and Soper, 388
- K matrix, 58
  - relation to S matrix, 59
- Karlsruhe experiment, 376
- kernel function, 203
- kinematics
  - complete, 372
  - inverse, 368, 374
  - non-relativistic, 35
  - relativistic, 39–42, 126, 246
- kinetic energy, 49, 174
- knockout, 156, 194, 390–394
  - compare to transfer, 390
  - cross section, 393
  - diffraction, 393
  - eikonal, 244, 393
  - electron, 390
  - nuclear, 390
  - quasi-elastic, 156
  - stripping, 393
- Lagrange mesh, 213
- Laguerre polynomial, 176
- Lane potential, 159
- Lee-Suzuki method, 175
- Legendre polynomial, 51, 153
  - cross-section fit, 409
- LENA experiment, 373
- level density, 324, 327
  - Gilbert and Cameron, 328
- level matrix, 310
- lifetime, 341
- linear accelerator, 366
- Lippmann-Schwinger equation, 96
- local energy approximation, 154
- locality, *see* non-locality
- logarithmic derivative, 219
- logarithmic matrix, 306
- long-wavelength approximation, 162
- Lorentzian averaging, 333
- Louvain-la-Neuve experiment, 374
- low-k potential, 175
- lower radial cutoff, 207
- LUNA experiment, 373
- m*-state basis, 176
- magnetic
  - multipole operator, 171
  - transition, 122, 169
  - vector potential, 124
- main sequence stars, 9
- many-body effects, 384
- matrix element
  - general, 196
- MAX-lab experiment, 377
- Maxwell equations, 114
- Maxwell-Boltzmann distribution, 342
- mean field model, 180
- meson, 158
- microscopic cluster model, 390
- minimization, 406
- Minuit, 415
- moment of inertia, 143
- momentum distributions, 270
- momentum transfer, 101
- multi-channel
  - bound state, 216
  - coupled equations, 85
  - coupling order, 76
  - cross section, 81

- multi-channel (*Cont.*)
  - J basis, 77
  - parity, 80
  - partitions, 76
  - pure Coulomb limit, 78
  - S basis, 77
  - S matrix, 80
  - scattering amplitude, 82
  - summing over  $J_{\text{tot}}$ , 78
  - system wave function, 78
  - theory, 75–91
  - wave functions, 77
- multiple scattering, 242, 293
- multipole
  - analysis, 138
  - moment, 185
- multivariate distribution, 404
  
- natural boundary condition, 300
- network calculation, 353
- neutrino, 7, 197
- neutron
  - beam, 376
  - reaction rate, 347
  - skin, 184
  - strength function, 337
  - time-of-flight experiment, 377
- neutron star, 25
- No-Core Shell Model, 175
- nodes, *see* radial nodes
- non-locality, 152, 202, 213, 445
- non-orthogonality terms, 88, 209
- norm overlap, 88, 208
- normal distribution, 315, 405
- normal parity transitions, 142
- normalization
  - bound state, 134, 174
  - orthonormal continuum, 136
- novae, 25, 373
- NSCL experiment, 367
- nuclear abundance  $Y$ , 352
- nuclear dripline, 2, 274
- nuclear properties, 1–2
- nuclear reactions, 3–4
- nuclear statistical equilibrium, 358
- Numerov method, 201
  
- oblate, 144
- occupation number, 180
- one-channel problem, 201
- one-photon approximation, 115
- optical potential, *see* potential, optical
- optical theorem, 60
- ORNL experiment, 370
- oscillator quanta, 176
- overlap function, 136, 190–196, 380, 389, 436
  - antisymmetrized, 193
  - isospin, 193
  - non-antisymmetrized, 190
- overlap, cluster, 195
  
- $p$ -process, 21, 25
- Padé
  - acceleration, 212
  - approximants, 215
- pairing, 181
- parameter covariance matrix, 408
- parity, 29, 80, 133, 178, 191, 192
- partial wave, 49, 133
  - equation, 51
  - expansion, 50, 231, 258, 290
- partial width
  - photon, 166
- partition, 435
- partition function, 357
- Pauli principle, 106, 193
- penetrability, 157, *see* Coulomb penetrability
  - R-matrix penetrability
- peripheral, 384, 386, 388
- phase shift, 57
  - background, 67
  - hard sphere, 298
  - nuclear, 65
  - R matrix, 298
- phase space, 197
- phonon states, 148
- photo-disintegration, 25, 31, 117, 377, 396
- photo-production, 116, 157
- photon, 7, 41
  - beam, 377
  - black body, 349
  - combining with particle channels, 165
  - coupled equations, 164
  - electric, 122
  - limiting cases for transitions, 167
  - long-wavelength approximation, 162
  - magnetic, 122, 169
  - partial wave, 120
  - partial width, 166
  - plane wave, 123
  - polarized, 377
  - Siegert theorem, 162
  - single-photon reactions, 161
  - T matrix, 121
  - wave function, 119
- pickup, 150
- plane wave, 39, 45, 54, 60, 96, 100
  - Born approximation, 100
  - photon, 123
- polarization, 83
- Porter-Thomas statistics, 315
- post transfer coupling, 151
- post-form interaction, 89
- post-prior, 208
  - equivalence in first order, 105
- potential
  - adiabatic, 233
  - average polarization, 335
  - bare, 266, 412
  - binding, 132, 150
  - breakup couplings, 262
  - complex, 73–75

- core-core, 151
- coupling, 137–171
  - transfer, 150
- diagonal, 203
- dynamics polarization, 329
- effective, *see* effective interaction, 190
- energy dependence, 130
- finite, 49
- folded, 131, 186
- global optical, 388
- imaginary, 74
- imaginary components, 257
- isospin dependence, 131
- JLM, 131, 190
- Johnson-Soper, 233
- Lane, 159
- locally global, 381
- long-range couplings, 263
- low-k, 175
- M3Y, 190
- monopole, dipole, quadrupole, 138
- multipole, 138
- optical, 73, 129, 257, 266, 381, 399, 436
  - ambiguity, 411
  - bound state, 137
  - compound-nucleus effects, 331
  - definition, 329
  - fitting, 387, 410
  - global, 131–132
  - source of, 329
- polarization, 268
- radius scaling, 130
- single particle, 381
- spherical, 48
- spin-dependent, 139–141
- spin-orbit, 74, 133, 140
- spin-spin, 141
- tensor, 141
- three-body, 173
- three-body coupling, 282
- transition, 139
  - single particle, 149
- trivially equivalent, 331
- two-body, 173
- vector, 140
- volume integral, 411
- Watanabe, 287
- weighted equivalent, 331
- Woods-Saxon, 74, 130
- Poynting vector, 118
- pp cycle, 9–12
- primordial nucleosynthesis, 6, 8
- prior transfer coupling, 151
- prior-form interaction, 87
- probability, 192
  - chi-squared, 316, 406
  - normal, 315, 405
- Progressive Improvement Policy, 414
- projection operator, 175
- prolate, 144
- propagator, 228
- pseudostate, 259, 293
- $Q$ -value, 3, 151, 382
- quadrupole
  - moment, 148, 186
    - intrinsic, 186
    - spectroscopic, 186
  - single particle, 186
- quantum concentration, 356
- R matrix, 55, 201
  - convergence, 222
  - definition
    - generalized, 225
    - multi-channel, 206
      - with transfer channels, 224
  - distant pole, 304
  - fitting data, 297
  - hard-sphere phase shift, 298
  - hybrid, 312
  - isolated pole, 299
  - level-matrix formulation, 309
  - linear equations, 224
  - method, 213, 218–227
  - penetrability, 298, 306
  - phase shift, 298
  - phenomenology, 296–313
  - pole energy, 296
  - potential scattering, 311
  - scattering wave functions, 226
  - shift function, 298, 306
  - single-particle limit, 303
  - Thomas approximation, 300
  - to S matrix, 55, 206, 226
  - Wigner limit, 303
- $r$ -process, 21–24, 396, 399
- radial nodes, 176, 193, 195
- radiative capture, 31
- radioactive beam, 362, 374
  - production, 364
- radius
  - asymptotic, 228
  - matching, 53
  - root mean square, 183
- random-phase approximation, 182
- reaction network, 350
  - coupled equations, 351
    - explicit and implicit, 352
- reaction rate, 340
  - inverse, 349
  - net, 354
  - neutron, 347
  - per particle pair, 341
  - photon, 348
  - resonance averaging, 346
- reciprocity, 90
- red giant, 18, 25
- reduced mass, 35
- reduced matrix element, 138, 146
  - Coulomb, 142, 147

- reduced transition probability, 142
- reduced width, 222, 299
  - single particle, 303
  - Wigner limit, 303
- reduced width amplitude, 222, 296
  - multi-channel, 224
- Reich-Moore approximation, 317
- remnant term, 151, 381
- resonance, 29, 32, 66–70, 136
  - averaging, 346
  - Breit-Wigner, 67, 299
  - doorway, 33
  - formal parameters, 299
  - giant, 33
  - lifetime, 341
  - multi-channel, 310
  - multi-level Breit-Wigner, 317
  - observed parameters, 300
  - overlapping, 322
  - phase shift, 67
  - pole, 300
  - Reich-Moore, 317
  - S-matrix pole, 68
  - shape, 33
  - sub-threshold, 347
  - time delay, 66
  - total formal width, 308
  - virtual state, 70
  - width, 67
- resonating group method, 180
- rotational model, 143
- rp*-process, 22, 25
- Runge-Kutta, 201, 353
- Rutherford cross section, 64
  
- S factor, 5, 252
  - integral, 344
  - neutron, 348
  - zero energy, 345
- S matrix, 55, *see* multi-channel S matrix
  - eikonal, 241
  - energy average, 332
  - optical average, 331
  - symmetry, 90, 126, 310
  - three-body, 286
  - unitarity, 89
- s*-process, 18–21, 384
- Saha equation, 7, 356
- Samuelson inverse, 215
- scattering amplitude, 45, 50
  - breakup, 263
  - Coulomb and nuclear, 65
  - eikonal, 239, 241
  - exchange terms, 110
  - from phase shifts, 57
  - from S matrix, 56
  - from T matrix, 58
  - multi-channel, 82
  - optical theorem, 60
  - plane-wave Born approximation, 101
  - point-Coulomb, 64
  - relation to vector-form T matrix, 97
  - three-body, 286
  - WKB, 249
- scattering angle, 30
- scattering length, 70
- Schrödinger equation, 49, 200, 207
  - many-body, 174
- screening
  - eikonal, 238
  - electron, 350
- second quantization, 194
- Segré chart, 2, 21, 22
- self-consistent, 181
- semiclassical, 245–247, 396
  - adiabaticity, 246
  - Alder and Winther, 245
  - breakup, 246, 271
  - Coulomb excitation, 245
  - relativistic kinematics, 246
- sensitivity analysis, 360
- separable expansion, 212
- Sfresco, 450
- shell model, 175, 400
  - center-of-mass correction, 394
  - closed shell, 2, 22
  - no-core, 175
  - spectroscopic amplitude, 390
  - spectroscopic factor, 393
- shift function, *see* R-matrix shift function, 299
- Siegert theorem, 73, 162
- single folding, 187
- single-particle
  - binding potential, 132
  - bound states, 133
  - excitation, 389, 395
  - filling prescription, 135
  - inelastic process, 148
  - resonance, 136
  - state in FRESKO, 436
- single-particle parameters, 388
- Slater determinant, 176, 181
- solar abundances, 25
- Sommerfeld parameter, 5, 41, 63, 239, 252
  - bound state, 135
- spectator spin, 139, 151
- spectroscopic
  - amplitude, 192, 195, 389
  - phase, 193
  - factor, 136, 192, 195, 303, 385, 413
  - experimental, 380
  - reduction, 394
  - quadrupole moment, 186
- spherical harmonic addition theorem, 60
- spherical polar coordinate, 49
- spheroid, 185
- spin weighting factor, 84, 308
- spin-statistic theorem, 105
- spreading width, 137
- square-integrable basis, 261



- stable beam, 375
- standard deviation, 405
- states
  - bound
    - multi-channel, 216
    - single particle, 132
    - sub-threshold, 302
    - unbound, 69
  - strength function, 337
  - stripping, 150
  - structure models, 173–182
  - sub-Coulomb reactions, 385
  - sub-threshold states, 302
  - super-heavy elements, 22
  - superconductivity, 181
  - supernovae, 21, 22, 25
  - surface, 185
- T matrix, 58, 231
  - Born series, 100
  - breakup, 268
  - multi-channel, 81
  - post and prior integrals, 102, 380
  - relation to S matrix, 59
  - three-body projectile, 288
  - vector form, 380
    - distorted waves, 99
    - plane waves, 96
    - relation to scattering amplitude, 97
- tandem, 366
- tensor analyzing powers, 83
- tensor interaction, 400
- tensor potential, *see* potential, tensor
- thermal distribution, 342
- Thomas approximation, 300
- three-body, *see* hyperspherical
  - antisymmetrization, 284
  - asymptotic, 286
  - basis transformation, 284
  - bin wave function, 293
  - bound state, 276
  - bound-state asymptotic, 283
  - breakup observables, 268
  - continuum, 285–287
  - core eigenstate, 277
  - correlations, 280
  - coupling potential, 282
  - eikonal model, 291
  - elastic cross section, 286
  - Hamiltonian, 277
  - hyper-radial equations, 282
  - hyper-radial momentum, 285
  - plane wave, 285
  - Raynal-Revai coefficients, 284
  - rms radius, 280
  - S matrix, 286
  - scattering amplitude, 286
  - T basis, 279
  - total wave function, 282
  - two-dimensional wave function, 281
  - WKB approximation, 252
  - Y basis, 279
- time-reversal invariance, 90
- time-dependent Hartree-Fock, 182
- transfer, 21, 30
  - adiabatic T matrix, 232
  - angular momentum, 382
  - breakup, 389
  - coupling, 150, 203, 380
  - distorted-wave Born approximation, 104
  - DWBA, 381
  - finite range, 152
  - fitting, 413
  - heavy particle, 156, 158
  - in FRESKO, 445
  - Johnson and Soper, 232
  - knockout, 156
  - local energy approximation, 154
  - optical potentials, 387
  - post and prior, 151, 380
  - PWBA, 383
  - radial sensitivity, 386
  - remnant term, 151, 381, 388
  - single particle
    - parameters, 388
  - spectroscopy, 380
  - stripping, 244
  - sub-Coulomb, 154
  - to the continuum, 157
  - two-step, 158
  - zero range, 153
- transformed harmonic oscillator, 179, 294
- transition
  - discrete states, 196
  - Fermi, 159
  - Gamow-Teller, 160
  - normal parity, 142
  - potential, *see* potential, transition
  - probabilities, 90
  - strength, 394
- translational invariance, 179, *see* Jacobi coordinate
- transmission coefficient, 320, 362
  - multi-channel, 323
- transverse gauge, *see* gauge, Coulomb
- trial solution, 201
- triple-alpha reaction, 13–14
- TRIUMF, ISAC experiment, 368, 375
- two-potential formula, 97
- unitarity, 89
- units
  - barns, 43
  - steradians, 42
- variance, 405
- vector coupling constant, 197
- vector potential, 114
  - electric and magnetic, 124
  - longitudinal, 126
- vector spherical harmonic, 121

Cambridge University Press

978-0-521-85635-5 - Nuclear Reactions for Astrophysics: Principles, Calculation and Applications of Low-Energy Reactions

Ian J. Thompson and Filomena M. Nunes

Index

[More information](#)

466

velocity  
 thermal, 342  
 thermal distribution, 343  
 vibrational model, 148  
 virtual photon number, 396  
 virtual state, 70

waiting point, 22

wave function  
 full scattering, 57  
 photon, 119  
 radial, 51

wave number, 39  
 bound state, 135

wave packet, 329

weak interaction, 7, 358

white dwarf, 17, 25

Whittaker function, 135, 155

width, 30  
 fluctuation, 316  
 partial, 308  
 total formal, 308

width-fluctuation correction, 319, 322

*Index*

Wigner limit, 303

Wigner-Eckhart theorem, 139

WKB approximation, 247–253  
 asymptotic form, 249  
 capture, 252  
 decay, 252  
 Gamow factor, 251  
 general solution, 248  
 lifetime, 252  
 penetrability, 249  
 phase shift, 249  
 radial equation, 248  
 radial wave function, 249, 251  
 scattering amplitude, 249  
 three-body decay, 252  
 validity, 248

Wronskian, 52, 297

Wynn epsilon algorithm, 215

X-ray burster, 25

zero range, 153, 203, 232, 387  
 constants  $D$  and  $D_0$ , 155