

Cambridge University Press

978-0-521-85837-3 - Feeding Ecology in Apes and Other Primates: Ecological, Physical, and Behavioral Aspects

Gottfried Hohmann, Martha M. Robbins, and Christophe Boesch

Index

[More information](#)

Index

- adaptive traits
 - effects on fitness 243–4
 - measurement strategy (1) 244–9, 251
 - measurement strategy (2) 244–5, 249–57
- aggression *see* food-related aggression; hunger and aggression
- agile mangabey (*Cercocebus agilis*) 51–2
 - diet compared with western gorilla diet 57, 58, 60–1, 62
 - diet sampling methods 53–6
 - foraging strategy 65–8
 - fruit component of diet 57, 58, 60–1, 62
 - patterns of fruit availability 52–3
 - patterns of fruit consumption 65–6
 - response to fluctuating fruit availability 63, 64
- study site (Mondika Research Center) 52–3
- agonism rates
 - factors affecting feeding-related agonism 289–91
 - group size effects 277–9
 - linearity in dominance hierarchies 273–7
 - predictions about dominance hierarchies 273
 - social structure 273–9
 - socioecological predictions about 279–80
 - strength of dominance hierarchies 273, 277–9
 - time to detect hierarchies 277–9
 - see also* female agonism rates; hunger and aggression
- agonism rates and energy gain 270–3
- common assumptions about 270–1
 - in Hanuman langurs 271–2
 - limitations of predictive linkage 272–3
 - see also* hunger and aggression
- Alouatta* spp. (howler monkeys), nutritional ecology studies 385, 386
- anthropological approach to primate studies 21–2
- anthropomorphism in primate studies 17–18

- antifeedants
 - avoidance in food selection 124–5
 - in bonobo diet 126, 140–7
 - in chimpanzee diet 127, 140–7
- apes
 - dental adaptations 49–50
 - dietary specializations 66–8
 - digestive systems 49–52
 - foraging strategies 49–52, 65–8
 - patterns of fruit consumption 65–8
 - quality and diversity of diet 49–52
 - see also* specific apes
- Ateles* spp. (spider monkeys)
 - diet and social behavior 383–4
 - diet-based selection pressures 383–4
 - high encephalization quotient (EQ) 383–4
- Ateles geoffroyi* (black-handed spider monkey), nutritional ecology 386
- avian feeding ecology 9
- baboon
 - adult fitness predictors in yearling diet 253–6
 - observed diet of yearlings 253
 - optimal diet model for yearling baboons 251–2
- bamboo (*Arundinaria alpina*), influence on gorilla ranging 39–40
- Barro Colorado Island (Panama)
 - early field studies of primates 381–3
 - nutritional ecology studies 385, 386
- behavioral chains, for fruit selection 490, 491, 492
- behavioral ecology, new approaches to testing theories 237–41
- birds, feeding ecology 9
- black-and-white colobus monkey (*Colobus guereza*), fruit selection 493, 499, 500–1, 502
- black-handed spider monkey (*Ateles geoffroyi*), nutritional ecology 386
- body mass, and dietary quality 5–6
- body size, and home range size 6–8
- bonobo (*Pan paniscus*)
 - antifeedants in the diet 126, 140–7

512 *Index*

- bonobo (*Pan paniscus*) (cont.)
 field studies 20–1
 gregariousness of females 125–6
 nutritional ecology 126–8
 range of habitats and diet 125
 social behavior 125–6
- bonobo (*Pan paniscus*) (Lomako), food selection strategies 152
- bonobo (*Pan paniscus*) (Salonga) 128–9
 antifeedants in food 132–3, 140–7, 150–2
 chemical composition of food and nonfood 150–2
 comparison of nutrition with chimpanzees 150–2
 data collection and analysis 129–34
 diet diversity 136–7, 138
 food abundance and nest group size 137–40
 food components association patterns 150–2
 fruit abundance and feeding party size 135, 138, 147–50
 fruit abundance and nest group size 135, 136, 138, 147–50
 fruit production in Salonga 135, 136, 138, 147–8, 150
 fruit species consumed 136–7, 138
 gregariousness compared to chimpanzees 148–50
 habitat 134, 135
 macronutrients and antifeedants in food plants 140–7
 nest group size 137–40, 319
 party size 148–50
 phytochemical components of food and nonfood plants 131–3, 140–7
 strategies for avoiding unsuitable food 150–2
- Bornean forests
 level of productivity 339, 340, 353–4
 mast fruiting 316–18, 319
 patterns of food availability 316–18
 phenological patterns of plant taxa 318, 319
- Bornean white-bearded gibbon *see* white-bearded gibbon
- Borneo orangutan (*Pongo pygmaeus*) (Gunung Palung)
 comparison with Sumatran orangutans 339–40, 353–4
 fruit availability and reproduction 339–40, 353–4
 productivity of Bornean forests, 339, 340, 353–4
 reproduction and fruit availability 339–40, 353–4
- brown capuchin monkey (*Cebus apella*)
 field and laboratory findings compared 204–5, 229–31
 learning food processing skills 204–5
- social facilitation of foraging skills development 204–5
- Bukit Timah Nature Reserve (Singapore) 492
- Bwindi Impenetrable National Park (Uganda) 29
 altitudinal zones 27
- Bwindi mountain gorilla (*Gorilla beringei beringei*) (Kyagurilo group)
 comparison with other eastern gorillas 25–9, 33, 35–6, 38–43
 data collection methods 30
 density and food availability 41–3
 diet analysis 30–1
 dietary patterns over time 28–9
 ecological patterns 25–9
 fibrous foods 32–4, 35–6
 food availability 25–8, 41–3
 frugivory patterns 25–9, 31–2, 33, 34, 35–6, 38–9
 group size and composition 29
 herbivory patterns 25–9, 35–6, 39–40
 home range and core area 31, 34–8
 population parameters 41–3
 ranging patterns 28–9, 40–1
 six-year monitoring history 29
 social structure and food availability 42, 43
 variability in fibrous foods consumption 35–6, 39–40
- capuchin monkey (*Cebus*)
 convergent behaviors with humans and chimpanzees 203–4
 cultural variation 21–2
 foraging skills acquisition 203–4
 learning abilities 21–2
 manual processing required by diet 203–4
 social behavior 203–4
 social learning 203–4
see also brown capuchin monkey; white-faced capuchin monkey
- catarrhine primates, split into two living subfamilies 20
- Cebus apella* *see* brown capuchin monkey
- Cebus capucinus* *see* white-faced capuchin monkey
- Celtis mildbraedii*, important food for Goualougo apes 108–10, 111–12, 115–16
- central place foraging (CPF)
 among human foragers 359–61
 classification of grouping patterns 361–2
 classification of ranging patterns 359–61
 definition 359–61
 leaving young in a safe place 362
 possible causes and consequences 361, 371–3

- possible evolutionary sequence 373
 predation risk reduced 361, 371–3
 central place provisioning (CPP)
 among human foragers 359–61
 and human social organization 373
 classification of grouping patterns 361–2
 classification of ranging patterns
 359–61
 definition 359–61
 feeding and safety of dependent
 young 362
 possible causes and consequences
 371–3
 possible evolutionary sequence 373
 predation risk reduced 361, 371–3
 provision for old, sick and injured
 in camps 372–3
 provision of food for others or to
 store 362
see also Hadza hunter-gatherers (Tanzania)
- Cercocebus agilis* *see* agile mangabey
- Cercocebus albigena* *see* mangabey
- Cercopithecines
 digestive adaptations 49–50, 67–8
 foraging strategy 67–8
- Cercopithecoidea, divergence from
 Homoidea 20
- Cercopithecus aethiops* (*vervet monkey*),
 food availability and population
 density 313–14
- Cercopithecus ascanius* *see*
 redtail monkey
- Cercopithecus nictitans* (*guenon*), co-feeding
 with chimpanzees 117–18
- chimpanzee (*Pan troglodytes*) *see also*
 eastern chimpanzee; savanna chimpanzee
 antifeedants in the diet 127
 comparison of plant foods eaten by various
 groups 166–8, 175–7
 cultural behaviors 21–2, 183–5
 diet-based selection pressures 384–5
 dietary influences on social behavior
 161–3, 384–5
 dietary overlap with sympatric
 gorillas 102, 103–5, 116–17
 dietary quality and diversity 50–1, 125
 encephalization quotient (EQ) 384–5
 energy calculations 452–3, 455,
 459, 460–2, 466
 energy intake data collection
 447, 448
 feeding behavior variation across
 habitats 101
 feeding ecology variations over
 time 97, 103
 fission-fusion social organization 161–3
- food availability and social
 organization 161–3
 frugivory patterns 19–20, 101,
 114–15, 161–3
 fruit selection 493, 499, 500–1, 502
 fruit selection behavioral chains 490,
 491, 492
 habitats range 125
 home range size and core area in
 various habitats 87–91
 male dominance 125–6
 nutritional ecology 126–8
 party size 161–3
 responses to fruit scarcity 99
 social behavior 125–6, 384–5
 social organization 161–3
 chimpanzee (*Pan troglodytes*) (Gashaka)
 antifeedants in food 132–3,
 140–7, 150–2
 chemical composition of food and
 nonfood 150–2
 comparison of nutrition with
 bonobos 150–2
 data collection and analysis 129–34
 diet diversity 136–7, 138
 feeding party size and fruit abundance
 135, 138, 147–50
 food abundance and nest group
 size 137–40
 food components association
 patterns 150–2
 fruit abundance and feeding party size
 135, 138, 147–50
 fruit abundance and nest group size
 135, 138, 147–50
 fruit production in Gashaka 135, 136,
 147–8, 150
 fruit species consumed 136–7, 138
 gregariousness compared to
 bonobos 148–50
 habitat 134, 135
 macronutrients and antifeedants in food
 plants 140–7
 nest group size 137–40, 147–50, 319
 party size 148–50
 phytochemical components of food and
 nonfood plants 131–3, 140–7
 strategies for avoiding unsuitable
 food 150–2
 chimpanzee (*Pan t. troglodytes*)
 (Goualougo Triangle)
 co-feeding with other primates 117–18
 co-feeding with sympatric gorillas 113–14,
 117–18
 comparison with sympatric gorillas 97
 data collection methods 106–7

514 *Index*

- chimpanzee (*Pan t. troglodytes*)
 (Goualougo Triangle) (*cont.*)
 dietary data analysis 107–8, 109
 dietary diversity 99–101, 108–11
 dietary overlap with sympatric gorillas 103–5, 108–10, 111–14, 116–17, frugivory 114–15
 fruit consumption compared with gorillas 108–10, 111–12
 importance of *Ficus* spp. in the diet 108–10, 113–14, 117
 importance of leaves in the diet 115–16
 social insect food 108–11, 112
 tools used in food gathering 108–11, 112
 chimpanzee (Taï National Park, Côte d'Ivoire)
 cultural behaviors in relation to feeding 183–5
 data analysis 187–90
 data collection 186–7
 dietary diversity 185
 factors affecting food choice 183–5
 food choice and food preference indexes 191–2
 food choice differences between groups 192–7, 198–9
 food choice in relation to availability 195–8
 food choice similarities between groups 197
 habitat and communities 185–6
 possible cultural differences in food selection 192–5, 198–9
 relative abundance and relative feeding time 190–1
 relative feeding time on different plant species 190–1
 co-feeding
 between different primate groups 113–14, 117–18
 sympatric chimpanzees and gorillas 113–14, 117–18
 cohesive groups 361–2
 colobines
 diet 4–5
 digestive adaptations 49–50, 67–8
 foraging strategy 67–8
Colobus guereza (black-and-white colobus monkey), fruit selection 493, 499, 500–1, 502
 community-level studies 3–4
 competition styles
 and availability of food resources 122–4
 and social relations 122–4
 conservation of primates, role of research 9
 CPF *see* central place foraging
 CPP *see* central place provisioning
 cultural behaviors
 among primates 21–2
 evidence in some animal species 183–4
 feeding-related 183–5
 in chimpanzees 183–5
 in humans 183–4
 origins 21–2
 cultural variation, in food processing 8
 culture, definition 183–4
 diet
 analysis of field study data 4–5
 complexity of primate diets 5–6
 methods of quantification 3–4
 diet composition analysis 414
n-alkane-analysis 410
 direct methods 408–10
 DNA-based assessment of diet 411–14
 fecal analysis 410, 411–14
 indirect methods 410
 stable isotope analysis 411
 diet nutrient analysis
 ash 400, 401
 carbohydrates 400, 403–5
 crude protein 400, 401–2
 detergent fiber (Van Soest) analysis 400, 404–5
 dry matter (DM) 400, 401
 energy 400, 405–6
 ether extract (lipids) 400, 403
 fiber 400, 404–5
 fiber (near infrared spectroscopy) 406–9
 lipids 400, 403
 near infrared spectroscopy (nitrogen and fiber) 406–9
 nitrogen 400, 401–2
 nitrogen (near infrared spectroscopy) 406–9
 protein content 400, 401–2 *see also* nitrogen
 protein conversion factor 402
 proximate analysis 400
 diet selection
 and nutrient availability 473–4
 folivorous primates 473–4
 primate digestive strategies 473–4
 dietary data, using data to test theories 237–41
 dietary plasticity in primates
 and dietary quality 386–8
 species-specific dietary patterns 387–8
 dietary quality 5–6
 and composition 397–8
 and dietary plasticity in primates 386–8
 definition 386–7
 forage nutrient analysis 400–8
 forage sampling and storage 398–400
 digestion, fermentative 473–4
 digestive strategy 5–6

- DNA-based assessment of diet 411–14
 dominance hierarchies
 effects of unknown relationships 273–7
 factors affecting detection time 277–9
 linearity 273
 linearity indices 273–7
 socioecological predictions
 about 279–80
 strength of 273, 277–9
 eastern chimpanzee (*Pan t. schweinfurthii*)
 diet and ranging data collection 77–9
 dietary overlap with sympatric gorillas
 73, 77, 79–81, 82
 energy intake comparison with
 orangutans 446, 455, 459–60
 foraging strategies 87–91
 frugivory in montane and tropical forest
 groups 85–6
 fruit consumption 75–7, 81–4, 85, 87–91
 fruit preferences 81, 85–7
 fruit scarcity responses 74–5, 81, 86
 home range size 87–91
 Kahuzi-Biega National Park 74–7
 range overlap with sympatric gorillas
 81–4, 85
 ranging patterns 81–4, 85, 87–91
 sympatry with gorillas 73, 91
- eastern gorilla (*Gorilla beringei*)
 altitudinal range 27–9
 diet and ranging patterns 28–9
 fibrous foods comparison between groups
 35–6, 39–40
 food availability variations 25–8
 frugivory comparison between groups
 33, 35–6, 38–9
 frugivory levels 25–9
 habitat types 25–8
 ranging patterns compared to western
 gorillas 41
 see also Bwindi mountain gorilla;
 Kahuzi-Biega Grauer's gorilla;
 Virunga Volcanoes (Karisoke)
 gorilla
- eastern lowland gorilla (*G. beringei graueri*)
 diet and ranging data collection 77–9
 dietary overlap with sympatric
 chimpanzees 73, 77, 79–81, 82
 foraging strategies 87–91
 frugivory in montane and tropical forest
 groups 85–6
 fruit consumption 75–7, 81–4, 85
 fruit preferences 81, 85–7
 fruit scarcity responses 74–5, 81, 86
 home range size 87–91
 Kahuzi-Biega National Park 74–7
- range overlap with sympatric
 chimpanzees 81–4, 85
 ranging patterns 81–4, 85, 87–91
 sympatry with chimpanzees 73, 91
- ecological hierarchies 3–4
 ecological roles of primates 9
 energy gain, accuracy of socioecological
 predictions about 279
- energy intake
 bomb calorimetry 446, 468–71
 chimpanzee data collection 447, 448
 chimpanzee results 453–6
 comparison of chimpanzees and
 orangutans 446, 455, 459–60
 detergent system of fiber analysis 469
- determination of energy content of
 food 446
- energy calculations 452–3, 455,
 459, 460–2, 466, 467–8
- fiber fermentation 446, 451–2, 461–2
- fiber fermentation contribution in
 chimpanzees 453–6
- fiber fermentation contribution in
 orangutans 456–9
- glossary of terms 468–71
- important research variable 446
- orangutan data collection 448
- orangutan results 456–9
- physiological fuel values 451–2
- problems associated with intake
 estimation 446–7, 460–2
- sample processing and analysis 448–52
- total nonstructural carbohydrates (TNC)
 450, 471
- environment, primates' relationship with 2, 3
- feed-as-you-go ranging pattern 360–1
- feeding behavior, and female social
 relationships 7–8
- feeding competition
 among Hanuman langurs 265–7
- effects of group size 267–70
- effects of group spread 267–70
- factors affecting 267–70
- integrating botanical and observational
 measures 270
- measures of clumpedness 265–70
- predictive power of resource
 characteristics 263–5
- resource characteristics as
 predictors 265–70
- socioecological predictions about 279
- species characteristics 267–70
- feeding ecology
 role of social learning 203–4
- scope of studies 1–2

516 *Index*

- feeding ecology (*cont.*)
 - study of primates 1–2
 - using dietary data to test theories 237–41
- feeding patterns, classification 359–61
- female agonism rates
 - as predictor of social structure 263–5
 - as predictor of variation in energy gain 263–5
 - see also* agonism rates
- female social relationships, and feeding behavior 7–8
- fermentative digestion 473–4
 - effects of high sugar levels in foods 482–4
 - see also* energy intake
- Ficus* spp. (figs)
 - chimpanzee foraging and inspection actions 490, 491
 - fallback food for gibbons 328–30
 - importance for Goualougo chimpanzees 108–10, 113–14, 117
 - importance for Goualougo gorillas 117
 - importance in diet of savanna chimpanzees 166–8, 169–70, 171
 - influence on gibbon population density 328–30
- field studies (primates)
 - behavioral emphasis of early studies 381–3
 - history of 381–3
 - importance of influence of diet 382–5
 - modern fieldwork 18–22
 - work of early researchers 17–18
- fission-fusion groups 361–2
- fitness, nonlinear function of state variables 286–8
- Focal Tree Method of data collection 297–8
- foliage
 - importance in chimpanzee diet 115–16
 - importance in gorilla diet 115–16
 - levels of sugars in leaves 478–9, 480–1, 481–2
 - nutritional value of leaves for primates 473–4
- Fongoli (Senegal)
 - community of chimpanzees, 163–4
 - habitat 163, 172–4
- food availability
 - and gorilla density 41–3
 - and gorilla social structure 42, 43
 - and primate population density 313–14
 - environmental factors 2, 3
 - fallback foods 314–16
 - mast fruiting phenomenon 316–18
 - patterns in Bornean forests 316–18
 - possible density-limitation factors 320–1
 - preferred foods 314–16
 - primate factors 2, 3
- primate responses to fluctuations 337–8
- spatial and temporal variations 314–16
- food processing by primates 5–6
 - cultural variations 8
- food-related aggression
 - expected effects of hunger 287, 288–9
 - theories and models 288
 - see also* hunger and aggression
- food resources, and competition
 - styles 123–4
- food selection, factors affecting 124–5
- forage nutrient analysis 400–8
 - ash 400, 401
 - carbohydrates 400, 403–5
 - crude protein 400, 401–2
 - detergent fiber (Van Soest) analysis 400, 404–5
 - dry matter (DM) 400, 401
 - energy 400, 405–6
 - ether extract (lipids) 400, 403
 - fiber 400, 404–5
 - fiber (near infrared spectroscopy) 406–9
 - lipids 400, 403
 - near infrared spectroscopy (nitrogen and fiber) 406–9
 - nitrogen 400, 401–2
 - nitrogen (near infrared spectroscopy) 406–9
 - protein content 400, 401–2 *see also* nitrogen
 - protein conversion factor 402
 - proximate analysis 400
- forage sampling and storage techniques 398–400
- foraging adaptations research
 - adaptive traits and their effects on fitness 243–4
 - applicability to various types of traits 257–8
 - competing phenotypic trait variants 243–4
 - estimating fitness 258–9
 - evaluating traits on contribution to performance 259
 - measuring adaptiveness in the absence of fitness data 259
 - practicability of research strategies 257–9
 - problem of sample size 258
 - study of primate adaptations in the wild 258–9
 - value of long-term primate studies 258–60
- foraging adaptations research strategy (1) 244–9, 251
 - contributions of performance variables to fitness 249
 - contributions of traits to fitness 246–7
 - contributions of traits to performance 248
 - data requirements 251
 - partitioning selection gradients 247–8

- selection gradients 245–6
- study population 245
- foraging adaptations research
 - strategy (2) 244–5, 249–57
 - adult fitness predictors in yearling baboons' diet 253–6
 - confirmation of the optimality model 252–6
 - data requirements 251
 - normative use of optimal diet model 252–6
 - observed diet of yearling baboons 253
 - optimal diet model for yearling baboons 251–2
 - optimality model of foraging behavior 249–51
 - optimizing nonlinear relationships 256–7
- foraging strategies
 - fermentative digestion 473–4
 - and sugar content of foods 477, 478–9, 480–1
 - see also* fruit selection processes
- foraging theory
 - fallback foods 314–16
 - preferred foods 314–16
 - see also* optimal foraging theory
- frugivory *see specific primates*
- fruit selection processes
 - behavioral chains 490, 491, 492
 - black-and-white colobus monkey (*Colobus guereza*) 493, 499, 500–1, 502
 - chimpanzee 493, 499, 500–1, 502
 - correlations between fruit traits 498–500, 504
 - criteria 490, 491
 - cues and signals in fruit traits 491, 501–4
 - fruit traits used by primates 491, 501–4
 - integration of different sensory modalities 490, 503–5
 - involvement of neural subroutines 490, 503–5
 - measurement of fruit properties 493–8
 - primate sensory mechanisms 489–90, 491
 - red colobus monkey 493, 499, 500–1, 502
 - red-tailed monkey 493, 499, 500–1, 502
 - role of social learning in primates 505
 - sample collection 492–3
- fruits
 - bias of data collection methods 174–5
 - levels of sugars 478–9, 480–1
 - nutritional value for primates 473–4
- Gashaka Gumti National Park (Nigeria) 128–9
- Kwano chimpanzee community 128–9
- gibbon *see* *Hylobates*
- Goodall, Jane, pioneering field work 17–18
- gorilla
 - density and food availability 41–3
 - dietary diversity across groups 99–102
 - dietary overlap with sympatric chimpanzees 102, 103–5, 116–17
 - frugivory 19–20, 99–102
 - home range size and core area in various habitats 87–91
 - social structure and food availability 42, 43
- Gorilla beringei* *see* eastern gorilla
- Gorilla b. beringei* *see* Bwindi mountain gorilla
- Gorilla b. graueri* *see* eastern lowland gorilla; Kahuzi-Biega Grauer's gorilla
- Gorilla gorilla* *see* western gorilla
- Gorilla g. gorilla* *see* western lowland gorilla
- Goualougo Triangle, Nouabalé-Ndoki National Park (ROC) 97
- grey-cheeked mangabey (*Lophocebus albigena*) 51–2
- co-feeding with chimpanzees 117–18
- diet compared with western gorilla diet 57, 58, 60–1, 62
- diet sampling methods 53–6
- foraging strategy 65–8
- fruit availability patterns 52–3
- fruit component of diet 57, 58, 60–1, 62
- fruit consumption patterns 65–6
- response to fluctuating fruit availability 63, 64
- study site (Mondika Research Center) 52–3
- group size, ecological constraints 6–8
- grouping patterns, classification 361–2
- Gunung Palung National Park (Indonesia) 320–1, 448
- habitat loss 9
- Hadza hunter-gatherers (Tanzania), CPP 361, 362–3
- central place provisioning (CPP) and camp-wide food sharing 371
- data collection 364–5
- dietary range 365–6
- energy values of foods brought back to camp 365–6
- fission-fusion grouping patterns 372–3
- food acquisition throughout the year 363–4
- food eaten out of camp 365–6
- food processing 364

518 *Index*

- Hadza hunter-gatherers (Tanzania),
CPP (*cont.*)
food sharing within households 372–3
food transfers 369, 371
food types shared 369, 371
foraging distances per day 367–8
habitat 363
males and females separated while
foraging 372–3
percent of residents in camp at different
times 367–8
possible causes and consequences of
CPP 361, 371–3
predation risk reduced by sleeping in
camps 371–3
provision for old, sick and injured in
camps 372–3
ranging patterns 367–8
sexual specialization in food acquisition
365–6, 372–3
size and movement of camps 364
size of foraging parties 367–8
time children spend out of camp 368–9
time spent foraging per day 367–8
weanlings left in camp 368–70, 368
- Hanuman langur (*Presbytis entellus*), effects
of high sugar levels in foods 482
- Hanuman langur (*Semnopithecus entellus*)
agonism rates and energy gain 271–2
factors affecting feeding competition 267–70
resource characteristics and feeding
competition 265–7
- home range size, and body size 6–8
- Homoidea, divergence from
Cercopithecoidea 20
- howler monkeys (*Aotus* spp.), nutritional
ecology studies 385, 386
- human communities
cultural behaviors 183–4
dietary overlap with sympatric
chimpanzees 177, 174
sympatry with savanna chimpanzees 164
see also Hadza hunter-gatherers (Tanzania)
- human evolutionary history 21–2
early hominid diet 162–3
- human-wildlife conflict 9
- hunger
estimation of levels in wild primates 292–5
expected effects on food-related
aggression 287, 288–9
physiological determinants 291–2
state-dependent variable 287–8
- hunger and aggression (white-faced
capuchin monkeys)
behavioral consequences of state-dependent
behavior 308–9
- data collection and observation
techniques 296–9
- dominance hierarchies 295–6
- factors affecting number of agonistic
interactions 289, 301–6, 305
- feeding-related agonisms 295–6
- fitness consequences of hunger-mediated
agonism 287, 306, 308
- focal tree levels of satiation and
agonism 289, 306
- Focal Tree Method of data
collection 297–8
- food intake estimation 299–301
- fractional satiation and number
of agonistic interactions 304,
305–6
- fractional satiation calculation 293–5,
299–301
- fractional satiation values 301, 302
- habitat 295
- hunger level and agonistic interactions
294, 303, 304, 305–6, 307–8
- hunger level estimation 292–5,
299–301
- hunger levels measured 301, 302
- Lomas Barbudel Biological Reserve,
Costa Rica 295
- nutritional analysis of fruit species
eaten 299
- social structure 295
- study group 295–6
- Hylobates agilis* see *Hylobates albifrons*
- Hylobates albifrons* see white-bearded
gibbon
- Hylobates moloch* (moloch gibbon), fruit
selection behavioral chains 490
- Hylobates muelleri* see *Hylobates*
albifrons
- Kahuzi-Biega Grauer's gorilla
comparison with other eastern
gorillas 27–9
- effects of food availability 40–1
- fibrous foods 35–6, 39–40
- frugivory 33, 35–6, 38–9
- ranging patterns 40–1
see also eastern gorilla
- Kahuzi-Biega National Park (DRC)
fruit abundance 75–7
- sympatric gorillas and
chimpanzees 74–7
- Karisoke mountain gorilla *see* Virunga
Volcanoes gorilla
- Kibale National Park (Uganda) 447,
475–6, 492–3
- phenology of fruiting trees 492–3, 498

- leaves *see* foliage
 Lomas Barbudal Biological Reserve
 (Costa Rica) 205–6, 207
 long-term rate of energy gain 286–8
Lophocebus albigena *see* grey-cheeked mangabey

Macaca sinica (Toque macaque), food availability and population density 313–14
 mangabey (*Cercopithecus agilis*; *Lophocebus albigena*) 51–2
 diet compared with western gorilla diet 57, 58, 60–1, 62
 diet sampling methods 53–6
 foraging strategy 65–8
 fruit availability patterns 52–3
 fruit component of diet 57, 58, 60–1, 62
 fruit consumption patterns 65–6
 response to fluctuating fruit availability 63, 64
 study site (Mondika Research Center) 52–3
 mangabey (*Cercopithecus albigena*)
 food availability and population density 313–14
 mast fruiting phenomenon 316–18, 319
 moloch gibbon (*Hyallobates moloch*), fruit selection behavioral chains 490

 niche separation, between sympatric primate species 73, 74–5
 nutrient analysis *see* forage nutrient analysis
 nutrition of farm livestock
 n-alkanes as diet composition markers 427–9, 430
 n-alkanes as digestibility markers 424–6
 n-alkanes as gut passage rate markers 431–2
 diet composition estimation in ruminants 426–31
 diet composition markers 426–31
 diet digestibility markers 424–5
 even-chain alkanes as
 fecal markers 424
 fecal markers 423–6, 432
 fecal markers in nonruminants and wild herbivores 432–3
 fecal output estimation using markers 424
 gut passage rate markers 431, 432
 intake determination in grazing farm ruminants 423–6
 plant-wax compounds as diet composition markers 427–31

 plant-wax hydrocarbons as digestibility markers 424–5
 potential application to wild primate research 422–3, 433–5
 urinary markers 423
 nutrition of wild primates
 application of livestock research techniques 432–3
 availability of potentially useful samples 422
 fecal markers 432–9
 fecal markers for individual animals 439
 fecal output markers 437–9
 fungal material markers 437, 438
 gut passage rate markers 437–9
 identification of individual animals 439
 insects and other invertebrate food markers 436, 438
 intake markers 437–9
 limitations of current analysis techniques 422
 limitations of observation techniques 421–2
 markers for the range of primate foods 435–7, 438
 plant material markers 435–6, 438
 potential application of livestock nutritional research 422–3
 potential for use of marker techniques 433–5
 soil intake markers 437, 438
 urinary markers 439
 vertebrate prey residues 436–7, 438
 nutritional ecology of primates 124–5, 126–8
 black-handed spider monkeys (*Ateles geoffroyi*) 386
 definition 385
 early studies 385
 forage nutrient analysis 400–8
 forage sampling and storage 398–400
 future directions 388, 391
 howler monkeys (*Alouatta* spp.) 385, 386
 scope of current research 388, 391

 old world monkeys
 dental adaptations 49–50
 dietary specializations 67–8
 digestive systems 49–50
 foraging strategies 49–52, 67–8
 quality and diversity of diet 49–52
 optimal foraging theory 285–8
 importance of energy intake 446
 long-term rate of energy gain 286–8
 see also foraging theory
 orangutan
 cultural variations 21–2

Cambridge University Press

978-0-521-85837-3 - Feeding Ecology in Apes and Other Primates: Ecological, Physical, and Behavioral Aspects

Gottfried Hohmann, Martha M. Robbins, and Christophe Boesch

Index

[More information](#)520 *Index*

- orangutan (*cont.*)
see also Borneo orangutan; Sumatran orangutan
- orangutan (*Pongo pygmaeus abelii*)
 energy data collection 448
 energy calculations 452–3, 455,
 459, 460–2, 467–8
 energy intake comparison with chimpanzees 446, 455, 459–60
- organism-level studies 3–4
- organizational models (of primate feeding ecology) 2–4
- Pan paniscus* *see* bonobo
- Pan troglodytes* *see* chimpanzee
- Pan t. schweinfurthii* *see* eastern chimpanzee
- Pan t. troglodytes* *see* chimpanzee
- Pan t. verus* *see* savanna chimpanzee
- Papio cynocephalus* (yellow baboon), food availability and population density 313–14
- Pasoh Forest Reserve (Peninsular Malaysia) 492
- phenotypic trait variants, competition among 243–4
- Piliocolobus tephrosceles* *see* red colobus monkey
- Pongo abelii* *see* Sumatran orangutan
- Pongo pygmaeus* *see* Borneo orangutan; orangutan
- Pongo pygmaeus abelii* *see* orangutan
- population density (primates)
 fluctuations in food availability 314–16
 identification of limiting factors 330–1
 influence of fallback foods 314–16, 328–30
 influence of preferred foods 314–16
 limiting effect of food availability 313–14, 328–30
 management of key food resources 330–1
- population-level studies 3–4
- Presbytis entellus* *see* Hanuman langur
- primate behavior, comparative studies 6–8
- primate communities, interactions between 117–18
- primate evolution, role of social learning 203–4
- primate sensory systems and fruit selection 489–90, 491
 evolution of 492
- primates, relationship with environment 2, 3
- ranging patterns, classification 359–61
- red colobus monkey (*Piliocolobus tephrosceles*)
 dietary data collection and analysis 475–7, 480–1
- effects of sugars on fermentative digestion 482–4
- fermentative digestive process 474–5
- foraging effort and sugar content of foods 477, 478–9, 480–1
- fruit selection 493, 499, 500–1, 502
- high sugar levels in leaves 482–4
- levels of fruit and leaves in the diet 474–5, 478–9, 480–1
- sugars in the diet 474–5
- redtail monkey (*Cercopithecus ascanius*)
 dietary data collection and analysis 475–7, 480–1
- foraging effort and sugar content of foods 477, 479, 480–1
- fruit selection 493, 499, 500–1, 502
- high sugar levels in leaves 481–2
- levels of fruit and leaves in the diet 474–5, 478–9, 480–1
- sugars in the diet 474–5
- research, role in primate conservation 9
- resource characteristics and feeding competition among Hanuman langurs 265–7
 as predictors of feeding competition 263–70
 factors affecting feeding competition 267–70
 integrating botanical and observational measures 270
 relevance of measures of clumpedness 265–7
 socioecological predictions about 279
- Salonga National Park (DROC) 128–9
 Lui Kotal bonobo community 128–9
- savanna chimpanzee (*Pan t. verus*) (Fongoli, Senegal)
 animal prey (invertebrate and vertebrate) 166, 170–2, 173, 176–7
 bark and pith consumption 176–7
 community size, composition and range 163–4
 data collection 164–5
 data collection bias towards fruit 174–5
 dietary diversity 165–9
 dietary overlap with sympatric human communities 177, 174
 fallback foods when fruit is scarce 176–7
 food availability and habitat structure 172–4
 food availability and social organization 161–3
 food availability compared with other groups 166, 175–7
 foraging strategies 161–3
 frugivory 166–8, 169–70, 171
 habitat 163, 172–4

- narrowness of frugivorous diet 169, 174, 177–8
 ripe, fleshy fruit availability 166, 175–7
 sympatric human communities 164
- Semnopithecus entellus* see Hanuman langur
- social groups, focus of field studies 3–4
 social learning
 in primate fruit selection behavior 505
see also white-faced capuchin monkeys
 social structure, prediction from
 agonism rates 263–5
 social systems, influence of competition styles 122–4
 socioecological analyses, use of
 state-dependent fitness variables 285–6
 socioecological models of primate behavior 2, 7–8, 122–4, 161–3
 agonism rates and energy gain 270–3
 agonism rates and social structure 273–9
 agonism rates predictions 279–80
 energy gain predictions 279
 feeding competition predictions 263–70, 279
 hierarchy characteristics predictions 279–80
 predictive power of female agonism rates 263–5
 predictive power of resource characteristics 263–5, 279
 review of predictive capabilities 279–80
 social structure predictions 263–5, 273–9, 279–80
- spider monkeys (*Ateles* spp.)
 diet and social behavior 383–4
 diet-based selection pressures 383–4
 high encephalization quotient (EQ) 383–4
 nutritional ecology 386
 state-dependent behavior, behavioral consequences 308–9
 state-dependent variables 285–8
 hunger 287–8
 nonlinear relationship with fitness 286–8
 sugar content of foods
 and foraging strategy 477, 478–9, 480–1
 levels in fruits 478–9, 480–1
 levels in leaves 478–9, 480–1, 481–2
 selection of high-sugar fruits 490, 491
- Sumatran forests, level of productivity 339, 340, 353–4
- Sumatran orangutan (*Pongo abelii*)
 benefits from being social 338–9
 benefits of grouping (sociality) 349–50, 352–3
 comparison with Borneo orangutans 339–40, 353–4
- data collection methods 340–3
 day journey length (DJL) and mean party size 352–3
 effects of high density of large fig trees 352–3
 effects of receptive females on party size 350–2
 Ketambe study area 340–1
 Ketambe study population 340–1
 mean party size and food availability 352–3
 mean party size for age-sex classes 343, 344, 345, 346, 347–53
 predation risk 349–50
 productivity of Sumatran forests 339, 340, 353–4
 reproduction and fruit availability 339–40, 346–7, 348, 353–4
 responses to changes in fruit availability 338
 sociality and fruit availability 338–9, 343, 344, 345, 346, 347–53
- Taï National Park, Côte d'Ivoire 185–6
 theories, using dietary data to test 237–41
 timescale of diet studies, effects of variability 3–4
 tool use 8
- Toque macaque (*Macaca sinica*), food availability and population density 313–14
- vervet monkey (*Cercopithecus aethiops*), food availability and population density 313–14
- Virunga Volcanoes, altitudinal zones 27
 Virunga Volcanoes (Karisoke) gorilla comparison with other eastern gorillas 25–8
 fibrous foods 35–6, 39–40
 frugivory 33, 35–6, 38–9
 population parameters 41–3
 ranging patterns 40–1
see also eastern gorilla
- western gorilla (*Gorilla gorilla*)
 diet compared with mangabey diet 57, 58, 60–1, 62
 dietary diversity 56–60, 58, 63–5
 dietary quality 51–2
 foraging strategy 51–2, 65–8
 frugivory 51–2, 56–60, 60–1, 62, 63–5
 fruit availability patterns 52–3
 fruit consumption patterns 65–8

522 *Index*

- western gorilla (*Gorilla gorilla*) (cont.)
 ranging patterns compared to eastern gorillas 41
 ranging to find ripe fruit 65–8
 response to fluctuating fruit availability 63, 64
 sampling methods 53–6
 study site (Mondika Research Center) 52–3
- western lowland gorilla (*Gorilla g. gorilla*)
 co-feeding with sympatric chimpanzees 113–14, 117–18
 data collection methods 106–7
 dietary data analysis 107–8, 109
 dietary diversity 116–17
 dietary overlap with sympatric chimpanzees 103–5, 108–10, 111–14, 116–17
 fruit consumption compared with chimpanzees 108–10, 111–12
 importance of *Ficus* spp. in the diet 117
 importance of leaves in the diet 115–16
 selective fruit pursuers 116–17
 social insect foods 112
 sympatry with chimpanzees 97
- white-bearded gibbon (*Hylobates albibarbis*) population density
 density-limiting effect of fig abundance 328–30
 density-limiting effects of low food availability 328–30
 field methodology and data analysis 322–5
 food availability periods in each habitat 326, 327
 Gunung Palung National Park 320–1
 habitat-specific gibbon density 325
 habitats 321
 identification of limiting factors 330–1
 influence of abundance of figs 328, 329
 influence of average food availability 326
 influence of fallback foods 326–8, 329
 influence of preferred foods 326–8
 influence of total food availability 326
 management of key food resources 330–1
 possible density-limitation factors 320–1, 326–8, 329
 study subjects 321–2
- white-faced capuchin monkey (*Cebus capucinus*) feeding behavior
 attention to groupmates' foraging activities 223, 224–30
 benefits of an omnivorous diet 227–8
 diet characterization 210–15, 218–19, 220–4
- data analysis 209–20, 223
 data sets 207–9, 210–15
 dietary comparison with Barro Colorado Island capuchins 227–8
 dietary comparison with Palo Verde capuchins 227–8
 dietary comparison with Santa Rosa capuchins 227–8
 field and laboratory findings compared 204–5, 229–31
 ‘food interest’ behavior 205–6, 223, 224–7, 228–30
 food processing complexity and ‘food interest’ behavior 223, 224–7, 229–30
 food rarity and ‘food interest’ behavior 223, 224–30
 food size and ‘food interest’ behavior 223, 224–7
 frugivory 210–15, 218–19, 220–4
 habitat 207
 information gained from ‘food interest’ behavior 228–31
 insect prey 220–4
 learning about safe and dangerous foods 227–8
 Lomas Barbudal Biological Reserve, Costa Rica 205–6, 207
 processing of different types of food 210–15, 220–4
 purpose of ‘food interest’ behavior 205–6
 social learning about foods 228–31
 size and composition of study groups 207
 vertebrate prey 222
- white-faced capuchin monkey (*Cebus capucinus*) hunger and aggression
 behavioral consequences of state-dependent behavior 308–9
 data collection and observation techniques 296–9
 dominance hierarchies 295–6
 factors affecting number of agonistic interactions 289, 301–6
 feeding-related agonisms 295–6
 fitness consequences of hunger-mediated agonism 289, 306, 308
 focal tree levels of satiation and agonism 289, 306
 Focal Tree Method of data collection 297–8
 food intake estimation 299–301

Cambridge University Press

978-0-521-85837-3 - Feeding Ecology in Apes and Other Primates: Ecological, Physical, and Behavioral Aspects

Gottfried Hohmann, Martha M. Robbins, and Christophe Boesch

Index

[More information](#)

Index

523

- fractional satiation and number of agonistic interactions 304, 305–6
- fractional satiation calculation 293–5, 299–301
- fractional satiation values 301, 302
- habitat 295
- hunger level and agonistic interactions 294, 303, 304, 305–6, 307–8
- hunger level estimation 292–5, 299–301
- hunger levels measured 301, 302
- Lomas Barbudel Biological Reserve, Costa Rica 295
- nutritional analysis of fruit species eaten 299
- social structure 295
- study group 295–6
- yellow baboon (*Papio cynocephalus*), food availability and population density 313–14