

Index

- Φ -derivable theory, 512
 - ϕ^4 model, 514
- activated process, 122, 182
- activation energy, 165, 171, 425
- Adam–Gibbs theory, 487
- adiabatic approximation, 294, 345, 379, 416
- adsorption, 90
- aging, 169, 184, 449, 450, 460, 471, 473, 477, 481, 482
- amorphous solid, 164, 170, 250, 251, 256, 257, 301, 303, 388, 429, 447, 459, 490, 498, 530, 536
- amorphous structure, 169, 182, 494, 498, 536
- angle
 - azimuthal, 151
 - polar, 151
- anharmonic
 - crystal, 84
 - glass, 170
- anti-ferromagnetic interaction, 190
- aperiodic structure, 188, 491, 492, 494, 495
- argon (Ar), 46
- Arrhenius relaxation, 165
- autocorrelation function
 - concentration, 217
 - density, 39, 40, 169, 200, 215, 216, 244, 331, 345, 366, 414, 427
 - equilibrium averaged, 37
 - longitudinal current, 40
 - noise, 273, 361
 - tagged-particle velocity, 46
 - transverse current, 240
- Bain's distortion, 148
- balance equations, 205
- ballistic regime, 193
- barrier
 - effective potential, 503
 - free energy, 117, 118, 120, 121, 127, 128, 130, 134, 150, 152–154, 161, 411, 425, 494
 - hopping, 410, 489
 - potential energy, 27, 182, 186, 414, 489, 490, 496
- barrier hopping, 182
- basic vectors for cluster symmetry, 156
- basin
 - energy, 183
 - free energy, 184
 - free-energy landscape (FEL), 191, 448, 498, 505, 506, 510
 - hopping, 186
 - of attraction, 448
 - potential-energy landscape (PEL), 183, 186
 - vibrational motion, 187
- BBGKY hierarchy, 24
- Bennett's algorithm, 492
- binary
 - collision, 10, 44, 170, 222, 243, 272, 427
 - mixture, 184, 193, 212, 214, 295, 296, 298, 299, 379, 383
 - soft-sphere mixture, 407, 497, 527
- blip function, 33
- Boltzmann
 - collision term, 223
 - collision time t_a , 44
 - constant k_B , 3
 - equation, 10, 222, 224
 - factor, 92, 230
 - H -theorem, 10
 - transport coefficients
 - shear self-diffusion coefficient, 223
 - shear viscosity, 223
 - thermal conductivity, 223
- bond, 497
- bond breaking, 497
- bond-orientational order parameter, 155, 497
- boson peak, 259
- bridge function, 31
- Brillouin peaks, 241
- broken symmetry, 247
- Brownian motion, 50, 56, 225, 304, 394, 416

- cage, 171, 174, 193, 220, 371, 409, 414, 455, 529
- capillary waves, 101
- cell picture, 174
- chemical potential
- at coexistence, 69
 - at interface, 118
 - binary mixture, 214
 - critical nucleus, 127
 - hard-sphere system, 153
 - ideal gas, 15
 - local equilibrium, 208
 - solid phase, 80
- CKN, 403
- Clapeyron equation, 6, 71
- close-packed f.c.c. structure, 59
- cluster, 181
- coarse-graining length scale
- density function, 85
 - hydrodynamics, 243
- collective density, 225
- collision integral, 11
- collisionless approximation, 10
- colloids, 153, 293, 303, 395, 406
- complexity, 487
- compressibility
- equation, 22, 30, 75
 - isothermal, 18
- compressible liquid $1/\rho$ nonlinearity, 292
- concentration, 122
- concentration equation, 214
- concentration variable, 212, 221, 296
- condensation, 117
- conditional probability, 20
- conductivity
- electrical, 164
 - thermal, 210, 224, 268
- conjugate fields, 457
- conservation
- energy, 207
 - mass, 207
 - momentum, 207, 341, 408
 - probability, 41, 396
 - tagged-particle density, 376
- conservation laws, 205
- conservation of angular momentum, 262
- continued fraction, 216, 240, 380, 382
- continuity equation, 7, 38, 209, 221, 235, 246, 267, 377
- cooling rate, 165
- cooperative effects, 44
- cooperatively rearranging regions (CRRs), 487
- correction to scaling in MCT, 375, 376, 382, 402, 405, 410
- Coulomb force, 10
- critical
- coupling, 464
 - decay, 402
 - density, 371
 - domain, 495
 - dynamic phenomena, 276
 - dynamics, 319, 337
 - exponent, 410
 - nucleus, 120, 131, 133–135, 138, 147, 495
 - phenomena, 104, 490
 - point, 201, 271
 - surface, 368
 - temperature, 402
- CRN, 402
- cuspid in NEP, 373
- damping, 215
- damping matrix, 238, 321
- de Broglie wavelength, 3, 15, 20, 65, 183, 298, 394, 436, 491
- de Gennes narrowing, 245
- Debye
- density of states, 115
 - frequency, 115
 - integral, 115
 - model, 78
 - relaxation, 192
 - temperature, 115
- Debye T^3 law, 259
- Debye model, 259
- Debye–Waller factor, 372
- defect density, 251
- density expansion
- direct correlation function, 75
 - transport coefficients, 224
- density-functional theory (DFT), 58, 59, 68, 70, 79, 81, 91, 106, 115
- elastic constant, 84
- detailed balance, 189, 459
- determinant, 258
- deterministic, 8, 50, 215, 358, 395
- dielectric, 164, 400, 402, 453, 473
- diffraction peak, 245
- diffusion coefficient
- Brownian particle \bar{D}_0 , 54
 - collective density D_0 , 399
 - tagged particle, 128, 173
- diffusion in disordered media, 319
- diffusion in random media, 319
- diffusion of vortices, 272
- diffusive heat mode, 241
- direct correlation function
- from WDA, 75
 - higher-order, 66

560

one-particle, 67
 Ornstein–Zernike, 71
 two-particle, 26
 dispersion relations, 234
 displacement vector \mathbf{u} , 250
 domain growth problem, 319
 double-well potential, 131
 driven diffusive systems, 319
 driven interfaces in random media, 319
 dynamical heterogeneity, 192, 383
 dynamics of liquid crystals, 319

 effective
 Debye–Waller factor, 402
 diameter of binary mixture, 185
 interactions, 406
 liquid in MWDA, 74
 potential, 494, 500
 temperature, 451, 453, 471, 472, 527
 eigenvector, 372, 534
 Einstein
 frequency, 44, 55, 455
 relation for diffusion, 54, 159, 193, 220
 summation convention, 227, 277
 elastic
 constant, 84, 253
 displacement, 236
 energy, 180
 fourth-rank tensor, 302
 scattering, 24
 solid, 252, 255
 strain tensor, 252, 301
 stress tensor, 252
 embryo, 155
 ensemble
 canonical, 20
 equilibrium, 358
 ergodic hypothesis, 6
 grand-canonical, 60, 105
 isobaric, 19
 local equilibrium, 450
 micro-canonical, 14
 nonequilibrium, 207
 thermodynamics, 19
 trace, 12, 230
 Enskog
 collision time t_E , 44, 244, 383
 tagged-particle dynamics, 380
 transport coefficients
 self-diffusion coefficient, 223
 shear viscosity, 223
 thermal conductivity, 223
 Enskog theory, 174, 223, 245
 modified, 224

Index

enthalpy, 127, 155, 167, 211
 entropic droplet, 495
 entropy, 13, 81, 166, 209
 configurational, 183, 488, 503, 506, 521
 crisis, 494, 503, 519
 drive, 495
 production rate, 264
 supercooled liquid, 486
 thermodynamic, 529
 vibrational, 505, 529
 equation of state
 Carnahan–Starling, 30, 72, 80
 from compressibility condition, 29
 from virial condition, 29
 ideal gas, 65, 125
 Percus–Yevick, 72, 78, 102
 equimolar mixture, 387
 equipartition law, 237
 Euler equations, 207, 263, 297
 Euler–Lagrange equation, 137, 162
 exchange interactions, 419
 excluded volume, 379

 facilitated spin models, 399
 factorization property, 374
 Feynman graphs, 326
 Fick’s law, 211
 fictive temperature, 451, 474
 finite-size scaling, 202
 fluctuating hydrodynamics, 205
 binary mixture, 295
 compressible liquid, 287
 for crystal, 246
 linear, 225, 238
 nonlinear (NFH), 238, 271
 fluctuation–dissipation relation
 bare transport matrix, 238, 287
 MSR theory, 291, 321, 335
 tagged-particle dynamics, 378
 fluctuation–dissipation theorem
 p -spin model, 424
 compressible liquid, 340
 generalized, 443
 Langevin equation, 232
 linear-response theory, 49
 MSR theory, 334, 435
 violation, 443
 flux-lattice melting, 90
 Fokker–Planck equation, 189, 190, 283, 394, 395
 Fokker–Planck operator, 394
 four-point correlation functions, 195, 201, 362,
 385, 426
 four-point kernel, 325
 four-point vertex functions, 344

- Fourier transform, 37
- fragile glasses, 166, 169
- fragility index m , 169, 473
- free-boundary conditions, 188
- free energy
- Carnahan–Starling, 31, 90
 - excess, 31, 72
 - FMT functional, 85
 - Gibbs, 4, 15, 16, 68, 119, 153
 - Helmholtz, 4, 15, 31
 - ideal-gas contribution, 15
 - Ramakrishnan–Yussouff functional, 64, 68
 - reference system, 35
 - weighted density functional, 73
- free particle, 42, 43, 193
- free-volume theory, 54, 170, 257, 414
- friction coefficient, 54, 304
- frustration, 419
- fugacity, 16
- functional derivative, 34, 66, 85, 255, 300, 337, 436
- functional Taylor expansion, 33, 138
- fundamental measure theory (FMT), 73, 85
- free-energy expansion, 88
- Gallelian transformation, 210
- Gaussian
- density profile, 70, 76, 115, 390, 491
 - distribution, 42, 286, 423
 - dynamics, 46
 - free energy, 238, 251, 298, 329, 411
 - integral, 15, 312
 - matrix, 397
 - MSR action functional, 325, 330, 341
 - noise, 286, 287, 296, 302, 378, 392, 421, 426
 - width parameter α , 99
- generalized effective-liquid approximation (GELA), 84
- generalized hydrodynamics, 204, 242, 246, 347, 418
- geometric packing, 91
- Gibbs H -theorem, 12
- Gibbs inequality, 13, 55
- Gibbs–Boltzmann measure, 499
- Gibbs–Duhem relation, 5, 17, 118
- Gibbsian ensemble, 11, 19, 207, 450
- glassy relaxation
- α -process, 375, 405, 409, 475, 489
 - β -process, 369, 403, 405, 407, 409
- global constraint, 500
- global minimum, 190, 498
- glycerol, 405, 453, 473, 475
- Goldstone theorem, 246
- grand potential, 64, 79, 131, 140
- Green’s function, 333, 352, 422, 479
- Green–Kubo relations, 218
- inter-diffusion coefficient, 221
- long-time tails, 222
- self-diffusion coefficient, 219
- viscosity, 219
- ground-state theorem, 63
- H -theorem in DDFT, 395
- Hamilton’s equations, 225
- Hamiltonian
- N -particle system, 61
 - p -spin interaction, 420
 - binary mixture, 297
 - cloned molecular liquid, 522
 - coarse-grained, 188
 - dynamics, 8, 260, 303
 - effective, 274
 - hard-sphere potential, 84
 - harmonic potential, 59
 - pairwise interaction, 6, 314
 - spin-one-half Ising, 190
 - with external potential, 48
- hard sphere, 11, 26, 44, 78, 222, 371, 492
- hard-sphere collision operators T_{\pm} , 244
- harmonic
- expansion, 76
 - oscillator, 452, 454
 - solid, 388, 389, 529
 - vibration, 529
 - waves, 388
- Heaviside step function, 49, 86, 336, 422, 435
- Hessian matrix, 187, 525
- hole-burning experiments, 192
- hopping process, 182, 186, 191, 414, 427, 428, 488
- hydrodynamic interactions, 395
- hydrodynamic limit, 235, 331, 339, 414, 442
- hydrodynamic poles, 240
- hypernetted chain closure (HNC), 26, 501
- infinite geometric series, 385
- inherent dynamics, 186
- inherent structure, 186, 447
- inhomogeneous mode coupling, 385
- instantaneous normal mode, 536
- integral equations, 24–26, 32, 59, 106
- interface growth, 319
- intermediate scattering function, 186, 200
- irreducible memory function, 439
- Ising-like description, 495
- Ising model, 189, 190
- Ising spin glass, 420
- Itô calculus, 304, 433
- Jacobian, 8, 321, 350, 393, 421, 433
- for p -spin case, 351

Kac interaction potential, 504, 518
 Kauzmann
 packing fraction, 494, 503, 527
 paradox, 167, 177, 180, 486
 temperature T_K , 166, 168, 489
 Kawasaki rearrangement, 439
 kernel function
 dynamic part, 230
 Marko approximation, 232
 static part, 230
 kinetic spinodal, 178
 Kirkwood superposition approximation, 25, 26
 Kohrausch–William–Watts (KWW), 405, 474

ladder diagram, 385
 Lagrange's multiplier, 457
 Landau theory, 156
 landscape
 free energy, 135, 148, 149, 188, 191, 505
 potential energy, 181, 183, 188, 410
 landscape-dominated regime, 186
 landscape-influenced regime, 186
 Langevin equation, 50, 269
 generalized, 227, 283
 linear, 233, 253, 281
 multiplicative noise, 391
 nonlinear, 191, 274, 283, 284, 301, 303, 318
 projected variable, 359
 tagged-particle momentum, 378
 Laplace transform, 37
 latent heat, 490, 494
 lattice-gas model, 189
 lattice symmetry
 body-centered cubic (b.c.c.), 148
 face-centered cubic (f.c.c.), 148
 simple cubic (s.c.), 251
 Lees–Edwards boundary condition, 455
 Legendre transform, 500
 length scale
 cooperatively rearranging region (CRR), 490
 cooperativity, 272
 critical phenomena, 490
 of dynamic correlation, 198, 201, 385
 of static correlation, 490, 496
 propagating shear waves, 387
 Stokes–Einstein relation, 174
 validity of hydrodynamic description, 347, 418
 Lennard-Jones (LJ)
 binary mixture (BMLJ), 185, 407, 444, 447, 453, 455, 529
 coexistence, 152
 crystal, 99
 cut, purely repulsive, 418

interaction, 32, 59, 77, 91, 146, 177, 402, 446, 447
 interface, 103
 light-scattering experiments, 40, 240, 400, 403
 Lindemann parameter, 60, 76, 81, 96, 494
 Liouville
 dynamics, 50
 equation, 7, 358
 operator, 7, 8, 222
 theorem, 8
 liquid crystal, 90
 local
 amplitudes, 141
 icosahedral order, 189
 minima
 free energy, 191
 potential energy, 182
 order parameter, 138, 140
 orientational order parameter, 151
 relaxation time, 194
 temperature, 210
 local coarse graining, 417
 long-range interaction potential, 91
 long-range order, 235
 long-time tail, 46, 222, 272, 327, 364
 Lorentzian, 217, 241, 290

many-body dynamics, 232
 Markovian equations, 271, 319
 Markovian transport coefficient, 361
 Martin–Siggia–Rose (MSR) field theory, 318
 massless boson, 246
 master
 curve, 373, 477
 equation, 185, 189, 190
 function, 373, 375, 405
 maximum-entropy principle, 360
 Maxwell–Boltzmann distribution, 11, 53
 Mayer cluster expansion, 29
 mean spherical approximation (MSA), 32
 mean-square displacement, 22, 76, 173, 193, 195, 220, 382, 453, 494
 memory function, 228, 272, 281, 318, 357, 439
 mesoscopic kinetic equation, 189
 metastable b.c.c. structure, 149
 microscopic densities, 205
 minimum cooling rate, 177
 mobile particles
 definition, 197
 mean-square displacement, 194
 pair correlation, 197
 synchronous movements, 197
 mode coupling
 $1/\rho$ nonlinearity, 416
 α -relaxation, 375

- mode coupling (cont.)
 - ϕ_{12} model, 369, 425
 - applied to colloids, 406
 - binary mixture, 408
 - dynamic density-functional theory (DDFT), 391
 - dynamic transition at T_c , 365
 - dynamical heterogeneity, 383
 - ergodic–nonergodic (ENE) transition, 365
 - ergodicity-restoring mechanisms, 411
 - evidence from experiments, 400
 - factorization property, 407
 - four-point correlation, 385
 - glass transition, 364
 - in liquid crystals, 364
 - Kawasaki approximation, 362
 - link to density-functional theory (DFT), 388
 - longitudinal viscosity, 344, 366
 - MD simulations, 407
 - mean-field spin glass, 419
 - near second-order phase transition, 364
 - non-Gaussian parameter, 383
 - nonperturbative approach, 417
 - projection-operator technique, 357
 - shear viscosity, 346
 - spherical p -spin model, 456
 - stretched relaxation, 369
 - tagged-particle dynamics, 381, 390
 - toy model, 428
 - transition temperature T_c , 401
 - two-step relaxation, 410
 - wave-vector dependence, 371
- mode-coupling theory (MCT), 166, 188, 204, 318
- modified Kohlrausch–William–Watts (MKWW), 475
- modified weighted-density approximation (MWDA), 75, 113, 145
- modulus
 - bulk, 256, 301
 - longitudinal, 256, 301
 - shear, 165, 192, 256, 301, 365, 496, 498
- molecular dynamics (MD), 30, 46, 50, 184, 194, 241, 246, 407, 445
- monomer concentration, 125
- Monte Carlo (MC), 90, 152, 153, 189
- MSR theory
 - action functional, 322
 - compressible liquid, 328
 - fluctuation–dissipation theorem, 335
 - functional integral formalism, 319
 - Jacobian, 350
 - operator formalism, 319
 - quenched disorder, 423
 - renormalization, 320
 - renormalized vertex function, 353
 - response function, 323
 - time-reversal invariance, 338, 356
 - multiplicative noise, 294, 379, 416
- Nambu–Goldstone modes, 236
- Navier–Stokes equation, 238, 291, 339, 411
- neutron-scattering experiments, 40, 240, 400
- NMR experiments, 192
- nonergodicity parameter (NEP), 371, 385, 402
- nonpolynomial action in MSR, 414
- non-Gaussian parameter, 47, 195, 383
- nonlinear constraint, 292, 302, 314, 327
- nonlinear oscillator, 411
- normal mode, 115
- nucleation
 - capillary approximation, 118
 - classical theory (CNT), 117, 177, 180, 495
 - critical nucleus, 131
 - critical radius r_c , 133
 - dependence on undercooling, 128
 - free-energy barrier, 118
 - from dilute solution, 125
 - from melt, 117, 125
 - heterogeneous, 129
 - homogeneous, 117
 - KAC interaction, 504
 - minimum rate, 128
 - rate process, 126
 - schematic model, 135
 - Stokes–Einstein relation, 129
- nucleation rate J , 121
- one-loop order, 326
- order parameter, 59, 60, 68, 71, 131, 247, 372, 488, 527
- order parameter in MCT, 386
- Ornstein–Zernike relation, 26
- O*-terphenyl (OTP), 192, 405, 409
- overlap function $q(x, y)$, 499
- overlap of free volumes, 171
- overlap of hard spheres, 86
- packing fraction, 27, 78, 90, 98, 153, 189, 190, 223, 245, 371, 372, 383, 415, 494
- pair correlation, 66, 94, 106, 193, 223, 455
- Bernal structure, 492
 - between replicas, 501, 526
- pair correlation function, 19
- pairwise additive, 55
- paramagnet, 419
- partition function
 - canonical ensemble, 16
 - cloned molecular liquid, 520
 - free-energy basins, 522
 - grand-canonical ensemble, 17, 61

564

phonon modes, 115
 volume dependence, 21

percolation, 174

Percus–Yevick (PY), 26, 71, 102, 189, 245, 371, 375, 492

periodic boundary conditions, 150, 188

perturbation theory, 69, 91, 293, 334, 347, 414

phase space, 6, 169, 225, 359, 428, 498

phonon, 58, 115

plasma physics, 10

Poisson bracket, 7, 48, 226, 233, 236, 246–249, 253, 279, 280, 286, 288, 296, 297, 426, 428

polymer solution dynamics, 319

Potts spin glass, 494

pressure functional, 257, 292

primitive cell, 108, 146, 189

projection operator, 225, 273, 357, 381

propylene carbonate (PC), 403

protein, 181

quasicrystals, 90

quasi-ergodic behavior, 471

quenched disorder, 369, 419, 530

Raleigh peak, 241

Ramakrishnan–Yussouff free energy, 392

Raman scattering, 259

random

- bonds, 421
- close-packed structure, 492
- cluster, 159
- collisions, 50
- diffusion model (RDM), 399
- energy model, 494
- field, 449
- first-order transition, 494
- force, 51, 319
- heteropolymer, 496
- hexagonal close packed (rhcp) structure, 159
- interactions, 420
- lattice, 388
- matrix, 536
- noise, 335, 421
- point pinning sites, 530
- potential, 414
- quenched potential, 530
- structure, 492
- variables, 419

Rayleigh peak, 241

reaction coordinate, 150, 154

reciprocal lattice vector (RLV), 70, 77, 107, 249

reflection symmetry, 420

renormalization group, 104

replica

- cloned molecular liquid, 510

Index

free energy, 521, 527

index, 529

interaction, 524

one-step replica symmetry breaking, 425, 447

overlap functions, 502

replica in spin glass, 499, 501

replica index, 533

replicated liquid-state theory, 494, 501, 522, 530

spin glass vs. structural glass, 530

replica method, 507

replicated liquid, 509

restricted phase space, 200

ring collision, 272

roughening surface transitions, 319

saddle, 132, 184, 424, 429, 520

scaled-particle theory, 88

Schwarz’s inequality, 37

Schwinger–Dyson equation, 324

second fluctuation–dissipation relation, 269

self-consistent mode coupling, 232, 327

Self-consistent screening approximation (SCSA), 514

self-diffusion coefficient D_s , 159, 175, 179, 193, 212, 220, 221, 295

self-energy

- matrix, 325
- one-loop expression, 326

self-generated disorder, 500, 507

shear rate, 449

shear wave, 202, 387

SiO₂, 169

silica, 449

soft

- p -spin model, 420
- disk, 194
- heat mode, 245
- sphere, 103, 185, 195, 202, 387, 407, 497, 527

solid–liquid interface, 90, 99

sound modes, 245

spatial heterogeneity, 192

specific heat

- at constant pressure c_p , 169, 488
- at constant volume c_v , 16

spherical p -spin model, 426

spherical Bessel function, 244

spherical constraint, 425

spin diffusion, 235

spin-exchange dynamics

spin glass

- p -spin interaction model, 420, 425, 426

spinodal, 132

spontaneous breaking of ergodicity, 505

square-gradient approximation, 101, 131, 138

- static structure factor, 19, 106, 238, 290, 346, 370, 410, 439, 496
- steepest-descent path, 186
- Stokes–Einstein relation, 53, 128, 178, 407
 - Enskog theory, 224
- Stokes–Einstein violation, 129, 178
- streaming velocity, 233, 280, 288, 300
- string-like structure, 198
- strong glasses, 166, 169, 448, 489
- structural arrest in colloids, 407
- structural relaxation time τ_α , 178–180, 195
- surface
 - free energy, 102, 149
 - function for hard sphere, 87
 - hypersurface, 182, 186
 - impurity, 117
 - roughening transitions, 319
 - tension, 103, 118, 130, 135, 153, 495
 - term, 56
- susceptibility
 - α -peak, 403
 - p -spin, 504
 - aging behavior, 453
 - dielectric, 403
 - dynamic, 402
 - magnetic, 419
 - minimum, 403
 - nonlinear, 200
 - static, 247
- tagged particle
 - correlation, 41
 - density, 41, 211
 - diffusion, 171
 - velocity, 43
 - vibration frequency, 44
- thermal
 - energy, 126, 182
 - expansion, 170, 174
 - fluctuation, 171
 - velocity, 223, 244
 - vibration, 151
- thermalization in aging, 472
- thermally activated transitions, 190
- thermodynamic limit, 14
- thermodynamic potential, 17, 60, 107, 138
- three-point correlation function, 201, 385, 426
- three-point vertex function, 325, 353
- threshold value
 - energy, 188
 - liquid-like cell, 174
 - local order in nucleus, 152
 - nucleation rate, 128, 176
- time correlation functions, 36
- time-dependent Ginzburg–Landau (TDGL), 131, 253, 301
- time translational invariance, 270
- time–temperature superposition principle, 375
- tracer particle, 455
- transcendental equation, 368, 373
- translational degrees of freedom, 164, 486
- transverse
 - current, 216, 240
 - modes, 210, 256, 381
- trapping diffusion model, 414
- turbulence, 319
- two-level states, 259
- two-level system, 171
- two-point distribution function, 93
- uniaxial crystal, 254
- universality classes, 410, 425
- vacancy diffusion mode, 251
- valley, 507
- van der Waals theory, 400
- van Hove self-correlation function, 40, 194, 376
- Verlet condition, 59
- Verlet–Weiss correction, 71, 245, 371, 383, 492
- vertex function
 - cubic, 324
 - flat structure factor, 344
 - longitudinal, 341
 - self-correlation, 381
 - transverse correlation, 346
- virial
 - coefficient, 29, 30
 - equation, 20, 22, 27, 30
 - expansion, 224
 - free-energy expansion, 88
- viscoelasticity, 180
- viscosity
 - Angell plot, 168
 - bare, 223, 301
 - bulk, 224, 237
 - effects of structure, 370
 - free-volume theory, 174
 - generalized, 245, 254, 341, 364
 - Green–Kubo relations, 218
 - incompressible liquid, 327
 - kinetic, 216, 240
 - liquid crystal, 364
 - long-time tails, 272
 - longitudinal, 216, 219, 237
 - nucleation rate, 175
 - power-law divergence, 365
 - shear, 54, 165, 194, 237
 - supercooled liquid, 164
 - tensor, 210, 254

Cambridge University Press

978-0-521-85839-7 - Statistical Physics of Liquids at Freezing and Beyond

Shankar P. Das

Index

[More information](#)

566

Vlasov equation, 10
Vlasov–Smoluchowski equation, 394
Vogel–Fulcher equation, 166, 405, 473, 496
Voig notation, 252
von Schweidler relaxation, 409
Voronoi polyhedron, 151

waiting time, 418

Weeks–Chandlers–Andersen (WCA) theory,
32, 91

weighted-density-functional theory (WDA), 70, 72, 75, 78,
84, 109

weighting function
coarse graining, 72

Index

for the MWDA, 75
for uniform liquid, 113
for the WDA, 74
Fourier transform, 82
fundamental measure theory, 85
normalization condition, 73

wetting, 90

Wigner–Seitz cell, 151

X-ray scattering, 40

Yvon–Born–Green (YBG) hierarchy, 25

Zel’dovich factor, 124, 159