

## Index

- absolute temperature, 115
- acoustic tensor, 266
- adaptive elasticity, 609
- adiabatic loading, 119
- affinity, 127, 129, 618
- Airy stress function, 179, 410, 415, 419
- angle of twist, 214
- angular change
  - between fibers, 76
  - of principal directions, 76
- anisotropic
  - elastic solid, 264, 345, 604
  - elasticity, 332
  - hardening, 475
- antiplane
  - shear, 390
  - strain, 386
- aorta, 630
- apposition, 609
- arc length, 59
- area change, 64
  - for a membrane, 636
- Asaro–Tiller field, 459
- associative flow rule, 480
- asymptotic stress fields, 459
- axial vector, 17, 87
- axisymmetric problems, 211
  
- back stress, 475
- balance of angular momentum, 95
- Barnett–Lothe tensors, 333
- Bauschinger effect, 475, 595
- Beltrami–Michell equations, 172
- bending of beams, 225
- Bessel functions, 385
- Betti’s reciprocal theorem, 177, 318
  - couple-stress elasticity, 393
- Bianchi conditions, 171
  
- bifurcation, 498
- biharmonic equation, 179, 184
  - polynomial solutions, 185
  - with body forces, 188
- bimaterial interface, 407, 410, 419
- binary alloy, 145
- biomaterials, 609
- Blatz–Ko strain energy, 700
- blood vessel, 630
- body force potential, 178
- Boussinesq–Papkovitch solutions, 248
- Burgers vector, 294, 407, 410, 419
  
- Cauchy elasticity, 149
- Cauchy stress, 92
  - nonsymmetric, 398
  - principal values of, 96
  - symmetry of, 95
- Cauchy tetrahedron, 92
- Cauchy–Green deformation tensor, 58
- cavitation instability, 500, 501
- Cayley–Hamilton theorem, 22
- Cesàro integrals, 172
- characteristic equation, 13, 23
- chemical potential, 139, 370, 449
- Christoffel stiffness tensor, 266
- circular plate, 288
- Clapeyron’s formula, 111
- Clausius–Duhem inequality, 115
- coarse slip bands, 558
- coefficient
  - of compressibility, 122
  - of thermal expansion, 122
- compatibility equations, 169, 377
  - Beltrami–Michell, 172
  - Saint-Venant, 171
- compliance tensor, 118
- configurational
  - entropy, 144
  - force, 400

- conservation
  - integrals, 403
  - laws, 404
  - of mass, 34
- consistency condition, 472, 481
- constitutive equations
  - linear elasticity, 161
  - nonlinear elasticity, 149
  - plasticity
    - deformation theory, 485
    - isotropic hardening, 475
    - kinematic hardening, 477
    - nonassociative, 480
    - pressure-dependent, 480
    - rate-dependent, 482
- constrained
  - equilibrium, 127
  - field, 338
- contact problems, 271
- continuity equation, 34, 610
- convected
  - lattice vectors, 540
  - stress rate, 105, 680
- convolution integrals, 48
- coordinate transformation, 3
- core energy, 424, 426
- corner theory of plasticity, 487
- corotational stress rate, 106
- correspondence theorem, 378, 389
- Cotter–Rivlin convected rate, 680
- Coulomb’s law, 27
- couple-stress, 375, 376, 398
- coupled heat equation, 120
- crack extension force, 323
- crack opening displacement, 325
- creep, 483
- critical
  - conditions for localization, 574
  - film thickness, 432
  - hardening rate, 567
  - nucleus size, 374
  - resolved shear stress, 505
- crystal plasticity, 538, 601
  - laminar model, 601
  - single slip, 605
- curl, 55, 56
- curvature tensor, 376, 399
- cylindrical
  - coordinates, 668
  - void, 500
- Debye’s temperature, 124
- deformation gradient, 56
  - cylindrical coordinates, 670
  - multiplicative decomposition, 490, 622
- deformation rate, 69, 73, 74
- deformation theory of plasticity, 484, 486, 596
- degenerate solutions, 204
- densification, 611
- determinant, 6
- deviatoric
  - plane, 469
  - work, 464
- dilatancy factor, 481
- dilatant materials, 480
- Dirac delta function, 51, 233, 264
- Dirichlet conditions, 42
- disclination, 760
- dislocation, 293, 299
  - core, 424
  - density, 511
  - distribution, 296
  - driving force, 439, 441
  - edge, 419, 509
  - energy, 424, 426
  - forces on, 365
  - forest, 515
  - injection, 444
  - interactions, 514
  - line, 299
  - misfit, 432, 433
  - multiplication, 517
  - near free surface, 426
  - partial, 513
  - perturbed array, 443
  - recession, 439
  - spacing, 432
  - threading, 432, 437
- dislocation array
  - energy, 430
  - formation, 432, 438
  - stress field, 428
- dislocation force
  - array, 431
  - edge dislocation, 415, 418, 421, 423
  - screw dislocation, 408, 410
  - straight, 427
- displacement discontinuity, 421, 424, 430
- displacements
  - determination of, 196
  - half space, 238
  - in beam, 187
  - nonsingle valued, 293
- distributed contact loading, 274
- div, 56
- divergence theorem, 26, 33, 34
- double Fourier series, 37
- double slip, 576
- Drucker–Prager yield criterion, 468
- Duhamel–Neumann expression, 132
- Dulong–Petit limit, 124
- dyadic notation, 13
- eccentricity, 636
- edge dislocation, 299, 410
  - couple-stress elasticity, 381
  - near free surface, 417, 422

## Index

855

- eigenvalues, 12, 63
  - symmetric tensors, 14
- eigenvectors, 12, 63
  - orthogonality of, 63
  - stretch of, 63
- elastic
  - compliance tensor, 118
  - constants, 169
  - deformation gradient, 490
  - moduli tensor, 158, 627
  - pseudomoduli, 155
  - stiffness tensor, 118
  - unloading, 489
- elastic-plastic interface, 497
- elasticity
  - 3D, 264
  - Cauchy, 149
  - crystal elasticity, 547
  - Green, 148
  - isotropic, 150
  - nonlinear, 148
- energy
  - Gibbs, 117, 128
  - Helmholtz free, 116, 128
  - internal, 113
  - kinetic, 113
  - of a dislocation line, 366
  - total, 113
- energy equation, 114
  - with mass growth, 616
- energy factor
  - matrix, 511
  - tensor, 315
- energy momentum tensor,
  - 358
  - finite deformations, 361
  - micropolar elasticity, 404
- energy release rate, 315, 323
- enthalpy, 117, 128
  - of mixing, 145
- entropic elasticity, 116
- entropy, 114
  - of mixing, 144
- epitaxial
  - growth, 432
  - layer, 432
- equilibrium equations, 95
- Eshelby
  - inclusion problem, 335
  - tensor, 341
- Euler's laws of motion, 614
- Eulerian
  - strain, 676
    - rate of, 76
  - triad, 80
- evolution equation, 129, 479
  - for mass growth, 631
  - for stretch ratio, 630
- evolution of back stress, 476, 477
- extended
  - dislocation, 513
    - Taylor model, 587
- fiber
  - rotation of, 19
  - stretch, 60
  - stretching rate, 73
- film thickness, 432
- first law of thermodynamics, 113
- first Piola–Kirchhoff stress, 99
- Flamant solution, 723
- flat punch, 278
- flexural rigidity, 284
- flow potential, 482
- flow rule
  - associative, 480
  - nonassociative, 480
- flux, 31, 127, 129, 618
- force
  - generalized, 357
    - on a dislocation, 365
    - on a precipitate interface, 373
    - on an interface, 359
- forest dislocations, 515
- Fourier
  - double series, 37
  - integral theorem, 46
  - kernel, 41
  - law of conduction, 119
  - loading, 191, 193
  - series, 36
  - transform, 39, 48, 265
- frame indifference, 102
- Frank and van der Merwe criterion, 434
- Frank–Read source, 530
- free energy, 356
- Galerkin vector, 256
- Gauss
  - divergence theorem, 26
  - law, 28
- generalized
  - force, 357
  - plastic strain, 474
- geometrical
  - hardening, 607
  - softening, 508, 580, 607, 816
- Gibbs
  - conditions of equilibrium, 129
  - energy, 117, 128, 141, 356
- Gibbs–Duhem equation, 142
- grad, 56
- Green
  - elasticity, 148
  - function, 264
  - isotropic elasticity, 150
  - lattice strain, 603
  - strain, 59
  - stretch tensor, 86

- Griffith  
 crack, 332, 773  
 criterion, 320  
 Gurson yield criterion, 470
- half-plane loading, 232  
 half-space solutions, 229  
 Hall–Petch relation, 517  
 hard tissue, 609  
 hardening, 473  
 isotropic, 474  
 kinematic, 475
- heat  
 capacity, 124  
 conduction, 113  
 Fourier law, 119  
 equation, 120  
 flow, 113  
 Helmholtz equation, 378  
 Helmholtz free energy, 116, 128  
 with mass growth, 620  
 Hertz problem, 259  
 hollow dislocation, 384  
 Hooke's law, 150, 161  
 hyperelasticity, 149  
 hypertension, 630  
 hypertrophy, 609
- ideal  
 plasticity, 473  
 solution, 144  
 ideally plastic material, 497  
 identity tensor, 6, 10  
 image force on a defect, 371  
 inclusion  
 elastic energy of, 343  
 field at the interface, 352  
 field in the matrix, 352  
 inhomogeneous, 344  
 isotropic spherical, 353  
 problem statement, 335  
 incompressibility constraint, 153  
 incompressible elasticity, 153  
 infinite strip, 242  
 inflation of balloon, 702  
 inhomogeneous inclusion, 344  
 instantaneous elastic moduli, 155  
 integral  
 derivative, 83  
 transform, 39  
 interaction energy, 362, 432, 442, 444  
 between dislocations, 318  
 interface dislocation  
 edge, 415, 420  
 screw, 409  
 interface force, 359  
 intermediate configuration, 489  
 internal energy, 113  
 with mass growth, 619  
 internal variables, 127
- invariant functional, 401  
 invariants, 6, 12, 14  
 inverse  
 Fourier transform, 48  
 of a tensor, 6  
 pole figures, 593  
 irreversible thermodynamics, 127  
 isochoric plastic deformation, 474  
 isotropic  
 Green elasticity, 150  
 hardening, 474  
 inclusion, 350  
 material, 150
- J integral, 358, 404  
 $J_2$  deformation theory of plasticity, 486  
 Jaumann stress rate, 106, 107, 541  
 cylindrical coordinates, 685  
 on crystal spin, 541  
 Johnson–Cook model, 483  
 Joule's effect, 137
- kernel, 41  
 kinematic hardening, 475  
 linear, 477  
 nonlinear, 477  
 Prager, 477  
 Ziegler, 477  
 kinetic energy, 113  
 Kirchhoff stress, 101  
 Kolosov constant, 180, 411  
 Kronecker delta, 2
- L integral, 404  
 Lagrangian  
 multiplier, 153  
 strain, 59  
 triad, 79  
 Lamé  
 constants, 168  
 problem, 251  
 laminate plasticity, 601  
 Laplace's equation, 172, 378  
 latent  
 hardening, 519, 547  
 heat, 118  
 lattice  
 base vectors, 540  
 parameter, 433  
 lattice rotation, 506  
 geometrical softening, 580, 582  
 shear bands, 580, 582  
 left stretch tensor, 21  
 line integrals  
 material derivative, 85  
 linear dependence, 13  
 linearly hardening material, 499  
 loading index  
 kinematic hardening, 476  
 pressure-dependent plasticity, 479

## Index

857

- localized plastic deformation, 557
- Love's potential, 257
- M integral, 404, 773
- macroscopic shear bands, 558
- mass
  - conservation, 34
  - flow, 31
  - growth, 609, 611, 630
  - resorption, 631
- material derivative, 71
  - line integrals, 85
  - surface area, 84
  - surface integrals, 84
  - volume integrals, 84
- material length, 383
- Matthews–Blakeslee criterion, 433
- maximum shear stress, 97
- Maxwell relations, 128
- mechanical power input, 108
- Mellin transforms, 40
- Michell's solution, 724
- micropolar
  - continuum, 375
  - elasticity, 398
- Mindlin's stress functions, 380
- misfit dislocation, 432, 433
- mismatch strain, 433, 434
- mixed dislocations, 304
- Mohr's envelope, 467
- Mohr–Coulomb yield criterion, 467
- molar Gibbs energy, 142
- Mooney–Rivlin material, 153, 698
- morphogenesis, 610
- multiple slip, 576
- multiplicative decomposition, 490
  - in biomechanics, 622
- multiply connected
  - cross section, 222
  - regions, 172
- Murnaghan's constants, 150
- nanocrystalline grains, 530
- Nanson's relation, 65
- necking, 487
- neo-Hookean material, 153
- Newtonian fluid, 701
- Noether's theorem, 400
- nominal
  - stress, 98, 99, 101
  - traction, 678
- non-Schmid
  - effect, 571
  - stress, 563
- nonassociative flow rule, 480
- nonlinear elasticity, 148
- norm of a function, 37
- objective rate, 90, 105
- octahedral
  - plane, 464, 468
  - shear stress, 464
- Oldroyd rate, 154, 679, 680
- Onsager reciprocity relations, 129
- open thermodynamic system, 139
- opening angle, 631
- ordered crystals
  - localized deformation, 560
- orthogonal tensors, 17
  - geometrical interpretation, 18
  - specific forms of, 88
- orthonormal basis, 2, 11
- Papkovich–Neuber potentials, 769
- partial dislocations, 513, 531
- Peach–Koehler force, 129, 365, 512, 812
- Peierls–Nabarro dislocation, 759
- permutation tensor, 3
- phenomenological plasticity, 461
- plane
  - strain, 178
  - stress, 179
- plane stress modulus, 567
- plastic
  - potential, 480
  - deformation gradient, 490
  - potential surface, 480
  - rate potential, 488
  - secant modulus, 486
  - strain, 484
  - tangent modulus, 474, 486
  - void growth, 495
- plasticity, 461
  - associative, 480
  - corner theory, 487
  - deformation theory, 484, 486
  - ideal, 473
  - nonassociative, 480
  - strain hardening, 461
- plates
  - equilibrium, 282
  - flexural rigidity, 284
- point force, 237, 257, 261
- Poisson's equation, 172
- polar decomposition, 20, 63
- polynomial solutions, 184
- porosity, 470
- positive definite tensors, 14
- potential energy, 175, 355
  - bent plate, 284
  - couple-stress elasticity, 396
- Poynting effect, 700
- Prager's hardening, 477
- Prandtl stress function, 217
- precipitation, 373

- pressure-dependent plasticity, 478
- pressure-sensitive plastic flow, 572
- pressurized
  - cylinder, 209
  - sphere, 250
- principal
  - directions, 76
  - stresses, 96
  - stretch, 21, 62, 78, 152
- principle of virtual work, 109
- proportional loading, 484, 486
- pseudotraction, 678
- pseudomoduli, 155
  
- quadratic forms, 22
  
- rate
  - of deformation, 69, 627
  - of working, 101
  - potential, 488
  - sensitivity, 602
  - tangent modulus, 548
- rate-dependent
  - plasticity, 482
  - slip, 547, 592
- recall term, 478
- reciprocal symmetry, 480
- regular solution, 145
- Reiner–Rivlin fluid, 700
- remodeling, 610
- residual strain, 631
- resolved shear stress, 482
- Reuss estimates, 825
- reversible thermodynamics, 116
- Reynolds transport theorem, 613
- right stretch tensor, 21
- rigid
  - inclusion, 252
  - indenters, 271
- rigid body motion, 88
- Rivlin–Ericksen tensors, 657
- rocks, 480
- rotation tensor, 376
- rubber model, 153
  
- Saint-Venant
  - compatibility equations, 170, 171
  - principle, 187
- Saint-Venant–Kirchhoff assumption, 150, 696
- scalar field, 55
  - gradient, 70
- scalar product, 1
- Schmid
  - rule, 505, 560
  - stress, 561
- screw dislocation, 299, 302, 407
  - couple-stress elasticity, 391
  - near free surface, 409
- secant modulus, 484
- second law of thermodynamics, 114
- second Piola–Kirchhoff stress, 102
- semi-inverse method, 225
- shear
  - center, 227
  - modulus, 161
  - strain, 60
- shear stress
  - maximum, 97
  - resolved, 482
- simple beam
  - Fourier loading, 191
- simple shear, 58, 85
- single valued displacements, 208
- singular integral equation, 296
- slip
  - steps, 502
  - system, 482
  - traces, 502
- slip-plane hardening, 547
- small strain, 61
- soft tissue, 609, 629
- softening, 473
  - geometric, 816
  - vertex, 487
- soil mechanics, 468
- specific heat, 118
- sphere
  - subject to temperature gradient, 254
- spherical
  - coordinates, 248
  - indentation, 255
  - void, 495
- spin rate, 74
  - plastic part, 604
- spin tensor, 79
- stability
  - array, 441
  - bounds, 439, 445
  - dislocation array, 439
- stacking faults, 513
  - emission from grain boundaries, 531
- state variables, 116
- static equilibrium, 92, 96
- stationary discontinuity, 563
- stiffness tensor, 118
- Stokes theorem, 26
- Stoney's formula, 786
- strain
  - definitions, 56
  - Eulerian, 56
  - integration of, 187
  - Lagrangian, 56
  - logarithmic, 56
  - natural, 56
  - nominal, 56
  - potentials, 256

## Index

859

- rate, 76
- relaxation, 437
- shear, 60
- small, 61
- strain energy, 148
  - for soft tissues, 629
  - isotropic elasticity, 151
- strain hardening, 461
  - crystal plasticity, 544
  - localization, 574
  - origins of, 505
  - single crystal, 603
- strength-differential effect, 480
- stress
  - Cauchy, 92
  - first Piola–Kirchhoff, 99
  - function, 330
  - invariants, 462
  - Kirchhoff, 101
  - nominal, 98, 101
  - power, 109
  - rate, 106
  - second Piola–Kirchhoff, 102
  - work conjugate, 99
- stretch, 56
  - principal, 62
  - tensor, 59
- Stroh formalism, 329
- structural rearrangements, 127
- substrate, 432
- surface
  - energy, 449
  - instability, 455
- surface integrals, 30
  - material derivative, 84
- symmetric tensor, 14
- tangent modulus, 484
  - plastic, 486
  - secant, 486
- Taylor
  - lattice, 510
  - model, 587
- temperature, 115, 483
- tensile crack, 296
- tensors
  - antisymmetric, 14
  - axial vector, 17
  - characteristic equation, 13
  - conductivities, 119
  - determinant, 6
  - field, 27
  - invariants, 6, 14
  - inverse, 6
  - orthogonal, 17
  - positive definite, 14
  - product, 10
  - spectral forms, 14
  - symmetric, 14
  - trace, 6
  - transpose, 5
- texture determination, 593
- thermal strains, 178
- thermodynamic
  - force, 127
  - potential, 127, 128
  - system, 113
- thermoelastic effect, 136
- thermoelasticity, 127, 131, 178
- thin
  - films, 432
  - plates, 280
- thin-walled section, 727
- third law of thermodynamics, 126
- threading dislocation, 432, 437
- time-independent behavior, 483
- tissue, 609
- torsion, 214
  - displacements, 214
  - elliptical cross section, 221
  - energy of, 216
  - function, 214
  - multiply connected cross sections, 222
  - rectangular cross section, 217
  - rigidity, 216
- total energy, 355
- total strain theories, 596
- trace, 6, 10
- traction vector, 92
- transformation strain, 335, 336
  - polynomial, 345
- transmural cut, 631
- transport formulae, 83
- Tresca yield criterion, 465
- triple product, 1, 2, 7, 13
- uniform contact pressure, 276
- uniqueness of solution, 174
- unit cells, 505
- vector field, 27
  - curl of, 55
  - differentiable, 55
  - divergence, 55
  - gradient, 70
- vector product, 1
- Vegard's rule, 433
- velocity, 71
- velocity gradient, 71
  - antisymmetric part, 74
  - crystal plasticity, 539
  - elastoplastic deformation, 490
  - symmetric part, 74
- velocity strain, 73
- vertex softening, 487
- virtual work, 107

- void growth, 479, 495
- Voigt
  - estimates, 824
  - notation, 164
- Volterra's integral, 301
- volume
  - change, 63
  - integrals, 84
  - rate of change, 84
- volumetric
  - strain, 161
  - strain rate, 479
- von Mises yield criterion, 463
  
- wedge problem, 271
- width of dislocation, 759
- work conjugate stress, 99
  
- yield
  - cone, 469
  - surface, 475
  - vertex, 487
- yield criterion
  - Drucker–Prager, 468, 479
  - Gurson, 470, 479
  - Mohr–Coulomb, 467
  - pressure-dependent, 468, 478
  - Tresca, 465
  - von Mises, 463
- yield surface, 474
- Young's modulus, 161
  
- Ziegler's hardening, 477