

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)


---

# Index

Where the discussion of a topic runs over two consecutive pages, reference is made only to the first of these. For discussions spread over three or more pages the first and last page numbers are given; these references are usually to the major treatment of the corresponding topic. Isolated references to a topic, including those appearing on consecutive pages, are listed individually. Some long topics are split, e.g. 'Fourier transforms' and 'Fourier transforms, examples'. The letter 'n' after a page number indicates that the topic is discussed in a footnote on the relevant page.

- A, B, one-dimensional irreps, 1090, 1102, 1109
- Abelian groups, 1044
- absolute convergence of series, 124, 831
- absolute derivative, 975–977
- acceleration vector, 335
- Adams method, 1024
- Adams–Moulton–Bashforth, predictor–corrector scheme, 1035
- addition rule for probabilities, 1125, 1130
- addition theorem for spherical harmonics  $Y_l^m(\theta, \phi)$ , 594
- adjoint, *see* Hermitian conjugate
- adjoint operators, 559–564
- adjustment of parameters, 795
- Airy integrals, 890–894
- $\text{Ai}(z)$ , 889
- algebra of
  - complex numbers, 85
  - functions in a vector space, 556
  - matrices, 251
  - power series, 134
  - series, 131
  - tensors, 938–941
  - vectors, 213
    - in a vector space, 242
    - in component form, 218
- algebraic equations, numerical methods for, *see* numerical methods for algebraic equations
- alternating group, 1116
- alternating series test, 130
- ammonia molecule, symmetries of, 1042
- Ampère's rule (law), 381, 408
- amplitude modulation of radio waves, 444
- amplitude-phase diagram, 914
- analytic (regular) functions, 826
- angle between two vectors, 221
- angular frequency, 693n
  - in Fourier series, 419
- angular momentum, 933, 949
  - and irreps, 1093
  - of particle system, 950–952
  - of particles, 338
  - of solid body, 396, 951
  - vector representation, 238
- angular momentum operator
  - component, 658
  - total, 659
- angular velocity, vector representation, 223, 238, 353
- annihilation and creation operators, 667
- anti-Hermitian matrices, 271
  - eigenvalues, 276–278
  - imaginary nature, 277
  - eigenvectors, 276–278
  - orthogonality, 277
- anti-Stokes line, 905
- anticommutativity of vector or cross product, 222
- antisymmetric functions, 416
  - and Fourier series, 419
  - and Fourier transforms, 445
- antisymmetric matrices, 270

INDEX

- general properties, *see* anti-Hermitian matrices
  - antisymmetric tensors, 938, 941
  - antithetic variates, in Monte Carlo methods, 1014
  - aperture function, 437
  - approximately equal  $\approx$ , definition, 132
  - arbitrary parameters for ODE, 469
  - arc length of
    - plane curves, 73
    - space curves, 341
  - arccosech, arccosh, arccoth, arcsech, arcsinh, arctanh, *see* hyperbolic functions, inverses
  - Archimedean upthrust, 396, 410
  - area element in
    - Cartesian coordinates, 188
    - plane polars, 202
  - area of
    - circle, 71
    - ellipse, 71, 207
    - parallelogram, 223
    - region, using multiple integrals, 191–193
    - surfaces, 346
      - as vector, 393–395, 408
  - area, maximal enclosure, 779
  - arg, argument of a complex number, 87
  - Argand diagram, 84, 825
  - argument, principle of the, 880
  - arithmetic series, 117
  - arithmetic-geometric series, 118
  - arrays, *see* matrices
  - associated Laguerre equation, 535, 621–624
    - as example of Sturm–Liouville equation, 566, 622
    - natural interval, 567, 622
  - associated Laguerre polynomials  $L_n^m(x)$ , 621
    - as special case of confluent hypergeometric function, 634
    - generating function, 623
    - orthogonality, 622
    - recurrence relations, 624
    - Rodrigues’ formula, 622
  - associated Legendre equation, 535, 587–593, 733, 768
    - general solution, 588
    - as example of Sturm–Liouville equation, 566, 590, 591
    - general solution, 588
    - natural interval, 567, 590, 591
  - associated Legendre functions, 587–593
    - of first kind  $P_\ell^m(x)$ , 588, 733, 768
      - generating function, 592
      - normalisation, 590
      - orthogonality, 590, 591
      - recurrence relations, 592
      - Rodrigues’ formula, 588
    - of second kind  $Q_\ell^m(x)$ , 588
  - associative law for
    - addition
      - in a vector space of finite dimensionality, 242
      - in a vector space of infinite dimensionality, 556
      - of complex numbers, 86
      - of matrices, 251
      - of vectors, 213
    - convolution, 447, 458
    - group operations, 1043
    - linear operators, 249
    - multiplication
      - of a matrix by a scalar, 251
      - of a vector by a scalar, 214
      - of complex numbers, 88
      - of matrices, 253
    - multiplication by a scalar
      - in a vector space of finite dimensionality, 242
      - in a vector space of infinite dimensionality, 556
- atomic orbitals, 1115
  - $d$ -states, 1106, 1108, 1114
  - $p$ -states, 1106
  - $s$ -states, 1144
- auto-correlation functions, 450
- automorphism, 1061
- auxiliary equation, 493
  - repeated roots, 493
- average value, *see* mean value
- axial vectors, 949
- backward differences, 1019
- basis functions
  - for linear least squares estimation, 1273
  - in a vector space of infinite dimensionality, 556
  - of a representation, 1078
    - change in, 1084, 1087, 1092
- basis vectors, 217, 243, 929, 1078
- derivatives, 965–968
  - Christoffel symbol  $\Gamma_{ij}^k$ , 965
  - for particular irrep, 1106–1108, 1116
  - linear dependence and independence, 217
  - non-orthogonal, 245
  - orthonormal, 244
  - required properties, 217
- Bayes’ theorem, 1132
- Bernoulli equation, 477
- Bessel correction to variance estimate, 1248
- Bessel equation, 535, 602–607, 614, 615
  - as example of Sturm–Liouville equation, 566
  - natural interval, 608
- Bessel functions  $J_\nu(x)$ , 602–614, 729, 738
  - as special case of confluent hypergeometric function, 634
  - generating function, 613
  - graph of, 606
  - integral relationships, 610
  - integral representation, 613–614
  - orthogonality, 608–611

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- recurrence relations, 611–612  
 second kind  $Y_\nu(x)$ , 607  
   graph of, 607  
 series, 604  
    $\nu = 0$ , 606  
    $\nu = \pm 1/2$ , 605  
 spherical  $j_\nu(x)$ , 615, 741  
 zeros of, 729, 739  
 Bessel inequality, 246, 559  
 best unbiased estimator, 1232  
 beta function, 638  
 bias of estimator, 1231  
 bilinear transformation, general, 110  
 binary chopping, 990  
 binomial coefficient  ${}^nC_k$ , 27–30, 1135–1137  
   elementary properties, 26  
   identities, 27  
   in Leibnitz' theorem, 49  
   negative  $n$ , 29  
   non-integral  $n$ , 29  
 binomial distribution  $\text{Bin}(n, p)$ , 1168–1171  
   and Gaussian distribution, 1185  
   and Poisson distribution, 1174, 1177  
   mean and variance, 1171  
   MGF, 1170  
   recurrence formula, 1169  
 binomial expansion, 25–30, 140  
 binormal to space curves, 342  
 birthdays, different, 1134  
 bivariate distributions, 1196–1207  
   conditional, 1198  
   continuous, 1197  
   correlation, 1200–1207  
     and independence, 1200  
     matrix, 1203–1207  
     positive and negative, 1200  
     uncorrelated, 1200  
   covariance, 1200–1207  
     matrix, 1203  
   expectation (mean), 1199  
   independent, 1197, 1200  
   marginal, 1198  
   variance, 1200  
 Boltzmann distribution, 171  
 bonding in molecules, 1103, 1105–1108  
 Born approximation, 149, 575  
 Bose–Einstein statistics, 1138  
 boundary conditions  
   and characteristics, 700  
   and Laplace equation, 764, 766  
   for Green's functions, 512, 514–516  
     inhomogeneous, 515  
   for ODE, 468, 470, 501  
   for PDE, 681, 685–687  
   for Sturm–Liouville equations, 564  
   homogeneous and inhomogeneous, 685, 723, 752, 754  
   superposition solutions, 718–724  
   types, 702–705  
 bra vector  $\langle \psi |$ , 649  
 brachistochrone problem, 784  
 Bragg formula, 237  
 branch cut, 835  
 branch points, 835  
 Bromwich integral, 884  
 bulk modulus, 980  
 calculus of residues, *see* zeros of a function of a complex variable *and* contour integration  
 calculus of variations  
   constrained variation, 785–787  
   estimation of ODE eigenvalues, 790  
   Euler–Lagrange equation, 776  
   Fermat's principle, 787  
   Hamilton's principle, 788  
   higher-order derivatives, 782  
   several dependent variables, 782  
   several independent variables, 782  
   soap films, 780  
   variable end-points, 782–785  
 calculus, elementary, 41–76  
 cancellation law in a group, 1046  
 canonical form, for second-order ODE, 516  
 card drawing, *see* probability  
 carrier frequency of radio waves, 445  
 Cartesian coordinates, 217  
 Cartesian tensors, 930–955  
   algebra, 938–941  
   contraction, 939  
   definition, 935  
   first-order, 932–935  
     from scalar, 934  
   general order, 935–954  
   integral theorems, 954  
   isotropic, 944–946  
   physical applications, 934, 939–941, 950–954  
   second-order, 935–954, 968  
   symmetry and antisymmetry, 938  
   tensor fields, 954  
   zero-order, 932–935  
     from vector, 935  
 Cartesian tensors, particular  
   conductivity, 952  
   inertia, 951  
   strain, 953  
   stress, 953  
   susceptibility, 952  
 catenary, 781, 787  
 Cauchy  
   boundary conditions, 702  
   distribution, 1152  
   inequality, 853  
   integrals, 851–853  
   product, 131  
   root test, 129, 831  
   theorem, 849  
 Cauchy–Riemann relations, 827–830, 849, 873, 875  
   in terms of  $z$  and  $z^*$ , 829  
 central differences, 1019

INDEX

- central limit theorem, 1194–1196
- central moments, *see* moments, central
- centre of a group, 1069
- centre of mass, 195
  - of hemisphere, 195
  - of semicircular lamina, 197
- centroid, 195
  - of plane area, 195
  - of plane curve, 197
  - of triangle, 216
- CF, *see* complementary function
- chain rule for functions of
  - one real variable, 46
  - several real variables, 157
- change of basis, *see* similarity transformations
- change of variables
  - and coordinate systems, 158–160
  - in multiple integrals, 199–207
    - evaluation of Gaussian integral, 202–204
    - general properties, 206
  - in RVD, 1150–1157
- character tables, 1093
  - $3m$  or  $32$  or  $C_{3v}$  or  $S_3$ , 1093, 1097, 1108, 1110, 1117
  - $4mm$  or  $C_{4v}$  or  $D_4$ , 1102, 1106, 1108, 1113
  - $A_4$ , 1116
  - $D_5$ , 1116
  - $S_4$  or  $432$  or  $O$ , 1114, 1115
  - $43m$  or  $T_d$ , 1115
  - construction of, 1100–1102
  - quaternion, 1113
- characteristic equation, 280
  - normal mode form, 319
  - of recurrence relation, 499
- characteristic functions, *see* moment generating functions (MGFs)
- characteristics
  - and boundary curves, 700
  - multiple intersections, 700, 705
  - and the existence of solutions, 699–705
  - first-order equations, 699
  - second-order equations, 703
    - and equation type, 703
- characters, 1092–1096, 1100–1102
  - and conjugacy classes, 1092, 1095
  - counting irreps, 1095
  - definition, 1092
  - of product representation, 1104
  - orthogonality properties, 1094, 1102
  - summation rules, 1097
- charge (point), Dirac  $\delta$ -function representation, 441
- charged particle in electromagnetic fields, 370
- Chebyshev equation, 535, 595–602
  - as example of Sturm–Liouville equation, 566, 599
  - general solution, 597
  - natural interval, 567, 599
  - polynomial solutions, 552
- Chebyshev functions, 595–602
- Chebyshev polynomials
  - of first kind  $T_n(x)$ , 596
    - as special case of hypergeometric function, 631
  - generating function, 601
  - graph of, 597
  - normalisation, 600
  - orthogonality, 599
  - recurrence relations, 601
  - Rodrigues’ formula, 599
- of second kind  $U_n(x)$ , 597
  - generating function, 601
  - graph of, 598
  - normalisation, 600
  - orthogonality, 599
  - Rodrigues’ formula, 599
- chi-squared ( $\chi^2$ ) distribution, 1192
  - and goodness of fit, 1297
  - and likelihood-ratio test, 1283, 1292
  - and multiple estimators, 1243
  - percentage points tabulation, 1244
  - test for correlation, 1301
- Cholesky separation, 313
- Christoffel symbol  $\Gamma^k_{ij}$ , 965–968
  - from metric tensor, 966, 973
- circle
  - area of, 71
  - equation for, 16
- circle of convergence, 831
- Clairaut equation, 483
- classes and equivalence relations, 1064
- closure of a group, 1043
- closure property of eigenfunctions of an Hermitian operator, 563
- cofactor of a matrix element, 259
- column matrix, 250
- column vector, 250
- combinations (probability), 1133–1139
- common ratio in geometric series, 117
- commutation law for group elements, 1044
- commutative law for
  - addition
    - in a vector space of finite dimensionality, 242
  - in a vector space of infinite dimensionality, 556
  - of complex numbers, 86
  - of matrices, 251
  - of vectors, 213
- complex scalar or dot product, 222
- convolution, 447, 458
- inner product, 244
- multiplication
  - of a vector by a scalar, 214
  - of complex numbers, 88
  - scalar or dot product, 220
- commutator
  - of two matrices, 309
  - of two operators, 653, 656
- comparison test, 125

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- complement, 1121
  - probability for, 1125
- complementary equation, 490
- complementary error function, 640
- complementary function (CF), 491
  - for ODE, 492
  - partially known, 506
  - repeated roots of auxiliary equation, 493
- completeness of
  - basis vectors, 243
  - eigenfunctions of an Hermitian operator, 560, 563
  - eigenvectors of a normal matrix, 275
  - spherical harmonics  $Y_\ell^m(\theta, \phi)$ , 594
- completing the square
  - as a means of integration, 66
  - for quadratic equations, 35
  - for quadratic forms, 1206
  - to evaluate Gaussian integral, 436, 749
- complex conjugate
  - $z^*$ , of complex number, 89–91, 829
  - of a matrix, 256–258
  - of scalar or dot product, 222
  - properties of, 90
- complex exponential function, 92, 833
- complex Fourier series, 424
- complex integrals, 845–849, *see also* zeros of a
  - function of a complex variable *and* contour integration
  - Airy integrals, 890–894
  - Cauchy integrals, 851–853
  - Cauchy's theorem, 849
  - definition, 845
  - Jordan's lemma, 864
  - Morera's theorem, 851
  - of  $z^{-1}$ , 846
  - principal value, 864
  - residue theorem, 858–860
  - WKB methods, 895–905
- complex logarithms, 99, 834
  - principal value of, 100, 834
- complex numbers, 83–114
  - addition and subtraction of, 85
  - applications to differentiation and integration, 101
  - argument of, 87
  - associativity of
    - addition, 86
    - multiplication, 88
  - commutativity of
    - addition, 86
    - multiplication, 88
  - complex conjugate of, *see* complex conjugate
  - components of, 84
  - de Moivre's theorem, *see* de Moivre's theorem
  - division of, 91, 94
  - from roots of polynomial equations, 83
  - imaginary part of, 83
  - modulus of, 87
  - multiplication of, 88, 94
    - as rotation in the Argand diagram, 88
  - notation, 84
  - polar representation of, 92–95
  - real part of, 83
  - trigonometric representation of, 93
- complex potentials, 871–876
  - and fluid flow, 873
  - equipotentials and field lines, 872
  - for circular and elliptic cylinders, 876
  - for parallel cylinders, 921
  - for plates, 877–879, 921
  - for strip, 921
  - for wedges, 878
  - under conformal transformations, 876–879
- complex power series, 133
- complex powers, 99
- complex variables, *see* functions of a complex
  - variable *and* power series in a complex
  - variable *and* complex integrals
- components
  - of a complex number, 84
  - of a vector, 217
    - in a non-orthogonal basis, 234
  - uniqueness, 243
- conditional (constrained) variation, 785–787
- conditional convergence, 124
- conditional distributions, 1198
- conditional probability, *see* probability, conditional
- cone
  - surface area of, 74
  - volume of, 75
- confidence interval, 1236
- confidence region, 1241
- confluence process, 634
- confluent hypergeometric equation, 535, 633
  - as example of Sturm–Liouville equation, 566
  - general solution, 633
- confluent hypergeometric functions, 633
- contiguous relations, 635
- integral representation, 634
- recurrence relations, 635
- special cases, 634
- conformal transformations (mappings), 839–879
  - applications, 876–879
  - examples, 842–844
  - properties, 839–842
  - Schwarz–Christoffel transformation, 843
- congruence, 1065
- conic sections, 15
  - eccentricity, 17
  - parametric forms, 17
  - standard forms, 16
- conjugacy classes, 1068–1070
  - element in a class by itself, 1068
- conjugate roots of polynomial equations, 99
- connectivity of regions, 383
- conservative fields, 387–389
  - necessary and sufficient conditions, 387–389
  - potential (function), 389

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- consistency, of estimator, 1230  
 constant coefficients in ODE, 492–503  
   auxiliary equation, 493  
 constants of integration, 62, 468  
 constrained variation, 785–787  
 constraints, stationary values under, *see*  
   Lagrange undetermined multipliers  
 continuity correction for discrete RV, 1186  
 continuity equation, 404  
 contour integration, 861–867, 887  
   infinite integrals, 862–867  
   inverse Laplace transforms, 884–887  
   residue theorem, 858–867  
   sinusoidal functions, 861  
   summing series, 882  
 contraction of tensors, 939  
 contradiction, proof by, 32–34  
 contravariant  
   basis vectors, 961  
   derivative, 965  
   components of tensor, 956  
   definition, 961  
 control variates, in Monte Carlo methods, 1013  
 convergence of infinite series, 831  
   absolute, 124, 831  
   complex power series, 133  
   conditional, 124  
   necessary condition, 125  
   power series, 132  
     under various manipulations, *see* power  
     series, manipulation  
 ratio test, 832  
 rearrangement of terms, 124  
 tests for convergence, 125–131  
   alternating series test, 130  
   comparison test, 125  
   grouping terms, 129  
   integral test, 128  
   quotient test, 127  
   ratio comparison test, 127  
   ratio test (D'Alembert), 126, 132  
   root test (Cauchy), 129, 831  
 convergence of numerical iteration schemes,  
   992–994  
 convolution  
   Fourier transforms, *see* Fourier transforms,  
     convolution  
   Laplace transforms, *see* Laplace transforms,  
     convolution  
 convolution theorem  
   Fourier transforms, 448  
   Laplace transforms, 457  
 coordinate geometry, 15–18  
   conic sections, 15  
   straight line, 15  
 coordinate systems, *see* Cartesian, curvilinear,  
   cylindrical polar, plane polar *and* spherical  
   polar coordinates  
 coordinate transformations  
   and integrals, *see* change of variables  
   and matrices, *see* similarity transformations  
   general, 960–965  
     relative tensors, 963  
     tensor transformations, 962  
     weight, 964  
   orthogonal, 932  
 coplanar vectors, 225  
 Cornu spiral, 914  
 correlation functions, 449–451  
   auto-correlation, 450  
   cross-correlation, 449  
   energy spectrum, 450  
   Parseval's theorem, 451  
   Wiener–Kinchin theorem, 450  
 correlation matrix, of sample, 1229  
 correlation of bivariate distributions, 1200–1207  
 correlation of sample data, 1229  
 correlation, chi-squared test, 1301  
 correspondence principle in quantum mechanics,  
   1215  
 cosets and congruence, 1065  
 cosh, hyperbolic cosine, 102, 833, *see also*  
   hyperbolic functions  
 cosine,  $\cos(x)$   
   in terms of exponential functions, 102  
   Maclaurin series for, 140  
   orthogonality relations, 417  
 counting irreps, *see* characters, counting irreps  
 coupled pendulums, 329, 331  
 covariance matrix  
   of linear least squares estimators, 1274  
   of sample, 1229  
 covariance of bivariate distributions, 1200–1207  
 covariance of sample data, 1229  
 covariant  
   basis vector, 961  
   derivative, 965  
   components of tensor, 956  
   definition, 961  
   derivative, 968  
   of scalar, 971  
   semi-colon notation, 969  
   differentiation, 968–971  
 CPF, *see* probability functions, cumulative  
 Cramér–Rao (Fisher's) inequality, 1232, 1233  
 Cramer determinant, 299  
 Cramer's rule, 299  
 cross product, *see* vector product  
 cross-correlation functions, 449  
 crystal lattice, 148  
 crystal point groups, 1082  
 cube roots of unity, 98  
 cube, rotational symmetries of, 1114  
 cumulants, 1166  
 curl of a vector field, 353  
   as a determinant, 353  
   as integral, 398, 400  
   curl curl, 356  
   in curvilinear coordinates, 368  
   in cylindrical polars, 360

INDEX

- in spherical polars, 362
- Stoke's theorem, 406–409
- tensor form, 974
- current-carrying wire, magnetic potential, 729
- curvature, 52–55
  - circle of, 53
  - of a function, 52
  - of space curves, 342
  - radius of, 53
- curves, *see* plane curves *and* space curves
- curvilinear coordinates, 364–369
  - basis vectors, 364
  - length and volume elements, 365
  - scale factors, 364
  - surfaces and curves, 364
  - tensors, 955–977
  - vector operators, 367–369
- cut plane, 865
- cycle notation for permutations, 1057
- cyclic groups, 1061, 1098
- cyclic relation for partial derivatives, 157
- cycloid, 370, 785
- cylinders, conducting, 874, 876
- cylindrical polar coordinates, 357–361
  - area element, 360
  - basis vectors, 358
  - Laplace equation, 728–731
  - length element, 360
  - vector operators, 357–361
  - volume element, 360
- $\delta$ -function (Dirac), *see* Dirac  $\delta$ -function
- $\delta_{ij}$ ,  $\delta_i^j$ , Kronecker delta, tensor, *see* Kronecker delta,  $\delta_{ij}$ ,  $\delta_i^j$ , tensor
- D'Alembert's ratio test, 126, 832
  - in convergence of power series, 132
- D'Alembert's solution to wave equation, 694
- damped harmonic oscillators, 239
  - and Parseval's theorem, 451
- data modelling, maximum-likelihood, 1255
- de Broglie relation, 436, 709, 768
- de Moivre's theorem, 95, 861
  - applications, 95–99
    - finding the  $n$ th roots of unity, 97
    - solving polynomial equations, 98
    - trigonometric identities, 95–97
- deconvolution, 449
- defective matrices, 278, 311
- degeneracy
  - breaking of, 1111–1113
  - of normal modes, 1110
- degenerate (separable) kernel, 807
- degenerate eigenvalues, 275, 282
- degree
  - of ODE, 468
  - of polynomial equation, 2
- del  $\nabla$ , *see* gradient operator (grad)
- del squared  $\nabla^2$  (Laplacian), 352, 676
  - as integral, 400
  - in curvilinear coordinates, 368
  - in cylindrical polar coordinates, 360
  - in polar coordinates, 725
  - in spherical polar coordinates, 362, 741
  - tensor form, 973
- delta function (Dirac), *see* Dirac  $\delta$ -function
- dependent random variables, 1196–1205
- derivative, *see also* differentiation
  - absolute, 975–977
  - covariant, 968
  - Fourier transform of, 444
  - Laplace transform of, 455
  - normal, 350
  - of basis vectors, 336
  - of composite vector expressions, 337
  - of function of a complex variable, 825
  - of function of a function, 46
  - of hyperbolic functions, 106–109
  - of products, 44–46, 48–50
  - of quotients, 47
  - of simple functions, 44
  - of vectors, 334
  - ordinary, first, second and  $n$ th, 42
  - partial, *see* partial differentiation
  - total, 154
- derivative method for second series solution of ODE, 545–548
- determinant form
  - and  $\epsilon_{ijk}$ , 942
  - for curl, 353
- determinants, 259–263
  - adding rows or columns, 262
  - and singular matrices, 263
  - as product of eigenvalues, 287
  - evaluation
    - using  $\epsilon_{ijk}$ , 942
    - using Laplace expansion, 259
  - identical rows or columns, 262
  - in terms of cofactors, 259
  - interchanging two rows or two columns, 262
  - Jacobian representation, 201, 205, 207
  - notation, 259
  - of Hermitian conjugate matrices, 262
  - of order three, in components, 260
  - of transpose matrices, 261
  - product rule, 262
  - properties, 261–263, 978
  - relationship with rank, 267
  - removing factors, 262
  - secular, 280
- diagonal matrices, 268
- diagonalisation of matrices, 285–288
  - normal matrices, 286
  - properties of eigenvalues, 287
  - simultaneous, 331
- diamond, unit cell, 234
- die throwing, *see* probability
- difference method for summation of series, 119
- difference schemes for differential equations, 1020–1023, 1030–1032

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- difference, finite, *see* finite differences  
 differentiable  
   function of a complex variable, 825–827  
   function of a real variable, 42  
 differential  
   definition, 43  
   exact and inexact, 155  
   of vector, 338, 344  
   total, 154  
 differential equations, *see* ordinary differential equations  
   equations *and* partial differential equations  
 differential equations, particular  
   associated Laguerre, 535, 566, 621–624  
   associated Legendre, 535, 566, 587–593  
   Bernoulli, 477  
   Bessel, 535, 566, 602–607, 614  
   Chebyshev, 535, 566, 595–602  
   Clairaut, 483  
   confluent hypergeometric, 535, 566, 633  
   diffusion, 678, 695–698, 716, 723, 1032  
   Euler, 504  
   Euler–Lagrange, 776  
   Helmholtz, 737–741  
   Hermite, 535, 566, 624–628  
   hypergeometric, 535, 566, 628–632  
   Lagrange, 789  
   Laguerre, 535, 566, 616–621  
   Laplace, 679, 690, 717, 718, 1031  
   Legendre, 534, 535, 566, 577–586  
   Legendre linear, 503–505  
   Poisson, 679, 744–746  
   Schrödinger, 679, 741, 768, 795  
   simple harmonic oscillator, 535, 566  
   Sturm–Liouville, 790  
   wave, 676, 689, 693–695, 714, 737, 790  
 differential operators, *see* linear differential operator  
 differentiation, *see also* derivative  
   as gradient, 42  
   as rate of change, 41  
   chain rule, 46  
   covariant, 968–971  
   from first principles, 41–44  
   implicit, 47  
   logarithmic, 48  
   notation, 43  
   of Fourier series, 424  
   of integrals, 178  
   of power series, 135  
   partial, *see* partial differentiation  
   product rule, 44–46, 48–50  
   quotient rule, 47  
   theorems, 55–57  
   using complex numbers, 101  
 diffraction, *see* Fraunhofer diffraction  
 diffusion equation, 678, 688, 695–698  
   combination of variables, 696–698  
   integral transforms, 747  
   numerical methods, 1032  
   separation of variables, 716  
   simple solution, 696  
   superposition, 723  
 diffusion of solute, 678, 696, 747  
 dihedral group, 1113, 1116  
 dimension of irrep, 1088  
 dimensionality of vector space, 243  
 dipole matrix elements, 208, 1108, 1115  
 dipole moments of molecules, 1077  
 Dirac  $\delta$ -function, 355, 405, 439–443  
   and convolution, 447  
   and Green's functions, 511, 512  
   as limit of various distributions, 443  
   as sum of harmonic waves, 442  
   definition, 439  
   Fourier transform of, 443  
   impulses, 441  
   point charges, 441  
   properties, 439  
   reality of, 443  
   relation to Fourier transforms, 442  
   relation to Heaviside (unit step) function, 441  
   three-dimensional, 441, 452  
 Dirac notation, 648  
 direct product, of groups, 1072  
 direct sum  $\oplus$ , 1086  
 direction cosines, 221  
 Dirichlet boundary conditions, 702, 852n  
   Green's functions, 754, 756–765  
   method of images, 758–765  
 Dirichlet conditions, for Fourier series, 415  
 disc, moment of inertia, 208  
 discontinuous functions and Fourier series, 420–422  
 discrete Fourier transforms, 462  
 disjoint events, *see* mutually exclusive events  
 displacement kernel, 809  
 distance from a  
   line to a line, 231  
   line to a plane, 232  
   point to a line, 229  
   point to a plane, 230  
 distributive law for  
   addition of matrix products, 254  
   convolution, 447, 458  
   inner product, 244  
   linear operators, 249  
   multiplication  
     of a matrix by a scalar, 251  
     of a vector by a complex scalar, 222  
     of a vector by a scalar, 214  
   multiplication by a scalar  
     in a vector space of finite dimensionality, 242  
     in a vector space of infinite dimensionality, 556  
   scalar or dot product, 220  
   vector or cross product, 222  
 div, divergence of vector fields, 352  
   as integral, 398  
   in curvilinear coordinates, 367



## INDEX

- in cylindrical polars, 360
- in spherical polars, 362
- tensor form, 972
- divergence theorem
  - for tensors, 954
  - for vectors, 401
  - in two dimensions, 384
  - physical applications, 404
  - related theorems, 403
- division axiom in a group, 1046
- division of complex numbers, 91
- dominant term, in Stokes phenomenon, 904
- dot product, *see* scalar product
- double integrals, *see* multiple integrals
- drumskin, *see* membrane
- dual tensors, 949
- dummy variable, 61
- $\epsilon_{ijk}$ , Levi-Civita symbol, tensor, 941–946
  - and determinant, 942
  - identities, 943
  - isotropic, 945
  - vector products, 942
  - weight, 964
- $e^x$ , *see* exponential function
- E, two-dimensional irrep, 1090, 1102, 1108
- eccentricity, of conic sections, 17
- efficiency, of estimator, 1231
- eigenequation for differential operators, 554
  - more general form, 555, 571–573
- eigenfrequencies, 319
  - estimation using Rayleigh–Ritz method, 327–329
- eigenfunctions
  - completeness for Hermitian operators, 560, 563
  - construction of a real set for an Hermitian operator, 563
  - definition, 555
  - normalisation for Hermitian operators, 562
  - of integral equations, 817
  - of simple harmonic oscillators, 555
  - orthogonality for Hermitian operators, 561–563
- eigenvalues, 272–282, *see* Hermitian operators
  - characteristic equation, 280
  - continuous and discrete, 650
  - definition, 272
  - degenerate, 282
  - determination, 280–282
  - estimation for ODE, 790
  - estimation using Rayleigh–Ritz method, 327–329
  - notation, 273
  - of anti-Hermitian matrices, *see* anti-Hermitian matrices
  - of Fredholm equations, 808
  - of general square matrices, 278
  - of Hermitian matrices, *see* Hermitian matrices
  - of integral equations, 808, 816
  - of linear differential operators
    - adjustment of parameters, 795
    - definition, 555
    - error in estimate of, 793
    - estimation, 790–796
    - higher eigenvalues, 793, 800
    - simple harmonic oscillator, 555
  - of linear operators, 272
  - of normal matrices, 273–276
  - of representative matrices, 1100
  - of unitary matrices, 278
  - under similarity transformation, 287
- eigenvectors, 272–282
  - characteristic equation, 280
  - definition, 272
  - determination, 280–282
  - normalisation condition, 273
  - notation, 273
  - of anti-Hermitian matrices, *see* anti-Hermitian matrices
  - of commuting matrices, 278
  - of general square matrices, 278
  - of Hermitian matrices, *see* Hermitian matrices
  - of linear operators, 272
  - of normal matrices, 273–276
  - of unitary matrices, 278
  - stationary properties for quadratic and Hermitian forms, 290
- Einstein relation, 436, 709, 768
- elastic deformations, 953
- electromagnetic fields
  - flux, 395
  - Maxwell's equations, 373, 408, 979
- electrostatic fields and potentials
  - charged split sphere, 735
  - conducting cylinder in uniform field, 876
  - conducting sphere in uniform field, 734
  - from charge density, 745, 758
  - from complex potential, 873
  - infinite charged plate, 759, 877
  - infinite wedge with line charge, 878
  - infinite charged wedge, 877
  - of line charges, 761, 872
  - semi-infinite charged plate, 877
  - sphere with point charge, 764
- ellipse
  - area of, 71, 207, 385
  - as section of quadratic surface, 292
  - equation for, 16
- ellipsoid, volume of, 207
- elliptic PDE, 687, 690
- empty event  $\emptyset$ , 1121
- end-points for variations
  - contributions from, 782
  - fixed, 777
  - variable, 782–785
- energy levels of
  - particle in a box, 768
  - simple harmonic oscillator, 642

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- 
- energy spectrum and Fourier transforms, 450, 451
- entire functions, 832n
- envelopes, 173–175  
equations of, 174  
to a family of curves, 173
- epimorphism, 1061
- equilateral triangle, symmetries of, 1047, 1052, 1081, 1110
- equivalence relations, 1064–1066, 1068  
and classes, 1064  
congruence, 1065–1067  
examples, 1070
- equivalence transformations, *see* similarity transformations
- equivalent representations, 1084–1086, 1099
- error function,  $\text{erf}(x)$ , 640, 697, 748  
as special case of confluent hypergeometric function, 634
- error terms  
in Fourier series, 430  
in Taylor series, 139
- errors, first and second kind, 1280
- essential singularity, 838, 856
- estimation of eigenvalues  
linear differential operator, 792–795  
Rayleigh–Ritz method, 327–329
- estimators (statistics), 1229  
best unbiased, 1232  
bias, 1231  
central confidence interval, 1237  
confidence interval, 1236  
confidence limits, 1236  
confidence region, 1241  
consistency, 1230  
efficiency, 1231  
maximum-likelihood, 1256  
minimum-variance, 1232  
standard error, 1234
- Euler equation  
differential, 504, 522  
trigonometric, 93
- Euler method, numerical, 1021
- Euler–Lagrange equation, 776  
special cases, 777–781
- even functions, *see* symmetric functions
- events, 1120  
complement of, 1121  
empty  $\emptyset$ , 1121  
intersection of  $\cap$ , 1120  
mutually exclusive, 1129  
statistically independent, 1129  
union of  $\cup$ , 1121
- exact differentials, 155
- exact equations, 472, 505  
condition for, 472  
non-linear, 519
- expectation values, *see* probability distributions, mean
- exponential distribution, 1190  
from Poisson, 1190  
MGF, 1191
- exponential function  
Maclaurin series for, 140  
of a complex variable, 92, 833  
relation with hyperbolic functions, 102
- F*-distribution (Fisher), 1290–1296  
critical points table, 1295  
logarithmic form, 1296
- Fabry–Pérot interferometer, 146
- factorial function, general, 636
- factorisation, of a polynomial equation, 7
- faithful representation, 1083, 1098
- Fermat's principle, 787, 798
- Fermi–Dirac statistics, 1138
- Fibonacci series, 525
- field lines and complex potentials, 872
- fields  
conservative, 387–389  
scalar, 347  
tensor, 954  
vector, 347
- fields, electrostatic, *see* electrostatic fields and potentials
- fields, gravitational, *see* gravitational fields and potentials
- finite differences, 1019  
central, 1019  
for differential equations, 1020–1023  
forward and backward, 1019  
from Taylor series, 1019, 1026  
schemes for differential equations, 1030–1032
- finite groups, 1043
- first law of thermodynamics, 176
- first-order differential equations, *see* ordinary differential equations
- Fisher distribution, *see* *F*-distribution (Fisher)
- Fisher matrix, 1241, 1268
- Fisher's inequality, 1232, 1233
- fluids  
Archimedean upthrust, 396, 410  
complex velocity potential, 873  
continuity equation, 404  
cylinder in uniform flow, 874  
flow, 873  
flux, 395, 875  
irrotational flow, 353  
sources and sinks, 404, 873  
stagnation points, 873  
velocity potential, 409, 679  
vortex flow, 408, 874
- forward differences, 1019
- Fourier cosine transforms, 446
- Fourier series, 415–432  
and separation of variables, 719–722, 724  
coefficients, 417–419, 425  
complex, 424  
differentiation, 424  
Dirichlet conditions, 415

INDEX

- discontinuous functions, 420–422
- error term, 430
- integration, 424
- non-periodic functions, 422–424
- orthogonality of terms, 417
  - complex case, 425
- Parseval's theorem, 426
- standard form, 417
- summation of series, 427
- symmetry considerations, 419
- uses, 415
- Fourier series, examples
  - square-wave, 418
  - $x$ , 424, 425
  - $x^2$ , 422
  - $x^3$ , 424
- Fourier sine transforms, 445
- Fourier transforms, 433–453
  - as generalisation of Fourier series, 433–435
  - convolution, 446–449
    - and the Dirac  $\delta$ -function, 447
  - associativity, commutativity, distributivity, 447
  - definition, 447
  - resolution function, 446
  - convolution theorem, 448
  - correlation functions, 449–451
  - cosine transforms, 446
  - deconvolution, 449
  - definition, 435
  - discrete, 462
  - evaluation using convolution theorem, 448
  - for integral equations, 809–812
  - for PDE, 749–751
  - Fourier-related (conjugate) variables, 436
  - in higher dimensions, 451–453
  - inverse, definition, 435
  - odd and even functions, 445
  - Parseval's theorem, 450
  - properties: differentiation, exponential multiplication, integration, scaling, translation, 444
  - relation to Dirac  $\delta$ -function, 442
  - sine transforms, 445
- Fourier transforms, examples
  - convolution, 448
  - damped harmonic oscillator, 451
  - Dirac  $\delta$ -function, 443
  - exponential decay function, 435
  - Gaussian (normal) distribution, 435
  - rectangular distribution, 442
  - spherically symmetric functions, 452
  - two narrow slits, 448
  - two wide slits, 438, 448
- Fourier's inversion theorem, 435
- Fraunhofer diffraction, 437–439
  - diffraction grating, 461
  - two narrow slits, 448
  - two wide slits, 438, 448
- Fredholm integral equations, 805
  - eigenvalues, 808
  - operator form, 806
  - with separable kernel, 807
- Fredholm theory, 815
- Frenet–Serret formulae, 343
- Fresnel integrals, 913
- Frobenius series, 539
- Fuch's theorem, 539
- function of a matrix, 255
- functional, 776
- functions of a complex variable, 825–839, 853–858
  - analyticity, 826
  - behaviour at infinity, 839
  - branch points, 835
  - Cauchy integrals, 851–853
  - Cauchy–Riemann relations, 827–830
  - conformal transformations, 839–844
  - derivative, 825
  - differentiation, 825–830
  - identity theorem, 854
  - Laplace equation, 829, 871
  - Laurent expansion, 855–858
  - multivalued and branch cuts, 835–837, 885
  - particular functions, 832–835
  - poles, 837
  - power series, 830–832
  - real and imaginary parts, 825, 830
  - singularities, 826, 837–839
  - Taylor expansion, 853–855
  - zeros, 839, 879–882
- functions of one real variable
  - decomposition into even and odd functions, 416
  - differentiation of, 41–50
  - Fourier series, *see* Fourier series
  - integration of, 59–72
  - limits, *see* limits
  - maxima and minima of, 50–52
  - stationary values of, 50–52
  - Taylor series, *see* Taylor series
- functions of several real variables
  - chain rule, 157
  - differentiation of, 151–179
  - integration of, *see* multiple integrals, evaluation
  - maxima and minima, 162–167
  - points of inflection, 162–167
  - rates of change, 153–155
  - saddle points, 162–167
  - stationary values, 162–167
  - Taylor series, 160–162
- fundamental solution, 757
- fundamental theorem of
  - algebra, 83, 85, 868
  - calculus, 61
  - complex numbers, *see* de Moivre's theorem
- gamma distribution, 1153, 1191
- gamma function

## INDEX

- as general factorial function, 636
- definition and properties, 636
- graph of, 637
- Gauss's theorem, 765
- Gauss–Seidel iteration, 996–998
- Gaussian (normal) distribution  $N(\mu, \sigma^2)$ , 1179–1189
  - and binomial distribution, 1185
  - and central limit theorem, 1195
  - and Poisson distribution, 1187
  - continuity correction, 1186
  - CPF, 1018, 1181
    - tabulation, 1182
  - Fourier transform, 435
  - integration with infinite limits, 202–204
  - mean and variance, 1180–1184
  - MGF, 1185, 1188
  - multiple, 1188
  - multivariate, 1209
  - random number generation, 1018
  - sigma limits, 1183
  - standard variable, 1180
- Gaussian elimination with interchange, 995
- Gaussian integration, 1005–1009
  - points and weights, 1008, 1010
- general tensors
  - algebra, 938–941
  - contraction, 939
  - contravariant, 961
  - covariant, 961
  - dual, 949
  - metric, 957–960
  - physical applications, 957–960, 976
  - pseudotensors, 964
  - tensor densities, 964
- generalised likelihood ratio, 1282
- generating functions
  - associated Laguerre polynomials, 623
  - associated Legendre polynomials, 592
  - Bessel functions, 613
  - Chebyshev polynomials, 601
  - Hermite polynomials, 627
  - Laguerre polynomials, 620
  - Legendre polynomials, 584–586
- generating functions in probability, 1157–1167, *see also* moment generating functions *and* probability generating functions
- geodesics, 797, 976, 982
- geometric distribution, 1159, 1172
- geometric series, 117
- Gibbs' free energy, 178
- Gibbs' phenomenon, 421
- gradient of a function of
  - one variable, 42
  - several real variables, 153–155
- gradient of scalar, 348–352
  - tensor form, 972
- gradient of vector, 937, 969
- gradient operator (grad), 348
  - as integral, 398
  - in curvilinear coordinates, 367
  - in cylindrical polars, 360
  - in spherical polars, 362
  - tensor form, 972
- Gram–Schmidt orthogonalisation of
  - eigenfunctions of Hermitian operators, 562
  - eigenvectors of
    - Hermitian matrices, 277
    - normal matrices, 275
  - functions in a Hilbert space, 557
- gravitational fields and potentials
  - Laplace equation, 679
  - Newton's law, 339
  - Poisson equation, 679, 744
  - uniform disc, 771
  - uniform ring, 742
- Green's functions, 568–571, 751–767
  - and boundary conditions, 512, 514
  - and Dirac  $\delta$ -function, 511
  - and partial differential operators, 753
  - and Wronskian, 527
  - diffusion equation, 749
  - Dirichlet problems, 756–765
  - for ODE, 185, 511–516
  - Neumann problems, 765–767
  - particular integrals from, 514
  - Poisson's equation, 755
- Green's theorems
  - applications, 706, 754, 849
  - in a plane, 384–387, 407
  - in three dimensions, 402
- ground-state energy
  - harmonic oscillator, 796
  - hydrogen atom, 800
- group multiplication tables, 1050
  - order three, 1062
  - order four, 1050, 1052, 1061
  - order five, 1062
  - order six, 1055, 1061
- grouping terms as a test for convergence, 129
- groups
  - Abelian, 1044
  - associative law, 1043
  - cancellation law, 1046
  - centre, 1069
  - closure, 1043
  - cyclic, 1061
  - definition, 1043–1046
  - direct product, 1072
  - division axiom, 1046
  - elements, 1043
    - order, 1047
  - finite, 1043
  - identity element, 1043–1046
  - inverse, 1043, 1046
  - isomorphic, 1051
  - mappings between, 1059–1061
    - homomorphic, 1059–1061
    - image, 1059
    - isomorphic, 1059

## INDEX

- nomenclature, 1102  
 non-Abelian, 1052–1056  
 order, 1043, 1081, 1082, 1094, 1097, 1100  
 permutation law, 1047  
 subgroups, *see* subgroups  
 groups, examples  
   1 and  $-1$  under multiplication, 1043  
   alternating, 1116  
   complex numbers  $e^{i\theta}$ , 1048  
   functions, 1055  
   general linear, 1073  
   integers under addition, 1043  
   integers under multiplication (mod  $N$ ),  
     1049–1051  
   matrices, 1054  
   permutations, 1056–1058  
   quaternion, 1073  
   rotation matrices, 1048  
   symmetries of a square, 1100  
   symmetries of an equilateral triangle, 1047  
  
 $H_n(x)$ , *see* Hermite polynomials  
 Hamilton's principle, 788  
 Hamiltonian, 796  
 Hankel functions  $H_v^{(1)}(x)$ ,  $H_v^{(2)}(x)$ , 607  
 Hankel transforms, 459  
 harmonic oscillators  
   damped, 239, 451  
   ground-state energy, 796  
   Schrödinger equation, 796  
   simple, *see* simple harmonic oscillator  
 heat flow  
   diffusion equation, 678, 696, 723  
   in bar, 723, 749, 770  
   in thin sheet, 698  
 Heaviside function, 441  
   relation to Dirac  $\delta$ -function, 441  
 Heisenberg's uncertainty principle, 435–437  
 Helmholtz equation, 737–741  
   cylindrical polars, 740  
   plane polars, 738  
   spherical polars, 740–741  
 Helmholtz potential, 177  
 hemisphere, centre of mass and centroid, 195  
 Hermite equation, 535, 624–628  
   as example of Sturm–Liouville equation, 566  
   natural interval, 567  
 Hermite polynomials  $H_n(x)$ , 625  
   as special case of confluent hypergeometric  
     function, 634  
   generating function, 627  
   graph of, 625  
   normalisation, 626  
   orthogonality, 626  
   recurrence relations, 628  
   Rodrigues' formula, 626  
 Hermitian conjugate, 256–258  
   and inner product, 258  
   product rule, 257  
 Hermitian forms, 288–292  
   positive definite and semi-definite, 290  
   stationary properties of eigenvectors, 290  
 Hermitian kernel, 816  
 Hermitian matrices, 271  
   eigenvalues, 276–278  
     reality, 276  
   eigenvectors, 276–278  
     orthogonality, 277  
 Hermitian operators, 559–564  
   and physical variables, 650  
   boundary condition for simple harmonic  
     oscillators, 560  
   eigenfunctions  
     completeness, 560, 563  
     orthogonality, 561–563  
   eigenvalues  
     reality, 561  
   Green's functions, 568–571  
   importance of, 555, 560  
   in Sturm–Liouville equations, 564  
   properties, 561–564  
   superposition methods, 568–571  
 higher-order differential equations, *see* ordinary  
   differential equations  
 Hilbert spaces, 557–559  
 hit or miss, in Monte Carlo methods, 1014  
 homogeneous  
   boundary conditions, *see* boundary  
     conditions, homogeneous and  
     inhomogeneous  
   differential equations, 490  
   dimensionally consistent, 475, 521  
   simultaneous linear equations, 293  
 homomorphism, 1059–1061  
   kernel of, 1060  
   representation as, 1083  
 Hooke's law, 953  
 hydrogen atom  
   s-states, 1144  
   electron wavefunction, 208  
   ground-state energy, 800  
 hydrogen molecule, symmetries of, 1041  
 hyperbola  
   as section of quadratic surface, 292  
   equation for, 16  
 hyperbolic functions, 102–109, 833  
   calculus of, 106–109  
   definitions, 102, 833  
   graphs, 102  
   identities, 104  
   in equations, 105  
   inverses, 105  
     graphs, 106  
   trigonometric analogies, 102–104  
 hyperbolic PDE, 687, 690  
 hypergeometric distribution, 1173  
   mean and variance, 1173  
 hypergeometric equation, 535, 628–632  
   as example of Sturm–Liouville equation, 566,  
     567

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- general solution, 630
  - natural interval, 567
- hypergeometric functions, 628–632
  - contiguous relations, 632
  - integral representation, 631
  - recurrence relations, 632
  - special cases, 630
- hypothesis testing, 1277–1298
  - errors, first and second kind, 1280
  - generalised likelihood ratio, 1282
  - generalised likelihood-ratio test, 1281
  - goodness of fit, 1296
  - Neyman–Pearson test, 1280
  - null, 1278
  - power, 1280
  - rejection region, 1279
  - simple or composite, 1278
  - statistical tests, 1278
  - test statistic, 1278
- i, j, k** (unit vectors), 219
- $i$ , square root of  $-1$ , 84
- identity element of a group, 1043–1046
  - uniqueness, 1043, 1045
- identity matrices, 254, 255
- identity operator, 249
- images, method of, *see* method of images
- imaginary part or term of a complex number, 83
- importance sampling, in Monte Carlo methods, 1012
- improper
  - integrals, 70
  - rotations, 946–948
- impulses,  $\delta$ -function representation, 441
- incomplete gamma function, 639
- independent random variables, 1156, 1200
- index of a subgroup, 1066
- indices, of regular singular points, 540
- indicial equation, 540
  - distinct roots with non-integral difference, 540–542
  - repeated roots, 542, 546, 547
  - roots differ by integer, 542, 546
- induction, proof by, 31
- inequalities
  - amongst integrals, 72
  - Bessel, 246, 559
  - Schwarz, 246, 559
  - triangle, 246, 559
- inertia, *see also* moments of inertia
  - moments and products, 951
  - tensor, 951
- inexact differentials, 155
- inexact equation, 473
- infinite integrals, 70
  - contour integration, 862–867
- infinite series, *see* series
- inflection
  - general points of, 52
  - stationary points of, 50–52
- inhomogeneous
  - boundary conditions, *see* boundary conditions, homogeneous and inhomogeneous
  - differential equations, 490
  - simultaneous linear equations, 293
- inner product in a vector space, *see also* scalar product
  - of finite dimensionality, 244
  - and Hermitian conjugate, 258
  - commutativity, 244
  - distributivity over addition, 244
  - of infinite dimensionality, 557
- integral equations
  - eigenfunctions, 817
  - eigenvalues, 808, 816
  - Fredholm, 805
  - from differential equations, 803
  - homogeneous, 805
  - linear, 804
    - first kind, 805
    - second kind, 805
  - nomenclature, 804
  - singular, 805
  - Volterra, 805
- integral equations, methods for
  - differentiation, 812
  - Fredholm theory, 815
  - integral transforms, 809–812
    - Fourier, 809–812
    - Laplace, 810
  - Neumann series, 813–815
  - Schmidt–Hilbert theory, 816–819
  - separable (degenerate) kernels, 807
- integral functions, 832n
- integral test for convergence of series, 128
- integral transforms, *see also* Fourier transforms
  - and* Laplace transforms
  - general form, 459
  - Hankel transforms, 459
  - Mellin transforms, 459
- integrals, *see also* integration
  - complex, *see* complex integrals
  - definite, 59
  - double, *see* multiple integrals
  - Fourier transform of, 444
  - improper, 70
  - indefinite, 62
  - inequalities, 72, 559
  - infinite, 70
  - Laplace transform of, 456
  - limits
    - containing variables, 188
    - fixed, 59
    - variable, 61
  - line, *see* line integrals
  - multiple, *see* multiple integrals
  - non-zero, 1104
  - of vectors, 339
  - properties, 60

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- triple, *see* multiple integrals
- undefined, 59
- integrand, 59
- integrating factor (IF), 506
- first-order ODE, 473–475
- integration, *see also* integrals
  - applications, 72–76
    - finding the length of a curve, 73
    - mean value of a function, 72
    - surfaces of revolution, 74
    - volumes of revolution, 75
  - as area under a curve, 59
  - as the inverse of differentiation, 61
  - formal definition, 59
  - from first principles, 59
  - in plane polar coordinates, 70
  - logarithmic, 64
  - multiple, *see* multiple integrals
  - multivalued functions, 865–867, 885
  - of Fourier series, 424
  - of functions of several real variables, *see* multiple integrals
  - of hyperbolic functions, 106–109
  - of power series, 135
  - of simple functions, 62
  - of singular functions, 70
  - of sinusoidal functions, 63, 861
- integration constant, 62
- integration, methods for
  - by inspection, 62
  - by parts, 67–69
  - by substitution, 65–67
    - $t$  substitution, 65
- change of variables, *see* change of variables
- completing the square, 66
- contour, *see* contour integration
- Gaussian, 1005–1009
- numerical, 1000–1009
- partial fractions, 64
- reduction formulae, 69
- stationary phase, 912–920
- steepest descents, 908–912
- trigonometric expansions, 63
- using complex numbers, 101
- intersection  $\cap$ , probability for, 1120, 1128
- intrinsic derivative, *see* absolute derivative
- invariant tensors, *see* isotropic tensors
- inverse hyperbolic functions, 105
- inverse integral transforms
  - Fourier, 435
  - Laplace, 454, 884–887
    - uniqueness, 454
- inverse matrices, 263–266
  - elements, 264
  - in solution of simultaneous linear equations, 295
  - product rule, 266
  - properties, 265
- inverse of a linear operator, 249
- inverse of a product in a group, 1046
- inverse of element in a group
  - uniqueness, 1043, 1046
- inversion theorem, Fourier's, 435
- inversions as
  - improper rotations, 946
  - symmetry operations, 1041
- irregular singular points, 534
- irreps, 1087
  - counting, 1095
  - dimension  $n_i$ , 1097
  - direct sum  $\oplus$ , 1086
  - identity  $A_1$ , 1100, 1104
  - $n$ -dimensional, 1088, 1089, 1102
  - number in a representation, 1087, 1095
  - one-dimensional, 1088, 1089, 1093, 1099, 1102
  - orthogonality theorem, 1090–1092
  - projection operators for, 1107
  - reduction to, 1096
  - summation rules for, 1097–1099
- irrotational vectors, 353
- isobaric ODE, 476
  - non-linear, 521
- isoclines, method of, 1028, 1037
- isomorphic groups, 1051–1056, 1058, 1059
- isomorphism (mapping), 1060
- isotope decay, 484, 525
- isotropic (invariant) tensors, 944–946, 953
- iteration schemes
  - convergence of, 992–994
    - for algebraic equations, 986–994
    - for differential equations, 1025
    - for integral equations, 813–816
  - Gauss–Seidel, 996–998
  - order of convergence, 993
- $J_\nu(x)$ , *see* Bessel functions
- $j$ , square root of  $-1$ , 84
- $j_\nu(x)$ , *see* spherical Bessel functions
- Jacobians
  - analogy with derivatives, 207
  - and change of variables, 206
  - definition in
    - two dimensions, 201
    - three dimensions, 205
  - general properties, 206
  - in terms of a determinant, 201, 205, 207
- joint distributions, *see* bivariate distributions
  - and multivariate distributions
- Jordan's lemma, 864
- kernel of a homomorphism, 1060, 1063
- kernel of an integral transform, 459
- kernel of integral equations
  - displacement, 809
  - Hermitian, 816
  - of form  $\exp(-ixz)$ , 810–812
  - of linear integral equations, 804
  - resolvent, 814, 815
  - separable (degenerate), 807
- ket vector  $|\psi\rangle$ , 648



INDEX

- kinetic energy of oscillating system, 316
- Klein–Gordon equation, 711, 772
- Kronecker delta  $\delta_{ij}$  and orthogonality, 244
- Kronecker delta,  $\delta_{ij}$ ,  $\delta_i^j$ , tensor, 928, 941–946, 956, 962
  - identities, 943
  - isotropic, 945
  - vector products, 942
- Kummer function, 633
- kurtosis, 1150, 1227
  
- $L_n(x)$ , *see* Laguerre polynomials
- $L_n^m(x)$ , *see* associated Laguerre polynomials
- L'Hôpital's rule, 142–144
- Lagrange equations, 789
  - and energy conservation, 797
- Lagrange undetermined multipliers, 167–173
  - and ODE eigenvalue estimation, 792
  - application to stationary properties of the eigenvectors of quadratic and Hermitian forms, 290
  - for functions of more than two variables, 169–173
  - in deriving the Boltzmann distribution, 171–173
  - integral constraints, 785
  - with several constraints, 169–173
- Lagrange's identity, 226
- Lagrange's theorem, 1065
  - and the order of a subgroup, 1062
  - and the order of an element, 1062
- Lagrangian, 789, 797
- Laguerre equation, 535, 616–621
  - as example of Sturm–Liouville equation, 566, 619
  - natural interval, 567, 619
- Laguerre polynomials  $L_n(x)$ , 617
  - as special case of confluent hypergeometric function, 634
  - generating function, 620
  - graph of, 617
  - normalisation, 619
  - orthogonality, 619
  - recurrence relations, 620
  - Rodrigues' formula, 618
- Lamé constants, 953
- lamina: mass, centre of mass and centroid, 193–195
- Laplace equation, 679
  - expansion methods, 741–744
  - in two dimensions, 688, 690, 717, 718
    - and analytic functions, 829
    - and conformal transformations, 876–879
    - numerical method for, 1031, 1038
    - plane polars, 725–727
    - separated variables, 717
  - in three dimensions
    - cylindrical polars, 728–731
    - spherical polars, 731–737
  - uniqueness of solution, 741
  - with specified boundary values, 764, 766
- Laplace expansion, 259
- Laplace transforms, 453–459, 884
  - convolution
    - associativity, commutativity, distributivity, 458
    - definition, 457
  - convolution theorem, 457
  - definition, 453
  - for ODE with constant coefficients, 501–503
  - for PDE, 747–748
  - inverse, 454, 884–887
    - uniqueness, 454
  - properties: translation, exponential multiplication, etc., 456
  - table for common functions, 455
- Laplace transforms, examples
  - constant, 453
  - derivatives, 455
  - exponential function, 453
  - integrals, 456
  - polynomial, 453
- Laplacian, *see* del squared  $\nabla^2$  (Laplacian)
- Laurent expansion, 855–858
  - analytic and principal parts, 855
  - region of convergence, 855
- least squares, method of, 1271–1277
  - basis functions, 1273
  - linear, 1272
  - non-linear, 1276
  - response matrix, 1273
- Legendre equation, 534, 535, 577–586
  - as example of Sturm–Liouville equation, 566, 583
  - associated, *see* associated Legendre equation
  - general solution, 578, 580
  - natural interval, 567, 583
- Legendre functions  $P_\ell(x)$ , 577–586
  - associated Legendre functions, 768
  - of second kind  $Q_\ell(x)$ , 579
  - graph of, 580
- Legendre linear equation, 503
- Legendre polynomials  $P_\ell(x)$ , 578
  - as special case of hypergeometric function, 631
  - associated Legendre functions, 733
  - generating function, 584–586
  - graph of, 579
  - in Gaussian integration, 1006
  - normalisation, 578, 582
  - orthogonality, 583, 735
  - recurrence relations, 585, 586
  - Rodrigues' formula, 581
- Leibnitz' rule for differentiation of integrals, 178
- Leibnitz' theorem, 48–50
- length of
  - a vector, 218
  - plane curves, 73, 341
  - space curves, 341
  - tensor form, 982



Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- level lines, 905, 906
- Levi-Civita symbol, *see*  $\epsilon_{ijk}$ , Levi-Civita symbol, tensor
- likelihood function, 1255
- limits, 141–144
  - definition, 141
  - L'Hôpital's rule, 142–144
  - of functions containing exponents, 142
  - of integrals, 59
    - containing variables, 188
  - of products, 141
  - of quotients, 141–144
  - of sums, 141
- line charge, electrostatic potential, 872, 878
- line integrals
  - and Cauchy integrals, 851–853
  - and Stokes' theorem, 406–409
  - of scalars, 377–387
  - of vectors, 377–389
  - physical examples, 381
  - round closed loop, 386
- line of steepest descents, 308
- line, vector equation of, 226
- linear dependence and independence
  - definition in a vector space, 242
  - of basis vectors, 217
  - relationship with rank, 267
- linear differential operator  $\mathcal{L}$ , 511, 545, 554
  - adjoint  $\mathcal{L}^\dagger$ , 559
  - eigenfunctions, *see* eigenfunctions
  - eigenvalues, *see* eigenvalues, of linear differential operators
  - for Sturm-Liouville equation, 564–568
  - Hermitian, 555, 559–564
  - self-adjoint, 559
- linear equations, differential
  - first-order ODE, 474
  - general ODE, 490–517
  - ODE with constant coefficients, 492–503
  - ODE with variable coefficients, 503–517
- linear equations, simultaneous, *see* simultaneous linear equations
- linear independence of functions, 491
  - Wronskian test, 491, 532
- linear integral operator  $\mathcal{K}$ , 805
  - and Schmidt–Hilbert theory, 816–818
  - Hermitian conjugate, 805
  - inverse, 806
- linear interpolation for algebraic equations, 988
- linear least squares, method of, 1272
- linear molecules
  - normal modes of, 320–322
  - symmetries of, 1077
- linear operators, 247–249
  - associativity, 249
  - distributivity over addition, 249
  - eigenvalues and eigenvectors, 272
  - in a particular basis, 248
  - inverse, 249
  - non-commutativity, 249
  - particular: identity, null or zero, singular and non-singular, 249
  - properties, 249
- linear vector spaces, *see* vector spaces
- lines of steepest descent, 906
- Liouville's theorem, 853
- $\text{Ln}$  of a complex number, 99, 834
- $\ln$  (natural logarithm)
  - Maclaurin series for, 140
  - of a complex number, 99, 834
- log-likelihood function, 1258
- longitudinal vibrations in a rod, 677
- lottery (UK), and hypergeometric distribution, 1174
- lower triangular matrices, 269
- Maclaurin series, 138
  - standard expressions, 140
- Madelung constant, 149
- magnetic dipole, 220
- magnitude of a vector, 218
  - in terms of scalar or dot product, 221
- mappings between groups, *see* groups, mappings between
- marginal distributions, 1198
- mass of non-uniform bodies, 193
- matrices, 241–307
  - as a vector space, 252
  - as arrays of numbers, 249
  - as representation of a linear operator, 249
  - column, 250
  - elements, 249
    - minors and cofactors, 259
  - identity or unit, 254
  - row, 250
  - zero or null, 254
- matrices, algebra of, 250
  - addition, 251
  - change of basis, 283–285
  - Cholesky separation, 313
  - diagonalisation, *see* diagonalisation of matrices
  - multiplication, 252–254
    - and common eigenvalues, 278
    - commutator, 309
    - non-commutativity, 254
  - multiplication by a scalar, 251
  - normal modes, *see* normal modes
  - numerical methods, *see* numerical methods for simultaneous linear equations
  - similarity transformations, *see* similarity transformations
  - simultaneous linear equations, *see* simultaneous linear equations
  - subtraction, 251
- matrices, derived
  - adjoint, 256–258
  - complex conjugate, 256–258
  - Hermitian conjugate, 256–258
  - inverse, *see* inverse matrices

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- transpose, 250
- matrices, properties of
  - anti- or skew-symmetric, 270
  - anti-Hermitian, *see* anti-Hermitian matrices
  - determinant, *see* determinants
  - diagonal, 268
  - eigenvalues, *see* eigenvalues
  - eigenvectors, *see* eigenvectors
  - Hermitian, *see* Hermitian matrices
  - normal, *see* normal matrices
  - nullity, 293
  - order, 249
  - orthogonal, 270
  - rank, 267
  - square, 249
  - symmetric, 270
  - trace or spur, 258
  - triangular, 269
  - tridiagonal, 998–1000, 1030
  - unitary, *see* unitary matrices
- matrix elements in quantum mechanics
  - as integrals, 1103
  - dipole, 1108, 1115
- maxima and minima (local) of a function of
  - constrained variables, *see* Lagrange
  - undetermined multipliers
  - one real variable, 50–52
    - sufficient conditions, 51
  - several real variables, 162–167
    - sufficient conditions, 164, 167
- maximum modulus theorem, 881
- maximum-likelihood, method of, 1255–1271
  - and Bayesian approach, 1264
  - bias, 1260
  - data modelling, 1255
  - estimator, 1256
  - extended, 1270
  - log-likelihood function, 1258
  - parameter estimation, 1255
  - transformation invariance, 1260
- Maxwell's
  - electromagnetic equations, 373, 408, 979
  - thermodynamic relations, 176–178
- Maxwell–Boltzmann statistics, 1138
- mean  $\mu$ 
  - from MGF, 1163
  - from PGF, 1158
  - of RVD, 1144
  - of sample, 1223
  - of sample: geometric, harmonic, root mean square, 1223
- mean value of a function of
  - one variable, 72
  - several variables, 199
- mean value theorem, 56
- median of RVD, 1145
- membrane
  - deformed rim, 725–727
  - normal modes, 739, 1112
  - transverse vibrations, 677, 739, 768, 1112
- method of images, 706, 758–765, 878
  - disc (section of cylinder), 764, 766
  - infinite plate, 759
  - intersecting plates in two dimensions, 761
  - sphere, 762–764, 772
- metric tensor, 957–960, 963
  - and Christoffel symbols, 966
  - and scale factors, 957, 972
  - covariant derivative of, 982
  - determinant, 957, 964
    - derivative of, 973
  - length element, 957
  - raising or lowering index, 959, 963
  - scalar product, 958
  - volume element, 957, 981
- MGF, *see* moment generating functions
- Milne's method, 1022
- minimum-variance estimator, 1232
- minor of a matrix element, 259
- mixed, components of tensor, 957, 962, 969
- ML estimators, 1256
  - bias, 1260
  - confidence limits, 1262
  - efficiency, 1261
  - transformation invariance, 1260
- mode of RVD, 1145
- modulo, mod  $N$ , multiplication, 1049
- modulus
  - of a complex number, 87
  - of a vector, *see* magnitude of a vector
- molecules
  - bonding in, 1103, 1105–1108
  - dipole moments of, 1077
  - symmetries of, 1077
- moment generating functions (MGFs),
  - 1162–1167
  - and central limit theorem, 1195
  - and PGF, 1163
  - mean and variance, 1163
  - particular distributions
    - binomial, 1170
    - exponential, 1191
    - Gaussian, 1163, 1185
    - Poisson, 1177
  - properties, 1163
- moments (of distributions)
  - central, 1148
  - of RVD, 1147
- moments (of forces), vector representation of,
  - 223
- moments of inertia
  - and inertia tensor, 951
  - definition, 198
  - of disc, 208
  - of rectangular lamina, 198
  - of right circular cylinder, 209
  - of sphere, 205
  - perpendicular axes theorem, 209
- momentum as first-order tensor, 933
- monomorphism, 1061

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- Monte Carlo methods, of integration, 1009–1017  
 antithetic variates, 1014  
 control variates, 1013  
 crude, 1011  
 hit or miss, 1014  
 importance sampling, 1012  
 multiple integrals, 1016  
 random number generation, 1017  
 stratified sampling, 1012  
 Morera's theorem, 851  
 multinomial distribution, 1208  
   and multiple Poisson distribution, 1218  
 multiple angles, trigonometric formulae, 10  
 multiple integrals  
   application in finding  
     area and volume, 191–193  
     mass, centre of mass and centroid, 193–195  
     mean value of a function of several  
       variables, 199  
     moments of inertia, 198  
   change of variables  
     double integrals, 200–204  
     general properties, 206  
     triple integrals, 204  
   definitions of  
     double integrals, 187  
     triple integrals, 190  
   evaluation, 188–190  
   notation, 188, 189, 191  
   order of integration, 188, 191  
 multiplication tables for groups, *see* group  
   multiplication tables  
 multiplication theorem, *see* Parseval's theorem  
 multivalued functions, 835–837  
   integration of, 865–867  
 multivariate distributions, 1196, 1207–1211  
   change of variables, 1206  
   Gaussian, 1209  
   multinomial, 1208  
 mutually exclusive events, 1120, 1129  
  
 $n_r(x)$ , *see* spherical Bessel functions  
 nabla  $\nabla$ , *see* gradient operator (grad)  
 natural interval  
   for associated Laguerre equation, 567, 622  
   for associated Legendre equation, 567, 590,  
     591  
   for Bessel equation, 608  
   for Chebyshev equation, 567, 599  
   for Hermite equation, 567  
   for Laguerre equation, 567, 619  
   for Legendre equation, 567, 583  
   for simple harmonic oscillator equation, 567  
   for Sturm–Liouville equations, 565, 567  
 natural logarithm, *see*  $\ln$  and  $\ln$   
 natural numbers, in series, 31, 121  
 natural representations, 1081, 1110  
 necessary and sufficient conditions, 34  
 negative binomial distribution, 1172  
 negative function, 556  
 negative vector, 242  
 Neumann boundary conditions, 702  
   Green's functions, 754, 765–767  
   method of images, 765–767  
   self-consistency, 765  
 Neumann functions  $Y_\nu(x)$ , 607  
 Neumann series, 813–815  
 Newton–Raphson (NR) method, 990–992  
   order of convergence, 993  
 Neyman–Pearson test, 1280  
 nodes of oscillation, 693  
 non-Abelian groups, 1052–1056  
   of functions, 1055  
   of matrices, 1054  
   of permutations, 1056–1058  
   of rotations and reflections, 1052  
 non-Cartesian coordinates, *see* curvilinear,  
   cylindrical polar, plane polar *and* spherical  
   polar coordinates  
 non-linear differential equations, *see* ordinary  
   differential equations, non-linear  
 non-linear least squares, method of, 1276  
 norm of  
   function, 557  
   vector, 244  
 normal  
   to coordinate surface, 366  
   to plane, 228  
   to surface, 346, 350, 390  
 normal derivative, 350  
 normal distribution, *see* Gaussian (normal)  
   distribution  
 normal matrices, 272  
   eigenvectors  
     completeness, 275  
     orthogonality, 275  
   eigenvectors and eigenvalues, 273–276  
 normal modes, 316–329  
   characteristic equation, 319  
   coupled pendulums, 329, 331  
   definition, 320  
   degeneracy, 1110–1113  
   frequencies of, 319  
   linear molecular system, 320–322  
   membrane, 739, 1112  
   normal coordinates, 320  
   normal equations, 320  
   rod–string system, 317–320  
   symmetries of, 322  
 normal subgroups, 1063  
 normalisation of  
   eigenfunctions, 562  
   eigenvectors, 273  
   functions, 557  
   vectors, 219  
 null (zero)  
   matrix, 254, 255  
   operator, 249  
   space, of a matrix, 293  
   vector, 214, 242, 556

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- null operation, as identity element of group, 1044
- nullity, of a matrix, 293
- numerical methods for algebraic equations, 985–992
  - binary chopping, 990
  - convergence of iteration schemes, 992–994
  - linear interpolation, 988
  - Newton–Raphson, 990–992
  - rearrangement methods, 987
- numerical methods for integration, 1000–1009
  - Gaussian integration, 1005–1009
  - mid-point rule, 1034
  - Monte Carlo, 1009
  - nomenclature, 1001
  - Simpson's rule, 1004
  - trapezium rule, 1002–1004
- numerical methods for ordinary differential equations, 1020–1030
  - accuracy and convergence, 1021
  - Adams method, 1024
  - difference schemes, 1021–1023
  - Euler method, 1021
  - first-order equations, 1021–1028
  - higher-order equations, 1028–1030
  - isoclines, 1028
  - Milne's method, 1022
  - prediction and correction, 1024–1026
  - reduction to matrix form, 1030
  - Runge–Kutta methods, 1026–1028
  - Taylor series methods, 1023
- numerical methods for partial differential equations, 1030–1032
  - diffusion equation, 1032
  - Laplace's equation, 1031
  - minimising error, 1032
- numerical methods for simultaneous linear equations, 994–1000
  - Gauss–Seidel iteration, 996–998
  - Gaussian elimination with interchange, 995
  - matrix form, 994–1000
  - tridiagonal matrices, 998–1000
- $O(x)$ , order of, 132
- observables in quantum mechanics, 277, 560
- odd functions, *see* antisymmetric functions
- ODE, *see* ordinary differential equations (ODEs)
- operators
  - Hermitian, *see* Hermitian operators
  - linear, *see* linear operators *and* linear differential operator *and* linear integral operator
- operators (quantum)
  - angular momentum, 656–663
  - annihilation and creation, 667
  - coordinate-free, 648–671
  - eigenvalues and eigenstates, 649
  - physical examples
    - angular momentum, 658
    - Hamiltonian, 657
- order of
  - approximation in Taylor series, 137n
  - convergence of iteration schemes, 993
  - group, 1043
  - group element, 1047
  - ODE, 468
  - permutation, 1058
  - recurrence relations (series), 497
  - subgroup, 1061
    - and Lagrange's theorem, 1065
  - tensor, 930
- ordinary differential equations (ODE), *see also*
  - differential equations, particular boundary conditions, 468, 470, 501
  - complementary function, 491
  - degree, 468
  - dimensionally homogeneous, 475
  - exact, 472, 505
  - first-order, 468–484
  - first-order higher-degree, 480–484
    - soluble for  $p$ , 480
    - soluble for  $x$ , 481
    - soluble for  $y$ , 482
  - general form of solution, 468–470
  - higher-order, 490–523
  - homogeneous, 490
  - inexact, 473
  - isobaric, 476, 521
  - linear, 474, 490–517
  - non-linear, 518–523
    - exact, 519
    - isobaric (homogeneous), 521
    - $x$  absent, 518
    - $y$  absent, 518
- order, 468
- ordinary point, *see* ordinary points of ODE
- particular integral (solution), 469, 492, 494
- singular point, *see* singular points of ODE
- singular solution, 469, 481, 482, 484
- ordinary differential equations, methods for
  - canonical form for second-order equations, 516
- eigenfunctions, 554–573
- equations containing linear forms, 478–480
- equations with constant coefficients, 492–503
- Green's functions, 511–516
- integrating factors, 473–475
- Laplace transforms, 501–503
- numerical, 1020–1030
- partially known CF, 506
- separable variables, 471
- series solutions, 531–550, 604
- undetermined coefficients, 494
- variation of parameters, 508–510
- ordinary points of ODE, 533, 535–538
  - indicial equation, 543
- orthogonal lines, condition for, 12
- orthogonal matrices, 270, 929, 930
  - general properties, *see* unitary matrices
- orthogonal systems of coordinates, 364

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- orthogonal transformations, 932  
orthogonalisation (Gram–Schmidt) of  
  eigenfunctions of an Hermitian operator, 562  
  eigenvectors of a normal matrix, 275  
  functions in a Hilbert space, 557  
orthogonality of  
  eigenfunctions of an Hermitian operator, 561–563  
  eigenvectors of a normal matrix, 275  
  eigenvectors of an Hermitian matrix, 277  
  functions, 557  
  terms in Fourier series, 417, 425  
  vectors, 219, 244  
orthogonality properties of characters, 1094, 1102  
orthogonality theorem for irreps, 1090–1092  
orthonormal  
  basis functions, 557  
  basis vectors, 244  
  under unitary transformation, 285  
oscillations, *see* normal modes  
outcome, of trial, 1119  
outer product of two vectors, 936
- $P_\ell(x)$ , *see* Legendre polynomials  
 $P_\ell^m(x)$ , *see* associated Legendre functions  
Pappus' theorems, 195–197  
parabola, equation for, 16  
parabolic PDE, 687, 690  
parallel axis theorem, 238  
parallel vectors, 223  
parallelepiped, volume of, 225  
parallelogram equality, 247  
parallelogram, area of, 223, 224  
parameter estimation (statistics), 1229–1255, 1298  
  Bessel correction, 1248  
  error in mean, 1298  
  maximum-likelihood, 1255  
  mean, 1243  
  variance, 1245–1248  
parameters, variation of, 508–510  
parametric equations  
  of conic sections, 17  
  of cycloid, 370, 785  
  of space curves, 340  
  of surfaces, 345  
parity inversion, 1102  
Parseval's theorem  
  conservation of energy, 451  
  for Fourier series, 426  
  for Fourier transforms, 450  
partial derivative, *see* partial differentiation  
partial differential equations (PDE), 675–707, 713–767, *see also* differential equations, particular  
  arbitrary functions, 680–685  
  boundary conditions, 681, 699–707, 723  
  characteristics, 699–705  
  and equation type, 703  
  equation types, 687, 710  
  first-order, 681–687  
  general solution, 681–692  
  homogeneous, 685  
  inhomogeneous equation and problem, 685–687, 744–746, 751–767  
  particular solutions (integrals), 685–692  
  second-order, 687–698  
partial differential equations (PDE), methods for  
  change of variables, 691, 696–698  
  constant coefficients, 687  
  general solution, 689  
  integral transform methods, 747–751  
  method of images, *see* method of images  
  numerical, 1030–1032  
  separation of variables, *see* separation of variables  
  superposition methods, 717–724  
  with no undifferentiated term, 684  
partial differentiation, 151–179  
  as gradient of a function of several real variables, 151  
  chain rule, 157  
  change of variables, 158–160  
  definitions, 151–153  
  properties, 157  
  cyclic relation, 157  
  reciprocity relation, 157  
partial fractions, 18–25  
  and degree of numerator, 21  
  as a means of integration, 64  
  complex roots, 22  
  in inverse Laplace transforms, 454, 502  
  repeated roots, 23  
partial sum, 115  
particular integrals (PI), 469, *see also* ordinary differential equation, methods for *and* partial differential equations, methods for  
partition of a  
  group, 1064  
  set, 1065  
parts, integration by, 67–69  
path integrals, *see* line integrals  
PDE, *see* partial differential equations  
PDFs, 1140  
pendulums, coupled, 329, 331  
periodic function representation, *see* Fourier series  
permutation groups  $S_n$ , 1056–1058  
  cycle notation, 1057  
permutation law in a group, 1047  
permutations, 1133–1139  
  degree, 1056  
  distinguishable, 1135  
  order of, 1058  
  symbol " $P_k$ ", 1133  
perpendicular axes theorem, 209  
perpendicular vectors, 219, 244  
PF, *see* probability functions  
PGF, *see* probability generating functions

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- phase memory, 895  
 phase, complex, 896  
 PI, *see* particular integrals  
 plane curves, length of, 73  
   in Cartesian coordinates, 73  
   in plane polar coordinates, 74  
 plane polar coordinates, 70, 336  
   arc length, 74, 361  
   area element, 202, 361  
   basis vectors, 336  
   velocity and acceleration, 337  
 plane waves, 695, 716  
 planes  
   and simultaneous linear equations, 300  
   vector equation of, 227  
 plates, conducting, *see also* complex potentials,  
   for plates  
   line charge near, 761  
   point charge near, 759  
 point charges,  $\delta$ -function representation, 441  
 point groups, 1082  
 points of inflection of a function of  
   one real variable, 50–52  
   several real variables, 162–167  
 Poisson distribution  $Po(\lambda)$ , 1174–1179  
   and Gaussian distribution, 1187  
   as limit of binomial distribution, 1174, 1177  
   mean and variance, 1176  
   MGF, 1177  
   multiple, 1178  
   recurrence formula, 1176  
 Poisson equation, 575, 679, 744–746  
   fundamental solution, 757  
   Green's functions, 753–767  
   uniqueness, 705–707  
 Poisson summation formula, 461  
 Poisson's ratio, 953  
 polar coordinates, *see* plane polar *and* cylindrical  
   polar *and* spherical polar coordinates  
 polar representation of complex numbers, 92–95  
 polar vectors, 949  
 pole, of a function of a complex variable  
   contours containing, 861–867, 884–887  
   order, 837, 856  
   residue, 856–858  
 polynomial equations, 1–10  
   conjugate roots, 99  
   factorisation, 7  
   multiplicities of roots, 4  
   number of roots, 83, 85, 868  
   properties of roots, 9  
   real roots, 1  
   solution of, using de Moivre's theorem, 98  
 polynomial solutions of ODE, 538, 548–550  
 populations, sampling of, 1222  
 positive (semi-) definite quadratic and Hermitian  
   forms, 290  
 positive semi-definite norm, 244  
 potential energy of  
   ion in a crystal lattice, 148  
   magnetic dipole in a field, 220  
   oscillating system, 317  
 potential function  
   and conservative fields, 389  
   complex, 871–876  
   electrostatic, *see* electrostatic fields and  
     potentials  
   gravitational, *see* gravitational fields and  
     potentials  
   vector, 389  
 power series  
   and differential equations, *see* series solutions  
     of differential equations  
   interval of convergence, 132  
   Maclaurin, *see* Maclaurin series  
   manipulation: difference, differentiation,  
     integration, product, substitution, sum, 134  
   Taylor, *see* Taylor series  
 power series in a complex variable, 133, 830–832  
   analyticity, 832  
   circle and radius of convergence, 133, 831  
   convergence tests, 831, 832  
   form, 830  
 power, in hypothesis testing, 1280  
 powers, complex, 99, 833  
 prediction and correction methods, 1024–1026,  
   1035  
 prime, non-existence of largest, 34  
 principal axes of  
   Cartesian tensors, 951–953  
   conductivity tensors, 952  
   inertia tensors, 951  
   quadratic surfaces, 292  
   rotation symmetry, 1102  
 principal normals of space curves, 342  
 principal value of  
   complex integrals, 864  
   complex logarithms, 100, 834  
   principle of the argument, 880  
 probability, 1124–1211  
   axioms, 1125  
   conditional, 1128–1133  
     Bayes' theorem, 1132  
     combining, 1130  
   definition, 1125  
   for intersection  $\cap$ , 1120  
   for union  $\cup$ , 1121, 1125–1128  
 probability distributions, 1139, *see also*  
   *individual distributions*  
   bivariate, *see* bivariate distributions  
   change of variables, 1150–1157  
   cumulants, 1166  
   generating functions, *see* moment generating  
     functions *and* probability generating  
       functions  
   mean  $\mu$ , 1144  
   mean of functions, 1145  
   mode, median and quartiles, 1145  
   moments, 1147–1150  
   multivariate, *see* multivariate distributions

## INDEX

- standard deviation  $\sigma$ , 1146
- variance  $\sigma^2$ , 1146
- probability functions (PFs), 1139
  - cumulative (CPFs), 1139, 1141
  - density functions (PDFs), 1140
- probability generating functions (PGFs), 1157–1162
  - and MGF, 1163
  - binomial, 1161
  - definition, 1158
  - geometric, 1159
  - mean and variance, 1158
  - Poisson, 1158
  - sums of RV, 1161
  - trials, 1158
  - variable sums of RV, 1161
- product rule for differentiation, 44–46, 48–50
- products of inertia, 951
- projection operators for irreps, 1107, 1116
- projection tensors, 979
- proper rotations, 946
- proper subgroups, 1061
- pseudoscalars, 947, 950
- pseudotensors, 946–950, 964
- pseudovectors, 946–950
- $Q_\nu(x)$ , *see* Legendre polynomials
- $Q_\nu^m(x)$ , *see* associated Legendre functions
- quadratic equations
  - complex roots of, 83
  - properties of roots, 10
  - roots of, 2
- quadratic forms, 288–292
  - completing the square, 1206
  - positive definite and semi-definite, 290
  - quadratic surfaces, 292
  - removing cross terms, 289
  - stationary properties of eigenvectors, 290
- quantum mechanics, from classical mechanics, 657
- quantum operators, *see* operators (quantum)
- quartiles, of RVD, 1145
- quaternion group, 1073, 1113
- quotient law for tensors, 939–941
- quotient rule for differentiation, 47
- quotient test for series, 127
- radius of convergence, 133, 831
- radius of curvature
  - of plane curves, 53
  - of space curves, 342
- radius of torsion of space curves, 343
- random number generation, 1017
- random numbers, non-uniform distribution, 1035
- random variable distributions, *see* probability distributions
- random variables (RV), 1119, 1139–1143
  - continuous, 1140–1143
  - dependent, 1196–1205
  - discrete, 1139
  - independent, 1156, 1200
  - sums of, 1160–1162
  - uncorrelated, 1200
- range of a matrix, 293
- rank of matrices, 267
  - and determinants, 267
  - and linear dependence, 267
- rank of tensors, *see* order of tensor
- rate of change of a function of
  - one real variable, 41
  - several real variables, 153–155
- ratio comparison test, 127
- ratio test (D'Alembert), 126, 832
  - in convergence of power series, 132
- ratio theorem, 215
  - and centroid of a triangle, 216
- Rayleigh–Ritz method, 327–329, 800
- real part or term of a complex number, 83
- real roots, of a polynomial equation, 1
- rearrangement methods for algebraic equations, 987
- reciprocal vectors, 233, 366, 955, 959
- reciprocity relation for partial derivatives, 157
- rectangular distribution, 1194
  - Fourier transform of, 442
- recurrence relations (functions), 585, 611
  - associated Laguerre polynomials, 624
  - associated Legendre functions, 592
  - Chebyshev polynomials, 601
  - confluent hypergeometric functions, 635
  - Hermite polynomials, 628
  - hypergeometric functions, 632
  - Laguerre polynomials, 620
  - Legendre polynomials, 586
- recurrence relations (series), 496–501
  - characteristic equation, 499
  - coefficients, 536, 538, 999
  - first-order, 497
  - second-order, 499
  - higher-order, 501
- reducible representations, 1084, 1086
- reduction formulae for integrals, 69
- reflections
  - and improper rotations, 946
  - as symmetry operations, 1041
- reflexivity, and equivalence relations, 1064
- regular functions, *see* analytic functions
- regular representations, 1097, 1110
- regular singular points, 534, 538–540
- relative velocities, 218
- remainder term in Taylor series, 138
- repeated roots of auxiliary equation, 493
- representation, 1076
  - definition, 1082
  - dimension of, 1078, 1082
  - equivalent, 1084–1086
  - faithful, 1083, 1098
  - generation of, 1078–1084, 1112
  - irreducible, *see* irreps



Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- natural, 1081, 1110
- product, 1103–1105
- reducible, 1084, 1086
- regular, 1097, 1110
  - counting irreps, 1098
- unitary, 1086
- representative matrices, 1079
  - block-diagonal, 1086
  - eigenvalues, 1100
  - inverse, 1083
  - number needed, and order of group, 1082
  - of identity, 1082
- residue
  - at a pole, 856–858
  - theorem, 858–860
- resolution function, 446
- resolvent kernel, 814, 815
- response matrix, for linear least squares, 1273
- rhomboid, volume of, 237
- Riemann tensor, 981
- Riemann theorem for conditional convergence, 124
- Riemann zeta series, 128, 139
- right hand screw rule, 222
- Rodrigues' formula for
  - associated Laguerre polynomials, 622
  - associated Legendre functions, 588
  - Chebyshev polynomials, 599
  - Hermite polynomials, 626
  - Laguerre polynomials, 618
  - Legendre polynomials, 581
- Rolle's theorem, 55
- root test (Cauchy), 129, 831
- roots
  - of a polynomial equation, 2
  - properties, 9
  - of unity, 97
- rope, suspended at its ends, 786
- rotation groups (continuous), invariant subspaces, 1088
- rotation matrices as a group, 1048
- rotation of a vector, *see* curl
- rotations
  - as symmetry operations, 1041
  - axes and orthogonal matrices, 930, 931, 961
  - improper, 946–948
  - invariance under, 934
  - product of, 931
  - proper, 946
- Rouché's theorem, 880–882
- row matrix, 250
- Runge–Kutta methods, 1026–1028
- RV, *see* random variables
- RVD (random variable distributions), *see* probability distributions
- saddle point method of integration, 908
- saddle points, 162
  - and integral evaluation, 905
  - sufficient conditions, 164, 167
- sampling
  - correlation, 1227
  - covariance, 1227
  - space, 1119
  - statistics, 1222–1229
  - with or without replacement, 1129
- scalar fields, 347
  - derivative along a space curve, 349
  - gradient, 348–352
  - line integrals, 377–387
  - rate of change, 349
- scalar product, 219–222
  - and inner product, 244
  - and metric tensor, 958
  - and perpendicular vectors, 219, 244
  - for vectors with complex components, 221
  - in Cartesian coordinates, 221
  - invariance, 930, 939
- scalar triple product, 224–226
  - cyclic permutation of, 225
  - in Cartesian coordinates, 225
  - determinant form, 225
  - interchange of dot and cross, 225
- scalars, 212
  - invariance, 930
  - zero-order tensors, 933
- scale factors, 359, 362, 364
  - and metric tensor, 957, 972
- scattering in quantum mechanics, 463
- Schmidt–Hilbert theory, 816–819
- Schrödinger equation, 679
  - constant potential, 768
  - hydrogen atom, 741
  - numerical solution, 1039
  - variational approach, 795
- Schwarz inequality, 246, 559
- Schwarz–Christoffel transformation, 843
- second differences, 1019
- second-order differential equations, *see* ordinary differential equations *and* partial differential equations
- secular determinant, 280
- self-adjoint operators, 559–564, *see also* Hermitian operators
- semicircle, angle in, 18
- semicircular lamina, centre of mass, 197
- separable kernel in integral equations, 807
- separable variables in ODE, 471
- separation constants, 715, 717
- separation of variables, for PDE, 713–746
  - diffusion equation, 716, 722–724, 737, 751
  - expansion methods, 741–744
  - general method, 713–717
  - Helmholtz equation, 737–741
  - inhomogeneous boundary conditions, 722–724
  - inhomogeneous equations, 744–746
  - Laplace equation, 717–722, 725–737, 741
  - polar coordinates, 725–746
  - separation constants, 715, 717
  - superposition methods, 717–724



INDEX

- wave equation, 714–716, 737, 739
- series, 115–141
  - convergence of, *see* convergence of infinite series
  - differentiation of, 131
  - finite and infinite, 116
  - integration of, 131
  - multiplication by a scalar, 131
  - multiplication of (Cauchy product), 131
  - notation, 116
  - operations, 131
  - summation, *see* summation of series
- series, particular
  - arithmetic, 117
  - arithmetic-geometric, 118
  - Fourier, *see* Fourier series
  - geometric, 117
  - Maclaurin, 138, 140
  - power, *see* power series
  - powers of natural numbers, 121
  - Riemann zeta, 128, 129
  - Taylor, *see* Taylor series
- series solutions of differential equations, 531–550
  - about ordinary points, 535–538
  - about regular singular points, 538–540
    - Frobenius series, 539
  - convergence, 536
  - indicial equation, 540
  - linear independence, 540
  - polynomial solutions, 538, 548–550
  - recurrence relation, 536, 538
  - second solution, 537, 544–548
    - derivative method, 545–548
    - Wronskian method, 544, 580
- shortest path, 778
  - and geodesics, 976, 982
- similarity transformations, 283–285, 929, 1092
  - properties of matrix under, 284
  - unitary transformations, 285
- simple harmonic oscillator, 555
  - energy levels of, 642, 902
  - equation, 535, 566
  - operator formalism, 667
- simple poles, 838
- Simpson's rule, 1004
- simultaneous linear equations, 292–307
  - and intersection of planes, 300
  - homogeneous and inhomogeneous, 293
  - singular value decomposition, 301–307
  - solution using
    - Cramer's rule, 299
    - inverse matrix, 295
    - numerical methods, *see* numerical methods for simultaneous linear equations
- sine,  $\sin(x)$ 
  - in terms of exponential functions, 102
  - Maclaurin series for, 140
  - orthogonality relations, 417
- singular and non-singular
  - integral equations, 805
  - linear operators, 249
  - matrices, 263
- singular integrals, *see* improper integrals
- singular point (singularity), 826, 837–839
  - essential, 838, 856
  - removable, 838
- singular points of ODE, 533
  - irregular, 534
  - particular equations, 535
  - regular, 534
- singular solution of ODE, 469, 481, 482, 484
- singular value decomposition
  - and simultaneous linear equations, 301–307
  - singular values, 302
- $\sinh$ , hyperbolic sine, 102, 833, *see also* hyperbolic functions
- skew-symmetric matrices, 270
- skewness, 1150, 1227
- Snell's law, 788
- soap films, 780
- solenoidal vectors, 352, 389
- solid angle
  - as surface integral, 395
  - subtended by rectangle, 411
- solid: mass, centre of mass and centroid, 193–195
- source density, 679
- space curves, 340–344
  - arc length, 341
  - binormal, 342
  - curvature, 342
  - Frenet–Serret formulae, 343
  - parametric equations, 340
  - principal normal, 342
  - radius of curvature, 342
  - radius of torsion, 343
  - tangent vector, 342
  - torsion, 342
- spaces, *see* vector spaces
- span of a set of vectors, 242
- sphere, vector equation of, 228
- spherical Bessel functions, 615, 741
  - of first kind  $j_\nu(z)$ , 615
  - of second kind  $n_\nu(z)$ , 615
- spherical harmonics  $Y_\ell^m(\theta, \phi)$ , 593–595
  - addition theorem, 594
- spherical polar coordinates, 361–363
  - area element, 362
  - basis vectors, 362
  - length element, 362
  - vector operators, 361–363
  - volume element, 205, 362
- spur of a matrix, *see* trace of a matrix
- square matrices, 249
- square, symmetries of, 1100
- square-wave, Fourier series for, 418
- stagnation points of fluid flow, 873
- standard deviation  $\sigma$ , 1146
  - of sample, 1224
- standing waves, 693

INDEX

- stationary phase, method of, 912–920
- stationary values
  - of functions of
    - one real variable, 50–52
    - several real variables, 162–167
  - of integrals, 776
  - under constraints, *see* Lagrange undetermined multipliers
- statistical tests, and hypothesis testing, 1278
- statistics, 1119, 1221–1298
  - describing data, 1222–1229
  - estimating parameters, 1229–1255, 1298
- steepest descents, method of, 908–912
- Stirling's
  - approximation, 637, 1185
  - asymptotic series, 637
- Stokes constant, in Stokes phenomenon, 904
- Stokes line, 899, 903
- Stokes phenomenon, 903
  - dominant term, 904
  - Stokes constant, 904
  - subdominant term, 904
- Stokes' equation, 643, 799, 888–894
  - Airy integrals, 890–894
  - qualitative solutions, 888
  - series solution, 890
- Stokes' theorem, 388, 406–409
  - for tensors, 955
  - physical applications, 408
  - related theorems, 407
- strain tensor, 953
- stratified sampling, in Monte Carlo methods, 1012
- streamlines and complex potentials, 873
- stress tensor, 953
- stress waves, 980
- string
  - loaded, 798
  - plucked, 770
  - transverse vibrations of, 676, 789
- Student's *t*-distribution
  - normalisation, 1286
  - plots, 1287
- Student's *t*-test, 1284–1290
  - comparison of means, 1289
  - critical points table, 1288
  - one- and two-tailed confidence limits, 1288
- Sturm–Liouville equations, 564
  - boundary conditions, 564
  - examples, 566
    - associated Laguerre, 566, 622
    - associated Legendre, 566, 590, 591
    - Bessel, 566, 608–611
    - Chebyshev, 566, 599
    - confluent hypergeometric, 566
    - Hermite, 566
    - hypergeometric, 566
    - Laguerre, 566, 619
    - Legendre, 566, 583
  - manipulation to self-adjoint form, 565–568
  - natural interval, 565, 567
  - two independent variables, 801
  - variational approach, 790–795
  - weight function, 790
  - zeros of eigenfunctions, 573
- subdominant term, in Stokes phenomenon, 904
- subgroups, 1061–1063
  - index, 1066
  - normal, 1063
  - order, 1061
    - Lagrange's theorem, 1065
  - proper, 1061
  - trivial, 1061
- submatrices, 267
- subscripts and superscripts, 928
  - contra- and covariant, 956
  - covariant derivative, 969
  - dummy, 928
  - free, 928
  - partial derivative, 969
  - summation convention, 928, 955
- substitution, integration by, 65–67
- summation convention, 928, 955
- summation of series, 116–124
  - arithmetic, 117
  - arithmetico-geometric, 118
  - contour integration method, 882
  - difference method, 119
  - Fourier series method, 427
  - geometric, 117
  - powers of natural numbers, 121
  - transformation methods, 122–124
    - differentiation, 122
    - integration, 122
    - substitution, 123
- superposition methods
  - for ODE, 554, 568–571
  - for PDE, 717–724
- surface integrals
  - and divergence theorem, 401
  - Archimedean upthrust, 396, 410
  - of scalars, vectors, 389–396
  - physical examples, 395
- surfaces, 345–347
  - area of, 346
    - cone, 74
    - solid, and Pappus' theorem, 195–197
    - sphere, 346
  - coordinate curves, 346
  - normal to, 346, 350
  - of revolution, 74
  - parametric equations, 345
  - quadratic, 292
  - tangent plane, 346
- SVD, *see* singular value decomposition
- symmetric functions, 416
  - and Fourier series, 419
  - and Fourier transforms, 445
- symmetric matrices, 270
  - general properties, *see* Hermitian matrices

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- symmetric tensors, 938  
 symmetry in equivalence relations, 1064  
 symmetry operations  
   on molecules, 1041  
   order of application, 1044  
  
*t*-test, *see* Student's *t*-test  
*t* substitution, 65  
 $\tan^{-1} x$ , Maclaurin series for, 140  
 tangent planes to surfaces, 346  
 tangent vectors to space curves, 342  
 tanh, hyperbolic tangent, *see* hyperbolic functions  
 Taylor series, 136–141  
   and finite differences, 1019, 1026  
   and Taylor's theorem, 136–139, 853  
   approximation errors, 139  
   in numerical methods, 992, 1003  
   as solution of ODE, 1023  
   for functions of a complex variable, 853–855  
   for functions of several real variables, 160–162  
   remainder term, 138  
   required properties, 136  
   standard forms, 136  
 tensors, *see* Cartesian tensors *and* Cartesian tensors, particular *and* general tensors  
 test statistic, 1278  
 tetrahedral group, 1115  
 tetrahedron  
   mass of, 194  
   volume of, 192  
 thermodynamics  
   first law of, 176  
   Maxwell's relations, 176–178  
 top-hat function, *see* rectangular distribution  
 torque, vector representation of, 223  
 torsion of space curves, 342  
 total derivative, 154  
 total differential, 154  
 trace of a matrix, 258  
   and second-order tensors, 939  
   as sum of eigenvalues, 280, 287  
   invariance under similarity transformations, 284, 1092  
   trace formula, 287  
 transcendental equations, 986  
 transformation matrix, 283, 289  
 transformations  
   active and passive, 948  
   conformal, 839–844  
   coordinate, *see* coordinate transformations  
   similarity, *see* similarity transformations  
 transforms, integral, *see* integral transforms *and* Fourier transforms *and* Laplace transforms  
 transients, and the diffusion equation, 723  
 transitivity in equivalence relations, 1064  
 transpose of a matrix, 250, 255  
   product rule, 256  
 transverse vibrations  
   membrane, 677, 739, 768  
   rod, 769  
   string, 676  
 trapezium rule, 1002–1004  
 trial functions  
   for eigenvalue estimation, 793  
   for particular integrals of ODE, 494  
 trials, 1119  
 triangle inequality, 246, 559  
 triangle, centroid of, 216  
 triangular matrices, 269  
 tridiagonal matrices, 998–1000, 1030, 1033  
 trigonometric identities, 10–15  
 triple integrals, *see* multiple integrals  
 triple scalar product, *see* scalar triple product  
 triple vector product, *see* vector triple product  
 turning point, 50  
  
 uncertainty principle (Heisenberg), 435–437  
   from commutator, 664  
 undetermined coefficients, method of, 494  
 undetermined multipliers, *see* Lagrange undetermined multipliers  
 uniform distribution, 1194  
 union  $\cup$ , probability for, 1121, 1125, 1128  
 uniqueness theorem  
   Klein–Gordon equation, 711  
   Laplace equation, 741  
   Poisson equation, 705–707  
 unit step function, *see* Heaviside function  
 unit vectors, 219  
 unitary  
   matrices, 271  
   eigenvalues and eigenvectors, 278  
   representations, 1086  
   transformations, 285  
 upper triangular matrices, 269  
  
 variable end-points, 782–785  
 variable, dummy, 61  
 variables, separation of, *see* separation of variables  
 variance  $\sigma^2$ , 1146  
   from MGF, 1163  
   from PGF, 1159  
   of dependent RV, 1203  
   of sample, 1224  
 variation of parameters, 508–510  
 variation, constrained, 785–787  
 variational principles, physical, 787–790  
   Fermat, 787  
   Hamilton, 788  
 variations, calculus of, *see* calculus of variations  
 vector operators, 347–369  
   acting on sums and products, 354  
   combinations of, 355–357  
   curl, 353, 368  
   del  $\nabla$ , 348  
   del squared  $\nabla^2$ , 352  
   divergence (div), 352  
   geometrical definitions, 398–400

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- gradient operator (grad), 348–352, 367
- identities, 356, 978
- Laplacian, 352, 368
- non-Cartesian, 357–369
- tensor forms, 971–975
  - curl, 974
  - divergence, 972
  - gradient, 972
  - Laplacian, 973
- vector product, 222–224
  - anticommutativity, 222
  - definition, 222
  - determinant form, 224
  - in Cartesian coordinates, 224
  - non-associativity, 222
- vector spaces, 242–247, 1113
  - associativity of addition, 242
  - basis vectors, 243
  - commutativity of addition, 242
  - complex, 242
  - defining properties, 242
  - dimensionality, 243
  - group actions on, 1088
  - inequalities: Bessel, Schwarz, triangle, 246
  - invariant, 1088, 1113
  - matrices as an example, 252
  - of infinite dimensionality, 556–559
    - associativity of addition, 556
    - basis functions, 556
    - commutativity of addition, 556
    - defining properties, 556
    - Hilbert spaces, 557–559
    - inequalities: Bessel, Schwarz, triangle, 559
  - parallelogram equality, 247
  - real, 242
  - span of a set of vectors in, 242
- vector triple product, 226
  - identities, 226
  - non-associativity, 226
- vectors
  - as first-order tensors, 932
  - as geometrical objects, 241
  - base, 336
  - column, 250
  - compared with scalars, 212
  - component form, 217
  - examples of, 212
  - graphical representation of, 212
  - irrotational, 353
  - magnitude of, 218
  - non-Cartesian, 336, 358, 362
  - notation, 212
  - polar and axial, 949
  - solenoidal, 352, 389
  - span of, 242
- vectors, algebra of, 212–234
  - addition and subtraction, 213
    - in component form, 218
  - angle between, 221
  - associativity of addition and subtraction, 213
  - commutativity of addition and subtraction, 213
  - multiplication by a complex scalar, 222
  - multiplication by a scalar, 214
  - multiplication of, *see* scalar product *and* vector product
  - outer product, 936
- vectors, applications
  - centroid of a triangle, 216
  - equation of a line, 226
  - equation of a plane, 227
  - equation of a sphere, 228
  - finding distance from a
    - line to a line, 231
    - line to a plane, 232
    - point to a line, 229
    - point to a plane, 230
  - intersection of two planes, 228
- vectors, calculus of, 334–369
  - differentiation, 334–339, 344
  - integration, 339
  - line integrals, 377–389
  - surface integrals, 389–396
  - volume integrals, 396
- vectors, derived quantities
  - curl, 353
  - derivative, 334
  - differential, 338, 344
  - divergence (div), 352
  - reciprocal, 233, 366, 955, 959
  - vector fields, 347
    - curl, 406
    - divergence, 352
    - flux, 395
    - rate of change, 350
- vectors, physical
  - acceleration, 335
  - angular momentum, 238
  - angular velocity, 223, 238, 353
  - area, 393–395, 408
  - area of parallelogram, 223, 224
  - force, 212, 213, 220
  - moment or torque of a force, 223
  - velocity, 335
- velocity vectors, 335
- Venn diagrams, 1119–1124
- vibrations
  - internal, *see* normal modes
  - longitudinal, in a rod, 677
  - transverse
    - membrane, 677, 739, 768, 799, 801
    - rod, 769
    - string, 676, 789
- Volterra integral equation, 804, 805
  - differentiation methods, 812
  - Laplace transform methods, 810
- volume elements
  - curvilinear coordinates, 365
  - cylindrical polars, 360
  - spherical polars, 205, 362

Cambridge University Press

0521861535 - Mathematical Methods for Physics and Engineering, Third Edition

K. F. Riley, M. P. Hobson and S. J. Bence

Index

[More information](#)

## INDEX

- volume integrals, 396
  - and divergence theorem, 401
- volume of
  - cone, 75
  - ellipsoid, 207
  - parallelepiped, 225
  - rhomboid, 237
  - tetrahedron, 192
- volumes
  - as surface integrals, 397, 401
  - in many dimensions, 210
  - of regions, using multiple integrals, 191–193
- volumes of revolution, 75
  - and surface area & centroid, 195–197
- wave equation, 676, 688, 790
  - boundary conditions, 693–695
  - characteristics, 704
  - from Maxwell's equations, 373
  - in one dimension, 689, 693–695
  - in three dimensions, 695, 714, 737
  - standing waves, 693
- wave number, 437, 693n
- wave packet, 436
- wave vector,  $\mathbf{k}$ , 437
- wavefunction of electron in hydrogen atom, 208
- Weber functions  $Y_\nu(x)$ , 607
- wedge product, *see* vector product
- weight
  - of relative tensor, 964
  - of variable, 477
- weight function, 555, 790
- Wiener–Kinchin theorem, 450
- WKB methods, 895–905
  - accuracy, 902
  - general solutions, 897
  - phase memory, 895
  - the Stokes phenomenon, 903
- work done
  - by force, 381
  - vector representation, 220
- Wronskian
  - and Green's functions, 527
  - for second solution of ODE, 544, 580
  - from ODE, 532
  - test for linear independence, 491, 532
- X-ray scattering, 237
- $Y_\ell^m(\theta, \phi)$ , *see* spherical harmonics
- $Y_\nu(x)$ , Bessel functions of second kind, 607
- Young's modulus, 677, 953
- $z$ , as a complex number, 84
- $z^*$ , as complex conjugate, 89–91
- zero (null)
  - matrix, 254, 255
  - operator, 249
  - unphysical state  $|\emptyset\rangle$ , 650
  - vector, 214, 242, 556
- zero-order tensors, 932–935
- zeros of a function of a complex variable, 839
  - location of, 879–882, 921
  - order, 839, 856
  - principle of the argument, 880
  - Rouché's theorem, 880, 882
- zeros of Sturm-Liouville eigenfunctions, 573
- zeros, of a polynomial, 2
- zeta series (Riemann), 128, 129
- $z$ -plane, *see* Argand diagram