

## Index

- abdominal pregnancy, 81
  - abortion
    - epidemiology, 121
    - legal/social issues, 141. *See also* abortion, legal considerations/decisions.
  - abortion, complications
    - continued pregnancy, 140
    - hematometrium, 139
    - hemorrhage, 138–139
    - infection, 137
    - psychological distress, 139–140
    - retained uterine products, 137–138
    - uterine perforation, 135–137
  - abortion, legal considerations/decisions
    - Harris v. McRae*, 867
    - informed consent, 187–188
    - Maher v. Roe*, 867
    - Martinez v. Long Island Jewish Hillside Medical Center*, 187–188
    - patient rights, 186
    - Perez v. Park Madison Professional Laboratories, Inc.*, 187–188
    - Planned Parenthood v. Casey*, 867–868
    - primary considerations, 188
    - Roe v. Wade*, 866–867
    - Sheppard-Mobley v. King*, 187
    - Stenberg v. Carhart*, 868
    - wrongful pregnancy, 186–187
  - abortion, medical methods
    - ancient/botanical techniques, 133
    - methotrexate compound, 135
    - mifepristone (RU 486), 133–134
    - postcoital contraception, 140–141
    - prostaglandin compounds, 134–135
  - abortion, surgical procedures
    - dilation and evacuation (D & E),
      - vs. curettage, 129
    - Laminaria insertion/removal, 129–131
    - misoprostol technique, 131
    - operative procedure, 131–132
    - postoperative procedures/treatment, 132
    - preoperative medications, 131
    - with ultrasound, 129
  - hysterotomy/hysterectomy, 133
  - instillation methods, 132–133
  - menstrual extraction
    - arguments against, 129
    - operative procedure, 128–129
  - preoperative evaluation
    - gestational age assessment, 121
    - medical/surgical history, 121–122
    - patient counseling, 121, 122–123
  - vacuum curettage
    - cervical clamping, 126
    - dilation, 124, 126–127
    - instrument/equipment review, 123
    - instrument sterilization procedures, 124
    - interpersonal skills of practitioner, 123
    - local anesthesia, 124
    - operative procedure, 127
    - paracervical blockade, 124
    - pelvic examination, 123
    - postoperative procedures/treatment, 127–128
    - pretreatment medications, 123–124
    - sedation during, 124–126
- abruptio placentae. *See* placental abruption.
- acardiac twins, 332
- ACNM (American College of Nurse-Midwives), 788
- acute dermal gangrene. *See* necrotizing fasciitis (NF).
- AFE. *See* amniotic fluid embolism (AFE).
- AFI. *See* amniotic fluid index (AFI).

## 890 INDEX

- alcohol abuse, 201. *See also* illicit drugs/alcohol.
- alfentanil, 195–196
- alloimmune thrombocytopenia (ATTP). *See* thrombocytopenia (TTP).
- American College of Nurse-Midwives (ACNM), 788
- amniocentesis
- complications
    - accidental fetal needling, 28–29
    - amniotic fluid discoloration, 28
    - blood-tinged amniotic fluid, 27
    - gestational age, 26
    - MSAFP elevation, 27
    - maternal age, 26
    - maternal infection, 28
    - neonate orthopedic disorder risk, 29
    - neonate respiratory risk, 29
    - study design/evaluation, 26
    - vaginal leakage/spotting, 28
  - vs. CVS safety, 32–33
  - early procedures, 32
  - laboratory problems, 35–36
  - in multiple gestation, 34
  - transabdominal procedure
    - fluid sample collection, 25
    - needle gauge/length, 25
    - patient instructions, 25–26
    - preparation for, 25
    - successful/unsuccessful attempts, 26
  - ultrasonography benefits, 28
- amniotic fluid embolism (AFE)
- causes of death, 737
  - clinical symptoms, acute, 737–738
  - diagnosis, 738–739
  - etiology, 736
  - incidence of, 736–737
  - morbidity/mortality, 736, 738
  - pathophysiology, 736
  - treatment, 738, 739
- amniotic fluid index (AFI)
- AFI/MVP accuracy comparison, 49
  - obtainment method, 49
  - oligohydramnios thresholds, 49–50
  - polyhydramnios thresholds, 50
  - volume as assessment tool, 48–49
  - volume/perinatal outcome relationship, 49
- amphetamines, 201
- Amsterdam Surgeon's Guild, 13–14
- anesthesia, obstetric. *See* obstetric anesthesia.
- anticholinergics, 199
- antiphospholipid syndrome (APS), 875. *See also* venous thrombosis (VT).
- aortic stenosis
- future role, 655
  - morbidity/mortality, 654–655
  - pathophysiology, 654
  - in restrictive atrial septum, 655
  - in utero aortic valvuloplasty, 655
- appendicitis. *See under* surgery in pregnancy, surgical complications.
- APS. *See* antiphospholipid syndrome (APS).
- aspirin, low-dose, 200
- assisted reproductive technology (ART), 322
- asynclitism, 486
- ATP (autoimmune thrombocytopenia purpura). *See* thrombocytopenia (TTP).
- atracurium, 198
- ATTP (alloimmune thrombocytopenia), 532–533. *See also* thrombocytopenia (TTP).
- autoimmune thrombocytopenia purpura (ATP). *See* thrombocytopenia (TTP).
- B-hCG measurement, 74–75
- B-Lynch suture (Brace suture), 278
- Baudelocque, Jean Louis, 258
- Benedetti, T. J., 274–275
- benign cystic teratomas, 438. *See also* ovarian tumors.
- Bernhardt-Roth syndrome (meralgia paresthetica), 770–771
- biophysical profile (BPP)
- in intrapartum period, 51
  - predictive parameters, 50–51
  - score interpretation, 51
  - uses of, 50
- birth injuries
- development disorders and adult disease, 767–768
  - etiology of, 725–726
  - grief and mourning, perinatal, 769
  - trauma, blunt abdominal
    - fetal risks, 768
    - incidence of, 768
    - maternal/fetal assessment, 769
    - maternal resuscitation, 768
    - motor vehicle accidents/safety, 768–769
- birth injuries, fetal
- castration, accidental, 754
  - cephalohematoma, 745–746
  - environmental risks/exposures, 765–767
  - eye injuries, 749–750
  - facial nerve palsy, 753–754
  - fetal infection, 758–759
  - fractures, long bones
    - in breech/cephalic presentations, 750
    - clavicle fracture, 751
    - congenital abnormalities, 750
    - diagnosis, 750
    - elective fracture, 750
    - family counseling, 750–751
    - incidence/etiology, 750
    - treatment/therapy, 750
  - head and neck injuries, 743
  - intracranial hemorrhages
    - clinical associations, 759, 761
    - clinical indicators, 760–761
    - incidence of, 759
    - intracranial bleeding, types of, 759

- periventricular hemorrhage, 759
- subarachnoid bleeding, 759–760
- treatment, 761
- nerve injury
  - femoral neuropathy, 771–773
  - iatrogenic surgical risk factors, 769
  - incidence of, 769
  - isolated, 754
  - lumbosacral palsy, 773–774
  - meralgia paresthetica, 770–771
  - postoperative/postpartum paralysis (POP), 769–770
  - upper extremities, 774
- overview, 743
- perineal injuries, 754
- permanent neurologic injury
  - cerebral circulation vulnerability, 763
  - cerebral palsy, 762
  - clinical indicators, 762–763
  - EFM, role of, 763–765
  - etiology, 761
  - hypoxic ischemic encephalopathy, 762
  - incidence of, 762
  - mental retardation, 762
  - neonatal encephalopathy, 761–762
  - pathology, 763
  - terminology, 761
  - treatment/therapies, 763
- retinal hemorrhage, 754–755
- scalp injuries, minor, 743–745
- shoulder dystocia. *See also* macrosomia; shoulder dystocia terms; shoulder impaction.
  - brachial plexus injuries, 756
  - cesarean delivery, 758
  - clinical observations of, 755
  - fetal macrosomia, 757
  - fetopelvic relationship, 758
  - incidence of, 755
  - morbidity/mortality, 755–756
  - prediction of, 757
  - pseudo-Erb palsy, 756
  - recovery, 756–757
  - treatment/management, 756, 757
  - Weigart palsy, 350, 756
- skull/facial fractures
  - cranial plasticity, 748
  - dental defects, 749
  - depressed fractures, 748
  - diagnosis, 748–749
  - identification of, 748
  - leptomeningeal cysts, 749
  - nasal injuries, 749
  - occipital osteodiasis, 749
  - treatment/management, 749
- spinal cord injuries
  - cranial hyperextension, 752
  - diagnosis, 751
  - experimental/simulation findings, 752
  - incidence of, 751–752
  - treatment, 752–753
- subgaleal/subaponeurotic hemorrhage
  - diagnosis, 747
  - incidence of, 747
  - morbidity/mortality, 748
  - pathology, 746–747
  - prevention of, 747
  - treatment, 747–748
- visceral injuries
  - in instrumental delivery, 754
  - intra-abdominal organs, 758
  - subcutaneous fat neurosis, 758
- birth injuries, in clinical settings
  - cesarean delivery 727. *See also* cesarean delivery terms. .
  - dystocia/macrosomia, 727–728. *See also* macrosomia; shoulder dystocia terms.
  - fetal monitoring, 729–730. *See also* fetal monitoring terms.
  - instrumental delivery, 728–729. *See also* instrumental delivery terms.
  - overview, 725–726
- birth injuries, maternal. *See also* episiotomy/extensions
  - amniotic fluid embolism (AFE).
    - causes of death, 737
    - clinical symptoms, acute, 737–738
    - diagnosis, 738–739
    - etiology, 736
    - incidence of, 736–737
    - morbidity/mortality, 736, 738
    - pathophysiology, 736
    - treatment, 738, 739
- coccygodynia
  - coccyx anatomy, 741
  - diagnosis, 741–742
  - etiology/symptoms, 741
  - treatment, 742
- infection, 733
- medical errors
  - crew resource management, 743
  - medication errors, 743
  - patient/surgical site identification, 742–743
  - study findings, 742
- pelvic relaxation syndrome
  - anatomy of, 739–740
  - chronic pelvic joint pain, 740
  - diagnosis, 740
  - etiology, 739
  - osteomyelitis, 741
  - symphysis rupture/division, 740–741
  - symptoms, 740
  - treatment, 740
- urinary tract infection (UTI), 733–734
- uterine atony/inversion, 735–736. *See also* uterine atony; uterine inversion. . uterine infection, 734.
  - uterine rupture, 734–735. vaginal/cervical lacerations, 732–733

## 892 INDEX

- bladder injury/management
  - bladder injuries, 622
  - bladder repair, 622–623
  - vesicocervical/vesicouterine fistula repair, 624
  - vesicovaginal fistula repair, 623–624
- BPP. *See* biophysical profile (BPP).
- Brace suture (B-Lynch suture), 278
- brachial plexus
  - anatomy of, 350
  - injury classifications
    - Erb's palsy, 350
    - Horner's syndrome, 350
    - Klumpke palsy, 350
    - Weigart palsy, 350, 756
  - injury occurrence, 350–351, 355–356
- brachial plexus injuries, 314–315. *See also* shoulder impaction.
- brachial plexus palsy, 349–351, 356–357. *See also* shoulder dystocia terms; shoulder impaction.
- Bracht maneuver, 303. *See also* breech presentation, delivery techniques.
- Brandt-Andrews maneuver, 218, 260–261
- breech presentation
  - adverse outcomes, 297
  - cesarean indications, 297–299
  - cesarean vs. vaginal delivery, 317
  - definitions/types of, 300
  - fetal/maternal risk balance, 299
  - incidence of, 297
  - labor, mechanisms of, 300–301
  - low-birth weight fetuses, 299
  - operative delivery rate, 299
  - patient counseling, 316–317
  - residency education, 317
  - risk factors, 297, 298
  - trial of labor, 299–300
  - vaginal delivery, pre-modern, 297
- breech presentation, delivery techniques
  - aftercoming head delivery
    - Kristellar maneuver, 303
    - Mauriceau-Smellie-Viet (MSV) maneuver, 303
    - Naujok's maneuver, 303
    - Prague maneuver, 303–304
    - Wigand-Martin-Winkle maneuver, 303
  - approaches, type of, 301
  - assisted breech delivery
    - Bracht maneuver, 303
    - fetal position, 301
    - Loveset maneuver, 301–303
  - breech extraction
    - partial breech extraction, 304–305
    - total breech extraction, 304
  - cesarean delivery, 306
  - external cephalic version, 307, 312–313
  - forceps in, 305
  - internal podalic version, 306–307
  - selective trial of labor, 308
  - spontaneous breech delivery, 305–306
- breech presentation, labor and delivery management
  - anesthesia support, 313
  - cesarean delivery, elective, 312
  - current practice, 313–314
  - delivery room equipment, 313
  - pediatric support, 313
  - personnel requirements, 313
  - trial of labor (TOL)
    - dilation/descent, 309–310
    - fetal acidosis, 309
    - fetal outcome, 312
    - imminent delivery, 310–311
    - low-birthweight fetus, 312
    - maternal evaluation, 309
    - progression of labor, 309
    - umbilicus appearance, 312
    - vaginal delivery, 311–312
- breech presentation, outcomes
  - preterm infants
    - cesarean vs. vaginal delivery, 316
    - delivery risk factors, 315
    - external cephalic version, 315–316
    - VLBW/low-birthweight infants, 316
  - term infants
    - bony injury/nerve damage, 315
    - brachial plexus injuries, 314–315
    - cerebral palsy, 314
    - cesarean delivery, 315
    - congenital abnormalities, 314
    - ECV-related injuries, 315
    - resuscitation at delivery, 315
    - traumatic injury, 314
    - worldwide study results, 315
- bupivacaine, 195, 198
  - fentanyl combination therapy, 204
  - in postoperative pain management, 218
- butorphanol, 196, 212
- Caesar, Gaius Julius, 3
- castration, accidental, 754
- CCAMs (congenital cystic adenomatotic malformations), 648–650
- CDH. *See* congenital diaphragmatic hernia (CDH).
- cephalohematoma, 745–746
- cephalopelvic disproportion (CPD), 245, 246, 463–464
- cerclage. *See* cervical cerclage; cervical insufficiency; cervicoisthmus cerclage (TACIC).
- cerebral palsy (CP), 314, 323–324, 762
- cervical cerclage. *See also* cervical insufficiency; cervicoisthmus cerclage (TACIC).
  - efficacy of, 92–93
  - epidemiology, 92–93
- cervical incompetence. *See* cervical insufficiency.
- cervical insufficiency
  - acquired cervical lesions
    - conization, 91
    - lacerations, 91
  - cerclage operations

- incidence of, 92
- indications, 111
- intraoperative complications, 95–96
- intrauterine infections, 95–96, 102
- membrane rupture, 96, 102–103
- postoperative complications, 95, 96
- postoperative treatment, 96–97
- surgical technique, 108–111
- congenital factors, 91
- diagnosis
  - obstetric history, 93
  - sonography, 94–95
  - techniques for, 93–94
- epidemiology, 92
- historical observations/procedures, 90
- nonsurgical treatment, 111
- pathophysiology, 90–91
- pessary insertion, 111
- preterm delivery risk, 89–90
- sonography
  - endovaginal, 94
  - significance of, 94–95
  - transperineal/transvaginal, 94
  - Valsava maneuver, 94
- surgical procedures
  - cervicoisthmio cerclage (TACIC), 104–107
  - classifications of, 97
  - elective cerclage, 97, 99
  - emergency cerclage, 98–99, 100–101
  - McDonald cerclage, 101–102, 103–104
  - Shirodkar cerclage, 101–102, 103
  - and tocolytic therapy, 102
  - Trendelenburg's positioning, 102
  - urgent cerclage, 97
- transcervical cerclage
  - Lash operation, 107
  - Mann cerclage, 107
  - Page "wrapping" technique, 107
  - trachelorrhaphy, 107
  - Wurm technique, 107–108
- cervical intraepithelial neoplasia (CIN)
  - biopsy, 425
  - colposcopy, 424–425
  - cytopathology, 424
  - risk factors, 424
  - treatment, 425
- cervical length assessment. *See* ultrasound, cervical length assessment.
- cervical malignancy
  - classification/staging, 426–427
  - diagnosis, 425–426
  - epidemiology, 425
  - management, 427–428
  - pathology, 426
  - prognosis, 428
- cervical pregnancy, 83
- cervicoisthmio cerclage (TACIC)
  - laparoscopic approach, 107
  - transabdominal approach, 105–107
  - transvaginal approach, 107
- cesarean delivery
  - delivery rate
    - international comparisons, 510–511
    - vaginal delivery effects on, 512–513
  - documentation, 564
  - epidural anesthesia. *See* obstetric anesthesia.
  - morbidity reduction, 567–568
- cesarean delivery, and VBAC trial
  - epidural analgesia/anesthesia, use of, 537
  - fetal macrosomia, 537
  - issues of concern, summarized, 533
  - management, 537
  - morbidity/mortality, 533
  - multiple prior cesareans, 536–537
  - twins and breech position, 537
  - uterine exploration, 536
  - uterine scar separation
    - clinical consequence, 535
    - clinical risk, 535
    - dehiscence vs. rupture, 533–534
    - literature review/data interpretation, 534
    - maternal morbidity, 535
    - oxytocin stimulation, 534–535
    - patient counseling, 535
    - repeat rupture, 535
    - uterine rupture, 535–536
- cesarean delivery, associated risk factors
  - breech presentation, 512
  - demographic factors
    - maternal age, 512
    - medicolegal environment, 512
    - socioeconomic factors, 512
  - dystocia, 511. *See also* shoulder dystocia terms.
  - electronic fetal monitoring, 511–512
  - repeat procedures, 511
- cesarean delivery, complications
  - fetal injury, 566–567
  - general/frequent complications, 564
  - management of, 564–565
  - wound disruption, 565–566
- cesarean delivery, elective procedures
  - controversy of, 539, 540
  - indications for, 538–539
  - morbidity/mortality, 540
  - obstetrician opinion survey results, 539–540
  - operative delivery rates, 538, 539
  - timing of, 537–538
- cesarean delivery, fetal indications. *See also* thrombocytopenia (TTP).
  - abnormal presentation, 522
  - fetal anomalies, 522–523
  - fetal compromise, suspicion of, 522–523
  - fetal macrosomia, 530–531
  - hepatitis C virus (HCV)
    - chronicity, 529
    - incidence/seroprevalence, 528–529

- cesarean delivery (*Contd.*)
  - indications, 528
  - interferon/ribavirin therapy, 529–530
  - obstetric management, 529
  - perinatal transmission, 529
  - spontaneous cure rates, 529
  - types, 528
- herpes simplex virus (HSV)
  - and AIDS/HIV, 525
  - asymptomatic carriers, 525
  - diagnosis, 525
  - fetal infection, 524–525
  - incidence of, 524
  - management, 525
  - STD screening, 525
- human immunodeficiency virus (HIV)
  - antiretroviral therapy, 526–527
  - management/treatment, 527–528
  - pathology, 526
  - perinatal transmission, 527
  - prevalence, 526
- multiple gestation, 530
- cesarean delivery, history of, 509
- cesarean delivery, maternal indications. *See also* thrombocytopenia (TTP).
  - birth canal obstruction, 517–518
  - cerebral aneurysm/arteriovenous malformation, 519
  - cervical cancer, 518–519
  - combined indications, 522
  - connective tissue disorders
    - Ehlers-Danlos syndrome (EDS), 520–521
    - Marfan's syndrome, 519–520
  - hypertension, 521
  - informed consent, 522
  - pelvic malformations, 521
  - placenta accreta/increta/percreta, 516
  - placenta previa, 513–516
  - vaginal surgery, prior, 519
  - vasa previa, 517
- cesarean delivery, operative procedure. *See also* symphysiotomy.
  - abdominal-pelvic exploration
    - abdominal wall closure, 558–559
    - adnexal examination, 557–558
    - appendix delivery, 558
    - Camper's fascia closure, 560
    - drains/drainage, 558
    - fascia closure, 559
    - lavage/irrigation, 558
    - myometrial wound closure, 558
    - skin closure, 560
    - subcutaneous tissue closure, 560
    - vesicouterine fold closure, 558
  - additional procedures. *See* tubal ligation.
  - alternative technique, 567
  - anesthesia, 544–545. *See also* obstetric anesthesia.
  - auto stapler, 557
  - cranial delivery difficulty, 553
  - fetal monitoring, 545–546
  - general preparation, 545
  - incision
    - abdominal wall entry, 547–548
    - in breech presentation, 551–552
    - fascia exposure/separation, 548
    - gutter packing, 549
    - for morbidly obese patients, 547
    - myometrial incision, 551
    - peritoneal entry, 549
    - rectus muscle division, 548–549
    - retractors, use of, 549
    - severed uterine arteries, 553
    - in transverse lie, 552–553
    - transverse vs. vertical incisions, 546–547
    - uterine entry, 549–551
    - vesicouterine reflection identification, 549
  - myometrial wound closure, 555–556
  - peritoneal closure
    - adhesion formation, 561–562, 563–564
    - adhesion prevention, 562
    - closure/nonclosure debate, 560–561, 564
    - patient outcomes, 563
    - physiology, 561–562
    - study findings/limitations, 562–563, 564
  - placental delivery, 555
  - skin preparation, 546
  - uterine closure, 556–557
- cesarean delivery, perimortem
  - ethical issues, 544
  - fetal outcome/survival, 541
  - gestational age assessment, 542–543
  - history of, 541
  - legal issues, 544
  - maternal resuscitation, 541, 543
  - surgical procedures, 543–544
- cesarean hysterectomy. *See also* hemorrhage, operations for.
  - history of, 9–10
  - indications, 568–569
  - procedure
    - cervix removal, 570, 571
    - closure, 571–572
    - complications, 572
    - hemorrhage control, 569, 570–571
    - hysterectomy technique, 569–570
    - incision, 569
- cesarean, term derivation
  - Caesar myth, 3
  - current usage, 4
  - Latin roots, 3
  - from legal responses, 3
  - in medical literature, 3
  - "section" linkage, 3–4
- Chamberlen forceps, 12–14, 15
- chloroprocaine, 198
- choriocarcinoma, 439. . *See also* gestational trophoblastic disease; ovarian tumors



- chorionic villus sampling (CVS)
  - vs. amniocentesis, 30–31, 32–33
  - complications
    - general, 31
    - limb anomalies, 31, 32
    - oromandibular-limb hypogenesis, 32
    - transverse limb reduction defects (TLRD), 32
  - contraindications, 30
  - efficacy of, 30
  - gestational restrictions to, 30
  - laboratory problems, 35–36
  - maternal cell contamination (MCC), 30–31
  - mosaicism, 30–31
  - specimen assessment, 30
  - study design/evaluation, 31
  - transabdominal biopsy (TA-CVS)
    - single-needle technique, 30
    - two-needle technique, 29–30
  - transcervical biopsy (TC-CVS)
    - procedure, 29
    - ultrasonic assessment, 29
- chromosomal aneuploidy, 33–34
- cimetidine, 195, 200
- CIN. *See* cervical intraepithelial neoplasia (CIN).
- clinical pelvimetry
  - as controversial technique, 241–242
  - limitations, 242–243
  - measurement techniques, 242
  - use/utility of, 242, 243
- clonidine, 196
- coagulopathy, in neuraxial procedures, 211
- cocaine, 200–201. . *See also* illicit drugs/alcohol
- coccygodynia
  - coccyx anatomy, 741
  - diagnosis, 741–742
  - etiology/symptoms, 741
  - treatment, 742
- combined spinal/epidural (CSE) analgesia
  - duration, 214
  - vs. epidural anesthesia, 214
  - vs. general anesthesia, 214
  - in labor pain management, 210–211
  - sequential CSE, 214–215
- computed tomography (CT) scan, in labor, 243
- congenital cystic adenomatotic malformations (CCAMs), 648–650
- congenital diaphragmatic hernia (CDH)
  - clinical outcomes, 652–653
  - EXIT-to-ECMO intervention, 653
  - morbidity/mortality, 652
  - open diaphragmatic repair, 652
  - tracheal occlusion, 652, 653
- continuous quality improvement (CQI), 220–221
- Coombs' test, 28
- corticosteroids, antenatal, 337
- Couvellaire uterus, 170
- CP (cerebral palsy), 314, 323–324, 762
- CPD (cephalopelvic disproportion), 245, 246, 463–464
- cranial deflection correction, 485–486
- Credé method, 261
- CSE. *See* combined spinal/epidural (CSE analgesia).
- CVS. *See* chorionic villus sampling (CVS).
- death. *See* perinatal loss.
- deep vein thrombosis (DVT). *See under* surgery in pregnancy, systemic complications.
- DeLee, Joseph Bolivar, 17–18
- DES (diethylstilbestrol), 91
- desflurane, 197
- diazepam, 195
- dichorionic-diamniotic placenta, 325. . *See also* multiple gestation, physiology of.
- diethylstilbestrol (DES), 91
- Doppler, Christian, 51. . *See also* ultrasound, Doppler.
- DVT (deep vein thrombosis). *See under* surgery in pregnancy, systemic complications.
- dysgerminoma, 438–439. . *See also* ovarian tumors.
- eclampsia. *See* preeclampsia/eclampsia.
- ectopic pregnancy
  - diagnosis
    - differential, 76
    - empiric treatment, 77
    - hormonal assays, 74–75
    - surgical, 76–77
    - symptoms, 74
  - epidemiology, 69–70
  - future detection/management directions, 84
  - future fertility, 78–80
  - maternal mortality, 70
  - vs. normal pregnancy, 69
  - pathophysiology
    - extrauterine, 73
    - tubal, 70–71
  - Rh prophylaxis, 83–84
  - risk factors
    - age, 73
    - contraception, 72
    - ectopic pregnancy, prior, 72, 77
    - infertility/infertility treatment, 73, 77
    - maternal DES exposure, 73
    - pelvic inflammatory disease (PID), 71–72
    - smoking, 73
    - surgical sterilization, 72
    - tubal surgery, prior, 72–73
  - surgical diagnosis
    - approaches, 76
    - frozen section analysis, 76
    - laparoscopy, 77
    - pipelle biopsy, 76–77
  - surgical management
    - prophylactic methotrexate, 78
    - salpingectomy, 78
    - salpingostomy, 77–78
  - transvaginal ultrasound
    - B-hCG levels, 75, 76

## 896 INDEX

- ectopic pregnancy (*Contd.*)  
   diagnostic accuracy, 75–76  
   gestational sac observation, 75  
   vs. transabdominal approach, 75  
   treatment  
     abdominal pregnancy, 81  
     cervical pregnancy, 83  
     expectant management, 81  
     heterotopic pregnancy, 81  
     interstitial (cornual) pregnancy, 83  
     medical management, 80–81  
     ovarian pregnancy, 81  
     surgical management, 77–80  
   uncommon types  
     abdominal, 81  
     cervical, 83  
     heterotopic, 81  
     interstitial (cornual), 83  
     ovarian, 81  
 ECV. *See* external cephalic version (ECV).  
 education/certification. *See* medical simulations.  
 EFM (electronic fetal heart rate monitoring), 683–684. *See also* fetal monitoring terms.  
 Ehlers-Danlos syndrome (EDS), 520–521  
 Elliot, George T., 17  
 embryonal carcinomas, 439. *See also* ovarian tumors.  
 Emergency Medical Treatment and Labor Act (EMTALA)  
   rules. *See under* legal principles.  
 endoanal examination, 62  
 endodermal sinus tumors, 439. *See also* ovarian tumors.  
 endometrial carcinoma  
   epidemiology, 431  
   management, 431–432  
   pathology, 431  
   prognosis, 432  
 endometriosis, 734  
 enflurane, 197, 200  
 ephedrine, 198, 199, 201  
 epidural analgesic technique.  
   *See also* labor pain management; obstetric anesthesia.  
   catheter dislodgment/malposition, 206  
   catheter placement, 205  
   delivery management, 207–208  
   dosing  
     loading, 205  
     maintenance, 205–206, 207  
   subdural erosion, 206  
   subdural injection, 205–206  
 epinephrine, 198, 201, 204  
 episiotomy/extensions  
   adverse effects, 731  
   complications, long-term, 731  
   elective perineal incision, 731  
   historic advocacy/acceptance, 269–270  
   injury reduction claims, 730  
   injury risks, 730  
   lacerations, occurrence of, 270  
   perineal lacerations, 271  
   rectal dysfunction/incontinence issues,  
     repair techniques, 730–731  
     supporting studies/claims, 270–272  
     timing of, 271  
 episiotomy repair, 265, 266–268. *See also*  
   perineal/periurethral injuries.  
 epithelial cell tumors, 438. *See also* ovarian tumors.  
 Erb's palsy, 350  
 ergometrine, 263–264  
 ergot derivatives, 264  
 ethical issues  
   fetal viability, 811  
   general agreements/maxims, 810–811, 817–818  
   legalistic solutions, avoidance of, 817  
   physician–patient relationship, 814, 817  
   prenatal testing, 814. *See also* prenatal genetic testing.  
   social/racial inequality, 811  
 ethical issues, elective termination  
   characteristic selection, 813–814  
   congenital abnormalities in, 811–813  
   maternal/fetal interests, 813  
   selective reduction, 814  
 ethical issues, second/third trimesters  
   ethical parallels, 817  
   fetal status, uncertainty of, 816–817  
   informed consent, 816  
   physician obligations  
     in detrimental maternal behavior, 815–816  
     in experimental procedures, 815  
     in maternal/fetal conflict, 814–815  
   risk assessment, 814  
 etomidate, 197  
 EXIT (ex utero intrapartum treatment) procedure,  
   646–648, 653  
 external cephalic version (ECV), 299–300, 307, 312–313.  
   *See also* breech presentation.  
 facial nerve palsy, 753–754  
 failure to progress (FTP), 245  
 fallopian tube disease  
   diagnosis, 440  
   incidence, 440  
   management, 440–441  
   pathology, 440  
   staging, 440  
 fentanyl  
   bupivacaine combination therapy, 204  
   for hypoxia/apnea, 195  
   in postoperative pain management, 218  
   in systemic analgesia, 195, 212  
 fetal birth injuries. *See* birth injuries, fetal.  
 fetal fibronectin (FFN) test, 249  
 fetal monitoring  
   electronic fetal heart rate monitoring (EFM),  
     683–684  
   intrapartum surveillance techniques, 683  
   pulse oximetry, 713  
   standard maneuvers, 713–714



- fetal monitoring, deceleration recovery
  - baseline rate/variability, return to, 701
  - contraction frequency control, 702
  - deceleration severity classification, 701
  - EFM tracing, reading of, 701–702
- fetal distress
  - agonal pattern, 702–703
  - pattern of injury, 702
- fetal monitoring, heart rate patterns
  - fetal deterioration from hypoxia
    - late decelerations, 697–699
    - pattern of decelerations, 693–697
    - recurrent decelerations, 701
    - variable/prolonged decelerations, 699–701
  - fetal deterioration without hypoxia, 692–693
  - fetal well-being estimation, 693–697
  - long-term neurologic outcome, 709–710
  - neuroradiological studies, 710
- fetal monitoring, intervention timing
  - pattern assessment, 715
  - pattern progression, 714
  - prevention vs. rescue role, 714–715
- fetal monitoring, neurologic injury diagnosis
  - FHR patterns, use of, 710
  - hypoxic/ischemic episode, 711–713
  - injury severity, 710–711
- fetal monitoring, physiological principles
  - baseline heart rate, 687
  - FHR pattern influences, 686
  - tachycardia/bradycardia
    - basal vs. baseline rates, 687
    - baseline variability measurement, 689
    - contributing factors, 687
    - development speed of, 687–688
    - diagnosis, 690
    - irregular fluctuations, 688–689
    - saltatory/jumping patterns, 690–691
    - servocontrol mechanisms, 689
    - variability, causes of, 689–690
- fetal monitoring, second stage of labor
  - complications/risks, 705
  - decelerations, frequency of, 703
  - excessive uterine activity, 704–705
  - fetal blood sampling
    - technique, 708–709
    - tissue pH maintenance, 708
  - maternal pushing strategies, 703–704
  - nomenclature issues, 705–706
  - tracing abnormalities, 706–708
- fetal monitoring, surveillance methods
  - vs. adult coronary care systems, 686
  - contraction effects
    - fetal stimulation, 686
    - on uterine blood flow (UBF), 685–686
  - EFM functions
    - heart rate measurements, 685
    - uterine contraction measurements, 685
  - intermittent auscultations (IA), 684–685
- fetal occiput position
  - digital examination for, 57–58
  - identifying landmarks, 58
  - as labor management tool, 56–57
  - malposition/malrotation, 58
  - transvaginal examination, 58
- fetal position assessment. *See* ultrasound, fetal position assessment.
- fetal status assessment. *See* ultrasound, fetal status assessment
- fetal surgery
  - fetal ethics. *See also* ethical issues terms.
    - informed consent, 639–640
    - maternal-fetal conflicts, 638–639
    - maternal safety, 639, 640
    - preoperative diagnosis, 640–641
  - fetal surgery, established applications
    - airway obstruction
      - causes/diagnosis, 646
      - EXIT procedure, 646–648
    - bladder outlet obstruction
      - diagnosis, 651
      - indications, 651–652
      - procedures, 652
    - sacrococcygeal teratomas (SCT), 650–651
    - thoracic anomalies
      - congenital cystic adenomatotic malformations (CCAMs), 648–650
      - hydrothoraces, 648
    - twin-reversed arterial perfusion (TRAP) sequence, 646
    - twin-twin transfusion syndrome (TTTS)
      - alternative interventions, 645–646
      - amnioreduction, 645
      - fetoscopic laser ablation, 645
      - mortality/morbidity, 645
      - pathophysiology, 645
  - fetal surgery, experimental applications. *See* aortic stenosis; congenital diaphragmatic hernia (CDH); myelomeningocele (MMC).
  - fetal surgery, general operative approaches
    - challenging factors, 641
    - fetoscopic surgery
      - advantages/disadvantages of, 644
      - development of, 643
      - preoperative preparation, 643
      - specialist roles, 643
      - surgical procedures, 643
    - open fetal surgery
      - postoperative activity, 642–643
      - preoperative preparation, 641
      - specialist roles, 641
      - surgical procedure, 641–642
    - percutaneous approaches, 644–645
  - fetoscopy, 159
  - fetus papyraceus, 330–331
  - FFN (fetal fibronectin) test, 249
  - fibroids. *See* leiomyomata.

- fibroleiomyomas. *See* leiomyomata.  
 fibromyomas. *See* leiomyomata.  
 fluorescent in situ hybridization (FISH), 25–37  
 forceps, historic  
   axis-traction, 17  
   Chamberlen, 12–14  
   destructive vs. atraumatic instruments, 11–12  
   development/modifications, 11, 15, 18  
   Elliot's, 17  
   Palfyn instrument, 14–15  
   prophylactic forceps operation, 17–18  
   rotational maneuvers, 17  
   Simpson's, 17  
   solid-bladed, 17  
   term derivation, 11  
   van Roonhuysian instrument(s), 13–14  
 Fournier gangrene. *See* necrotizing fasciitis (NF).  
 Freud, Sigmund, 821  
 FTP (failure to progress), 245  
 Gaaney, H. L., 270–271  
 gallbladder disease. *See* *under* surgery in pregnancy, surgical complications.  
 gas gangrene, 289. *See also* necrotizing fasciitis (NF).  
 genetic disease  
   clinician/obstetrician role, 23  
   financial/social impacts, 22–23  
   identification advances, 23  
   medical importance, 22  
 genital herpes. *See* herpes simplex virus (HSV).  
 germ cell tumors, 438. *See also* ovarian tumors.  
 gestational thrombocytopenia (GTP), 532  
 gestational trophoblastic disease  
   classification/staging, 418–419  
   diagnosis, 417–418  
   epidemiology, 416  
   historic recognition of, 416  
   management  
     follow-up, 422  
     high-risk metastatic tumors, 421–422  
     nonmetastatic/low-risk metastatic disease, 419–421  
   morbidity/mortality, 416–417  
   pathology, 416–417  
 gestational trophoblastic neoplasia. *See* gestational trophoblastic disease.  
 glycopyrrolate, 195  
 gonadal stromal tumors, 439–440. *See also* ovarian tumors.  
 granulosa cell tumors, 439–440. *See also* ovarian tumors.  
 Greenfield filter, 405  
 grief. *See* perinatal loss.  
 GTP (gestational thrombocytopenia), 532. *See also* thrombocytopenia (TTP).  
 Guillemeau, Jacques, 4  
 Haas maneuver, 490  
 Hale forceps, 471  
 halothane, 197, 199, 200, 201  
 Haultain operation, 283  
 HCV. *See* hepatitis C virus (HCV).  
 hemolytic streptococcal gangrene. *See* necrotizing fasciitis (NF).  
 hemorrhage. *See* hemorrhage, operations for; intracranial hemorrhages; massive hemorrhage; postpartum hemorrhage (PPH); subgaleal/subaponeurotic hemorrhage.  
 hemorrhage, operations for  
   angiographic embolization  
     advantages/disadvantages of, 581  
     complications, 581  
     indications, 580–581  
     procedure, 581  
   balloon tamponade, 581–582  
   hypogastric vessel ligation  
     complications, 579–580  
     indications, 579, 580  
     pelvic circulation effects, 580  
     problems following, 580  
     procedure, 579  
   incidence/risk factors, 572–573  
   initial management, 572  
   maternal resuscitation, 573  
   principal surgical procedures, 573  
   uterine artery ligation (O'Leary technique)  
     advantages of, 575  
     B-Lynch sutures, 576–577  
     complications, 574–575  
     compression techniques, 575  
     drains/drainage, 578  
     extent of bleeding, judgment of, 577–578  
     oversewing techniques, 577  
     packing techniques, 575–576  
     postoperative management, 578–579  
     procedure, 573–574  
 heparin, 402–403, 404–405  
 hepatitis C virus (HCV)  
   chronicity, 529  
   incidence/seroprevalence, 528–529  
   indications, 528  
   interferon/ribavirin therapy, 529–530  
   obstetric management, 529  
   perinatal transmission, 529  
   spontaneous cure rates, 529  
   types, 528  
 herpes simplex virus (HSV)  
   and AIDS/HIV, 525  
   asymptomatic carriers, 525  
   diagnosis, 525  
   fetal infection, 524–525  
   incidence of, 524  
   management, 525  
   STD screening, 525  
 heterokaryotypia, 332  
 heterotopic pregnancy, 81  
 HIE (hypoxic ischemic encephalopathy), 762  
 high-order multiple gestation (HOM), 340  
 history. *See* obstetric history.  
 HIV. *See* human immunodeficiency virus (HIV).

- HOM (high-order multiple gestation), 340  
 Horner's syndrome, 350  
 hospital gangrene. *See* necrotizing fasciitis (NF).  
 HSV. *See* herpes simplex virus (HSV).  
 human immunodeficiency virus (HIV)  
   antiretroviral therapy, 526–527  
   management/treatment, 527–528  
   pathology, 526  
   perinatal transmission, 527  
   prevalence, 526  
 Huntington procedure, 283  
 hydatidiform mole. *See* gestational trophoblastic disease;  
   gestational trophoblastic disease.  
 hydralazine, 200  
 hydrostatic uterine replacement, 282  
 hyperhomocystinemia syndrome (HHCS), . *See also*  
   venous thrombosis (VT).  
 hypotension treatment, 198  
 hypoxic ischemic encephalopathy (HIE), 762  
 hysterectomy. *See* cesarean hysterectomy.
- IA (intermittent auscultations), 684–685  
 idiopathic thrombocytopenia purpura (ITP).  
   *See* thrombocytopenia (TTP).  
 ileocecal cystoplasty bladder augmentation, 629  
 illicit drugs/alcohol  
   alcohol abuse complications/therapies, 201  
   drug interactions  
     amphetamines, 201  
     cocaine, 200–201  
     marijuana, 201  
   narcotic abuse complications/therapies, 201  
 indomethacin, 199  
 infection, 287. *See also* necrotizing fasciitis (NF);  
   surgery in pregnancy, wound infection.
- instrumental delivery  
   contraindications, 470  
   equipment, types of  
     forceps, 459–460  
     specialized instruments, 461  
     vacuum extractors, 459–460, 461  
   follow-up study findings, 499–500  
   intervention indications  
     elective shortening of second stage, 457  
     fetal compromise, suspicion of, 458–459  
     prolonged second stage, 457  
   mandatory prerequisites, 456  
   procedure coding  
     forceps deliveries, 461–462  
     vacuum extraction operations, 462. *risks. See also*  
       instrumental delivery, fetal injuries  
     from episiotomy, 493–494  
     in fetal macrosomia, 492  
     maternal/fetal injuries, 491–492  
   role of, 442  
   station system scoring, 456  
   trial vs. failed procedures, 496–499  
 instrumental delivery, clinical issues  
   digital examination errors, 465–466  
   documentation, 467  
   pelvic adequacy evaluation  
     abdominal examination, 464  
     cephalopelvic disproportion, 463–464  
     fetal malpositioning, 463  
     intervention indications, 463  
     Leopold's maneuvers, 464  
     oxytocin stimulation, 465  
     prolongation/arrest disorders, 463  
     ultrasound, 464–465  
   sequential instrument use, 466  
   training deficiencies, 467–468  
 instrumental delivery, conduct of  
   analgesia/anesthesia use, 472  
   choice of instrument, 477–478  
   descent, 474  
   febrile morbidity, 472  
   forceps application, 474–476  
   forceps motion, 473  
   prerequisites, 471–472  
   traction, 472–473  
   use of force, 476–477  
   vacuum extractor, 473–474, 476  
 instrumental delivery, fetal injuries  
   from forceps, 494  
   intracranial hemorrhages, 495  
   scalp bruising/lacerations, 495  
   subgaleal/subaponeurotic hemorrhage, 494–495  
   from vacuum extraction, 494  
 instrumental delivery, forceps/vacuum extractor  
   comparison  
     analgesia/anesthesia use, 469  
     maternal/fetal injuries, 468, 469  
   in midpelvic procedures, 469  
   surgeon/practitioner experience level, 468–469  
   vacuum extractor advantages/application, 469–470  
 instrumental delivery, instrument application  
   in breech presentations, 491  
   fetal station, 482–483  
   forceps operation procedure, 478–480  
   manual rotation, 483  
   in rotation of 45 degrees or less  
     forceps operation, 481–482  
     vacuum extractor technique, 481–482  
   in rotation of 45 degrees or more  
     forceps rotation, 482  
     transverse arrest, 482  
 transverse arrest  
   Barton forceps, 484  
   blade introduction, 483  
   Kielland forceps, 483–484  
   Tucker-McLean forceps, 483  
   vacuum extraction procedure, 480–481  
 instrumental delivery, maternal injuries  
   perineal lacerations, 495  
   risk factors, 495–496  
   stress urinary and anal incontinence, 496

## 900 INDEX

- instrumental delivery, occiput posterior (OP) positions
  - associated conditions/complications, 486–487
  - incidence of, 486
  - management
    - anteartum repositioning, 487
    - Haas maneuver, 490
  - instrument/procedure selection, 488–489
  - Kielland rotation, 490–491
  - manual rotation, 487–488
  - procedure failure rates, 488
  - Puddicombe's maneuver, 487
  - reverse Scanzoni maneuver, 489–490
  - Scanzoni rotation, 489
  - vaginal vs. cesarean delivery, 488
- morbidity/mortality, 486
- risk factors, 487
- instrumental delivery, special applications
  - cranial extraction, 470–471
  - multiple gestation, 471
  - upward extractor procedure, 471
- instrumental delivery, special issues
  - asynclitism, 486
  - cranial deflection correction, 485–486
  - wandering, 485
- intermittent auscultations (IA), 684–685
- internal podalic version (IPV), 306–307. *See also* breech presentation; breech presentation, delivery techniques.
- interstitial (cornual) pregnancy, 83
- intracranial hemorrhages
  - clinical associations, 759, 761
  - clinical indicators, 760–761
  - incidence of, 759
  - and instrument delivery, 495
  - intracranial bleeding, types of, 759
  - periventricular hemorrhage, 759
  - subarachnoid bleeding, 759–760
  - treatment, 761
- intrauterine growth restriction (IUGR), 289, 298, 314
- intravenous patient-controlled analgesia (IV-PCA), 212, 218
- intravenous pyelography (IVP) use, 626
- invasive mole. *See* gestational trophoblastic disease.
- IPV (internal podalic version), 306–307. *See also* breech presentation, delivery techniques.
- isoflurane, 197
- ITP (idiopathic thrombocytopenia purpura). *See* thrombocytopenia (TTP)
- IUGR (intrauterine growth restriction), 289, 298, 314
- IV-PCA (intravenous patient-controlled analgesia), 212, 218
- IVP (intravenous pyelography) use, 626
- Jonas, Richard, 3, 4
- ketamine, 196–197, 199, 201
- ketorolac, 196, 201
- Kielland forceps, 305
- Kielland rotation, 490–491
- Kleihauer-Betke test, 155
- Klumpke palsy, 350
- Kristellar maneuver, 303. *See also* breech presentation, delivery techniques.
- Kübler-Ross, Elisabeth, 821
- Kustner procedure, 283
- labetalol, 200, 201
- labor, abnormal conduct
  - dystocia
    - causes, 245
    - disproportion, 245–246
    - “pelvic/passenger/powers” issues, 245
  - malpresentation/disproportion diagnosis
    - CPD, 246
    - cranial molding estimation, 246–247
    - etiology establishment, 246
    - Müller-Hillis maneuver, 246
    - oxytocin stimulation, 246
    - palpation techniques, 246
    - ultrasound, real time, 247
  - management of
    - latent phase treatment, 247
    - oxytocin stimulation/augmentation, 247–248
- labor, active management of
  - American/Canadian experience, 252
  - Dublin group system, 252
- labor induction/augmentation
  - contraindications/criteria, 249
  - fetal fibronectin (FFN) test, 249
  - indications, 248–249
  - mechanical methods
    - amniotomy, 250
    - cervical dilators, 250
    - cervical ripening, 249
    - Foley catheter, 250
    - membrane sweeping, 249–250
  - oxytocin, 251–252
  - pelvic examination, 249
  - prostaglandins, 250–251
  - timing of, 252
- labor, normal conduct, 252. *See also* labor pain management; labor pain management, epidural blockade; obstetric anesthesia.
- analgesia, 234
- clinical pelvimetry
  - as controversial technique, 241–242
  - limitations, 242–243
  - measurement techniques, 242
  - use/utility of, 242, 243
- clinician/obstetrician role, 232
- computed tomography (CT) scan, 243
- cranial flexion evaluation, 244
- diagnosis of labor, 233–234
- epidural anesthesia, 244–245
- fetal position/presentation, 240

- fetopelvic relationship
  - fetal size estimation, 241
  - pelvic types/architecture, 240–241
- maternal posture effects, 239–240
- medical/surgical intervention, 240
- patient history/examination, 232–233
- physiology of, 248
- premature rupture of membranes (PROM), 233
- radiographic (x-ray) pelvimetry, 243
- ultrasound, real-time, 243–244
- labor pain
  - characteristics of, 202
  - complications from, 202
  - natural childbirth beliefs, 202
  - patient expectations, 202
  - prenatal childbirth training (PCT) effectiveness, 202
- labor pain management. *See also* obstetric anesthesia
  - combined spinal/epidural (CSE) analgesia, 210–211
  - contraindications to neuraxial procedures, 211
  - paracervical block (PCB), 212
  - parturient-controlled epidural analgesia (PCEA), 209
  - pudendal block/perineal infiltration, 212–213
  - spinal analgesia, 209–210
  - systemic analgesia, 211–212
- labor pain management, epidural blockade. *See also* epidural analgesic technique.
  - analgesic regimen
    - vs. anesthesia, 202–203
  - delivery management, 207–208
  - initiation, 205–206
  - maintenance, 206–207
  - neuropharmacology of pain, 204
  - technique, 204–205
  - timing of, 208–209
- contraindications, 211
- hazards, anesthesia-related
  - aortocaval compression, 207
  - oral intake, 207
- local anesthetics, negative effects, 203–204
- maternal benefits, 206–207
- in second-stage management, 209
- terminology usage, 202
- labor, progress of
  - evaluation methods, 252
  - influencing factors, 252
  - intervention judgment, 253
  - oxytocin stimulation, 252–253
- labor, stages of
  - partogram, 237–238
- prolonged labor
  - and epidural anesthesia, 239
  - fetal monitoring, 238–239
  - medical/surgical intervention, 239
  - protocol development, 238
  - two-hour rule, 238, 239
  - ultrasound examination, 238
- station
  - cervical dilation, 236
  - labor pattern analysis, 236–237
  - reporting systems, 234–236
- terminology, 234
- uterine activity measurement
  - manual palpation, 239
  - Montevideo units, 239
  - tocodynamometry, 239
- labor, third/fourth stage
  - active management
    - basic components of, 263
    - cord blood drainage/collection, 265
    - cord clamping, 264–265
    - ergot derivatives, 264
    - oxytocin, 263–264
    - prostaglandins, 264
    - study findings, 263
  - uterotonic agents, 263–264.
    - complications. *See* postpartum hemorrhage; uterine inversion.
- history
  - Bard, John, 258
  - Baudelocque, Jean Louis, 258
  - British monarchy, 258–259
  - Dewees, William P., 258
  - Mauriceau, François, 257–258
  - Smellie, William, 258
  - Taj Mahal, 258
- normal physiology
  - placental separation, 259
  - uterine involution, 259–260
- placenta delivery
  - Brandt-Andrews maneuver, 260–261
  - cord traction/tension, 260–261
  - Credi method, 261
  - episiotomy/laceration repair, 261
  - kneading/massage techniques, 261
  - retained placenta, 261–262
  - separation confirmation, 260
  - twisting/lifting methods, 261
- post-delivery placenta examination
  - drainage/injection practices, 263
  - gross examination, 262–263
- lacerations, birth canal
  - cervical, 286
  - uterine, 286
  - vaginal, 286–287
- Lash operation, 107. *See also* cervical cerclage.
- legal considerations, antepartum
  - cervical insufficiency
    - diagnosis/evaluation of, 189–190
    - primary considerations, 190–191
  - ectopic pregnancy
    - communication errors, 181–182
    - medicolegal issues, 180
    - misdiagnosis, risk of, 181
    - primary considerations, 182–183
  - genetic testing
    - Howard v. Lecher, 179



## 902 INDEX

- legal considerations (*Contd.*)
  - physician liability theories, 177–178
  - primary considerations, 179–180
  - Schirmer v. Mt. Auburn Obstetrics and Gynecologic Assoc.*, 177–178
  - standard of care/causation, 179
- legal/ethical landscape, 176–177
- placental abnormalities, 189
- therapeutic abortion
  - informed consent, 187–188
  - Martinez v. Long Island Jewish Hillside Medical Center*, 187–188
  - patient rights, 186
  - Perez v. Park Madison Professional Laboratories, Inc.*, 187–188
  - primary considerations, 188
  - Sheppard-Mobley v. King*, 187
  - wrongful pregnancy, 186–187
- ultrasound
  - personnel expertise, 183–185
  - primary considerations, 185–186
  - standard of care issues, 185
- legal considerations, birth injuries
  - causation, 831–832, 851–852
  - education/training, 837–838
  - electronic fetal monitoring
    - Baglio v. St. John's Queens Hospital*, 833–834
    - in clinical decision making, 833
    - errors in judgment vs. malpractice, 834
    - in intrapartum assessment, 833
    - medical record review/analysis, 834
    - morbidity/mortality, 833
    - obstetrician considerations, 834–835
  - genetic science/counseling, 832. genetic testing. *See under* legal considerations, antepartum.
  - indemnity payouts, 831
  - intrauterine assessment, 832
  - neurological assessments/abnormalities, 832–833
  - nurse midwives. *See also* midwives/midwifery.
    - “direct entry” midwives, 838
    - history, in United States, 838
    - independent vs. collaborative practice, 839
    - vs. physician outcomes, 838–839
    - practitioner considerations, 839–840
    - regulation of, 838
  - placental pathology
    - expert opinions, battle of, 836–837
    - explanation of neonatal outcomes, 835–836
  - plaintiff's burden, 832
- legal considerations, fetal surgery
  - Adams v. Arthur*, 679–680
  - efficacy of, 678
  - experimental vs. standard medical therapy, 678–679
  - indications for, 678
  - informed consent, 679
  - obstetrician considerations, 680
- legal considerations, intra- and postpartum
  - breech presentation
    - cesarean indications, 383
    - complications, 383–384
    - Draper v. Jasionowski*, 384–385
    - informed consent, 384
    - obstetrician considerations, 385–386
    - safe conduct of breech delivery, 384
    - vaginal delivery, 384–385
  - cesarean delivery
    - cesarean on demand controversy, 672, 673
    - Meador v. Stahler and Gheridian*, 674
    - Schreiber v. Physicians Insurance*, 672
  - damages/jury awards
    - economic/non-economic, 370–371
    - Gourley v. Nebraska Methodist Health System*, 371
    - insurer payments, 372
    - Wareing v. United States*, 371–372
  - instrumental delivery
    - fetal/maternal injury,
    - midforceps operation controversy,
    - obstetrician considerations,
  - malpractice claim reduction, 373
  - multiple gestation
    - congenital abnormalities, 387
    - diagnosis failure, 386
    - gestational age assessment, 386
    - Mundell v. La Pata*, 386–387
    - obstetrician considerations, 387–388
    - tocolytic agents, 387
    - vaginal vs. operative delivery, 387
  - obstetric anesthesia
    - acts or omission, 374
    - Denton v. LaCroix*, 374–375
    - Lanzet v. Greenberg*, 374
    - maternal mortality, 373
    - nonmortal injuries, 373–374
    - Oberzan v. Smith*, 374
    - obstetrician/anesthesiologist responsibility, 374
    - obstetrician considerations, 375–376
    - policy/protocol standardization, 374
  - shoulder dystocia
    - litigation rebuttal, 389–390
    - management controversy, 388
    - obstetrician considerations, 390–391
    - res ipsa* doctrine, 389
  - tort reform, 370, 372
- legal considerations, maternal-fetal conflict
  - contradictory outcomes
    - criminal prosecution, 666
    - Ferguson v. City of Charleston*, 666
    - illicit drug use, 666
  - fetal-rights advocacy
    - Jefferson v. Griffin Spalding County Hospital*, 664–665



- Pemberton v. Tallahassee Memorial Regional Hospital*, 665
- Planned Parenthood v. Casey*, 664
- informed consent, 666–675
- maternal behaviors, 663–664
- maternal-rights advocacy
  - Matter of Angela C.*, 665
  - McFall v. Shrimp*, 664
  - religious convictions, 665–666
  - Roe v. Wade*, 664
- legal considerations, surgery in pregnancy
  - clinical evaluation difficulties, 667–668
  - common nonobstetric procedures, 667
  - complications/liability relationship, 668
  - incidence of, 667
  - nondelegable duties, 668–669
  - obstetrician considerations, 669
  - risk assessment, 668
- legal considerations, surgical complications
  - improper surgical recommendation, 441
  - improper treatment of complications, 442
  - surgical technique, 441–442
- legal considerations, third stage of labor
  - Gabaldoni v. Board of Physicians*, 672–677
  - maternal care, 669–672
  - obstetrician considerations, 680
  - placental examination, 669
  - postpartum complications, 677–680
  - postpartum hemorrhage (PPH), 680
- legal considerations, urologic complications
  - delayed diagnosis risks, 677
  - maternal/fetal injuries, 675–676
  - negligence allegations, 676
  - principles for practice, 677–678
  - Seats v. Lowery*, 676–677
- legal principles
  - abortion, legal decisions in
    - Harris v. McRae*, 867
    - Maher v. Roe*, 867
    - Planned Parenthood v. Casey*, 867–868
    - Roe v. Wade*, 866–867
    - Stenberg v. Carhart*, 868
  - authoritative sources/learned treatises
    - in evidence introduction, 861, 862
    - Federal rule regarding, 859–860
    - Gridley v. Johnson*, 860
    - Jacober v. St. Peters Medical Center*, 860–861
    - Kilpatrick v. Wolfond*, 861–862
    - Swank v. Halivopoulos*, 860
  - causation, 851–852
  - duty (doctor–patient relationship)
    - consultation between professionals, 844–845, 846
    - de minimis* contact, 844
    - Gilinsky v. Indelicato*, 845–846
    - implied contract, 844
    - Wheeler v. Yettie Kersting Memorial Hospital*, 845
  - EMTALA rules
    - Burditt v. United States*, 864–865
  - Marshall v. East Carroll Parish Hospital*, 862
  - patient “dumping”, 862
  - patient transfer, 863–864, 865
  - requirement of, 862, 865
  - screening examination, 862, 863
  - Urban v. King*, 864
  - U.S. v. Rush Foundation Hospital*, 862–863
  - expert witness
    - jury consideration of, 857–858
    - Lake v. Clark*, 859
    - qualifications of, 858
    - Sheely v. Leslie*, 858–859
  - informed consent
    - Canterbury v. Spence*, 855–856
    - customary practice standard, 855
    - Dingle v. Belin*, 855
    - Harrison v. United States*, 856–857
    - materiality standard, 856
    - medical/expert testimony, 857
  - loss-of-chance doctrine
    - vs. “all-or-nothing” rule, 852–853
    - compensable injury, 854
    - probabilities vs. possibilities, 853–854
    - as reduced standard of causation, 852
    - substantial factor test, 854–855
  - medical malpractice, 843–844
  - new technology, standard of care, 865–866
  - physician as Good Samaritan
    - Good Samaritan legislation, 848–849
    - Hurley v. Eddingfield*, 848
    - vs. layperson, 848
    - reasonable care, 848
    - United States v. DeVane*, 848
    - Velazquez vs. Jiminez*, 849–850
  - standard of care issues, 850–851
  - supervision of resident physicians
    - Maxwell v. Cole*, 846
    - McCullough v. Hutzell Hospital*, 847
    - Moeller v. Hauser*, 846–847
    - Mozingo v. Pitt City Memorial Hospital*, 847–848
  - wrongful life/wrongful birth
    - Becker v. Schwartz*, 868–869
    - Gallagher v. Duke University Hospital*, 870
    - genetic technology, 868–870
    - injury, nature of, 869
    - physician negligence, 868
    - Reed v. Campagnolo*, 869
    - Roe v. Wade*, 868–869, 870
    - Siemieniec v. Lutheran General Hospital*, 869–870
  - leiomyofibromas. *See* leiomyomata
  - leiomyomata
    - diagnosis, 430
    - epidemiology, 429
    - management, 430
    - pathology, 429–430
    - prognosis, 430–431
  - levobupivacaine, 198
  - lidocaine, 198, 200

## 904 INDEX

- Loveset maneuver, 301–303  
 lower urinary tract injuries and trauma.  
   *See also* bladder injury/management; ureteral  
   injury/management; urethral injury/management.  
   accidental trauma, 620  
   intrapartum injuries, 620–621  
   surgical injuries, 621–622  
 lumbosacral palsy (LSP), 773–774
- macrosomia  
   diagnosis  
     fetal weight assessment, 352  
     ultrasound reliability, 352  
   labor abnormalities, 353–354  
   management/injury profile, 361–362  
   related risks  
     maternal diabetes, 353  
     maternal factors, 353  
     maternal weight, 352  
     post-term pregnancy, 352  
     prior macrosomic infant, 352–353  
 magnesium sulfate, 199  
 magnetic resonance imaging (MRI), 158–159  
 Malmström extractor, 18–19  
 Mann cerclage, 107. *See also* cervical cerclage  
 Marfan's syndrome, 519–520  
 marijuana, 201  
 MSAFP (maternal serum alpha fetoprotein),  
   27  
 massive hemorrhage, obstetric  
   anesthetic management, 216–217  
   causes/treatment, 216  
   childbirth vs. surgery misperception, 217  
 maternal cell contamination (MCC), 30–31  
 maternal-fetal medicine (MFM) specialists, 335–336  
 maternal serum alpha fetoprotein (MSAFP)  
   elevation, 27  
 Mauriçeau, François, 5–7, 13, 257–258  
 Mauriçeau-Smellie-Viet (MSV) maneuver, 303, . *See also*  
   breech presentation, delivery techniques.  
 maximum vertical pocket (MVP), 49  
 MCC (maternal cell contamination), 30–31  
 McDonald cerclage, 101–102, 103–104. *See also* cervical  
   cerclage.  
 McGill Pain Questionnaire, 202  
 medical simulations  
   continuing education, role in, 806  
   development of, 797–798  
   example simulations  
     bad-news communication, 805  
     circumcision, 804  
     documentation training, 804–805  
     eclampsia, 803  
     operative vaginal delivery, 803, 805–806  
     postpartum hemorrhage, 802–803  
     professionalism scenarios, 805  
     shoulder dystocia, 801–802  
     surgical skill assessment, 806  
     ultrasound scanning/procedures, 803–804  
     vaginal breech delivery, 804  
   future applications, 808  
   in graduate medical education, 801  
   patient safety/outcomes, 806–807  
   rationale for, 799–800  
   simulation products, 798–799  
   team drills, 807–808  
   as training tool, 798  
   in undergraduate medical education, 800–801  
 Meigs, Charles, 193  
 Melaney's ulcer, 289. *See also* necrotizing fasciitis (NF).  
 membranous twin, 330–331  
 meperidine, 195, 212  
 meralgia paresthetica (MP), 770–771  
 methamphetamine, 201  
 methergonovine maleate, 264  
 methotrexate therapy  
   contraindications, 80  
   future fertility, 81  
   side effects, 80–81  
   single/multidose therapies, 80  
   uses of, 80  
 metoclopramide, 195  
 MFM (maternal-fetal medicine) specialists, 335–336  
 midazolam, 195  
 midwives/midwifery  
   circumcision, newborn, 794  
   core competencies, 789–790  
   first assisting, 792–793  
   intervention, role of, 795–796  
   procedures performed by, 787, 789  
   technology, appropriate role of, 795  
   training/credentialing  
     American College of Nurse-Midwives (ACNM), 788  
     clinical privileging, 791  
     liability concerns, 791–792  
     of physician assistants (PAs), 788–789  
     state laws/regulations, importance of, 791  
   trends/future  
     at-risk evaluation, 794  
     cesarean delivery rates, 795  
     hospitalist movement, 794–795  
     laborists, role of, 794–795  
     medical education, 795  
     vacuum-assisted birth, 793–794  
 mifepristone (RU 486), 133–134  
 Misgav-Ladach (ML) cesarean technique, 567  
 misoprostol  
   in labor induction/augmentation, 250–251  
   in third/fourth stage labor, 264  
 mixed germ cell tumors, 439. *See also* ovarian tumors.  
 MMC. *See* myelomeningocele (MMC)  
 monochorionic-diamniotic placenta, 325. *See also* multiple  
   gestation, physiology of.  
 monochorionic-monoamniotic placenta, 325. *See also*  
   multiple gestation, physiology of.  
 Montevideo units, 239

- morphine, 195, 218
- mosaicism, 30–31
- MP (meralgia paresthetica), 770–771
- MRI (magnetic resonance imaging), 158–159
- Müller-Hillis maneuver, 246
- Müllerian anomalies, 91
- multiple gestation.
  - See also* twin-twin transfusion syndrome.
  - acardiac twins, 332
  - antenatal corticosteroids, in triplet gestations, 337
  - assisted reproductive technology (ART) effects, 322
  - cerebral palsy, incidence of, 323–324
  - congenital anomalies, 331–332
  - diagnosis, 326–327
  - epidemiology, 322, 324
  - fetal complications, 329
  - growth restriction in, 330
  - high-order multiple gestation (HOM), 340
  - intrauterine death, 330–331
  - medicolegal issues, 341–342
  - monoamniotic twins, 335
  - perinatal mortality, 322–323
  - placental/cord complications, 335
  - preterm birth prevention, 337
  - preterm labor/delivery
    - incidence of, 329
    - predictive factors, 329
  - psychosocial issues, 341
  - selective fetocide, 332
  - selective reduction, 340–341
  - “vanishing twin” syndrome, 329–330
- multiple gestation, antepartum care
  - maternal-fetal medicine (MFM) specialists, role of, 335–336
  - prenatal screening, 336–337
  - prenatal visits/nutrition, 336
  - ultrasound evaluation, 336
- multiple gestation, intrapartum management
  - interval between deliveries, 338
  - nonvertex/any presentations, 339–340
  - vertex/nonvertex presentations, 339
  - vertex/vertex presentations, 338
- multiple gestation, maternal physiologic changes
  - complications, 328–329
  - hypertensive disorders, 328
  - organ system adaptations, 327–328
  - weight gain, 328
- multiple gestation, physiology of
  - dizygotic twinning, 324
  - monozygotic twinning, 324–325
  - placentation
    - chorionicity determination, 325–326
    - complications, 326
    - dichorionic-diamniotic placenta, 325
    - monochorionic-diamniotic placenta, 325
    - monochorionic-monoamniotic placenta, 325
    - superfecundation/superfetation, 324
  - multiple gestation, preterm labor management
    - delivery timing, 338
    - fetal lung maturity, 338
    - preterm rupture of membranes (PROM), 337
    - tocolytic therapy, 337
  - Murless forceps, 471
  - MVP (maximum vertical pocket), 49
  - myelomeningocele (MMC)
    - incidence of, 653
    - MMC repair approaches, 654
    - standard of care, 653
    - study/data interpretation, 654
    - in utero repair rationale, 653–654
  - myomas. *See* leiomyomata.
  - myonecrosis, 289. *See also* necrotizing fasciitis (NF).
- nalbuphine, 196, 212, 218
- naloxone, 201
- Naujok's maneuver, 303. *See also* breech presentation, delivery techniques.
- necrotizing fasciitis (NF)
  - causative organism, 288
  - diagnosis, 288
  - forms/alternate names, 287–288
  - gas gangrene, 289
  - laboratory findings, 288
  - medical management, 289
  - myonecrosis, 289
  - surgical treatment, 288–289
  - symptoms/disease progression, 288
  - wound infection, 399–400
- neoplastic diseases. *See* cervical intraepithelial neoplasia (CIN); cervical malignancy; endometrial carcinoma; fallopian tube disease; gestational trophoblastic disease; leiomyomata; ovarian tumors; vaginal malignancy; vulvar malignancy.
- neostigmine, 196
- neuraxial analgesia, 218
- neuraxial procedures, contraindications to, 211
- NF. *See* necrotizing fasciitis (NF).
- nifedipine, 199
- nitroglycerin
  - in PIH, 200
  - urgent uterine relaxation, 215–216
  - in uterine relaxation, 282
- nitroprusside, 200
- nitrous oxide, 197
- obstetric anesthesia.
  - See also* labor pain; labor pain management.
  - vs. analgesia, 213
  - drug interactions
    - illicit drugs, 200–201
    - obstetric pain management, 201–202
    - PIH therapy, 200
    - tocolytic agents, 199
    - uterotonic agents, 199
  - epidural anesthesia

## 906 INDEX

- obstetric anesthesia (*Contd.*)
  - catheter position, 213–214
  - for cesarean delivery, 213
  - vs. general anesthesia, 214
  - pain during, 213
  - general anesthesia
    - antacid prophylaxis, 215
    - practice standards, 215
    - safety, 215
    - uses of, 215
  - for massive hemorrhage, 216–217
  - pharmacology
    - analgesics, 195–196
    - circulation support agents, 197–198
    - general anesthesia, induction agents, 196–197
    - general anesthesia, volatile agents, 197
    - local anesthetics, 198
    - neuromuscular blocking agents, 198
    - premedicants, 195
    - tranquilizers, 195
  - postoperative pain management, 218
  - spinal/CSE anesthesia
    - duration, 214
    - vs. epidural anesthesia, 214
    - vs. general anesthesia, 214
    - sequential CSE, 214–215
  - surgery during pregnancy
    - fetal monitoring, 217–218
    - fetal risks/outcome, 217
    - general precepts, 217
    - maternal/fetal survival, 218
  - vs. surgical anesthesia, 193, 194–195
  - urgent uterine relaxation, 215–216
- obstetric anesthesia service
  - communication/coordination
    - characteristics of, 219
    - informed consent, 220
    - outpatient anesthesiology clinic, 219–220
  - management of, 218
  - quality assurance
    - continuous quality improvement, 220–221
    - traditional approaches, 220
  - staffing/equipment, 218–219
- obstetric history. *See also* forceps, historic.
  - abortion
    - in ancient/classical texts, 119
    - controversy in medical practice, 119
    - Hippocrates' injunction, 119–120
    - legality of, 120
    - religious doctrines, 120
  - cesarean delivery
    - advice against, 5–7
    - in classic theater, 2
    - documented operations, 4–5, 7
    - in myths/legends, 1–2
    - Porro operation, 9–10
    - propriety controversy, 5
    - safety preclusions, 8
    - self/traumatic delivery, 2
    - support for, 7
    - surgical innovations, 9, 10–11
    - vs. symphysiotomy, 7–8
    - uterine sutures/suturing, 8–9
  - cesarean hysterectomy, 9–10
  - instrumental delivery
    - advances in, 17
    - axis-traction forceps, 17
    - Chamberlen forceps, 12–14
    - conservative obstetric management, 15
    - destructive vs. atraumatic instruments, 11–12
    - Elliot's midwifery forceps, 17
    - incidence of procedures, 16–17
    - instrument development/modifications, 11, 15, 18
    - intervention error example, 15
    - maternal mortality, 17
    - Palfyn instrument, 14–15
    - popularization of, 15
    - Princess Charlotte debacle, 15
    - procedural alternatives, 11
    - prophylactic forceps operation, 17–18
    - rotational maneuvers, 17
    - Simpson's forceps, 17
    - solid-bladed forceps, 17
    - usage guidelines, 15
    - van Roonhuysian instrument(s), 13–14
  - labor, third/fourth stage
    - Bard, John, 258
    - Baudelocque, Jean Louis, 258
    - British monarchy, 258–259
    - Dewees, William P., 258
    - Mauriceau, François, 257–258
    - Smellie, William, 258
    - Taj Mahal, 258
  - prenatal genetic testing
    - amniocentesis, 23–24
    - chorionic villous biopsy (CVS), 24–25
    - technologic advances, 25
    - ultrasonography, 24–25
  - vacuum extractors
    - cupping, 18
    - Malmström extractor, 18–19
    - Simpson extractor, 18
- occiput posterior (OP) positions. *See* instrumental delivery, occiput posterior (OP) positions.
- O'Leary technique, 278, 573–574
- oromandibular-limb hypogenesis, 32
- ovarian pregnancy, 81
- ovarian tumors
  - classification/staging, 434–435
  - diagnosis, 433–434
  - epidemiology, 432
  - management
    - benign cystic teratomas, 438
    - choriocarcinomas, 439
    - dysgerminoma, 438–439
    - embryonal carcinomas, 439

- endodermal sinus tumors, 439
  - epithelial cell tumors, 438
  - germ cell tumors, 438
  - gonadal stromal tumors, 439–440
  - granulosa cell tumors, 439–440
  - mixed germ cell tumors, 439
  - ovarian cancer, 435–438
  - ovarian immature teratomas, 439
  - Sertoli-Leydig cell tumors, 439–440
- pathology, 432
- prognosis, 438
- oxytocin stimulation. *See also* hemorrhage, operations for.
  - active labor, 263–264
  - drug interactions, 199
  - labor, abnormal conduct, 247–248
  - labor induction/augmentation, 251–252
  - labor physiology, 248
  - labor progression, 252–253
  - malpresentation/disproportion diagnosis, 246
  - pelvic adequacy evaluation, 465
  - retained placenta treatment, 284
  - shoulder dystocia, 354
  - in third-fourth-stage labor, 263–264
  - third-fourth-stage labor, 263–264
  - uterine scar separation, 534–535
- Page “wrapping” technique, 107. *See also* cervical cerclage.
- Palfyn instrument, 15
- Palfyn, Johannes, 14–15
- pancuronium, 198
- paracervical block (PCB), 212. *See also* labor pain management.
- Paré, Ambroise, 4, 5–7, 14
- parturient-controlled epidural analgesia (PCEA), 209
- PAs (physician assistants), 788–789
- patient-controlled analgesia (PCA), 212, 218
- PCA (patient-controlled analgesia), 218
  - in hypotension, 199
- PCB (paracervical block), 212. *See also* labor pain management.
- PCEA (parturient-controlled epidural analgesia), . *See also* labor pain management.
- PCR (polymerase chain reaction), 25
- (PCR) polymerase chain reaction, 36–37
- PCT (prenatal childbirth training) effectiveness, 202
- pelvic girdle relaxation. *See* pelvic relaxation syndrome.
- pelvic inflammatory disease (PID), 71–72
- pelvic relaxation syndrome
  - anatomy of, 739–740
  - chronic pelvic joint pain, 740
  - diagnosis, 740
  - etiology, 739
  - osteomyelitis, 741
  - symphysis rupture/division, 740–741
  - symptoms, 740
  - treatment, 740
- percutaneous umbilical blood sampling (PUBS), 60–61
- perinatal loss
  - clinician response to, 821
  - death, as taboo subject, 820–821
  - as family trauma, 820
  - grief, stages of
    - Freud, Sigmond, 821
    - Kübler-Ross, Elisabeth, 821
    - texts on, 821–823
  - grieving father, 825
  - grieving mother
    - miscarriage, 823
    - multiple gestation, 824–825
    - overview, 823–824, 827
    - stillbirth, 824–826
- hospital staff practices
  - bereavement protocol, 826
  - cultural considerations, 823
  - personnel roles, 823–825
  - talking to grieving families, 826–827
- patient resources
  - books, 828
  - Internet, 828–829
  - support groups, 827–828
  - video, 828
- terminology, 821
- perineal infiltration, 212–213
- perineal/periurethral injuries
  - avoidance of, 266
  - common injuries, 265–266
  - surgical repairs
    - episiotomy repair, 265, 266–268
    - internal/external sphincter lacerations, 268–269
    - rectal mucosa tear, 268
    - suture material, 269
    - vaginal lacerations, 266
- phenylephrine, 198, 199, 201
- phenytoin, 200
- physician assistants (PAs), 788–789
- physiologic pelvic girdle relaxation. *See* pelvic relaxation syndrome.
- PID (pelvic inflammatory disease), 71–72
- PIH. *See* pregnancy-induced hypertension (PIH) therapy.
- Pinard maneuver, 304
- Pipelle biopsy, 76–77
- Piper forceps, 305
- placenta. *See also* ultrasound, placental.
  - development/physiology, 145–147
  - pathology
    - description at delivery, 160
    - maternal floor infarction, 161
    - maturation disorders, 160–161
    - weight aberrations/variations, 160
  - perinatal evaluation, role of, 145
- placenta accreta/increta/percreta. *See also* placental abnormalities terms.
  - associations/risk factors, 284
  - diagnosis, 284, 285
  - etiology, 152, 284–285



## 908 INDEX

- placenta accreta/increta/percreta (*Contd.*)
  - hemorrhage risk, 284
  - infant mortality, 285
  - management of, 166–167
  - pathophysiology, 55–56, 150, 285
  - treatment
    - conservative management, 285
    - surgical procedures, 285
    - vaginal vault/pelvic packing, 286
  - ultrasound diagnosis, 156–157
- placenta delivery. *See* under labor, third/fourth stage.
- placenta increta. *See* placenta accreta/increta/percreta.
- placenta percreta. *See* placenta accreta/increta/percreta.
- placenta previa
  - etiology/incidence, 55
  - management
    - activity restriction, 164
    - antenatal corticosteroids, 166
    - artery/vessel ligation, 163–164
    - bleeding, assessment of, 162–163, 164–165
    - blood transfusion, 165
    - cervical cerclage, 166
    - home-care vs. hospitalization, 165
    - hysterectomy, 164
    - incision locations, 163
    - intraoperative/postpartum hemorrhage, 163
    - pre-surgery planning, 163, 165
    - tocolytics, 165–166
  - pathology, 149
  - prevalence, 150–152
  - ultrasound diagnosis
    - transabdominal ultrasound (TAS), 155
    - transperineal sonography (TPS), 156
    - transvaginal ultrasound (TVS), 155–156
- placental abnormalities
  - abnormal trophoblastic invasion, 148–149
  - epidemiology
    - marginal placental separation, 150
    - placenta accreta, 152
    - placenta previa, 150–152
    - placental abruption, 152–154
    - vaginal bleeding, 150
  - fetal heart rate monitor, 160–169
  - implantation disruption, 148
  - intrinsic abnormalities
    - amniotic band syndrome, 147
    - chorioangioma, 147
    - circumvallate placenta, 147
    - single umbilical arteries (SUA), 148
    - velamentous insertion, of cord, 147–148
  - patient/family communication, 170
  - placenta accreta, 150
  - placenta previa, 149
  - placental abruption, 149
  - preeclampsia/fetal growth restriction, 148–149
- placental abnormalities, complications
  - coagulation disorders,
  - hemorrhagic shock,
  - in newborns,
  - organ damage,
  - respiratory failure/distress,
  - Rh isoimmunization,
- placental abnormalities, diagnosis
  - fetoscopy, 159
  - magnetic resonance imaging (MRI), 158–159
  - patient history, 154
  - physical examination, 154–155
  - placental migration, 156
  - ultrasound scanning
    - placenta accreta, 156–157
    - placenta previa, 155–156
    - placental abruption, 157–158
    - uses of, 155
- placental abnormalities, management of. *See also* placental abruption.
  - placenta accreta, 166–167
  - placenta previa
    - activity restriction, 164
    - antenatal corticosteroids, 166
    - artery/vessel ligation, 163–164
    - bleeding, assessment of, 162–163, 164–165
    - blood transfusion, 165
    - cervical cerclage, 166
    - home-care vs. hospitalization, 165
    - hysterectomy, 164
    - incision locations, 163
    - intraoperative/postpartum hemorrhage, 163
    - presurgery planning, 163, 165
    - tocolytics, 165–166
  - previable pregnancy
    - bleeding, 161–162
    - chorioangioma, 161
    - maternal well-being, 161–162
  - viable gestation, 162
- placental abruption
  - bleeding/blood replacement, 169–170
  - Couvelaire uterus, 170
  - evaluation of, 167–168
  - fetal monitoring, 169
  - mild/minimally symptomatic cases, 167–168
  - moderate/severe cases, 168–169
  - mortality/morbidity, 152–154
  - pathophysiology, 149
  - ultrasound diagnosis, 54–55, 157–158
- placental examination
  - benefits of, 289
  - in obstetric management review, 289
  - study/storage recommendations, 289–290
- placental separation, 259
- placental site trophoblastic tumor. *See* gestational trophoblastic disease.
- Planned Parenthood v. Casey*
  - abortion, legal decisions in, 867–868
  - fetal-rights advocacy, 664
- polymerase chain reaction (PCR), 25–37



- Porro, Eduardo, 9–10  
 postoperative/postpartum paralysis (POP), 769–770  
 postpartum hemorrhage (PPH). *See also* hemorrhage, operations for; retained placenta; uterine atony; uterine inversion.  
   causes/signs, 272, 273  
   diagnosis  
     blood/arterial pressure, 274  
     blood loss, 273–274  
     four-stage classification scheme, 274–275  
     laboratory tests, 275  
     urinary output, 274  
   incidence of, 272  
   management  
     compression sutures, 278  
     embolization, 278  
     fluid resuscitation, 275  
     gauze packing, 276–277  
     hematoma identification, 277–278  
     hysterectomy, 279  
     initial/supportive therapy, 275  
     O'Leary technique, 278  
     physician assistance, 279  
     placental examination, 277  
     subinvolution, 279  
     surgical control, 278  
     uterine compression, 277  
     uterotonic agents, 275  
     vessel ligation, 278–279  
   management of, 272  
   maternal mortality, 272  
   risk factors, 272–273  
 Power, R. M. H., 271  
 Prague maneuver, 303–304. *See also* breech presentation, delivery techniques.  
 preeclampsia/eclampsia  
   abnormal trophoblastic invasion, 148–149  
   Doppler flow measurement, 52  
   drug interactions, 199, 208–209, 210–211  
   health care education, 680  
   in hypertensive disorders, 328  
   IUGR, 146  
   in maternal mortality, 676–680  
   and PPH, 272–273  
   and thrombocytopenia, 211  
 pregnancy-induced hypertension (PIH) therapy, drug interactions  
   aspirin, low-dose, 200  
   cimetidine, 200  
   hydralazine, 200  
   labetalol, 200  
   nitroglycerin, 200  
   nitroprusside, 200  
   verapamil, 200  
 pregnancy termination. *See* abortion terms.  
 premature rupture of membranes (PROM), 233, 337  
 prenatal childbirth training (PCT) effectiveness, 202  
 prenatal genetic program trends  
   quality assurance, 36  
   service organization development, 36  
   technological advances, 25–37  
 prenatal genetic testing. *See also* amniocentesis; chorionic villus sampling (CVS); genetic disease.  
 prenatal genetic testing, multiple gestations  
   accuracy/sampling error, 35  
   identification approach, 34  
   laboratory problems, 35–36  
   risks  
     chromosomal aneuploidy, 33–34  
     miscarriage, 34–35  
     vs. singleton gestations, 34  
     selective pregnancy termination, 35  
     single/dual puncture methods, 34  
 PROM (premature rupture of membranes), 233, 337  
 propofol, 197  
 propranolol, 200  
 Prosser, William L., 848, 851–852  
 prostaglandin 15-methyl- $F_{2\alpha}$  ( $PGF_2$ ),  
 PUBS (percutaneous umbilical blood sampling), 60–61  
 Puddicombe's maneuver, 487  
 pudendal block, 212–213  
  
 ranitidine, 200  
 remifentanyl, 196, 212  
 retained placenta, 261–262. *See also* placenta accreta/increta/percreta.  
   clinical associations, 283–284  
   diagnosis, 284  
   treatment  
     manual removal, 284  
     oxytocin, 284  
 retinal hemorrhage, 754–755  
 Rh prophylaxis, 83–84  
 Rh sensitization, 27–28  
 ritodrine, 199  
 rocuronium, 198  
*Roe v. Wade*  
   abortion, legal decisions in, 866–867  
   and genetic testing, 177–178  
   maternal-rights advocacy, 664  
   wrongful life/wrongful birth, 868–869, 870  
 ropivacaine, 198  
 Rösslin, Eucharius, 3, 4  
 Rousset, François, 5  
 RU 486 (mifepristone), 133–134  
  
 sacrococcygeal teratomas (SCT), 650–651  
 Sängner, Max, 9–10  
 Scanzoni, Friedrich Wilhelm, 17  
 Scanzoni rotation/reverse maneuver, 489–490  
 SCT (sacrococcygeal teratomas), 650–651  
 selective feticide, 328, 332, 335, 341–342  
 selective pregnancy termination, 35  
 selective reduction, 35, 340–341, 814

## 910 INDEX

- selective trial of labor
  - in breech presentation, 308
  - CT pelvimetry, 309
  - X-ray pelvimetry, 308–309
- Sertoli-Leydig cell tumors, . 439–440. *See also* ovarian tumors.
- sevoflurane, 197
- Shirodkar cerclage, 101–102, 103. *See also* cervical cerclage.
- shoulder dystocia.
  - See also* macrosomia; shoulder impaction.
  - clinical issues
    - morbidity/mortality, 349
    - neonatal injury, 349–351
    - prevalence, 349
  - clinician/obstetrician role, 348
  - intrapartum factors
    - episiotomy, 354
    - labor abnormalities, 353–354
    - oxytocin/anesthesia incidence, 354
  - management/injury profile
    - disimpaction maneuver study findings, 361
    - routine cesarean, 361
  - medical record, 363
  - occurrence analysis, 349
  - prediction/prevention, 360
  - risk factors, predictive value of, 348–349, 354
- shoulder dystocia, disimpaction maneuvers
  - clavicle fracture, 360
  - posterior arm extraction, 359
  - rotation maneuvers
    - fundal pressure in, 359
    - Rubin's maneuver, 359
    - Woods "cork-screw" maneuver, 358–359
  - simple maneuvers
    - historical surveys, 357–358
    - McRoberts maneuver, 358, 361
    - suprapubic pressure application, 358
    - Walcher position, 358
    - Zavanelli maneuver, 360
- shoulder dystocia, emergency management plan
  - anticipation of, 362
  - assistance, 362
  - episiotomy, 362–363
  - obstetric intervention techniques, 363
  - optimal delivery route determination, 362
- shoulder dystocia, medicolegal issues
  - prevention strategies, 365–366
  - reasonable conduct, 363–364
  - standard of care issues, 364–365
- shoulder impaction
  - forces operating in, 355–356
  - pathophysiology, 354–355, 356
- Simpson forceps, 305, 471
- Simpson, James Young, 17, 18, 193, 194
- single umbilical arteries (SUA), 148
- spinal analgesia, 209–210
- Spinelli operation, 283
- subgaleal/subaponeurotic hemorrhage
  - diagnosis, 747
  - morbidity/mortality, 748
  - prevention of, 747
  - treatment, 747–748
- succinylcholine, 198
- sufentanil, 195–196
- superficial perineal infection, 287
- suppurative fasciitis. *See* necrotizing fasciitis (NF).
- surgery in pregnancy. *See also* legal considerations, surgical complications; neoplastic diseases.
  - diagnosis
    - history/physical examination, 393–394
    - laboratory data, 395
    - location/progression of pain, 394
    - radiography, 395
    - traumatic injury, 394
  - surgical technique
    - drains, 397–398
    - hemostasis, 396
    - knot tying, 397
    - operative incisions, 395–396
    - skin closure, 397
    - skin preparation, 396
    - suture materials, 396–397
    - wound closure, 396
  - wound complications
    - dehiscence/evisceration, 398–399
    - incisional hernia, 398
    - integrity, risks to, 398
  - wound infection
    - clinical signs/symptoms, 399
    - etiology, 399
    - necrotizing fasciitis (NF), 399–400
    - preventive measures, 399
    - treatment, 399
- surgery in pregnancy, fetal heart rate monitoring
  - appropriate use of, 880–881
  - gestation age, role of, 881
  - labor effects, 881–882
  - and potential viability, 882–883
  - protocols, 883
  - surgical management, 883–885
  - tocolytic administration, 882
- surgery in pregnancy, iatrogenic injuries
  - avoidance, 406
  - fetal injuries, 410
  - gastrointestinal injuries
    - intestinal tract/bowel lacerations, 406–407
    - thermal bowel injuries, 407–408
  - neurologic injuries, 409–410
  - reporting, 406
  - reproductive tract injuries, 410
  - urinary tract injuries, 408–409
- surgery in pregnancy, surgical complications
  - appendicitis
    - diagnosis, 413–414

- epidemiology, 412–413
- management, 414–415
- gallbladder disease
  - diagnosis, 411
  - epidemiology, 410–411
  - management, 411–412
- surgery in pregnancy, systemic complications
  - deep vein thrombosis (DVT)
    - antiphospholipid syndrome (APS), diagnosis, 403–404
    - Greenfield filter, 405
    - heparin therapy, 402–403, 404–405
    - incidence of, 401–402
    - inherited thrombophilia, 402, 405–406
    - mechanical intervention, 403
    - pulmonary embolism, 402
    - risk factors, 402
    - therapy, 404
    - warfarin therapy, 405
  - febrile morbidity
    - abdominal abscess, 401
    - differential diagnosis, 400–401
    - infection, 401
    - treatment, 401
- symphysiotomy, 7–8, 582–583
- symptom-giving pelvic girdle relaxation. *See* pelvic relaxation syndrome.
- synergistic necrotizing cellulitis. *See* necrotizing fasciitis (NF).
- syntometrine, 263–264
- systemic analgesia, 211–212
- TA-CVS (transabdominal biopsy). *See under* chorionic villus sampling (CVS).
- tachycardia/bradycardia. *See under* fetal monitoring, physiologic principles.
- TACIC. *See* cervicoisthmus cerclage (TACIC)
- TAS (transabdominal ultrasound), 155
- TC-CVS (transcervical biopsy). *See under* chorionic villus sampling (CVS).
- terbutaline, 199
- termination, of pregnancy. *See* abortion terms.
- thiopental, 196–197
- thrombocytopenia (TTP)
  - alloimmune thrombocytopenia (ATTP), 532–533
  - gestational thrombocytopenia (GTP), 532
  - immune thrombocytopenia, 532
  - incidence, 531–532
  - obstetric intervention recommendations, 533
  - physiology, 531
- thrombophilias. *See* venous thrombosis (VT).
- TLRD (transverse limb reduction defects), 32
- tocolytic agents, drug interactions
  - $\beta$ 2-agonists,
  - calcium ion antagonists, 199
  - magnesium sulfate, 199
- TPS (transperineal sonography), 156
- transabdominal ultrasound (TAS), 155
- transperineal sonography (TPS), 156
- transvaginal ultrasound (TVS), 155–156
- transverse arrest, *see under* instrumental delivery, instrument application.
- transverse limb reduction defects (TLRD), 32
- TRAP (twin-reversed arterial perfusion) sequence, 332, 646
- trauma, blunt abdominal
  - fetal risks, 768
  - incidence of, 768
  - maternal/fetal assessment, 769
  - maternal resuscitation, 768
  - motor vehicle accidents/safety, 768–769
- Trautmann, Jeremias, 5
- Trendelenburg's positioning, 102. *See also* cervical cerclage.
- TTP. *See* thrombocytopenia (TTP).
- TTTS. *See* twin-twin transfusion syndrome (TTTS).
- tubal ligation
  - in cesarean delivery, 583
  - complications, 588–589
  - counseling/consent, 584–585
  - incision, 585
  - surgical operations
    - fimbriectomy, 587–588
    - Irving technique, 586–587
    - Kroener technique, 587–588
    - Madlener technique, 585–586
    - Pomeroy technique, 586
    - Uchida technique, 587–588
  - in vaginal delivery, 584
- TVS (transvaginal ultrasound), 155–156
- twin-reversed arterial perfusion (TRAP) sequence, 332, 646
- twin-twin transfusion syndrome (TTTS).
  - See also* multiple gestation terms.
  - alternative interventions, 645–646
  - amnioreduction, 645
  - diagnosis, 333
  - donor risks, 332
  - fetoscopic laser ablation, 645
  - management
    - laser photocoagulation, 334–335
    - selective fetocide, 335
    - septostomy, 335
    - serial amnioreduction, 334
  - mortality/morbidity, 645
  - pathophysiology, 332–333, 645
  - staging, 334
- UBF (uterine blood flow), 685–686
- ultrasound
  - expanded use of, 44
  - fetal weight assessment, 54
  - gestational age assessment, 53–54
  - importance of, 62–63
  - transvaginal approach, 75–76
  - twin gestation, 58–59

## 912 INDEX

- ultrasound, cervical length assessment
  - accuracy importance, 44–45
  - with digital examination, 46–47
  - effacement process, 46–47
  - endocervical length, 46
  - funneled cervix criteria, 47
  - labor outcome prediction, 48
  - measurement procedure, 46
  - normal lengths, 47
  - preterm delivery prediction, 47–48
  - transabdominal approach, 45
  - transperineal/translabial approach, 46
  - transvaginal approach, 45–46
- ultrasound, Doppler
  - cerebroplacental ratio, 53
  - fetal arterial assessment, 51–52, 53
  - in intrapartum period, 52–53
  - perinatal mortality rates, 52
  - properties of, 51
  - vascular impedance measurement, 52
- ultrasound, fetal position assessment
  - fetal occiput position
    - identifying landmarks, 58
    - as labor management tool, 56–57
    - malposition/malrotation, 58
    - ultrasound vs. digital examination, 57–58
  - fetal presentation, 56
- ultrasound, fetal status assessment
  - amniotic fluid index (AFI)
    - AFI/MVP accuracy comparison, 49
    - obtainment method, 49
    - oligohydramnios thresholds, 49–50
    - polyhydramnios thresholds, 50
    - volume as assessment tool, 48–49
    - volume/perinatal outcome relationship, 49
  - biophysical profile (BPP)
    - in intrapartum period, 51
    - predictive parameters, 50–51
    - score interpretation, 51
    - uses of, 50
  - fetal occiput position, 58
  - maximum vertical pocket (MVP), 49
- ultrasound, placental
  - diagnosis of abnormalities, 155
  - placenta accreta, 55–56
  - placenta previa, 55, 155–156
  - placental abruption, 54–55
- ultrasound, procedure guidance
  - endoanal examination, 62
  - percutaneous umbilical blood sampling (PUBS), 60–61
  - prenatal diagnosis
    - amniocentesis, 59
    - CVS, 59–60
    - as invasive procedure adjunct, 59
    - needle visualization, 60
  - retained uterine products, 61–62
  - 3D/4D techniques, 61
- ureteral injury/management
  - in cesarean delivery, 625
  - in cesarean hysterectomy, 625
  - crush/suture ligation injuries, 626
  - incision/needle puncture injuries, 626
  - intravenous pyelography (IVP) use, 626
  - in pregnancy termination, 625–626
  - ureteral injuries, 625
  - ureteral transections, 626–628
- ureteroneocystostomy, 626–628
- urethral injury/management
  - urethral injuries, 624
  - urethral repair, 624
  - urethrovaginal fistula repair, 624–625
- urinary calculi
  - diagnosis, 614–616
  - epidemiology, 613–614
  - etiology, 614
  - management, expectant, 616
  - management, operative
    - lithotripsy, 616–617
    - timing of, 618
  - ureteral stents, 617
  - ureteroscopy, 617–618
  - management, pharmacologic, 618
- urinary tract infection (UTI), 733–734
- urolithiasis. *See* urinary calculi.
- urologic disorders, during pregnancy. *See also* lower
  - urinary tract injuries and trauma; urinary calculi.
- anatomic changes, 608–610
- common urinary complaints
  - stress urinary incontinence, 611–613
  - urinary frequency/nocturia, 610–611
  - urinary tract infection, 613
  - urinary urgency/urge incontinence, 611
  - voiding difficulties, 611
- genitourinary malignancy
  - diagnosis, 632
  - epidemiology, 631–632
  - etiology, 632
  - management, 632–633
- lower urinary tract obstruction
  - impacted/incarcerated uterus, 619
  - ureteral compression/obstruction, 618–619
  - urinary retention in labor, 619
- physiologic changes, 610
- previous urologic surgery
  - anti-incontinence procedures, 630
  - artificial urethral sphincters, 629–630
  - enterocystoplasty, 629
  - general recommendations, 629
  - ureteral reimplantation, 631
  - urinary diversion, 630–631
- urethral diverticulum
  - diagnosis, 628
  - etiology, 628
  - management, 628

- uterine atony
  - clinical associations, 279
  - treatment, 279–280
- uterine blood flow (UBF), 685–686
- uterine inversion
  - causes/risk factors, 281
  - diagnosis, 280–281
  - maternal mortality, 281
  - types of, 280
- uterine inversion, surgical treatment
  - abdominal approaches
    - Haultain operation, 283
    - Huntington procedure, 283
  - hydrostatic uterine replacement, 282
  - shock, incidence of, 282
  - uterine relaxation, 282
  - vaginal approaches
    - Kustner procedure, 283
    - Spinelli operation, 283
  - vaginal replacement, 281–282
- uterine involution, 259–260
- uterine relaxation, 215–216, 282
- uterotonic agents
  - oxytocin
    - drug interactions, 199
    - in labor physiology, 248
  - prostaglandins
    - drug interactions, 199
    - in labor physiology, 248
- vacuum extractors. *See also* obstetric history, vacuum extractors.
  - experimental devices, 19
  - plastic/disposable devices, 19
  - practitioner education, 19–20
- vaginal birth after cesarean (VBAC), 511. *See also* cesarean delivery and VBAC trial.
- vaginal malignancy
  - classification/staging, 424
  - diagnosis, 423
  - epidemiology, 423
  - management, 424
  - pathology, 423
  - prognosis, 424
- Valsalva maneuver, 94
- van Roonhuysian instrument(s), 13–14
- “vanishing twin” syndrome, 329–330
- VBAC (vaginal birth after cesarean), 511. *See also* cesarean delivery and VBAC trial.
- vecuronium, 198
- venous thromboembolism (VTE), 874–875
- venous thrombosis (VT)
  - diagnosis, 875
  - incidence, 874
  - pathophysiology, 874–875
  - treatment
    - alternative treatments, 876
    - antepartum concerns, 876
    - embolism, prior history of, 877
    - pharmacology, 876, 877
    - postsurgical care, 876
    - pregnancy loss, prior history of, 877
    - thrombophilia, lack of, 877
- verapamil, 199, 200
- very-low-birthweight (VLBW) infants, 316, 322–323
- vulvar malignancy
  - classification/staging, 423
  - diagnosis, 423
  - epidemiology, 422
  - management, 423
  - pathology, 422–423
- wandering, 485
- warfarin, 405
- Weigart palsy, 350, 756. *See* birth injuries, fetal.
- Wigand-Martin-Winkle maneuver, 303. *See also* breech presentation, delivery techniques.
- Williams, J. Whitridge, 355
- Wurm technique, 107–108. *See also* cervical cerclage.