

Index

- λ/μ equilibrium, 364
- λ/μ transition, 361

- active chain, 139
- addition–subtraction network, 282
- adhesive hard sphere, 277
- affine deformation, 134
- affine network theory, 136
- alpha helix, 24
- associating polymers, 102
- associative group, 97
- athermal associated solutions, 160
- athermal solution, 73
- athermal solvent, 210

- bead–spring model, 3
- Bethe approximation, 82
- Bethe lattice, 268
- binary blend, 183
- binding free energy, 213
- binding isotherm, 336
- binding polynomial, 26
- binodal, 170
- binodal curve, 77
- biopolymer gel, 97
- biphasic region, 185
- bivariant, 47
- block copolymer, 183
- bond percolation, 262
- bond vector, 3
- branch point, 252
- branching coefficient, 114
- branching number, 98
- branching process, 122
- bridge chain, 282, 339

- canonical distribution function, 10
- cascade theory, 122
- Catalan’s constant, 86
- Cayley tree, 104, 224, 268
- central limit theorem, 11
- chain dissociation rate, 285
- chain recombination rate, 285
- chain vector, 134
- chain–ring equilibrium, 160, 186
- chain survival probability, 290
- characteristic ratio, 13
- chemical affinity, 285
- chemical gel, 97
- classical theory of gelation, 106
- classical theory of rubber elasticity, 136
- close packing, 20
- closed association, 212, 340
- closed miscibility loop, 198
- cluster expansion, 17
- coexistence curve, 77
- coexistence surface, 93
- cohesive energy, 75
- coil–helix transition, 24
- coil–globule transition, 21, 331
- coil–rod transition, 331
- collapse transition, 21
- competing micro- and macrophase separation, 189
- complete relaxation, 286
- complex viscosity, 294
- concentrated region, 91
- concentration blob, 90
- concentration diffusion coefficient, 68
- connectivity correlation function, 267
- connectivity function, 3
- cooperative adsorption, 192
- cooperative diffusion, 94
- cooperative diffusion coefficient, 94
- cooperative hydration, 201
- cooperative hydrogen bond, 102
- cooperativity of hydration, 35
- cooperativity parameter, 26, 204
- correlated adsorption, 192
- correlation length, 89
- coupling constant, 298
- Cox–Merz rule, 301
- critical aggregation concentration, 336
- critical endpoint, 232
- critical exponent, 93
- critical flower micelle concentration, 344
- critical index, 266

- critical line, 93
critical micelle concentration, 214, 336
critical phase, 51
critical point, 51
critical pure micelle concentration, 337
critical volume fraction, 276
cross-link, 97
cross-link index, 113
cross-link length, 99
crossover, 21
crossover index, 93
crossover temperature, 20
crystallization, 85
cycle, 98
cycle rank, 98
cyclization parameter, 340
- dangling chain, 98, 282
Daoud radius of gyration, 91
Debye function, 13
degree of swelling, 151
des Cloizeaux's scaling law, 92
diffusion constant, 66
diffusion equation, 67
dilute solution, 57
directed lattice, 86
double critical point, 199
dual lattice, 264
duality, 264
dynamic mechanical modulus, 274
- Ehrenfest's definition of the order of the phase transition, 85
Einstein relation, 67
elastically effective chain, 139
elastically effective junction, 251
elastically effective junctions, 140
Eldridge–Ferry method, 247
elongational flow, 305
elongational thickening, 308
end branch, 252
end group, 252
end-to-end vector, 3
energetic elasticity, 129
entangled networks, 281
entropic elasticity, 129
entropy catastrophe, 85
entropy of disorientation, 72
equilibrium constant, 166
eutectic point, 48, 185
excluded volume, 17
excluded-volume parameter, 18
expansion factor, 18
extensivity, 10
Eyring formula, 14
- Fick's law, 66
filling factor, 276
finitely extensible nonlinear elastic potential, 4
first Mooney constant, 148
Fisher index, 267, 270
fixed multiplicity model, 244
Flory exponent, 19
Flory theorem, 91
Flory's χ -parameter, 73
Flory's 3/5 law, 19
Flory's treatment, 109
Flory–Huggins theory, 74
flower, 339
flower micelle, 343
flower–bridge transition, 361
fluctuation theory, 142
fractal dimension, 270
free chain end, 98
free energy of reaction, 164
free rotation, 6
free swelling, 152
free volume, 81, 84
frequency–temperature superposition principle, 295
fringed-micellar crystallite, 247
frozen variable, 98
functional group, 97
functionality, 100
- gauche position, 1
Gaussian assumption, 134
Gaussian chain, 9, 10
gel, 97
gel fraction, 108
gel mode, 94
gel point, 100
gelation, 103, 214
Gibbs matrix, 50
Gibbs' phase rule, 47
glass transition, 2
glass transition temperature, 85
good solvent, 18
Gough–Joule effect, 132
Green–Tobolsky limit, 295
group contribution method, 75
- Hamiltonian path, 85
hardening effect, 8
helical dimer, 371
helical order, 192
helical structure, 23
helix, 23
helix initiation parameter, 26
hetero-dimerization, 180
heteromolecular association, 161
heteromolecular condensation reaction, 114
high-frequency plateau modulus, 294, 338
Hooke's law, 9

- Huggins coefficient, 63
 hydration, 33
 hydrodynamic interaction, 63
 hydrodynamically equivalent sphere, 64
 hydrogen-bonded liquid crystal, 208
 hydrophobic interaction, 355
 hypercritical point, 199
- ice model, 86
 ideal chain, 6
 incomplete relaxation, 286
 incompressibility condition, 171
 independent internal rotation, 6
 internal coordinates, 1
 internal rotation, 1
 intermolecular association, 340
 intra–inter transition, 360
 intramicellar phase separation, 332
 intramolecular reaction, 186
 intracluster scattering function, 172
 intramolecular association, 340
 intrinsic viscosity, 62
 invariant, 47, 276
 inverted theta temperature, 199
 inversion in the molecular weight effect, 359
- jamming gel, 98
- Kelvin's relation, 129
 KM series, 160
 Kratky–Porod chain, 15
 Kuhn step number, 15
- Lagrange theorem, 125
 Langevin chain, 158
 Langevin function, 8
 Langmuir adsorption, 193
 lattice model, 5
 Lifshitz point, 184, 195
 limiting viscosity number, 62
 local interaction, 6
 Lodge–Meissner relation, 318, 319
 long-range interaction, 6
 loop, 282
 loop–bridge transition, 361
 low-mass gel, 97
 low-temperature gelation, 352
 lower critical solution temperature, 80, 198
- Manhattan walk, 86
 Mark–Houwink–Sakurada relation, 63
 marker diffusion constant, 67, 68
 master curve, 295
 matching relation, 264
 maximum flexibility, 71
 maximum multiplicity, 333, 335
- Maxwell element, 338
 Maxwell fluid, 295
 Maxwell's rule of equal area, 23
 Mayer function, 17
 Mayer's method, 277
 mean radius of gyration, 12
 metastable region, 57
 micellar shape transition, 216
 micellization gelation point, 338
 microphase separation transition, 183
 mini-max junction, 244
 minimum multiplicity, 333, 335
 miscibility chimney, 212
 miscibility dome, 198
 miscibility gap, 185
 miscibility hourglass, 199
 miscibility square, 200
 modified Eldridge–Ferry procedure, 249
 molar attraction constant, 75
 molecular field approximation, 71
 monovariant, 47
 Mooney constant, 139
 Mooney–Rivlin empirical formula, 137
 Mooney–Rivlin plot, 137
 multiple equilibrium condition, 166
 multiple helix, 371
 multiple hydrogen bond, 185
 multiple junction, 235
 multiplicity, 99, 119
 mutual diffusion coefficient, 69
- negative diffusion, 77
 nematic order parameter, 209
 Newtonian region, 62
 nonlinear stationary viscosity, 61
 nonlinear stress relaxation, 316
 number-average aggregation number, 165
 number-average cluster size, 165
 number-average molecular weight, 55
- Oka formula, 14
 one-mode approximation, 203
 open association, 212, 340
 orientational distribution function, 11
 orientational free energy, 208
 orientational order parameter, 11
 osmotic pressure, 52
 overlap concentration, 87
 overshoot peak, 313
- pair correlation function, 12
 pairing phase, 378
 pairing transition, 372, 377
 particulate gel, 97
 path, 253
 path number, 139, 250

- percolation model of gelation, 262
 perfect network, 99
 persistence length, 2, 15
 phantom network theory, 142
 phase diagram, 48
 physical clusters, 277
 physical gel, 98
 pitch of a helix, 23
 planar zigzag conformation, 1
 Poisson ratio, 155
 poly(*N*-isopropylacrylamide), 154
 polymer globule, 21
 polymer network, 99
 polymeric gel, 97
 polymerization, 214
 poor solvent, 18
 postgel regime, 162
 pregel regime, 162
 principle of equal reactivity, 103
 probability generating function, 120, 122
 pure surfactant micelle, 335
- quasi-chemical approximation, 82
 quasi-static process, 49
- random flight model, 3
 random phase approximation, 172
 random system, 98
 Raoult's law, 54, 58
 reduced concentration, 333
 reduced equation of state, 93
 reduced stress, 148
 reduced viscosity, 62
 reel-out region, 39
 reentrant coil-globule-coil transition, 40
 reentrant microphase, 185
 reentrant phase separation, 161
 reentrant sol, 368
 regular solutions, 160
 renormalization of the interaction parameter, 169
 reptation, 94
 reversible chemical reaction, 285
 rigidity percolation, 274
 rotational isomeric state, 3
 rotational isomeric state model, 13
 rotational isomeric states, 1, 3
- Sakurada constant, 63
 scaling assumption, 89
 scaling function, 267, 271
 scaling law, 267, 270
 scaling laws of critical phenomena, 94
 Scanlan-Case criterion, 140
 scattering function, 12
 screening, 91
 second Mooney constant, 149
- self-avoiding random walk, 5
 self-consistent potential, 176
 self-diffusion constant, 67
 self-similarity, 269
 semiconcentrated region, 91
 semipermeable membrane, 52
 shear banding, 327
 shear rate, 61
 shear stress, 61
 shear thickening, 62
 shear thinning, 62, 302
 short-range interaction, 6
 Shultz plot, 205
 Shultz-Flory formula, 75
 Shultz-Flory plot, 78
 sign inversion, 303
 single helix, 371
 single loop, 340
 site percolation, 262
 size matching, 371
 skeleton, 98
 slide-ring gel, 98
 smectic order parameter, 209
 sol fraction, 122
 sol-gel transition, 103
 solubility parameter, 75
 spatial neighbor, 133
 specific viscosity, 62
 spinodal, 51, 170
 spinodal point, 183
 spinodal condition, 77
 spinodal decomposition, 57, 68
 stability limit, 51
 standard reference state, 163
 Starling's formula, 71
 start-up flow, 309
 statistical repeat unit, 3
 stepwise deformation, 317
 Stockmayer's treatment, 109
 stoichiometric concentration, 195
 Stokes's law, 67
 strain hardening, 313
 stress overshoot, 313
 stress relaxation, 309
 stress upturn, 156
 strong association, 371
 strong gel, 97
 subchain, 98
 surface contact, 81
 surfactant-mediated gel point, 335
 Sykes-Essam relation, 264
 symmetry number, 70
- telechelic polymer, 102, 186, 281, 340
 temperature blobs, 19
 temperature coefficient of chain tension, 10
 temperature coefficient of tension, 130

-
- temperature quenching, 57
temperature shift factor, 193
thermal expansion, 10
thermal expansion coefficient at a constant pressure,
141
thermal polymerization, 186, 189
thermodynamic degree of freedom, 47
thermodynamic equivalent sphere, 60
thermodynamic factor, 69
thermoelastic inversion, 131
thermoreversible gel, 98
theta temperature, 17, 60
thickening diagram, 304
thickening solution, 62
time–strain separability, 318
topological constraint, 94
topological neighbor, 133
trance position, 1
transient gel, 98
transient network theory, 282
trapped entanglement, 98
tree approximation, 104
tricritical point, 232
trivariant, 47
Trouton's rule, 308
Truesdell functions, 188
two-dimensional deformation, 149
two-state model, 361
type I networks, 377
type II networks, 377
unentangled network, 281
uniaxial elongation, 154
unimer, 166
upper critical solution temperature, 80, 198
vacancy, 84
van Laar form, 73
van't Hoff's law, 65
variance, 47
vertex, 253
virial coefficient, 55
virial expansion, 55
VLBW theory, 81
weak association, 371
weak gel, 98
weight-average helix length, 32
wormlike chain, 15
Zimm–Bragg equation, 36