

Author Index

- Abrahams, Elihu, xvii, 348, 353
 Abrikosov, Alexei, 158, 241, 373
 Adams, Douglas, 6
 Allen, Jack, 84
 Altshuler, Boris, 348
 Anderson, Philip W., xvii, 1, 234, 348, 353, 500, 565, 585, 668, 749
 Andreev, Alexander, 499
 Andrei, Natan, xvii
 Aronov, Arkady, 348
 Auerbach, Assa, 668
- Balian, Roger, 566
 Bardeen, John, 489
 Barnes, Stuart, 722
 Béal Monod, Marie-Thérèse, 552
 Berk, Norman, 465
 Bernevig, Andrei, 752, 753
 Bernhoeft, Nicholas R., 465
 Bandin, André, 585
 Bogoliubov, Nikolai, 507
 Bohm, David, 220
 Bohr, Neils, 464
 Boltzmann, Ludwig, 1
 Bourbonnais, Claude, 552
 Buehler, Ernest, 693
- Chandra, Premala, xvii
 Chubukov, Andrei, xvii
 Clogston, Albert, 585
 Coleman, Piers, 668, 722, 747, 753
 Cooper, Leon, 490
 Cornell, Eric, 84
- Darwin, Charles, 1
 Doniach, Sebastian, 465, 658, 668
 Dzero, Maxim, 753
 Dzyaloshinskii, Igor, xvii
- Einstein, Albert, 10
 Elitzur, Schmuël, 741
 Emery, Victor, 552
 Engelsberg, Stanley, 465
- Fairbank, William M., 128
- Feynman, Richard, 108, 176
 Friedel, Jacques, 585
 Fröhlich, Herbert, 488
 Fu, Liang, 752, 753
- Galitski, Jr., Victor M., 168
 Galitskii, Sr., Victor M., 753
 Geballe, Theodore, 693
 Gell-Mann, Murray, 112
 Georges, Antoine, 605
 Ginzburg, Vitaly, 366, 488
 Glashow, Sheldon Lee, 402
 Goldstone, Jeffrey, 197
 Gor'kov, Lev, xvii, 241
- Haldane, Duncan, 722, 729, 752
 Heisenberg, Werner, 465
 Hertz, John, 465
 Higgs, Peter, 397
 Hirsh, Jorge, 552
 Hubbard, John, 447, 465
 Hughes, Taylor, 752, 753
- Ioffe, Lev, xvii, 749
- Jordan, Pascual, 12
- Kamerlingh Onnes, Heike, 486, 585
 Kanamori, Junjiro, 465
 Kane, Charles, 752, 753
 Kapitza, Piotr, 84
 Ketterle, Wolfgang, 84
 Khalatnikov, Isaak, 158
 Khmel'nitskii, David, xvii, 348
 Klein, Oskar, 12
 Kondo, Jun, 586, 604, 630
 Kotliar, Gabriel, xvii, 605
 Kubo, Ryogo, 234
- Landau, Lev, 127, 366, 373, 488
 Larkin, Anatoly I., 348, 749
 Laughlin, Robert, 752
 Lee, David M., 566
 Lee, Patrick, 722
 Leeuwen, Hendrika van, 464
 Leggett, Anthony, 567

- Levin, Kathryn, 668
 Licciardello, Donald, 348, 353
 Loh, Eugene, 552
 London, Fritz, 332, 337, 385, 486
 Lonzarich Gilbert, xvii, 465
 Luttinger, Joaquin, 168, 171, 566
- Mach, Ernst, 7
 Maple, Brian, 657
 Marston, John Bradley, 747
 Matsubara, Takeo, 241
 Matthias, Bernd, 585
 Maxwell, Emanuel, 488
 Maxwell, James Clerk, 1, 6
 Meissner, Walther, 486
 Mélé, Eugene, 752
 Metzner, Walter, 605
 Millis, Andrew, 722
 Misener, Donald, 84
 Miyake, Kazumasa, 552
 Moore, Joel, 752
 Morel, Pierre, 565
 Mott, Neville, 147, 587, 658, 693
- Nambu, Yoichiro, 500
 Newns, Denis, 722
 Nozières, Philippe, 168, 743
- Ochsenfeld, Robert, 486
 Onsager, Lars, 374
 Osheroff, Douglas D., 566
 Overhauser, Albert, 465
- Pais, Abrahams, 2
 Pauli, Wolfgang, 12
 Peierls, Rudolph, 563, 564, 587, 748
 Penrose, Oliver, 374
 Phillips, Philip, 2
 Pines, David, xvii, 127, 220, 489, 787
 Pippard, Brian, 489
- Ramakrishnan, Tirupattur, 348, 353
 Read, Nicholas, 722, 741
- Richardson, Robert C., 566
 Roy, Rahul, 752
- Salam, Abdus, 402, 435
 Sarachik, Myriam, 585
 Scalapino, Douglas, 552
 Schmitt-Rink, Stefan, 552
 Schofield, Andrew, xvii, 747
 Schrieffer, J. Robert, 465, 496
 Schrödinger, Erwin, 5
 Schwinger, Julian, 419, 435
 Senthil, Todadri, 747
 Serin, Bernard, 488
 Sherrington, David, 435
 Shockley, William, 757
 Sigfusson, Thorsteinn I. , 465
 Slater, John, 465
 Steglich, Frank, 567
 Stoner, Edmund, 465
 Stratonovich, Ruslan L. , 447
 Sun, Kai, 753
- Taillefer, Louis, 465
 Thouless, David, 348, 565, 752
 Tselik, Alexei, xvii, 605
- Van Vleck, John Hasbrouck, 587
 Varma, Chandra, 552, 722
 Vojta, Matthias, 747
 Vollhardt, Dieter, 605
- Ward, John Clive, 168
 Weigman, Paul, 604, 605
 Weinberg, Paul, 402, 403, 406
 Weiss, Pierre, 464
 Werthamer, Richard, 566
 Wick, Gian-Carlo, 104
 Wieman, Carl, 84
 Witten, Edward, 741
 Wohlleben, Dieter, 657
- Young, Peter, 465

Subject Index

- Abrikosov, A.
 Abrikosov pseudo-fermion, 625
 Abrikosov–Suhl resonance (*see also* Kondo resonance), 659
 Abrikosov, Gor'kov and Dzyaloshinski, *Methods of Quantum Field Theory*, 2
 Anderson localization, 348, 353
 beta function for conductance, 353
 Gang of Four, 353
 Anderson, P. W.
 Anderson–Higgs mechanism, 397, 401, 402
 Anderson–Morel state, 567
Basic Notions in Condensed Matter Physics, 2
 infinite U Anderson model, 663, 723, 725, 746, 773
 annihilation operator, 13, 30, 34, 178, 238, 308, 376, 419
 anticommutator, 13, 115, 309
 antiferromagnet, 75, 359, 500, 620, 657, 658, 774
 antiferromagnetism, 148, 500, 585, 697, 773
- Balian–Werthamer spinor, 575
 BCS theory
 BCS Hamiltonian, 277
 d-wave, 314
 d-wave pairing, 542, 544, 552–557, 559, 561–563, 565–567
 gap equation, 543, 544, 556
 Hamiltonian, 42, 43, 45, 49, 52, 53, 60, 65, 66, 95–97, 100, 107, 111, 112, 115, 146, 169, 192, 203, 212, 220, 221, 228, 237–239, 244, 248, 261, 269–272, 287, 292, 296, 307, 311, 318, 319, 361, 364, 375, 379, 398, 399, 418, 424, 426, 427, 429, 431, 432, 439, 440, 443–445, 447, 449, 453, 489, 491, 497–502, 506–508, 511, 522, 532, 554, 559, 560, 562, 563, 568, 569, 575, 658, 665, 668, 671, 674–677, 679, 681, 686, 704, 705
 triplet pairing, 551, 552
 black-body radiation, 10
 Bohr–van Leeuwen theorem, 464
 Boltzmann distribution, 22, 468
 Boltzmann equation, 151, 152
 Bose–Einstein condensation, 23, 81, 84–86, 249
 broken symmetry, 9, 357, 359, 360, 366, 374, 397, 402, 406, 416, 419, 447, 449, 453, 469, 470, 506, 741, 787
 Landau theory, 359, 361, 363, 364, 366, 367, 372, 373, 378, 381, 382, 389, 397–399, 402, 409, 410, 488, 489, 532, 747
 order parameter, 348, 357–370, 373–375, 378–384, 387, 389–391, 393, 396–404, 406–411, 416, 447, 450, 470, 477, 486, 488, 498, 500, 506, 531–534, 741
- canonical commutation, 11, 14, 19, 23, 26, 33, 46, 48, 52, 722
 canonical algebra, 13
 charge susceptibility, 144, 155, 168, 225, 346, 398, 527, 638, 639
 coherence factor, 526, 527
 coherence length, 359, 367, 374, 383, 386–388, 396, 404, 409–411, 416, 489, 698
 coherent states, 375–377, 379, 417, 419–424, 427, 435, 436, 496, 723
 fermion coherent states, 435
 matrix elements of coherent states, 456
 commutator, 10, 13, 14, 16, 46, 52, 56, 101, 115, 298, 309, 377, 432, 572, 574, 681
 completeness relation, 47, 119, 421, 423, 437, 439, 456
 Coqblin–Schrieffer model, 664, 668, 670
 correlation function, 21, 201, 202, 212, 213, 250, 292–294, 298, 301, 305, 307, 308, 313, 316, 317, 345, 374, 448, 450, 699, 700, 741, 744
 correlations, 11, 22, 77, 96, 145, 202, 262, 298, 305, 321, 327, 409, 410, 433, 448, 452, 529, 542, 672, 698, 699, 702, 703, 720, 741–744
 correlator, 341
 cotunneling, 703–706
 Coulomb interaction, 5, 59, 60, 128, 134, 153, 155, 156, 199, 221, 222, 225, 227, 255, 269, 272, 277, 279, 314, 409, 454, 466, 490, 542, 545–548, 558, 561, 588, 597, 602, 752
 creation operator, 13, 14, 18, 19, 54–56, 105, 107, 132–134, 169, 178, 184, 188, 288, 376, 419, 494, 499, 551, 574
 critical temperature, 472, 486

- current operator, 304, 313, 332, 333, 335, 339, 379, 563, 710, 751, 769
 diamagnetic current, 535
- Debye frequency, 268, 273, 544, 546
 Debye temperature, 322, 489
 density matrix, 65, 66, 135, 416, 774
 destruction operator, 13, 19, 48, 188, 376, 428, 509, 510
 domain walls, 368
 Doniach and Sondheimer, *Green's Functions for Solid State Physics*, 2
 dynamical spin susceptibility, 216, 218, 481, 528
 dynamical susceptibility, 225, 292, 293, 299, 301, 528, 529
- Einstein, Albert
 phonon hypothesis, 10
 quantum hypothesis, 10
- electromagnetic field
 gauge invariance, 381, 382, 384, 488, 506, 531–533, 741, 749, 751, 779
 vector potential, 3, 5, 139, 146, 147, 325, 332, 336, 337, 383, 385, 390, 394, 400, 464, 487, 489, 504, 506, 531, 533–535, 537, 563, 564, 748–750, 770
- electron–phonon interaction, 268, 269, 273, 276, 281–284, 286, 488, 490
 Bardeen–Pines, 226–228, 279, 490
 electron transport theory, 332–354
 transport relaxation rate, 321
 electron–electron interaction, 225, 323, 354
 electroweak interaction, 404, 406
 Elitzur's theorem, 741, 778, 779
 exchange, 14, 15, 44, 61
 exchange correlation, 200, 201
 particle exchange, 12, 54, 167, 193
 virtual particle exchange, 111, 260, 269, 272, 280, 375, 408, 448, 492, 671, 740
 exchange symmetry, 14, 15
- f -electron, 583, 585, 588, 592, 595–598, 606, 608, 616, 618, 619, 625, 627, 632, 661, 663, 664, 671–673, 677, 680, 685, 686, 699–702, 714, 721, 724, 748, 754, 765
- Fermi–Dirac distribution, 138
 Fermi function, 152, 163, 246, 247, 288, 308, 312, 314, 318, 442, 473, 517, 537, 603, 680, 683
 Fermi's golden rule, 159, 307, 313, 319, 323, 591
 Fermi surface, 82–84, 109, 127, 129–136, 139–143, 145, 147, 149–152, 157, 158, 160, 161, 169–171, 218, 222, 269, 277, 278, 280–283, 286, 315, 320, 340, 473, 490, 491, 497, 500, 502–504, 515, 525, 536, 537, 546, 549, 555, 556, 558, 559, 562, 566, 567, 569–571, 594, 595, 613, 626, 629, 637, 639, 657, 659, 661, 687, 688, 692, 695, 697, 698, 700, 714, 749, 773
- ferromagnetism, 75, 77, 142, 145, 202, 357, 358, 374, 375, 464, 465, 471, 473, 479, 480, 482, 585
 ferromagnetic instability, 145
 magnons, 75–77, 504
- Feynman diagrams, 2, 96, 112, 113, 138, 155, 168, 176, 177, 179, 183, 185, 186, 188–193, 199, 201, 203–206, 210, 214, 216, 219, 222, 236, 239, 251, 254, 255, 258, 259, 262, 264, 265, 272, 273, 275, 301–303, 339, 348, 448, 468, 469, 478, 499, 520, 529, 550, 592, 615, 674, 720, 737, 745, 775
- propagator, 107–111, 118, 123, 178, 182–184, 186–189, 196, 202, 203, 205–207, 209, 221, 242–245, 252, 254, 256–261, 263, 266–268, 272, 273, 280, 317, 339, 349, 350, 460, 469, 477, 492, 519–521, 529, 575, 592–594, 597, 599, 608, 701, 706–708, 710, 737, 738, 751, 775
- field operator, 13
 finite-temperature many-body physics, 234–288
 imaginary time, 234–236, 238, 240, 241, 250, 258, 288, 292, 293, 296, 297, 301, 302, 317, 338, 416, 417, 434, 435, 445, 448, 512, 528, 575, 706, 788
- first quantization, 10
 f -level, 314, 590, 592, 593, 597, 600, 607, 723, 724, 729, 730, 746, 762
- fluctuation–dissipation theorem, 292, 293, 298, 310, 408
 quantum fluctuation–dissipation theorem, 293, 298
- Friedel, J.
 Friedel oscillations, 215, 223, 656, 657
 Friedel sum rule, 595, 636, 639, 684, 729, 744
- Fu–Kane
 Fu–Kane formula, 753, 758, 762
 Z_2 index, 753, 772
- functional integral, *see* path integral
- gauge theory, 397, 402, 404, 405, 734, 735, 741, 747, 748, 778
 constraint field, 673, 674, 690, 724, 725, 727, 739, 742, 747
- Gell-Mann–Low, 234
 imaginary time, 234
- Gibbs free energy, 144
- Ginzburg–Landau theory, 366, 367, 369, 370, 372–374, 378, 381–383, 388–390, 392, 397–399, 402, 407, 409–411, 489, 532, 747
- golden rule, *see* Fermi's golden rule
- Goldstone mode, 75, 398, 481
- Green's function, 96, 104–110, 113, 118–123, 193–195, 207, 208, 240, 241, 244, 255, 297, 334, 408, 428, 429, 431, 448, 514, 521, 523, 528, 562, 594, 606, 608, 676, 680, 688, 691, 692, 702, 706
- harmonic oscillator, 17, 19
 one-dimensional harmonic lattice, 270
 single harmonic oscillator, 18

- Hartree–Fock, 199, 200, 209, 259
 heavy-fermion, 165, 167, 491, 544, 552, 582, 584,
 605, 656–659, 661, 663, 667, 668, 693, 697, 698,
 702, 709, 710, 714, 721, 740, 773, 774, 788
 Kondo insulator, 693–697, 753, 754, 765, 773
 Heisenberg
 representation, 21, 27, 96, 106, 107, 211, 237–239,
 296
 uncertainty principle, 6, 10, 16, 376, 506
 Higgs boson, 403, 404
Hitchiker’s Guide to the Galaxy, 5
 Answer to the unknown question: forty two, 6
 Deep Thought, 5
 Hubbard, J.
 Hubbard model, 78–80, 465, 466, 468, 474, 754
 Hubbard–Stratonovich transformation, 449,
 453–455, 464, 466, 480, 532, 599, 671
 hybridization, 3, 588, 590–592, 596, 597, 607, 608,
 613, 614, 616, 618, 619, 624, 661, 663, 665, 666,
 672–675, 677, 679, 685–687, 689, 691, 693, 695,
 696, 699, 703, 704, 709–711, 713, 714, 720, 723,
 724, 726–728, 734, 736, 737, 745, 747–750,
 754–758, 762
 interaction representation, 97, 99, 113, 114, 132, 169,
 238, 296
 isotope effect, 488
 jellium, 221, 227, 279
 Jordan–Wigner transformation, 73
 Kadowaki–Woods ratio, 165, 166
 Kmetko–Smith diagram, 583
 Knight shift, 319
 Kondo
 coupling constant, 102, 223, 277–280, 322, 466,
 472, 546, 558, 561, 586, 617, 619, 621–624,
 626, 629, 630, 634, 643, 645, 656, 666, 670,
 679, 690, 697, 726, 738, 778
 effect, 4, 587, 605, 610, 629, 640, 645, 656, 658,
 659, 661, 666, 679, 683, 691, 697, 698, 714,
 723, 734, 747, 749, 774
 resistance minimum, 586, 641
 temperature, 604, 605, 608, 623, 624, 629–631,
 642, 660, 663, 666–668, 684, 685, 687, 690,
 704, 713, 714, 724, 742
 Kondo insulators (*see also* heavy fermions), 693, 721,
 753, 773
 SmB₆, 657, 693, 753, 754, 772, 773
 Kondo lattice, 658–661, 667–670, 672, 676, 687, 688,
 693–695, 703, 704, 706–708, 711, 714, 720–724,
 726–728, 734, 739, 741, 744, 747, 748, 750, 773
 Kondo model, 587, 604, 606, 617–619, 622, 634, 635,
 639, 641, 642, 644, 645, 663, 667–671, 684, 692,
 705, 714, 739, 743, 750
 Bethe ansatz solution, 42, 605, 645, 743
 Kondo problem, 604, 623, 656, 668
 Kondo resonance (*see also* Abrikosov–Suhl
 resonance), 606–609, 637, 661, 723, 724, 746
 Kubo formula, 335, 710, 769, 770
 Landau Fermi-liquid theory, 127, 130, 135, 144, 145,
 159, 167, 168, 171, 636
 Landau–Silin theory, 155
 quasiparticle, 127, 129, 131
 large-*N* expansion, 220, 222, 223, 474, 476, 668–670,
 674, 679, 685, 695–697, 699, 701, 706, 720, 722,
 723, 730, 732, 733, 735, 738–741, 743, 744, 746,
 747, 751, 774, 778, 788
 Lindhard function, 215, 217, 222, 481, 662
 linked-cluster diagrams, 187, 191, 192, 194, 195, 197,
 228, 448, 750
 linked-cluster theorem, 191, 198, 199, 252, 258
 London, F.
 London equation, 385, 391, 487
 London kernel, 325, 340, 341
 penetration depth, 386, 387, 394, 400, 488, 538,
 565
 superfluid stiffness, 563
 Luttinger sum rule, 636, 659
 Mahan, G., *Many-Particle Physics*, 2
 Matsubara frequency, 267, 285, 460, 625, 628, 629,
 676
 Mattuck, R., *Feynman Diagrams in Solid State
 Physics*, 2
 mean free path, 261, 267, 318, 321, 323, 333, 334,
 337, 339, 344
 Meissner effect, 358, 383, 384, 386, 397, 406,
 486–488, 504
 mixed valence (*see also* valence fluctuations), 693,
 720, 724
 Nambu–Gor’kov Green’s function, 519, 520
 Nambu spinor, 507, 510
 nuclear magnetic resonance (NMR), 319, 320,
 526–528, 566
 number operator, 20
 optical conductivity, 324, 325, 327, 334, 338, 341,
 709, 712–714
 Drude peak, 709, 710, 712, 713
 f-sum rule, 326–328, 709
 heavy fermions, 605, 695, 697, 703, 773
 orthogonality catastrophe, 744
 particle field, 12, 13, 62, 179, 305
 particle–hole excitations, 127, 130, 133, 153, 157,
 181, 189, 207, 208, 215, 218, 225, 481, 493, 523,
 608, 617, 619, 620, 627, 628, 682, 695, 732, 738,
 759, 774
 partition function, 63, 66, 234, 238, 239, 248, 251,
 258, 360, 407, 417, 418, 424–426, 433, 439, 444,

- 445, 447, 448, 464, 467, 469, 470, 474, 475, 512, 514, 596, 599, 618, 625, 626, 668, 671, 675
- path integral, 99, 416–419, 421, 424–429, 433, 435, 436, 438, 440–445, 447–452, 454, 455, 466, 468, 470, 474, 475, 498, 499, 511–513, 543, 545, 595–597, 599, 600, 611, 668–674, 676, 693, 698, 722, 724, 734, 735, 748, 779
- effective action, 467, 468, 470, 471, 474, 477, 479, 512–514, 674, 685, 725, 726, 734–736, 747, 750
- Gaussian integral, 430, 431, 436, 442, 448, 459, 467, 471, 512, 513, 560, 599, 601
- Lagrangian, 398–400, 465, 671, 724
- saddle point, 469, 470, 477, 513, 532, 545, 597, 599, 600, 674, 675, 685, 690, 726, 735, 736, 738, 749, 776, 778
- Pauli exclusion principle, 12, 17, 46, 71, 79, 127, 157, 171, 275, 276, 608, 643
- perturbation theory, 137, 168, 171, 177, 180, 197, 211, 588, 590, 604, 613, 615, 630, 631, 672
- Feynman rules, 176–178, 180, 187, 195, 196, 212, 252–254, 257, 272, 339, 340, 737
- finite-temperature perturbation theory, 252
- phase transition, 86, 96, 112, 130, 132, 148, 172, 357, 360, 362, 364, 406, 407, 411, 473, 474, 606, 658, 720, 730, 732, 741, 743, 762, 773
- Phillips, P., *Advanced Solid State Physics*, 2
- Pines, D., *The Many-Body Problem*, 2
- plasma frequency, 224–227, 279, 326, 327, 490, 709
- quantization
- first quantization, 10, 43
 - quantization of circulation, 381, 393
 - second quantization, 11–13, 17, 18, 42, 44, 62, 64, 71
- quantum fields, 10, 13–15, 17, 21, 42, 43, 46, 211, 249, 416–418, 438, 488
- quantum hypothesis, 42
- quasiparticle, *see* Landau Fermi-liquid theory
- Read–Newns
- gauge transformation, 672
 - path integral for Kondo lattice, 672
 - radial gauge, 673, 675, 725, 727, 735, 741, 745, 748, 750
- renormalization
- beta function, 623, 666
 - fixed-point, 613, 621, 622, 634–636, 642–645
- replica trick, 192, 258, 265
- response function, 21, 22, 143, 211, 212, 292–294, 297–299, 301–303, 317, 325, 328, 333–335, 338, 343, 344
- retarded interaction, 348
- RKKY interaction, 657, 661, 662, 667, 740
- RPA (random phase approximation), 220, 222–226, 455, 480, 735
- RPA polarizabilities, 226
- Schrieffer–Wolff transformation, 614, 617, 624, 704, 705
- Schrödinger
- Schrödinger equation, 60, 396
 - wavefunction, 5, 12–16, 42, 44, 45, 48, 51–55, 61, 74, 76, 78, 96, 97, 132, 169, 199, 237, 281, 335–337, 348, 371, 373, 375, 378, 379, 381, 382, 418, 486, 488–491, 496, 505, 506, 522, 535, 537, 542, 550, 573, 595, 636, 688, 693, 698, 699, 733, 752, 753, 760–762
- self-energy, 189, 206–209, 221, 265–268, 273–280, 284, 286, 317, 318, 592, 597, 608, 633, 692, 711
- electron–phonon, 277, 283
- Hartree–Fock, 208, 209
- slave boson, 720–728, 734, 735, 740–744, 755, 773, 788
- S-matrix, 98, 100, 113, 114, 176–180, 182–187, 189, 191, 192, 194, 195, 197, 198, 212, 214, 234, 236, 594
- soliton, 368
- specific heat, 10, 128, 129, 139, 145, 148, 165, 167, 362–364, 411, 634, 637, 638, 641, 713
- linear specific heat coefficient, 127, 145, 634, 639, 657, 658, 685
 - specific heat coefficient, 147, 165, 167
- spectroscopy
- angle-resolved photoemission, 313, 314, 320, 773
 - tunneling, 310
- spin Hall effect, 763, 764
- spin–orbit coupling, 595, 612, 663, 667, 670, 758, 761, 763
- Schrieffer–Wolff transformation, 619
- superconducting flux quantum, 393, 397, 534
- superconductivity
- anisotropic, 75, 314, 320, 322, 341, 357, 491, 542, 544, 549, 552, 553, 557, 565–567
 - Bardeen–Cooper–Schrieffer, 490
 - BCS theory, 3, 490, 492, 499, 500, 502, 508, 512, 531, 542, 543, 565, 566, 571, 691, 696, 787
 - Cooper instability, 287, 497, 561
 - Cooper pair, 359, 382, 386, 395, 488, 493, 494, 496, 505, 542, 553, 556, 571, 575, 698, 699, 714
 - phase stiffness, 400, 532, 533, 535, 714, 741–743
 - singlet superconductor, 529, 562, 577
 - triplet pairing, 74, 202, 402, 550–552, 566–573, 575, 577, 694, 755
- superconductor, 8, 227, 273, 278, 314, 320, 365, 372, 381, 382, 385, 386, 388–390, 393, 402, 411, 465, 488, 489, 491, 497, 498, 518, 521, 524, 531, 542, 544, 551, 553, 558, 567, 656, 788
- cuprate superconductors, 321, 323, 552, 553, 562, 567, 787
- electron–phonon superconductor, 279, 282
- high-temperature superconductors, 80, 168, 321, 491, 542

- iron-based superconductors, 584
 superfluid, 15
 B phase of superfluid ^3He , 566, 571, 575, 576, 752, 755, 762
 superfluid ^3He , 570
 superfluid stiffness, 398, 537
 susceptibility
 Curie–Weiss susceptibility, 584, 657
 pair susceptibility, 349, 493, 495
 Pauli susceptibility, 128, 145, 575, 577, 578
 spin susceptibility, 143, 144, 217, 218, 308, 319, 471, 576, 638, 657, 771
 time-ordered exponential, 98–103, 108, 116, 169, 178, 182, 184, 186, 194, 211–213, 238, 239, 252, 254, 272, 297, 418, 427–429, 431, 445
 topological protection, 751–753, 764, 773
 Tsvetlik, A., *Quantum Field Theory in Condensed Matter Physics*, 2
 tunneling, 7, 279, 310–312, 508, 516, 523, 524, 538, 557, 562, 587, 603, 693, 703–709
 conductance, 508, 705, 706, 708, 709
 differential conductance, 312, 523, 601, 602, 640, 641, 707, 709
 tunnel current, 311
 vacuum, 20
 valence fluctuations, 613, 617, 642, 657, 668, 704, 720, 721, 723, 727, 745, 773
 vortex
 superconducting vortex, 373, 393, 394
 superfluid vortex, 381
 Ward identities, 171
 Wick's theorem, 105, 106, 122, 123, 177, 250, 251, 445, 529, 625, 722
 Wilson numerical renormalization method, 604, 634
 Wilson ratio, 129, 145, 638, 640, 685
 Z_2 topological insulators, 752, 765