

Index

- Acetylcholine (Ach), 12, 37
  - acoustic-articulatory space
    - area Spt, 168
    - sylvian fissure, 168
  - acoustic sequences, 364
  - ADHD, *see* attention deficit/hyper activity disorder (ADHD)
  - AFPs, *see* Anterior forebrain pathway (AFP)
  - aging, effects of, 372
  - alien hand syndrome, 11
  - alpha/gamma/theta band
    - activity, *see* temporal integration window
  - Alzheimer's disease, 10
  - American sign language (ASL), 129, 131, 133
  - DL-2-amino-5-phosphonovaleric acid (APV), 308
  - amnesia, retrograde, 250
    - anterograde, *see* anterograde amnesia (long-term memories)
    - studies on animals, 251–2
  - amygdala, 12, 15, 16, 47
    - damage to, 299
    - defined, 299
    - and fear conditioning, 299–301, 313
    - auditory, 300
    - theories, 313–14, 326
    - Hebb's theory, 302, 303, 307
    - involvement in learning, 313
    - lesions in, 300, 313
    - memory
      - consolidation, 310–12
    - NMDARs, 308
    - overexpression of CREB in, 311
    - role in fear, 300
    - in socialization, 47–8
  - amygdala, lateral nucleus of, 300
    - in auditory fear conditioning, 299
  - alternative theories, 313–14
  - cellular hypothesis of
    - associate fear learning, 301–3
  - and fear conditioning, 299–301
  - fear conditioning, role of
    - NMDARs and VGCCs, 300, 308–10
  - memory consolidation, 310–12
  - plasticity of neural response in LA, 307–8
  - synaptic plasticity in LA, 303–7
- animal models
    - of declarative memory, 243
      - see also* memory systems
    - of hippocampal function,
      - see* brain system for declarative memory
  - anisomycin, 312
  - ANT, *see* Attention network test (ANT)
  - anterior cingulate cortex, 38
  - anterior forebrain pathway (AFP), lesions of, 364
  - anterograde amnesia (long term memories), 269
  - aphasia, progressive
    - Broca-type, 181
    - fluent, 185–91
      - see also* progressive fluent aphasia a.k.a semantic dementia
    - nonfluent, 197–201
  - APV, *see* DL-2-Amino-5-phosphonovaleric acid (APV)
  - Aristotle, 9, 12, 13, 20
  - ASL, *see* American sign language (ASL)

- associated behavioral capabilities, 126
  - association
    - neocortex, 286–90
    - inferotemporal cortex, memory properties
    - pair coding neurons, 289
    - pair recall neurons, 289
  - role in
    - declarative memory, 287
    - memory, 286–90
  - AST, *see* asymmetric sampling in time (AST)
  - asymmetric sampling in time (AST), 170–1
  - hypothesis and characteristics, 173–4
  - integration window, temporal, 170–1
  - sensitivity, time structure, 171–2
  - time scales, 172–3
  - time structure
    - arguments, 172
  - attention, 78
    - behavioral effects, 78
    - biasing signals, 92, 94
    - effects, 81, 83, 91, 92
    - magnitude, 90
    - response
      - modulation, 88–94
      - visually-evoked activity, 88
    - selective, 78
    - spatial, mechanisms, 88
    - top-down bias, 100–1
      - functional brain imaging, 102–6
      - lesion studies, 101–2
    - top-down modulation, 78
    - V4 and TEO damaged, 94
  - attention, as organ system advantage, 45
  - ANT, 33
    - children (7–12, 5–16), 48
    - attentional network, development, 45
    - cognitive science problems
      - early and late selection, 50–1
    - modularity, 49
    - priming, 51
    - definition, 31
    - development, network, 45
    - executive, 46–7
    - executive network
      - cellular mechanism, 41–3, 53
      - circuitry, 40–1, 47
    - faces, 34
    - neuropsychology, in relation with, 51–2
    - alertness, 52
    - rehabilitation studies, 72–3
    - questionnaires, conclusion, 47
    - sensory events
      - sites/sources, 53–4
      - target, multiple, 54
    - shifting of, 34
  - attention deficit/hyper activity disorder (ADHD), 42–3
  - adults, 42
  - children, 42
  - test results, monkeys, 43
- attention network test (ANT), 33
  - children (7–12, 5–16), 48
- auditory cortex, spectro temporal representation
  - analysis-by-synthesis, 164
- auditory fear conditioning, 300
  - and amygdala, 300, 308
  - auditory tone and electric shock test, 300
  - lateral nucleus of amygdala
    - in, *see* amygdala, lateral nucleus of, in auditory fear conditioning
    - memory reconsolidation process, 312
  - auditory feedback, 363, 364, 371, 373
    - vs. vocal output, 363
  - auditory thalamus, 307
    - CS evoked response of neurons, 307
  - autism, 11–12
- BA, *see* Brodmann area (BA)
- backward speech (BW), *see* brain specialization, newborns
- basal ganglia-forebrain circuit, 363, 364, 380
- baseline activity, 91–4
- ‘baseline shift’, 92
- behavior
  - associated, capabilities, 126
  - data hypothesis, 145
  - five groups study, 141–5
  - out of control, 13
  - response, deaf individuals, 126
  - testing, 128
- bilingual speakers
  - English and Chinese proficiency, 134
  - English proficiency, 134
  - hearing, syntactic and semantic processing, 133–40
  - vs. monolingual, 135
- speech
  - segmentation, 140–1
  - behavioral study, 141–5
  - event-related potential study, 145–7

416 Index

- birdsong, as learned vocal behavior, 363
- bottom-up process, in visual cortex, 102
- brain
  - activation, 81
  - as casual machine, 4
  - distinction between
    - voluntary and involuntary actions, 9
  - mechanisms
    - (mammals), 3–4
  - structures, 10
- brain specialization, newborns
- evidence from ot, 214–17
- Hitachi, prototype device, 214–17
- FW/BW speech, 214–17
- hemodynamic response (oxyHB/deoxyHB), 215
- stimuli blocks (three kinds), 214–17
- neonates, use of rhythm (language), 217–22
- brain system for declarative memory
  - animal models of
    - hippocampal function, 275–7
  - spatial learning, 275
  - transitive inference task, animals, 276
- association neocortex in memory, 286–90
  - see also* association neocortex
- hippocampal memory system, 266
- anterograde amnesia, 269
- association neocortex region, 268, 271
- declarative/
  - nondeclarative memory, 266
- definition, 268
- delayed nonmatching to sample (DNMS) task, 267
- episodic, 266
- memory consolidation, 270
- memory space, 275
- retrograde amnesia, 270
- valid animal model
  - of human amnesia, 266
- hippocampus and
  - parahippocampal region, comparison in coding, *see* coding mechanisms,
  - hippocampus and parahippocampal region, comparison
- neurophysiology of
  - hippocampal function, 277–84
- odor discrimination learning, 278–9
- odor recognition memory task, 279
- parahippocampal region
  - in memory, role of, 282–4
    - see also* orbitofrontal cortex;
  - parohippocampal region
- neurophysiology of
  - parahippocampal function, 284–5
- electrophysiological studies, 284–5
  - see also* electrophysiological studies,
- parahippocampal cells
- Brodmann area (BA), 84
- CA1, 327, 328, 351–2
  - and long-term spatial memory, 330
- NR, role of, in acquisition of spatial memory, 329–30
- place cells, 344
- site for memory storage, 348
- CA3, 327
  - contribution to memory recall, 348–9
- NMDA receptor, 331–8
- recurrent network, 330–1
- calcarine sulcus, 84
- calcium influx,
  - mechanisms, 299, 304
- calretinin, 333
- CA3-NR1 KO, 331, 333–6
  - immunohistochemical characterization of, 336
- partial cue removal and output of CA1 place cells, 346
- CA3 pyramidal cell-specific NR1 knockout mice (CA3-NR1 KO mice), *see* CA3-NR1 KO
- Cd 2<sup>+</sup> sensitivity, whole-cell Na<sup>+</sup> currents 400
- CELF sentence
  - structures, 134, 139
- chronic stress, exposure, 352
- cingulate gyrus
  - anterior, 10, 12
  - middle area, 11
- circuitry, 40–1, 47
- classical fear conditioning, 5
- claustrophobia, 7
- clonidine, 37

- coding mechanisms,
    - hippocampus and parahippocampal region, comparison
  - coding, differences, 286
  - episode-specific
    - coding, 286
  - memory signals, types, 285
  - cognitive phenomena, 326
  - cognitive science problems
    - early and late selection, 50–1
    - modularity, 49
    - priming, 51
  - compatibilism, 6
  - conditioned stimulus (CS), 299
  - congenitally deaf
    - individuals, 129–33
    - behavioral responses, 126
  - electrophysiological
    - response, 126
  - peripheral visual stimuli, 126
  - response to visual stimuli, 126
  - the consonant/vowel distinction, 227–9
  - role of consonants/vowels, infants, 227–8
  - cortex
    - areas
      - phonological, 125
      - prosodic, 125
      - semantic, 125
      - syntactic, 125
    - stimulation, 128
  - cortical circuitry, receptive field
    - modification, 70
    - see also* cortical
      - dynamics and visual perception
  - cortical dynamics and visual perception, 62
  - Gestalt rules, natural scenes, 68
  - contextual influences
    - measurement, 68
  - contours in natural scenes, 68
  - perceptual learning, top down control, 68–74
    - see also* perceptual learning, definition
  - receptive field, cortical circuitry, 62–8
    - see also* receptive field (RF) size
  - cortical mechanisms,
    - visuospatial attention in humans and monkeys, 77–9
  - attentional top-down bias, 86
  - functional brain imaging, 81–2
  - lesion studies, 13–14
  - neural basis, competition for representation
    - multiple visual stimuli, sensory interactions, 82
  - visual cortex, organization of, 79–82
  - role of V4 and TEO in filtration, 89
  - visual cortex, attentional response modulation in, 89
  - baseline activity, 91–4
  - filtration, 89–91
- cortical recruitment, 71
- critical period, *see* sensitive period
- cross-modal plasticity, 126
- CS, *see* conditioned stimulus (CS)
- cytoarchitecture, 335
- deaf, 130–3, 139
  - congenital, 125, 129
  - and neural subsystems, 138
  - subjects’ ERP, 130
- decision-making
  - caused, 19
  - habits, 15
  - neurobiology of, 18
  - noncaused, 19
- degrees of plasticity, subsystems in language, 125–9
- congenitally deaf individuals, 129–33
- speech segmentation in bilinguals, 140–1
  - behavioral study, 141–5
- event-related potential study, 145–7
- syntactic and semantic processing, 133–4
- anomalies, 134–7
- closed- and open-class words, 137–40
- linguistic proficiency, 134
- syntactic and semantic processing, hearing bilinguals, 133–4
- dentate gyrus (DG), 327, 331, 332, 333
- desire, 4, 5
  - addictions, 7
  - strength of, 7
  - subtle manipulation, 7
- development
  - cognitive, 126
  - course for subsystem, 126
  - neural, 125
  - post-natal, 125
- DG, *see* dentate gyrus (DG)
- distracter-induced impairment, 97, 100

418 Index

distracters, 96	excitatory glutamatergic inputs, 374	functional brain imaging, 81, 82, 102–6
distress control	excitatory neurons, principle, 304	functional magnetic resonance imaging, <i>see</i> fMRI (functional magnetic resonance imaging)
infants, 45–6	executive network, attention cellular mechanism, 41–3, 53	fusiform gyrus, 84
dopamine, 12	circuitry, 40–1, 47	fuzzy-bordered distinction, 10
dorsal stream, 79, 82	functional anatomy, 38–40	
dorsolateral thalamus (DLM), 374	extracellular papain treatment, hair isolation, 395–6	gene mutation restriction of, 326 <i>in vitro</i> and <i>in vivo</i> analyses, 326
dual selectivity, 370	extrastriate cortex, 84, 85, 90	general intelligence (g), 38
EC, <i>see</i> entorhinal cortex (EC)	visual areas, 86, 88, 100, 106	Gestalt rules, <i>see</i> cortical dynamics and visual perception
effERENCE copy, 363, 373		guanfacine, 37
eighth-nerve, growth of 404 neurotrophin receptors on the afferents, 404 secretion from inner ear, 404	fear conditioning, 299 amygdala and, 299–301 role of NMDARs and VGCCs, 308–10	hearing adults reading English vs. deaf adults, 131
electrophysiological evidence, 138, 149 congenitally deaf individuals, 126 phase structure violations, 136	fear learning, types, 308	hearing bilinguals, syntactic and semantic anomalies, 134–7 closed- and open-class words, 137–40 linguistic proficiency, 134 processing, 133–4
electrophysiological studies, parahippocampal cells enhanced firing, 284 increased/decreased firing, 284 stimulus-specific firing, 284	fear memory long-term, 311 short-term, 311	Hebb, Donald, 301, 329
empathy, 47	FEF, <i>see</i> frontal eye fields (FEF)	Hebbian LTP experimental induction at LA synapses, 304 paired stimulation, 305 tetanic stimulation, 304 <i>in vitro</i> stimulation, 304, 305
entorhinal cortex (EC), 327, 328	fMRI (functional magnetic resonance imaging), 11, 81, 83, 87, 92, 131, 182	Hebbian mechanisms, Na <sup>+</sup> channels, 9–14, 404 pre/ post-synaptic effects, 404
ERP, <i>see</i> event-related potential (ERP)	forward speech (FW), <i>see</i> brain specialization, newborns	Hebbian synaptic plasticity, 301, 302, 304
error detection Simon game, 48	free choice, 3, 5, 8–9, 10 Hume’s view, 4	
event-related potential (ERP), 134	free will vs. Control, 3 <i>see also</i> free choice	
bilinguals, 137	frontal eye fields (FEF), 102	
Japanese late-learners English (JE), 145	functional anatomy data, 34 localization, 34	
monolingual English speakers (ME), 145	The functional architecture of speech perception, 154	
responses elicited, 135		

Hebb's theory, 302, 303, 307	hippocampus, 328	Johnson, Lyndon, 8
hippocampal memory	excitatory pathways, 328	juveniles, song learning
system and	role in learning and	in, 366–71
declarative memory,	memory, 327	Klinefelter's syndrome, 12
see brain system	human development	language
for declarative	post-natal	acquisition, 125, 126
memory	development, 125	second, 127
hippocampal NMDA	sensitive/critical	acquisition, c/v
receptors, role of, in	period, 126, 129	distinction, 227–9
associative memory,	Hume, David, 3–4, 18	role of consonants/
326, 328–9	'choices and decisions'	vowels, infants, 227–8
CA3, contribution to	argument, 3	learners, children vs.
memory recall, 339,	competing hypothesis, 6	adults, 126
348–9	libertarianism, 4	processing, 126
CA1 – a critical site for	Huntington's disease, 6	sensitive period, 129
memory	immunoreactivity (IR), 332	subsystems, 125
storage, 348, 351	importance of words, use of	systems
CA3 NMDA receptor, 331–8	language, 155–6	complex words
CA1 place cells, 343–4	'in control' and 'out of	(morphology), 181
diminished recall upon	control', 9	language
partial cue	appetite as a parameter, 12	(phonology), 181
removal, 339–43	hypothesis, 18	neuro-degenerative
inhibitory firing	primary determinants, 10	diseases, impact,
contributes to	psychology, 18	181–4
preserved spatial	individual differences,	speaker's language
coding within	43–5	(orthography), 181
CA1, 344–6	ANT, 44	syntax (sentences), 181
normal spatial reference	attention	word meanings
memory, 338–9	attention, heritability, 45	(semantics), 181
partial cue removal, 346–8	inferior parietal lobule	uniqueness, 206–11
CA1 NR, role of, in	(IPL), 102	innate
acquisition of spatial	inferior temporal	dispositions, 211–14
memory,	cortex, 79, 82	language, subsystems,
CA3 recurrent network,	innate dispositions,	degrees of
role of, in associative	language, 211–14	plasticity, 125–9
memory,	speech vs. backward	congenitally deaf
experimental	speech, 212	individuals, 129–33
strategy, 326–7	STS (Superior Temporal	speech segmentation in
hippocampal	Suclus), 212	bilinguals, 140–1
network, 327–8	inner ear development, role	behavioral study, 141–5
implications, 352	of Na <sup>+</sup> currents in 402	event-related potential
model of associative	IPL, see inferior parietal	study, 145–7
memory, 349–52	lobule (IPL)	

420 Index

- language, subsystems (cont.)
  - syntactic and semantic processing, 133–4
  - anomalies, 134–7
  - closed- and open-class words, 137
  - linguistic proficiency, 134–40
  - syntactic and semantic processing, hearing bilinguals, 133–4
- lateral magnocellular nucleus
  - of anterior neostriatum (LMAN), 365, 371
- lateral nucleus in amygdala, role in auditory fear conditioning, 299–301
- alternative theories, 313–14
- amygdala
  - and fear conditioning, 299–301
  - memory consolidation 310–12
  - cellular hypothesis of
    - associate fear learning, 301–3
  - fear conditioning, role of NMDARs and VGCCs, 308–10
  - plasticity of neural response in LA, 307–8
  - synaptic plasticity in LA, 308–9
- lateral occipital sulcus, 84
- lateral prefrontal cortex, 38
- layer v, 42
- left anterior negativity (LAN), asymmetry, 136
- left hemisphere dominance, speech, 213
- leptin, 13
  - and obesity, 13
- lesions, 95, 101–2
- affected quadrants, 96
- in amygdala, 300, 313
- brain
  - anterior cingulate, 41
  - mid frontal area, 41
  - temporal-parietal junction, 35, 37
- parietal, 101
- unilateral, 101, 126
- V4 and TEO, 97, 99
- lexical information, 140, 141, 145
- libertarianism, 3
  - Hume’s argument, 4
- inconsistent, 4
- ‘line label’, 74
- lingual gyrus, 84
- linguistic basis, speech perception, 155–63
- allophonic variability, 159
- constraints, sequencing, 158
- distinctive features, role of, 163
- importance of words, use of language, 155
- phonology, process, 159–62
- spoken language, words in, 157
- words vs. speech sounds, 158
- written language, words in, 156
- linguistic processing, 129
- long-term depression (LTD), 329
- long-term potentiation (LTP), 303, 329, 338
  - associative, 303, 306
  - early LTP (E-LTP), 311
  - Hebbian, 303, 304, 306
  - late LTP (L-LTP), 311
- lower visual field (LVF) topography, 84
- LTD, *see* long-term depression (LTD)
- LTP, *see* long-term potentiation (LTP)
- Marr, D.
  - pioneering neural network theory, 330
  - recurrent network as autoassociative memory system, 330
- maturational constraints, 126
- mature hair cells, 17, 396
- phase-locked voltage oscillations, 396
- medial superior temporal (MST), 83
- medical temporal lobe and declarative memory, 244
  - see also* memory systems
- memory consolidation, 310, 312
  - amygdala, 310–12
  - process, 270
- memory systems
  - acknowledgments, 243–4
  - animal models of
    - declarative memory, 259–61
  - ibotenate/radiofrequency group, 261
  - recognition memory, 259
  - visual paired-comparison task/amnesic patients, 259
- hippocampus
  - function, 243–4
- the medical temporal lobe and declarative memory, 244–55

amygdala, 244	Na <sup>+</sup> channel subunit	visual cortex,
entorhinal cortex, 244	expression, rat utricular	organization, 79–80
hippocampus, 244	epithelium, 10,	speech perception, 164–76
mental navigation	401–402	acoustic-articulatory
tests, 254–5	isoforms, 402	space, 167–8
retrograde amnesia,	postsynaptic effect of	empirical support/
<i>see</i> amnesia,	BDNF, 404–5	challenges, 174–6
retrograde	Na <sup>+</sup> current in development,	functional anatomy,
nondeclarative	possible roles of, 12	speech process, 168
memory, 255–9	exocytosis, 403	functional asymmetry,
definition, 255	postsynaptic bouton	AST model, 169–70
emotional memory, 266	terminals, 403, 404	spectro-temporal
habit learning, 266	presynaptic ribbons, 403	representation,
neostriatum (skill and	voltage-gated Ca <sup>2+</sup>	auditory cortex, 164–5
habit), 259	channels, 403	speech, lexical
repetition priming, 254	<i>see also</i> eighth-nerve,	information, 165–6
memory ‘template’, 364	growth of	neural development
MF, <i>see</i> mossy fibers (MF)	native language vs. second	sensory systems, 126
MFG, <i>see</i> middle frontal gyrus	language learning, 127	subsystems hypothesis, 133
(MFG)	native speakers, 129, 140,	neural mechanisms, 364
middle frontal gyrus (MFG)	141, 144	neural subsystems
middle temporal area	segmentation task, 140	hypothesis, 133
(MT), 79, 81	natural language, 133	neuroanatomical issues
mitogen-activated protein	natural scenes	balance of left vs. right
kinase (MAPK), 311	geometry, 68, 74	temporal atrophy, 181
mnemonic process, 352	Gestalt rules, 68	structural vs. functional
monkey physiology	negative potential, 130	lesions, 181
hypothesis, 83–4	neonates, use of rhythm	neuroanatomy of semantic
monolingual	(language), 217–22	representations, 191–7
speakers, 139, 145	constituents, 217	brain-imaging
vs. bilingual, 147	syllables, feet,	techniques, 191
English, 147	morae, 217	connectionist network
synctactic and	inter-vocalic interval,	proposal, 196
semantic processing,	infant’s behavior, 219	‘functional’ lesion, 192
133	unknown language	PET activation
mossy fibers (MF), 328, 336	discrimination, 221	studies, 192–3
MST, <i>see</i> medial superior	vowels, importance at early	neurobiological
temporal (MST)	stage, 219	mechanisms, 299
MT, <i>see</i> middle temporal	neural basis	neurocognitive
area (MT)	competition for	systems, 125–6
N100, 147	representation	neuro-degenerative disease
N280, 130, 139	sensory interactions	on language systems,
N400, 137	among multiple visual	impact, 181–4
	stimuli,	Broca-type aphasia, 181



422 Index

neuro-degenerative (cont.)	parahippocampal function,	glutamate
neuroanatomy of semantic	of, 282–4	receptors), 304, 305
representations, <i>see</i>	electro physiological	defined, 309
neuroanatomy of	studies, responses,	N-methyl-D-aspartate class
semantic	284–5	of glutamate
representations	<i>see also</i> hippocampal	receptors, <i>see</i> NMDAR
neuroanatomical	memory system,	(N-methyl-D-aspartate
issues, 181	neurophysiology	class of glutamate
<i>see also</i> neuroanatomical	of hippocampal	receptors)
issues	function	noncasual choice
progressive fluent aphasia,	neuropsychology, in relation	hypothesis, 6
<i>see</i> progressive fluent	with attention, 51–2	noncasuality, 19
aphasia a.k.a semantic	alertness, 53	nondeclarative memory,
dementia	rehabilitation studies, 52–3	<i>see</i> memory systems
progressive nonfluent	neuroscience, 32	non-native speakers, 141
aphasia, 197–201	caused choice	norepinephrine, 12
impaired speech	and free choice, 3, 8–9	norepinephrine (NE)
production and	internal causes, 6–7	system, 43
working memory	voluntary causes, 6–8	
deficit, 200	control and action, 3–6	obsessive-compulsive
phonological errors,	hypothesis, 18	disorder (OCD), 6–7
198	issues	occipitotemporal pathway, 79
<i>spoonerism</i> , 197	brain’s capacity for	ventral, 81
remarks, 201–2	plasticity, 243	optical topography, 214
neuroimaging studies, 31	hard wiring of the	oral-aural language, 133
neuromodulators	brain, 243	orbitofrontal cortex and
dopamine, 12	prototypes, 9–14	parahippocampal
serotonin, 12	responsibility, 9–14, 19–21	region, 287
neurons, 79, 89, 91, 366	self-control, 14–17	firing, cells, 288
AFP, 366	uncaused choice, 18–19	mixing pot for sensory
2-dimensional interaction	neurotransmitters	signals, 289
field, 68	acetylcholine, 12	organization, brain system
postsynaptic, 304	norepinephrine, 12	for declarative
presynaptic, 304	neurotrophin brain derived	memory,
properties, using	growth factor	271–4
contours, 68	(BDNF), 20, 404	organ system, definition, 31
response to CS, 301,	newborns, brain specialization,	orientation
307	<i>see</i> brain specialization,	grating, 96
RF of, 85	newborns	thresholds, 96
neurophysiology, 133	<i>The Nicomachean Ethics</i> , 7, 9	ot, <i>see</i> optical topography
hippocampal cells, 279–80	NMDA receptors (NR), 328	
episode, types, 279	hippocampal, 328–31	paired stimulation, 304, 305
hippocampal function,	NMDAR (N-methyl-D-	parameter setting theory
of, 277–84	aspartate class of	(PS), 226

parahippocampal region	standard PET subtraction	nonalgorithmic, skill-based
entorhinal, 268	analysis, 194	nature, 16
parahippocampal, 268	post-natal development, 125	receptive field, definition, 62
perirhinal, 268	postsynaptic density (PSD), 328	connections, horizontal
patients	PP, <i>see</i> perforant path (PP)	effects, 63
Alzheimer's disease, 36	prefrontal cortex, 81	gestat's rule of contour
imaging and, 35	primary visual cortex (V1),	saliency, 63, 64
stroke, 34	79, 80, 81	dependency, 66
pavlovian fear	priming	interaction fields, 66
conditioning, 314	repetition priming, 255–9	facilitations, 67
peak latencies, 139	progressive fluent aphasia	iso-orientation rule, 63
perceptual learning,	a.k.a semantic	minimum response field
definition, 71	dementia	technique, 64
3-line bisection, 71	phonology, 185–6	results, 73
properties, 71	cross language	receptive field (RF) size, 79,
top-down control, 68	research, 186	82, 88
perforant path (PP), 327,	minimal pair	hypothesis, 86
328, 349	judgment, 185	monkeys, 87
peripheral visual	syntax, 186–7	relative recall index
stimuli, 126	stimulus conditions,	(RRI), 341, 343
phonetic processing, 127	patients, 187	repetition priming, <i>see</i>
phonological processing, 128	vocabulary loss in speech	memory systems,
phonology	production, 187–91	nondeclarative
coronal (gesture), 160	category fluency, 187	memory
features, distinctive, 161	progressive nonfluent	responsiblity, 9–14, 19
process, 159–62	aphasia, 197	defined, 9
pioneering neural network	impaired speech production	and neuroscience, 19
theory, 330	and working memory	retrograde amnesia, 270
plasticity, 378	deficit, 198	reward and punishment, 2
generating	phonological errors, 198	RF, <i>see</i> receptive field (RF)
connectivity, 378	<i>spoonerism</i> , 197	rhythm, signals and triggers
induction of, 374, 377	prosodic bootstrapping	compliment head
induction of, at SC-CA1	hypothesis, 210	head compliment
and C/A-CA3	prosodic processing, 127, 141,	parameter (HC), 226
synapses, 329	144, 149	integrate PS with
of mossy fiber, 331, 349	Prozac, 7	theory of learning, <i>see</i>
peak, during	PSD, <i>see</i> perforant path (PP)	rhythm, signals and
development, 127	quantum-level	triggers, compliment
subsystems in	indeterminacy,	head, head
language, 125–9	5, 19	compliment
synaptic, 329, 330, 352,	randomness, 5	parameter (HC)
363–5	rational, 15	rodent vestibular hair
positron emission tomography		epithelia, multiple Na <sup>+</sup>
(PET), 36, 182		channel type, 397–402

424 Index

- scalp
  - electrical recording, 33
  - electrodes, 40
- schizophrenia, 43
  - theory, Benes, 43
- scopolamine, 37
- secondary emotions,
  - 17, 396
- second language
  - acquisition, 127
- SEF, *see* supplementary eye fields (SEF)
- segmenting speech stream
  - continuous speech
  - rhythm, 223–4
- self-control spectrum, 10
- self-rated proficiency in
  - English and Chinese, 134
- semantic dementia, *see*
  - progressive fluent aphasia a.k.a semantic dementia
- semantic processing, 130
  - violations, 139
    - accuracy detection in, 135
    - in phrase structure, 129
- sensitive period, 126
  - argument against, 127
  - phonological
    - processing, 127
  - subsystems in
    - language, 129
- sensory events
  - fMRI, 33
  - sites/sources, 33–4
  - sources, 33–4
  - target, multiple, 34
- sensory suppression
  - RF hypothesis, 86
    - human cortex, 83
    - interactions, 83, 89
- sequential stimuli, 84, 85, 90, 91
- serotonin, 12
- signals, *see* rhythm, signals and triggers
- simultaneous stimuli, 84, 88
- single-cell recording, 88
  - in monkey, 88
  - neural response, 88
- socialization, 20
- social species
  - features of, 2
  - parental care, 2
  - social unreliability, 2
- sodium channels, over
  - view, 386–8
- $\alpha/\beta$  subunits
  - TTX sensitivity/Cd2<sup>+</sup> sensitivity., 388
- sodium currents in hair cells, 390–7
- hair isolation, 395
  - see also* extracellular papain treatment
  - in the inner ear, voltage-dependent, 385–405
  - less negatively inactivating, TTX sensitive, 390
  - negatively-inactivating, TTX-insensitive, 390
  - negatively-inactivating, TTX-sensitive, 390
- resting potential, 394
- reverse transcription
  - polymerase chain reaction (RT-PCR), 393
  - TTX application, 394
- songbirds, as model for neural mechanisms, 364
- song learning
  - sensorimotor phase, 364
  - sensory phase, 364, 366
- speech, perception, 164–76
  - definition, 176
  - functional architecture, 154
  - linguistic basis
  - allophonic
    - variability, 159
  - constraints,
    - sequencing, 158
  - distinctive features, role of, 163
  - importance of words, use of language, 155–6
  - phonology, process, 159–62
  - spoken language,
    - words in, 157
  - words vs. speech
    - sounds, 157
  - written language,
    - words in, 156
- neural basis
  - acoustic-articulatory space, 167–8
  - empirical support/
    - challenges, 174–6
  - functional anatomy,
    - speech process, 168
  - functional asymmetry, AST model, 169–70
  - spectro-temporal representation,
    - auditory cortex, 164–5
  - speech, lexical
    - information, 165–6
- speech process,
  - properties, 164–76
  - see also* neural basis, speech perception
- speech segmentation
  - in bilinguals, 140–1
  - behavioral study, 141–5
  - event-related potential study, 145–7
- speech stream,
  - segment, 222–4
- speech vs. backward speech, 212

spiking, Na <sup>+</sup> contribution Ca <sup>2+</sup> influx, 394	supplementary eye fields (SEF), 102	tests functions 41 usage of words, 40
spiking in hair cells, positively inactivating Na <sup>+</sup> currents, 397	synaptic mechanisms, 363, 374–8	tetanic stimulation, 304
SPL, <i>see</i> superior parietal lobule (SPL)	synaptic plasticity, 301, 329 Hebbian synaptic plasticity, 301, 302, 304	tetanus protocol, 305
stimuli, 38, 77, 363 competing vs. non- competing, 78	long-term, 311 short-term, 311	tetrodotoxin (TTX), 386
factors affecting, 77 mutually suppressive, 85 preferred vs. non- preferred, 83	synaptic plasticity in songbirds, singing and song selectivity, 363–5	thalamic plasticity, 308
and responses, well- defined, 299	singing-related activity in AFP, 371–3	top-down bias attentional, 91, 94–5, 100–1
response to neural, 79, 88	song learning in juveniles, 366–71	functional brain imaging, 102–6
response to visual congenitally deaf's, 126	synaptic mechanisms, 374–8	lesion studies, 101, 106
hearing individual, 126	synaptogenesis, role of Na <sup>+</sup> / Ca <sup>2+</sup> , 404	top down control, 68
salience of, 77, 102, 105	syntactic and semantic processing	inference, 74
sensory suppression, 84	comparison of performance on	top-down influences attentional, 78
sentence, 134	sentence types, 142	feedback signal, 81, 106
simultaneous and sequential, 84	hearing bilinguals, 133–4	visual perception, 81
song, 366	anomalies, 134–7	Tourette's syndrome, 12
spatial, 38	closed- and open-class words, 137–40	transmitters, 37
suppression of competition among multiple, 89	linguistic proficiency, 134	triggers, <i>see</i> rhythm, signals and triggers
verbal, 38	syntactic positive shift (SPS), 137	trisynaptic pathway, 328
visual, 38, 78, 82–9, 104, 105	syntactic processing, 128, 140	TTX (tetrodotoxin ), 386
stimulus-driven processes, 77	accuracy detection in violations, 135	unconditioned stimulus (US), 299
striate cortex, 84	neural subsystem, 133	uniqueness of language, 206–11
the stroop task, 38	violations, 139	brain specialization, newborns
STS (Superior Temporal Suchus), <i>see also</i> innate dispositions, language	temporal integration window alpha/gamma/theta band activity, 170	evidence from ot, 214–17
studies, generate use of words, 40–1	data, neurophysiological, 171	prototype device, hitachi, <i>see</i> brain specialization, newborns
superior occipital gyrus, 84	oscillatory neuronal activity, 170, 175	C/V distinction, <i>see</i> consonant/vowel distinction
superior parietal lobule (SPL), 84, 102, 105	TEO, 82, 84, 87, 90, 91, 94–100	innate dispositions, language, 211–14
		speech vs. backward speech, 212

426 Index

- uniqueness (cont.)
  - STS (Superior Temporal Sulcus), 212
- rhythm, signals and
  - triggers, *see* rhythm,
  - signals and triggers
- rhythm to tune to language,
  - neonates, 217
- brain specialization,
  - newborns, 214
- Hebbian fashion, 208
- innate disposition, 211–14
- prosodic bootstrapping
  - hypothesis, 210
- PS theory, discussion,
  - 206–7
- segmenting the speech
  - stream
  - continuous speech
  - rhythm, 223–4
- use of rhythm (language),
  - neonates, *see* neonates,
  - use of rhythm
  - (language)
- universal grammar (UH), 210
- upper visual field (UVF)
  - topography, 84
- US, *see* unconditioned
- stimulus (US)
- use of rhythm (language),
  - neonates, 217–22
- V1, *see* primary visual
- cortex (V1)
- V2, 81, 84, 86, 89, 90
- V3, 81
- V4, 81, 84, 90, 94–100
- V3A, 81, 84, 86, 90
- V4 and TEO, role of, in
  - filtration, 94
- ventral legmentaldopamine
- system, 41
- ventral occipitotemporal
- pathway, 81
- ventral stream, 79, 80
- vestibular ganglia, 402
- visual cortex, 81
  - attentional effects, 90, 91
  - attentional response
    - modulation, 88–94
  - baseline activity, 89–94
  - filtration, 89–91
  - human, 87, 94
  - in humans and
    - monkeys, 78
  - neural activity, 94
- visual field impairment, 97
- visual process, sensitive
  - periods, 126
- visual stimulation
  - absence of, 84, 91, 92, 93
  - extrastriate cortex, 84
  - presence of, 104, 105, 106
  - striate cortex, 84, 90, 93
- visuospatial attention in
  - humans and monkeys,
  - cortical mechanisms
  - of, 77–9
- attentional top-down
  - bias, 100–1
- functional brain
- imaging, 102–6
- lesion studies, 101, 106
- neural basis
  - multiple visual stimuli,
  - sensory
  - interactions, 82–8
- visual cortex, organization
- of, 79–82, 101–2
- role of V4 and TEO in
  - filtration, 94–100
- visual cortex, attentional
- response modulation
- in, 88–9
- baseline activity,
  - 89–94
- filtration, 89–94
- visuospatial function, 79
- visuospatial neglect, 101
- voltage-dependent
  - sodium currents in
  - the hair cells,
  - inner ear
- goldfish saccule, 393
- multiple Na<sup>+</sup> channel
- types in rodent
- vestibular hair
- epithelia, 397–402
- Na<sup>+</sup> channel subunit
- expression in
- the rat utricular
- epithelium, 10, 401–2
- whole-cell Na<sup>+</sup>
- currents, 402
- Na<sup>+</sup> currents in hair cells
- Na<sup>+</sup> spikes by hair
- cells, 404
- spiking, with negatively
- inactivating Na<sup>+</sup>
- current, 397
- see also* voltage-gated
- currents
- spiking, with positively
- inactivating Na<sup>+</sup>
- current, 397
- see also* sodium currents
- in hair cells
- role of Na<sup>+</sup> currents in
- inner ear
- development, 402
- Na<sup>+</sup> currents in rodent
- hair cells decrease after
- birth, 402
- possible roles of Na<sup>+</sup>
- current in
- development, 403
- sodium channels,
- overview,
- activation/inactivation
- course, 401
- b subunits, 396
- a subunits, 401

spiking in hair cells, 393–7	words	phonology,
alligator basilar	closed-class, 131, 137–40	process, 159–62
papilla, 393	identification of	spoken language, 157
goldfish saccule, 393	allophonic variability,	problems (linearity,
voltage-gated currents	159	invariance), 157
temperature/extracellular	constraints,	vs. speech sounds,
papain, 395	sequencing, 158	157
voluntary causes	distinctive features, role	written language,
introspection, 7	of, 163	156
voluntary and involuntary	interpretation,	open-class, 130,
behavior, 9	articulatory, 162–3	137–40