

## Index

- Accretion 277  
 Acheron Fossae 167  
 Acid fogs 237  
 Acidalia Planitia 116  
   part of low around Tharsis 85  
 Admittance 84  
 African Rift Valleys 95  
 Ages absolute 15, 23  
 Ages, relative, by remote sensing 14, 23  
 Alases 176  
 Alba Patera 2, 17, 48, 54–7, 92, 132, 136  
   low slopes 54  
   flank fractures 54  
   fracture ring 54  
   dikes 55  
   pit craters 55, 56, 88  
   sheet flows 55, 56  
   Tube-fed flows 55, 56  
   lava ridges 55  
   dilatational faults 55  
   channels 56, 57  
   pyroclastic deposits 56  
   graben 56, 84, 86  
   profile 54  
 Albedo 1, 9, 193  
 Albor Tholus 60  
 ALH84001 20, 21, 78, 267, 273–4, 277  
 Alpha Particle X-ray Spectrometer 232  
 Alpha Proton-ray Spectrometer 231  
 Alpheus Colles 160  
 AlQahira 122  
 Amazonian 277  
 Amazonis Planitia 45, 64, 161, 195  
   flows 66, 68  
   low slopes 67  
   extremely flat 161, 163  
   part of low around Tharsis 85  
   outflow channels 122–7  
 Amphitrites Patera 69, 73, 233  
 Antarctica 73  
 Aphelion 2, 16  
 Apollinaris Patera 67, 70, 232  
 Aquifer 117  
 Arabia 80, 174  
   anomalous crustal thickness 82  
   fretted terrain 82  
   sparsely dissected 132  
 Arabia Shoreline 165–8  
 Aram Chaos 117  
 Archean 268  
   fossils 269  
 Archean rocks 268  
 Areocentric longitude Sun 2, 3  
 Ares Vallis 114, 116, 117, 231  
 Argyre 5, 27, 159, 160, 181  
   floor elevation 158  
   floor Hesperian in age 158  
   lake 156–8  
 Arsia Mons 46–9, 188  
   summit caldera 46  
   Dikes 47  
   magma supply rate 51  
 Arsinoes Chaos 115, 117  
 Ascreus Mons 46, 49, 51  
   summit caldera 49  
   flank vents 49  
   rounded terraces 50  
 Asteroids 24  
 Astronomical unit 1, 2  
 Athabasca Vallis 59, 65, 122, 125, 126  
 Atlantis Chaos 151  
 Atmosphere collapse 262  
 Atmosphere, chemical composition 17  
   circulation 8  
   convective boundary layer 9  
   CO<sub>2</sub> retention 260  
   early Mars 263, 271  
   eddies 8  
   isotopic composition 17  
   mass 16  
   meridional flow 1  
   pressure variations and range 5, 16  
   temperatures 6–8  
   scale height 5, 16  
   water content 11  
   column water abundance 174  
   collapse 262  
 Aureum Chaos 115, 117  
 Backstay rocks 242  
 Bacteria, smallest size 273  
 Bacterial spores 273  
 Bacterial-like objects 273  
 Banded Iron Formations 268  
 Barchanoid dunes 203, 231  
 Basaltic sands 201, 246  
 Basaltic volcanism 43–4  
 Basalts, Gusev 237  
 Base Surge 34  
 Basin and Range province 111  
 Basin circularity 139  
   concavity 139  
   divides 139  
 Becquerel 157

- Biblis Patera 57
- Biologic fixation of carbon 268
- Blue clearing 2
- Bodies of water 143
- Bonneville crater 235, 240
- Borealis basin 83
- Boundary layer, turbulent 194
  - laminar 194
  - velocity profile 194
- Breadbasket 240
- Bromides 242
- Burns Cliff 250, 251, 253
  - stratigraphic section 250, 251
- Burns Formation 246, 248
  - bromine component 253
  - cemented basaltic mud 248
  - sulfates 248
    - lower unit 248
    - middle unit 248
    - upper unit 249
  - erosional contact 248
  - phosphates 248
  - sulfates moved up section 253
  - NaCl moved down section 248, 253
  - post-depositional alteration 252
- Ca-Al rich inclusions 78
- Calderas, terrestrial 43
- Canadian shield 137, 149
- Canals 1
- Candor Chasma 96, 97, 99, 105, 108, 119, 120
  - layered deposits 97, 107
  - moat 109
  - fault scarp 102
  - light-toned deposits 110
- Canyon lakes drained to east 119
  - to north 119
  - volumes 121
- Canyon wall rocks, layered 102, 111
  - Hesperian aged 102
  - Noachian aged 102
- Canyon walls 102–3
  - ridge and gully topography 102
  - talus chutes 102
- Canyons 279
  - formation 110–1
  - tension fractures 110
  - faulting 95, 110, 111
  - fault scarps 110
  - Hesperian in age 111
  - keystone failure 111
  - rifting 111
  - slow extension model 111
- Canyons, oblique view 95
- Cap seasonal 211
  - volumes 211
  - thickness 211
- Capillary evaporation 249
- Capri Chasma 100, 111
- Carbon isotopes, Archean rocks 268
- Carbonaceous chondrites 19, 258, 273, 277
- Carbonates in meteorites 261
  - in atmospheric dust 261
  - below the surface 261
  - detected from orbit 261
  - dissolve in acid waters 261
  - form from CO<sub>2</sub> during weathering 260
- Cataracts in outflow channels 114
- Cavernous weathering 238
- Cavi Angusti 74, 224
- Cavi Sisyphi 224, 225
- Cement 252
- Center of Mass/center of figure offset 5, 16, 80
- Ceraunius Fossae 87
- Ceraunius Tholus 46, 57, 58, 132, 136
  - radial channels 57
- Cerberus 64–8
  - flows 67
- Cerberus channels 126
  - start at graben 126
  - formed by faulting, groundwater eruption 126
  - deep aquifer 127
  - discharges 127
- Cerberus Fossae 59, 64, 67, 87, 122
  - source of lava flows 66
  - source of water flows 66, 87, 119
- Cerberus plains 65–7
  - young age 67
  - crater ages 67
  - pooling of water 127
  - Cerberus plains, young age 126
- Cerberus-Amazonis platey flows 71
- Chalcophile elements 20
- Channeled Scablands 114
- Channels, Chryse 114–21
- Channels, median ridges 134
- Chaotic terrain 114
  - merges with canyons 96, 100
- Chasma Australe 212, 221, 223
- Chasma Boreale 212, 215, 218, 220
- Chassigny 20
- Chlorides 239, 242
- Chondrites 19, 44
- Chondritic composition 77
- Chryse 18, 82, 230
- Chryse channels formed by groundwater eruption 117
  - draining of canyon lakes 119–21
  - glaciation 121
  - debris flows 121
  - channel ages 116
- Chryse Planitia 71, 95, 100, 114–16, 161, 229
  - wrinkle ridges 89
  - part of low around Tharsis 85
- Claritas Fossae 9, 92, 97
- Clathrate 145
- Climate history 280
  - post-Noachian 262–5
- Climate, affected by large floods 114
- Closed depressions 120, 137
- Clouds 1
  - water-ice 2
  - white 1
  - yellow 1
- Clovis 243
  - rocks oxidized 239
  - soft 239

- extensively altered 240
- CO<sub>2</sub> clouds 259
  - scatter infrared radiation 259
- CO<sub>2</sub> losses by sputtering 261
- CO<sub>2</sub>-H<sub>2</sub>O greenhouse 258–60
- Columbia Hills 16, 155, 234–6, 238–44, 278
  - West Spur 238
  - Husband Hill 238
  - rocks Noachian in age 243
  - rocks not lacustrine 243
  - rocks altered 244
- Comets 24
- Compatible elements 20
- Complex terrestrial craters 25
- Compressional structures 89–90
- Concentric crater fill 180, 181
- Conglomerate 231
- Coprates Chasma 88, 95, 96, 100, 103
  - flat floor, high walls 100
  - fault scarps 102
  - merge with other canyons 108
  - formed in Hesperian 111
- Core 5
  - liquid 277
  - convection in 77
  - radius 77
  - formation 77–8, 258, 277
  - time of formation 77, 78
- Cosmic ray exposure ages 20
- Crater central peak 25
- Crater densities across dichotomy boundary 80
- Crater diameter vs. depth 29
- Crater ejecta, morphology 23, 31–4
  - details preserved 36–41
  - ramparts 32–4
  - terminology 33
  - lobate patterns 23
  - indicator of ground ice 188
- Crater formation 27–31
  - compression stage 27, 31
  - excavation stage 27
  - expansion stage 31
  - modification stage 27, 29
  - central peak formation 30
  - transient cavity formation 29
  - collapse 30
- Crater modification 34–6
  - mounds 152
  - domes 72
  - scaling laws 38
  - cross-section 29
  - lakes 152, 153
- Crater production function 39
- Crater rim, height 25
  - inverted stratigraphy 25
  - breached by valleys 150
- Crater size frequency distribution 23, 36–41
  - equilibrium distribution 39
  - Moon 41
- Crater walls, slumping 25
  - terraced 25
- Crater, explosion 29
- Cratering record, lunar 15, 23, 38, 40, 42
  - terrestrial 23
- Craters, cumulative numbers vs. time 39
- Craters, Lunae Planum 35
- Craters, Mars 17
  - Moon 23, 34
  - Mercury 23
- Craters, simple 24–5
  - complex 25–6, 28
  - simple to complex transition 25
  - complex to multi-ring transition 25–6
  - depth to diameter ratios 25
- Craters, used to determine absolute ages 38–40
  - possible errors 40, 41, 216
- Craters, Utopia 35
- Creep 193
- Cross bedded sandstone 248
- Cross stratification 251
- Crust 277
  - formation 78
  - composition 5, 277
  - density 82
- Crustal thickness, changes across dichotomy boundary 80
  - bimodal 82
  - thin under large basins 27, 82
  - thin under northern plains 160
- Crustal thinning under canyons 111
- Cryosphere 13–14, 62, 73, 117, 131, 173, 262
  - fracturing 62
  - disrupted by dikes 62
  - recharged 258
- Cryptoendoliths 273
- Crystal molds 252, 253
- Cumulative plots of craters 35
- Dao Vallis 68, 129, 131, 146
- Day, martian 2
- Debris aprons 180–4
  - richly textured 182
  - ages 182
  - role of ice 183
  - incorporate ground ice 183
  - glaciers 183
- Debris flows 179, 182, 183
- Decay of <sup>182</sup>Hf 78
- Deep-sea smokers 272
- Deflation hollows 170
- Delta 140, 141, 151, 154, 234, 258
- Deuterium 8
- Deuterionilus shoreline 164–7
  - elevation 167
  - volume enclosed 167
- Diapir 44, 88
- Dichotomy boundary, morphologic attributes 82
- Dichotomy, global 5
- Dike emplacement 72, 127
- Dike swarms, magnetic anomalies 78
  - under canyons 111
- Dikes 44, 47, 88
  - interaction with water and ice 63
  - affect groundwater circulation 47
  - injected into cryosphere 73
  - magma volumes 89
- Dikes, terrestrial 89

- Dilatant faults 86, 88
- Dislodgement 195
- Disrupted terrain, dichotomy boundary 82
- Dissected upland 134
  - dissected volcanoes 262
- Dormancy 272
- Dorsa Argentea Formation 74, 157, 222–5, 262
  - basal melting 225
  - peripheral channels 225
- Drainage basins 137–9
  - shape 139
- Drainage density 135
- Drainage system less developed than Earth's 137, 143
- Drifts 197, 200, 229, 231
- Drop Moraines 187, 189
- Drumlins 184–5
- Ductile layer 90
- Dune field 255
- Dune types 198–203
  - barchan 199
  - deposits 251
  - longitudinal 200
  - seif 200
  - star-shaped 200
  - terrestrial 199
  - transverse 199
- Dunes 200, 207, 245, 248
  - polar 200, 212, 216, 218, 220
- Dust devil 193, 195, 196, 236
- Dust sink 197
- Dust storms 1, 9, 193, 195–7, 216, 218
  - global 196
- Dynamo 78
  
- Eagle crater 246, 249
- Eastern hemisphere 7
- Eccentricity, Earth 2
- Eccentricity, Mars 1–4, 16
- Echus Chasma 96, 115, 121, 139, 144
  - side canyons 102–3
- Ejecta, patterns 31–4
  - annulus 32
  - lobes 32, 33
  - curtain 29, 32
  - flow along the ground 33
  - rampart 34
  - platform 26, 33
- Ejecta, fluidized 23, 26, 33
- Elastic shells 84
- Elevation difference, north-south 80
- Elevation precision 5
- Elevation reference surface, Mariner-9 5
  - Mars Global Surveyor 5
- Elysium 5, 17, 18, 21, 59–64, 68, 70, 174, 279
  - dome 59
  - lava flows on east flank 64
  - fossae 59, 86
  - shorelines 165
- Elysium index map 61
  - oblique view 62
- Elysium Mons 59, 64
  - described 59
  - concentric and radial graben 59
  - channels 59, 128
  - channels emerge from graben 60, 62
  - summit caldera 62
  - radial dikes 65
- Elysium outflow channels 122–9, 279
  - formation 127
- Elysium Planitia 161
- Endurance crater 201, 246, 249, 250
- Eos Chasma 100
- Ephrata fan 231
- Episodic ocean hypothesis 263
- Equilibrium distribution of craters 35, 37
- Erosion rates 34, 137, 143, 258, 278
  - declined at end of Noachian 262, 278
- Eruption cloud 46
- Eruption quiescent periods 51
- Eruption rates 44
- Eruption styles 45
- Escarments, dichotomy boundary 82
- Eskers 158, 160, 168, 224, 225
- Etched uplands 204, 205, 207
- Evaporite sand grains 248
  - reworked 249
- Evaporites 149, 153, 246, 254
  - Meridiani Planum 113
- Exhumed craters 246
- Exosphere 7
- Exsolution of gases 45–59
- Extensional structures 86–9
  
- Fan deposits 140
- Fault scarps 88, 96
- Fault scarps, terrestrial 102
- Faults, depths in canyons 111
- Festoon cross bedding 252
  - geometry 250
- Fissure eruptions 71
- Floods 113, 160
  - effect on atmosphere 263, 264
- Flow plains, mainly Amazonian in age 72
- Flows, tube-fed 60, 72
  - sheet 60
- Fossils 269
  - earliest 268
- Fretted terrain 164, 167, 178–84, 280
  - debris aprons 181
  - viscous flow of surface materials 186
- Fretted valleys 113, 178, 185–7
  - formed by enlargement of fluvial valleys 185
- Frost heaving 176
- Frost point, CO<sub>2</sub> 9
  - H<sub>2</sub>O 11, 174
  
- Galaxia Fossae 59
- Gale crater 153, 157
- Gamma-ray Spectrometer 175
- Ganges Chasma 100, 104, 105
  - layered deposits 100, 104, 107
  - drainage 121
  - light-toned deposits 110
- Gas Chromatograph Mass Spectrometer 229
- Gelifluction 176
- Ghost craters 37, 151, 167, 168

- Glacial deposits 188, 189  
 three facies 187  
 Glaciation 160, 265  
 Glaciers 48, 169, 184, 187–8, 280  
 cold based 187  
 temperate 187  
 carved outflow channels 187  
 in Argyre 187  
 in Hellas 187  
 on Arsia Mons 187, 189  
 on Tharsis volcanoes 187  
 on Olympus Mons 187, 190  
 young on Tharsis volcanoes 187  
 Global dichotomy 77–84, 160, 277  
 elevation profiles 80  
 expressed in three ways 78  
 formed by large impact 82  
 internal origin 84  
 plate tectonics 84  
 Global differentiation 77  
 Global groundwater circulation 143  
 Global hypsometry 79  
 Global temperatures, early Mars 259  
 Global topography 77  
 Goethite 239, 242  
 Graben 84  
 common around Tharsis 84  
 radial to Tharsis 92  
 Grain transport 194  
 Grand Canyon, Arizona 95  
 Granicus Vallis 65, 127, 128  
 Gravitational acceleration 16  
 Gravity 5, 77, 82, 160  
 Greenhouse 143  
 Greenhouse gases 258–61  
 Grjota Valles 65, 125, 127  
 Ground ice 173  
 abundance, high latitudes 175  
 low latitudes 175  
 inherited 175  
 Groundwater 14, 62, 173, 253  
 eruption 117  
 recharge 262  
 seepage 142, 257  
 Gullies 144–6, 280  
 on pole-facing slopes 145  
 on sand dunes 146  
 erosion by liquid water 144  
 groundwater seepage 145  
 mass wasting 145  
 melting of ice 145, 146  
 erosion by CO<sub>2</sub> 145  
 formed at high obliquities 145  
 Gusev 150, 151, 153, 232–4, 237  
 wrinkle ridges 90  
 regional context 232  
 ridged plains 234  
 etched floor 235  
 Gusev floor, complex origin 155  
 Gusev plains basalts 235, 239  
 mostly unaltered 235  
 alteration rinds 235, 237  
 fluted 238  
 Gusev plains 210  
 secondary craters 235  
 erosion rates 235  
 drifts 238  
 ripples 238  
 tails 238  
 dust devils 238  
 Gusev rocks 238  
 Adirondack class 239  
 Clovis class 239  
 Wishstone class 240  
 Peace class 241  
 Watchtower class 241  
 Backstay class 242  
 Gusev soils, composition 238  
 sulfate rich 238  
 Gypsum 211, 220  
 north pole 280  
 Habitability, post-Noachian Mars 271  
 Hadean era 268  
 Hadley cell 8  
 Hadriaca Patera 68, 71, 72, 131  
 pyroclastic activity 69  
 nearby outflow channels 130  
 Harmakhis Vallis 129, 131  
 Hartmann's isochrons 40, 41  
 Hawaii 43, 51  
 shield volcanoes 50–1  
 eruption type 45  
 eruption style  
 Hazcams 231  
 Heat flow 84, 85  
 Heavy bombardment conditions 270  
 similar on Earth and Mars 270  
 Hebes Chasma 95, 96, 100, 116  
 layered deposits 99, 105  
 moat 109  
 Hebrus Vallis 127, 129, 130  
 Hecates Tholus 59, 63, 64, 129, 132, 136  
 channels 59  
 pyroclastic deposits 59  
 glaciers 188  
 Hellas 1, 5, 9, 17, 18, 27, 68–70, 80, 83, 158–9, 196  
 depth 5  
 floor 130, 162  
 effects of formation 277  
 lake 156–8  
 layered sediments 159  
 lowest point on planet 158  
 pressure within basin 5  
 thin crust 82  
 shorelines 161  
 Hematite 239, 240, 242, 244  
 Hematite concretions 248, 249  
 formed after deposition of host rock 253  
 Hephaestus Fossae 127, 129, 130  
 Hesperia Planum, wrinkle ridges 90  
 Hesperia, lobate scarps 90  
 Hesperian plains, dissected 262  
 Hesperian system 15  
 Hesperian valleys 262  
 Hesperian/Amazonian boundary age 41, 277

- High obliquity 263, 265  
 snow on volcanoes 264
- Holden 151
- Homopause 7
- Hrad Vallis 64, 127
- Hubble Space Telescope 2, 196
- Hybrid faults 86
- Hydraotes Chaos 120
- Hydrodynamic escape 258
- Hydrogen content, soil 175
- Hydrogen loss 258
- Hydrologic cycle, caused by impacts 260  
 late Noachian 278  
 change at end of Noachian 144
- Hydrosphere 14
- Hydrostatic pressure 117, 119
- Hydrothermal circulation 143, 263, 264, 272
- Hydrous silicates 258, 262
- Hyperthermophiles 272, 281
- Iani Chaos 117
- Icaria Fossae 84, 88
- Ice ages 265
- Ice deposits 146, 178, 182  
 flows 68  
 sheets 187
- Ice stability 174–5  
 effect of obliquity 174–5
- Ice veneer in alcoves 177  
 melting causes gullies 178
- Ice-covered rivers 258
- Iceland 73
- Ice-rich veneer 177, 178, 280
- Impact basins 277  
 buried 80
- Impact erosion of atmosphere 142, 260
- Impact rates, Moon and Mars compared 38
- Impactors, size frequency distribution 24, 38  
 flux at Earth 24
- Impacts enveloped Earth in rock vapor 270
- Impacts, climatic effects 260, 263, 264, 270
- Incremental plots of craters 37
- Intercrater plains, wrinkle ridges 89
- Interdune environment 249, 252
- Isidis 18, 27, 76, 80, 82, 83, 86  
 thin crust 82
- Isidis basin, depth 162
- Isidis Planitia 9, 71, 72  
 volatile-rich floor materials 72  
 wrinkle ridges 90
- Isotopes 77
- Isotopic fractionation by sputtering 261
- Ius chasma 97, 98  
 side canyons 102–3
- Jarosite 246, 253
- Jökulhlaups 130
- Jovis Tholus 57, 59
- Juventae chasma 96, 99, 101, 114, 115  
 layered deposits 99, 102, 107  
 sulfate-rich deposits 102
- Kames 168
- Karst 179
- Kasei Vallis 113–15, 120, 121  
 discharge 117  
 origin 121
- Katabatic winds 211
- Kettles 105
- Kilauea 51
- Ladon Vallis 130, 156, 157
- Lahars 60–4, 127
- Lakes in the canyons 95, 112  
 drained to east 112  
 merge with outflow channels 107  
 supported by sulfates 107  
 melting of ice deposits 108  
 release of water by injection of dikes 108
- Lakes in uplands 149–56
- Landing sites, engineering constraints 232
- Landslides 103–5  
 landslide scar 104  
 landslide debris aprons 104  
 young age 104  
 volatile content 105  
 longitudinal striae 105  
 runout length 105  
 subaqueous 105  
 water-logged sediments 105
- Ganges Chasma 106
- Melas Chasma 106
- Latitudinally resolved climate models 259
- Lava flows 44  
 tubes 60  
 channels 140  
 rafts 68  
 lakes 140, 151  
 effusion rates 51
- Layered deposits 119, 120, 211, 280  
 in craters 151  
 Noachian terrain 278
- Layered deposits in canyons 105–10, 112  
 Melas Chasma 108, 109  
 Candor Chasma 108, 109  
 fluted texture 106  
 remnants of country rock 107  
 younger than wall rock 107  
 sulfate rich 112  
 deposited in lakes 107–9
- Layered deposits, Meridiani 244  
 age 245  
 sulfate rich 254
- Layered deposits, north pole 212, 220  
 age 216  
 basal unit 218  
 composition, extent 212  
 marker beds 213  
 models for accumulation 218  
 persistence of layers 213  
 result from orbital and rotational motions 216, 218  
 shape of mound 217  
 unconformities 213  
 volume 212

- Layered deposits, south pole 212, 221, 222  
 ages 221  
 central mound 221  
 higher than north 212
- Levee 134
- Life arose quickly on Earth 268
- Life, Noachian Mars 274
- Lineated valley fill 178, 184–5  
 forms in closed depressions 185  
 forms by merger of debris aprons 185  
 down-valley flow 185
- Liquid CO<sub>2</sub> 145
- Liquid water cut outflow channels 113
- Liquid water stability 11–12  
 scarcity 271  
 pockets 271
- Lithophile elements 20
- Lithosphere flexure 46, 49, 51, 77, 84  
 under Tharsis 85, 92  
 model for Tharsis 86
- Lithosphere thickness 84  
 thick under young volcanoes 84  
 thinner under older volcanoes 84  
 thin under Noachian terrains 84
- Lobate flows 190
- Lobate scarps 90
- Loire Vallis 133, 150
- Lunae Planum 18, 33, 71, 72, 116  
 wrinkle ridges 89, 90  
 wrinkle ridge spacing 90  
 vertical offset across wrinkle ridges 90
- Lunar crater production function 38
- Lunar highlands 23  
 maria 23, 71  
 rilles 62  
 South pole-Aitkin basin 82
- Lyot 27, 30, 264
- Ma'adim Vallis 113, 122, 134, 150, 151, 153, 154, 232, 233  
 formed by draining of Noachian lake 158, 232  
 delta 232, 243
- Magma ocean 78, 84
- Magma chamber 44, 51, 62
- Magnetic anomalies 77, 78  
 absent around impact basins 78
- Magnetic field 78  
 stripes 78, 84
- Magnetite 239
- Magnetofossils 273
- Magnets 232
- Maja Vallis 99, 101, 109, 115
- Malea Planum 69, 71  
 wrinkle ridges 90
- Mamers Vallis 178, 184
- Mangala Vallis 122, 124, 126, 164  
 starts at graben 126  
 formed by faulting, groundwater eruption 126
- Mantle, composition 44  
 depleted in siderophiles 77  
 upwelling 84, 85
- Mare Cimmerium 137
- Mare Serinum 137
- Margaritifer Terra 95, 115
- Margaritifer Vallis 130
- Marine episodes 263
- Mariner-4 2
- Mariner-6 43, 211
- Mariner-7 43, 211
- Mariner-9 43, 113, 160, 267
- Mars Orbiter Laser Altimeter 5
- Marte Vallis 64–7, 69, 125, 161, 164
- Martian highlands 16–17
- Martian meteorites 20–1, 77
- Mass, Mars 16
- Mass-wasting 95, 176
- Mauna Loa 44
- Mawrth Vallis 116
- Medusae Fossae Formation 35, 68, 155, 193, 204, 206–8, 232, 233
- Megaripples 200, 201
- Melas Chasma 95–7, 120  
 merge with other canyon 108  
 enigmatic deposit 107  
 layers in wall 105
- Memnonia Fossae 84, 88, 92  
 lobate scarps 90
- Meridiani 18, 149, 152, 248  
 regional context 244  
 sediments 247  
 shoreline 167
- Meridiani Planum 113, 193, 204, 244  
 widespread pavement 246
- Mereo Patera 72
- Mesopause 6, 7
- Meteor Crater, Arizona 25, 27
- Meteorites 19–20  
 composition 77  
 differentiated 19  
 undifferentiated 19  
 infall 24
- Meteors 24
- Methane 274
- Microbial life delivered to Mars 267  
 delivered to Earth 267
- Microscopic imager 231
- Mini-TES 231
- Mississippi discharge 117
- Missoula Flood discharge 117
- Moat around canyon sediments 106
- Molecular phylogeny 269
- Moment of inertia 77
- Montes Cordillera 27  
 Montes Rook 27
- Moon, formation 277
- Moraines 160, 187
- Mössbauer Spectrometer 232
- Multi-ringed basins 26–7
- Nakhla 20
- Nanedi Vallis 133, 136, 142, 144, 262
- Nanobacteria 273
- Nanophase iron oxide 240
- Navcams 231
- Neukum crater size distribution curve 40, 41

- Neutral buoyancy 62, 88  
 Newton Crater 145  
 Niger Vallis 68, 129, 131, 136, 144  
 Nili Fossae 84  
 Nili Patera 72  
 Nilosyrtris 120  
 Nirgal Vallis 136, 137, 142, 144, 257, 262  
 Noachian 277  
   climate 257  
   craters with flat floors 151  
   hydrologic cycle 258  
   surface below northern plains 80  
   high impact rates 277  
   number of superposed craters 15  
   similar conditions on Earth and Mars 281  
   warm conditions 278  
 Noctis Labyrinthus 48, 92, 95–7  
   caused by extensional faulting 97  
 Nontronite 202  
 North polar basin 163  
 North pole 213  
   stratigraphy 218  
   basal unit 220  
 Northern Ocean, fate 168  
   ice cover 168  
   sublimation stage 160  
 Northern plains 149  
   contacts 164–7  
   depth to Noachian surface 162  
   regional slope 163  
   evidence for ice 168  
   formed by giant impact 160  
   multiple depressions 161  
   source of evaporites 254  
 Nuées Ardentes 57
- Obliquity 2, 4, 11, 16, 177, 272  
   variations 257  
   chaotic nature 4–5  
   affects poles 173  
   affects ice deposition 187  
 Ocean formation, climate effects 262  
 Ocean volumes 149, 167  
 Oceans in Noachian 143, 149, 278  
   post Noachian 149, 167  
   temporary 144  
   northern plains 160–71, 278  
 Oceans release CO<sub>2</sub> 262  
 Oceans, boiled away by large impacts 270  
 Olympia Planitia 212, 213, 218  
 Olympica Fossae 87, 121, 122  
 Olympus Mons 2, 17, 46, 48, 51–3, 84, 190, 279  
   pressure at summit 5  
   summit elevation 5  
   summit caldera 51, 53  
   cliff 51, 53  
   mesas 51  
   aureole 51–3, 67  
   outflow channels 122, 123  
   aureole 167  
 Ophir Chasma 88, 96, 97, 99  
   layered deposits 97, 105, 107, 108  
   moat 109
- Opportunity 244–54  
   landing site 244, 247, 249  
 Opposition 1  
 Orbit period 16  
   semimajor axis 16  
 Orbital and rotational motions, climate effects 264  
 Orbits, Earth and Mars 3  
 Organic compounds, scarcity 271  
 Orientale basin 27  
 Outflow channel discharges 116  
   overestimated 116  
 Outflow channels 113–31, 279  
   Hesperian in age 111  
   merge with canyons 96, 100  
   formed by glaciers 114  
   lava erosion 114  
   debris flows 114  
   origin 117–21  
   start in rubble filled hollows 119  
   mostly post-Noachian 262  
   Chryse basin 115  
 Oxygen isotopes 20  
 Ozone 6
- Palagonite 202  
 Paleocrater lakes 152  
 Palos 150, 152  
 Pancam 231  
 Parana Chaos 151  
 Parana Vallis 133, 150, 155  
 Partial melting 44  
 Particulate transportation 194  
 Paterae 43  
 Pathfinder 21, 114, 205, 230, 231  
 Pavonis Mons 18, 46, 48, 50, 188  
   summit caldera 49  
   rifts on flanks 49  
 Peace rocks 241  
   clastic component 241  
   soft 241  
   lherzolite component 241  
   high sulfur content 241  
   Mg–Ca-sulfate cement 241  
 Pedestal craters 35, 36, 204, 208, 244  
   confusion with volcanic craters 35  
 Pelean eruption 45  
 Perihelion 1–3, 16  
 Permafrost 175–7  
   active zone 176  
 Phase changes in mantle 85  
 Phase diagram, H<sub>2</sub>O and CO<sub>2</sub> 12  
 Phobos 35  
 Photosynthetic organisms 268  
 Phreatomagmatic eruption 63, 64  
 Phyllosilicates 143  
 Pillow lavas 73  
 Pineus Patera 69, 73  
 Pit caters 88  
 Plains 17, 70–2  
 Plate tectonics 18, 43  
 Platey flows, described 65–7  
   compared to terrestrial lava flows 66  
   ascribed to pack ice 67



- Playa 254  
   deposits 248, 253  
 Plinian type eruptions 45, 46  
 Plucked zones in outflow channels 114  
 Plutonic rocks 44  
 Polar basin depth 161  
 Polar cap, residual H<sub>2</sub>O north 173, 216  
   residual CO<sub>2</sub> south 173  
 Polar deposits 19, 204  
 Polar environment 211–12  
 Polar profiles 215  
 Polar recharge 142, 225  
 Polar terrains, description 212  
 Pollack crater 209  
 Polycyclic aromatic hydrocarbons 273  
 Polygonal ground 161, 176, 189–91  
 Post-Noachian climates 257  
 Precession 3–4  
 Precipitation 143, 258, 278  
 Proglacial lake 187  
 Prometheus 142, 212, 221  
 Pseudocraters 72  
 Pyroclastic flow 46  
 Pyroclasts 45
- Quasi-circular depressions 27
- Radii, equatorial and polar 1, 5, 16  
 Rahway Valles 66, 127  
 Rain, hot rock 270  
 Rainfall 140  
   caused by impacts 260  
 Rarefaction waves 29  
 Ravi Chasma 96  
   Chaos 115  
   Vallis 114, 118–20  
 Rays 24, 41  
 Recrystallization 249  
 Recycling of CO<sub>2</sub>  
 Reduced gases 258, 259  
 Residual north cap 211, 218  
 Residual south CO<sub>2</sub> cap 217, 225, 227, 233, 280  
   underlying water-ice 226  
   dissipating 226  
 Retention of CO<sub>2</sub> atmosphere 260  
 Returned samples 274  
 Reull Vallis 130, 131, 178  
 Ribosomal RNA 269, 270  
 Ridged plains 71–2, 162–4  
   mainly Hesperian in age 72  
   volcanic nature of 72  
   all around Tharsis 162  
 Ripples 198, 207, 250  
 Rock Abrasion Tool 232  
 Rock glaciers 176, 182, 189
- Saltation 8, 193, 194, 198  
 Samara Vallis 133, 139  
   longitudinal profile 140  
 Sand grains 239  
 Sand sheets 248, 251  
 Sapping features 262  
 Schiaparelli 152
- Seasons 2, 3, 16  
 Secondary caters 23, 27, 30  
 Sediment mounds 156, 244  
 Sedimentation 143  
 Sediments, marine 167–8  
 Serinum, lobate scarps 90  
   fossae 84, 88, 92  
 Shalbatana Vallis 114, 118, 120  
 Shear failure 86  
 Shergotty 20  
 Sherman landslide, Alaska 105  
 Shield volcanoes 43  
 Shock pressures 27  
 Shock waves 27, 31  
 Shorelines 164–8  
   Hellas 161  
 Siderophile elements 20, 77  
 Simud Vallis 111, 114, 115, 120  
 Sinai Planum 2  
 Slope failure 64  
 Slope streaks 199  
 Snow at high obliquity 144  
   melting 262  
   deposition 265  
 Snowball Crater 25  
 SO<sub>2</sub> in atmosphere 259  
 Softened terrain 181  
 Soils, basaltic 229  
   sulfur rich 229, 231  
   oxidants 229  
 Solar constant, mean Mars 16  
 Solar day 16  
 Solar Nebula 19  
 Solis Planum 93  
   vertical offset across wrinkle ridges 90  
   wrinkle ridge 89, 90  
 South pole 214, 217, 221–6  
 Spallation 20  
 Spatter ramparts 66  
 Spherules 246, 252  
 Spiral valleys 212  
   north pole 213  
 Spirit Rover 232–8  
 Spring, northern 2, 3  
 Springs, groundwater 257  
 Star-shaped dunes 205  
 Sterilizing conditions, early Earth 270  
 Stony irons 19  
 Strahler stream order 134  
 Strandlines, Hellas 158, 160  
   volume enclosed 159  
 Stratigraphic systems 15  
 Stratocone 43  
 Stratosphere 6  
 Stream profiles 139  
 Stress centers 92  
   change with time 92  
 Stresses, caused by Tharsis 84  
 Striae in outflow channels 114  
 Strike-slip fault 86  
 Stromatolites 269  
 Strombolian eruption 45  
 Sublimation hollows 191

- Sulfates 239, 242, 244
  - in canyons 119
  - in Gusev soils 238
  - in Columbia Hills rocks 238–44
  - in the Burns formation 246, 248
- Sulfur in core 77
- Summer, northern 2
- Summer, southern 3
- Sun luminosity 140, 258
- Surface area, Mars 5, 16
- Surface deformation 18
- Surface markings 1
- Surface morphology, interpretation of 14
- Surface Pressure 8
- Surface relief, range 5
- Surface runoff 131, 257, 258
- Surficial, ice-rich deposits 177–8
  - stippled texture 177
  - pervasively pitted 177
  - ice-cemented dust 177
  - deposited at high obliquity 177
- Survival of life 272–3
- Swiss cheese terrain 226
- Syria Planum 46, 48, 70
- Syria-Thaumasia block 92, 93
- Syrtis Major 1, 5, 75, 207
  - Planum 71, 72
- Table mountains 73, 74
- Tails 231
- Tartarus Colles 64, 122
- Teardrop islands 114, 116
- Tempe Fossae 92
- Tempe Terra 80
  - graben 84
- Temperature vs. depth below surface 11
- Temperatures, surface 9–11, 259
  - polar 9
  - needed for life 271
- Tensile failure 86
- Tension cracks 87
- Terby 155
- Terra Cimmeria, highly dissected 132
  - magnetic anomalies 78
- Terra Meridiani, dissected by long valleys 132
- Terra Serinum 150
  - magnetic anomalies 78
- Terraces 150, 151
  - in crater 153
- Terrain softening 179–80
- Terrestrial life, common ancestor 269
- Terrestrial life, range of condition it survives 272
- Terrestrial rifts 111
- Tharsis 17, 18, 21, 33, 43, 46–59, 70, 77, 84, 114, 174
  - formation 84–6
  - formed by accumulation of volcanics 85, 277
  - volcanic feed-back 82
  - impact induced thermal anomaly 85
  - load 85, 92
  - antipode 85
  - caused global flexure 85, 90–3, 277
  - already built in Noachian 85, 86
  - buries global dichotomy 79
  - no isostatic support 92
  - gravity low around 86
  - radial faults 18, 97, 277, 279
  - deformational features 91
- Tharsis bulge 5, 18, 46, 68
  - summit 95, 96
- Tharsis province 47, 48
- Tharsis shields, small 57–9
  - partly buried 59
  - possibly built in Noachian 59
- Tharsis Tholus 57
- Tharsis trough 85
  - negative gravity anomaly 85
- Tharsis volcanoes, preferred sites of ice deposition 187
- THEMIS Type 1, Type 2 surfaces 44
- Thermal gradient 84, 85
- Thermal inertia 9, 174
  - low regions as dust sinks 197
- Thermal models 84
- Thermokarst 176, 191
- Thira 234
- Threshold wind speeds for particle dislodgement 195
- Thrust faults 90
- Thumbprint terrain 168, 169
- Time Stratigraphic Units 16
- Tinjar Valles 65, 127, 128
- Tinto Vallis 152
- Tithonium Chasma 97
- Tiu Vallis 111, 114, 115, 231
- Topography, bimodal distribution 79
- Transient brightenings 1
- Transverse dunes 204
- Tropopause 6
- Troposphere 6
- Tuyas 73
- Tyrrhena patera 69, 74
  - channels 69
  - mainly ash 69
- Tyrrhena Planum 69
- Ultramafic rocks 244
- Ultraviolet photolysis 258
- Uranus Patera 46, 57, 59
- Uranus Tholus 57, 58
- Utopia 27, 33, 83, 229, 230
  - basin 190
  - basin depth 161
- Utopia valleys 127–9
  - formation of 127
- UV flux 271
- Uzboi Vallis 130, 157
- Valles Marineris 18, 95–112
- Valley cross-sections 135
- Valley networks 257
  - decline in rate of formation 278
  - global distribution 132
- Valleys described 132–7
  - origin 139–40
  - analogous to terrestrial valleys 131
  - cold-climate features 131
  - inner channels 133
  - ages 136

- post-Noachian 144, 262
  - formation rate 137
  - Hesperian 279
  - on volcanoes 265
- Vastitas Borealis Formation 72, 165, 167–70, 212
  - volume 168
  - textures 168
  - outer contact 168
- Ventifacts 205
- Viking-1 201, 230
  - Viking-2 230
  - landers 229, 267
  - landing sites 8, 9, 206
  - biology Experiment 229
- Volatility of elements 19
- Volcanic events, effect on climate 264
- Volcanic mounds 46, 59
- Volcanic plume 46
- Volcanics, cumulative volume since Noachian 73
  - mostly basaltic 279
- Volcanism, rates 18
  - effect of martian conditions 44–6
  - sub-ice 74
- Volcanoes 17–8
  - dissected 132, 136
  - martian and terrestrial compared 43
  - around Hellas 69
- Volcano-ice interactions 73–4
- Vulcanian eruption 45
  
- Warm climate episodes 131, 272
- Warm conditions, Noachian 143
  - post-Noachian 144, 262
  - created by large impacts 144
- Warrego Vallis 138
- Watchtower rocks 241, 245, 246
  - components 241
  - stratified 241
  - impact ejecta 241
  - altered by hydrothermal fluids 242
- Water vapor over north pole 212, 214
- Water, distribution near-surface 13
- Water, lost to space 168
  - in polar cap 171
  - in cryosphere 171
- Water, role played in surface evolution 18–19
- Water-ice below CO<sub>2</sub> southern cap 212
- Water-ice stability 12
  - effects of obliquity 13
- Water-ice, ground content 12–13
- Wave of darkening 2
- Weathering 260
  - removal of atmospheric CO<sub>2</sub> 260
- Weathering rates 262
  - overestimated 260
- West Spur 243
- Western hemisphere 6
- White Rock 153, 209
- Wind erosion 204–5
- Wind streaks 197–8, 207
  - depositional 197, 198
  - erosional 197
  - frost 198
- Wind-abraded rocks 210
- Winds 8
- Wishstone rocks 240
  - ash-flow tuffs 240
  - formed during explosive event 241
  - minimally altered 241
- Wrinkle ridges 71, 89, 90
  - circumferential to Tharsis 89, 92
  - height and spacing 167
  
- Xe mass fractionated 258
  
- Yardangs 208
  
- Zodiacal light 24
- Zunil 30