

Cambridge University Press

978-0-521-87380-2 - Cosmogenic Nuclides: Principles, Concepts and Applications in the Earth Surface Sciences

Tibor J. Dunai

Index

[More information](#)

Index

- absorption cross-section. *See* nuclear reaction
- accelerator mass spectrometry, AMS
- abundance sensitivity, 58
 - cathode, 56
 - low-energy AMS, 59
 - operation principle, 58–59
 - target preparation, 55
- alpha-particle. *See* helium, radiogenic ^4He
- aluminium
- background, 49
 - cosmogenic ^{26}Al
 - AMS-target preparation, 56
 - applications, 49
 - half-life, 48
 - meteoric, 48
 - production pathways, 48–49
 - production rate in quartz, 49
 - target elements, 48
 - nucleogenic ^{26}Al , 49
- amalgamated sample, 91
- angle of repose, 92
- angular intensity distribution. *See* cosmic ray angular intensity distribution
- Antarctica, pressure anomaly, 70
- Ar/Ar-dating, 62
- argon
- adsorption, 40
 - atmospheric, 40
 - atomic radius, 42
 - background, 40
 - cosmogenic ^{36}Ar & ^{38}Ar , 40
 - applications, 42
 - limitations, 42
 - production pathways, 41
 - production rates, 41
 - radiogenic ^{40}Ar , 40
 - retention in minerals, 42
- atmospheric depth, 12
- attenuation coefficient. *See* attenuation length
- attenuation length
- apparent. *See* attenuation length, effective
 - effective, 13
 - energy dependence, 23
- muons
- as function of muon energy, 11
 - fast muons, 16
 - in atmosphere, 11
 - stopping negative muons, 16
- neutrons
- as function of altitude and latitude, 11
 - in atmosphere, 11
 - in rock (thermal neutrons), 15
 - in rocks (high energy neutrons), 13
 - true, 13
- attenuation path length, mean, 118, 119
- high-energy neutrons, 13
 - thermal neutrons, 15
- authigenic mineral, dating of, 133
- beach, marine/lacustrine. *See* exposure dating, depositional features
- beryllium
- cosmogenic ^{10}Be
 - AMS-target preparation, 56
 - applications, 46
 - half-life, 44, 110
 - in carbonate, 45, 46
 - in olivine, 45, 46

Cambridge University Press

978-0-521-87380-2 - Cosmogenic Nuclides: Principles, Concepts and Applications in the Earth Surface Sciences

Tibor J. Dunai

Index

[More information](#)

- in pyroxene, 45–46
 - in quartz, 45
 - in sanidine, 45–46
 - interference by ^{10}B , 56
 - meteoric, 45
 - dating of pedogenic minerals, 133
 - production rate, 45
 - removal of, 45
 - production pathways, 45–46
 - production rate in quartz, 45
 - target elements, 45
 - useful time range, 46
- cosmogenic ^7Be
 - half-life, 44
 - meteoric, 133
- isotopes in nature, 44
- nucleogenic ^{10}Be , 45–46
- binding energy
 - nucleon, 17
 - α -particle, 17
- bioturbation, 97, 126, 133
- Bonner Sphere. *See* neutron monitor
- branching ratio, 34
- burial dating, 46, 49, 77, 109
 - cave sediment, 112
 - sampling, 112
- complex burial history, 116
 - desert pavement/pediment, 117
 - dune/beach sand, 117
 - transient ice cover, 112, 117
 - transient soil cover, 117
- deep water deposit, 112
- depth profile, 113–115
- equation for burial duration, 109
- equation for nuclide concentration
 - in a paleo-soil, 113
- equation for nuclide concentration
 - in sediment, near surface, 116
- equation for ratio of two radionuclides, 109
- fast and complete burial, 111
- features of a suitable isotope pair, 109
- isochron method, 113–116
- paleo-soil, 112–113, 115
- post-burial production, 112, 115–116
- pre-exposure, 112–113
- sediment, near surface, 112, 115
- slow and/or incomplete burial, 112
- useful time range, 110
- calcination, 56
- calcium
 - cosmogenic ^{41}Ca
 - applications, 52
 - feasability, 52
 - half-life, 51
 - meteoric, 51
 - production pathways, 51–52
 - production rate, 52
 - target elements, 51
 - stable nuclides, 51
- carbon
 - cosmogenic ^{14}C
 - applications, 48, 81
 - atmospheric production, 47
 - contamination, 47
 - half-life, 46
 - meteoric, 47
 - dating of pedogenic minerals, 133
 - production pathways, 47–48
 - production rate in quartz, 47
 - target elements, 47
 - useful time range, 48
- carrier, 55–57
 - isotopically enriched, 57
- cation-exchange, 56
- Chauvenet's criterion, 139
- chlorine
 - cosmogenic ^{36}Cl
 - AMS-target preparation, 57
 - applications, 51
 - background, 51
 - half-life, 49
 - in basalts, 51
 - in carbonates, 51
 - in feldspar, 51
 - in pedogenic carbonate, 133
 - interference by ^{36}S , 57
 - meteoric, 49
 - dating of pedogenic minerals, 133
 - production pathways, 50
 - production rates, 50
 - target elements, 50
 - useful time range, 51
 - nucleogenic ^{36}Cl , 50
 - stable chlorine, isotopic composition, 49
- cloud chamber, 20
- cosmic ray
 - angular intensity distribution, 87
 - muons, 12
 - neutrons, 12

Cambridge University Press

978-0-521-87380-2 - Cosmogenic Nuclides: Principles, Concepts and Applications in the Earth Surface Sciences

Tibor J. Dunai

Index

[More information](#)

182

Index

- cosmic ray (cont.)
 attenuation, 12, *See also* attenuation length
 detector, 20
 discovery of, 1
 energy spectrum, 2
 galactic, 2–3
 muon. *See* muon
 observatory, 23
 origin, 3
 penumbra, 9, 68, 70
 rigidity, 7, 9
 solar, 2
 energy spectrum, 2
 survey, 23–24
- cosmic ray, primary
 composition, 3
 energy spectrum, 3
 flux, 8
 in dipole field, 9
 in non-dipole field, 9
 phenomenological description of, 9–10
 interaction with geomagnetic field, 7
 ionisation losses, 4
 secular variation
 energy spectrum, 3
 flux, 3
- cosmic ray, secondary, 3
 composition, 4
 electron, 7
 energy spectrum, 4
 neutron, 10
 energy spectrum, 24
 changes with altitude, 24
 thermal. *See* neutron, thermal, cosmogenic
 photon, 7
- cosmogenic nuclide
 atmospheric. *See* cosmogenic nuclide, meteoric
 background
 analytical, 56
 natural/geological, 26, 29, 44, 79, 99
 criteria for usefulness, 26
 half-lives, 28, 44
 history of discovery, 25
 meteoric, 26, 45, 132
 production pathways, 18, *See also* nuclear reactions
 production rate. *See also* scaling factor and individual nuclides
 effect of geomagnetic field variations, 72
 effect of pressure anomalies, 71
 effect of solar modulation, 76
 from geological calibration, 61–62
 from irradiation experiments, 61
 from physical principles, 60
 from saturated samples, 62
 normalization of, 62
 production rates, 60
 reaction pathways, 28
 target elements, 28
 target minerals, 28
 useful time range, 26–27
- cosmogenic thermal neutron. *See* neutron, thermal, cosmogenic
- CRONUS, 65, 137, 142, 144
 -Earth, 148
 -EU, 148
 web-calculator, 74
- cryoturbation, 97, 133
- cut-off rigidity, 8, 9
 analytical, 68
 effective, 10, 68
 reconstruction of past values, 68
 uncertainty of, 70
 synthetic dipole, 70
 trajectory tracing derived, 68
- data, reporting guidelines, 148
 calculation parameters, 154
 cosmogenic nuclide data, 151
 nuclide specific chemical and petrographic data, 152
 site specific information, 149
- decay constant, 27
- deflation, 98
- dendrochronology, 62
- denudation rate, 119, 124,
See also erosion rate
- depth profile, 83, 131–133
- desert pavement, 98, 117, 133
- equilibrium landscape, 132
- erosion
 eolian, 92–93, 98–99, 105
 fluvial, 92
 gravitational creep, 92
 of boulder, 94
 of fluvial terraces, 96–97
 of moraines, 92
 steady state, 81

Cambridge University Press

978-0-521-87380-2 - Cosmogenic Nuclides: Principles, Concepts and Applications in the Earth Surface Sciences

Tibor J. Dunai

Index

[More information](#)

- erosion rate, determination of, 77
- catchment wide, 120
 - accuracy, 124
 - averaging time, 121, 125
 - consequences of vertically mixed soil/regolith, 126–127
 - deriving average production rates, 124
 - dissolution correction factor, 128
 - effect of grain size, 122
 - effect of weathering, 122
 - effects of landslides, 121
 - equation for nuclide accumulation, radionuclide, 121
 - equation for nuclide accumulation with a step change in rate, 125–126
 - homogeneity of lithology, 122
 - paleo-rates, 130
 - required model assumptions, 121–124
 - resilience to human disturbance, 126, 127
 - sampling considerations, 129, 130
 - suitable minerals, 129
 - temporal variability of rates, 125, 126
 - topographic shielding, 124
 - limitations due to deep weathering, 119
 - short-term, 48
 - steady state
 - determination of rate with saturated sample, 81
 - equation for erosion rate, 118
 - correction by enrichment factor, 119
 - for slow erosion, 118
 - equation for nuclide accumulation
 - radionuclide, 118
 - radionuclide, slow erosion, 118
 - stable nuclide, 118
 - vertically mixed soil/regolith, 127
- erratic, 104
- evaporation. *See* nuclear reaction
- exposure dating, 77
- eroding surface, 80
 - equation for exposure age, 81
 - equation for nuclide concentration, 80
 - equation for ratio of two radionuclides, 83
 - equation for steady state concentration, 81
 - exposure age correction factor, 80
 - minimum age of a surface in steady state, 81
 - use of depth-profiles, 83
 - maximum time range, 27
 - minimum age, 80
 - non-eroding surface, 78
 - equation for exposure age
 - radionuclide, 79–80
 - stable nuclide, 80
 - equation for nuclide concentration
 - radionuclide, 79
 - short exposure, 79
 - stable nuclide, 79
 - pedogenic minerals, 133
 - exposure dating, depositional features
 - alluvial fan, 96
 - beach, 96
 - desert pavement, 98
 - fluvial, 78, 91
 - fluvial terrace, 95
 - bioturbation, 97
 - cryoturbation, 97
 - deflation, 98
 - erosion, 96
 - estimating time-integrated erosion, 99
 - indicators of stability, 97, 99
 - pre-exposure, 99
 - preservation of, 95, 97
 - gravitational/rock falls, 78, 91
 - moraine, 78
 - angle of repose, 92
 - boulder, erosion/exhumation, 94, 139
 - boulder, rotation of, 94
 - erosion of, 92, 93, 94
 - outwash plain, glacial, 97
 - pre-exposure, 91, 92
 - tectonic displacement of, 108
 - volcanic, 78, 91, 99
 - aa lava, 101
 - ash cover, 99, 102
 - block lava, 100
 - flow top erosion, 99
 - hornito, 101
 - indicators of preservation, 100–101, 102
 - influence of lava composition on flow top features, 99–100
 - pahoehoe lava, 100
 - pressure ridge, 101
 - welded tuff, 99
- exposure dating, erosional features, 78
- fluvially cut bedrock, 103–104

- exposure dating, erosional features (cont.)
 indicators of preservation, 104
 glacially striated bedrock, 103
 cold/wet-based ice, 103
 indicators of preservation, 103–104
 inheritance, 103
 human excavation, 103, 106
 rock-fall scar, 103, 106
 wave-cut platform, 103–104
 exposure, complex, 46, 49, 82
 extinct radionuclide, 44
- fault scarp, 51, 103, 106, 108
 fluvial terrace. *See* exposure dating,
 depositional features
 fuming, 56
- garden variety. *See* cosmogenic nuclide,
 meteoric
- Geiger counting tube, 20, 23
- geomagnetic field, 7, 66
 actual, 70
 dipole moment, 8
 geocentric axial dipole, 66, 68
 high order description, 9, 68
 non-dipole components, 9
 reconstructions, 72–74, 154
 uncertainties of, 72
 strength, 72
 variation of, 72
 synthetic, 70
 virtual axial dipole moment, VADM, 72
- geomagnetic latitude, 9, 66, 72
- glacial polish. *See* exposure dating,
 erosional features
- glacier
 cold-based, 103
 wet-based, 103
- half-life, definition, 79
- helium
 atmospheric, 30
 atomic radius, 35
 cosmogenic ^3He , 30
 $^3\text{H}/^3\text{He}$ -branching ratio, 34–35
 applications, 35
 ejection distance, 33, 35
 measurement of, 58
 production pathways, 31–32
 production rate, 31
 crustal, 30
 diffusion, 31, 35
 inherited, 30–31
 in-vacuo crushing, 30
 mantle derived, 30
 matrix-hosted, 30
 nucleogenic ^3He , 32, **33**
 ejection distance, 33
 production on Li. *See* helium,
 nucleogenic
 radiogenic ^4He , 31
 ejection distance, 32–33
 implantation of, 31
 radiogenic end-member, 32
 retention in minerals, 35
 spallogenic $^3\text{He}/^4\text{He}$ production ratio, 30
 terrestrial reservoirs, 30
 helium, trapped. *See* helium, inherited
- inelastic scattering. *See* neutron energy,
 moderation of
- inherited component, 30, *See also* cosmogenic
 nuclide, background natural/
 geological
- intranuclear cascade. *See* nuclear reaction,
 spallation
- ionising radiation, 21
- island of steady state erosion, 83,
See also erosion
- isobar, 55, 56, 57
- krypton
 adsorbtion, 43
 atmospheric, 42
 cosmogenic ^{81}Kr
 half-life, 42
 cosmogenic Kr
 production pathways, 43
 target elements, 43
 production by fission, 43
 ejection distance, 43
 retentivity in minerals, 43
- lag deposit, 98–99, 133
- latitude effect, 8, *See also* cosmic ray
 primary flux
- latitude knee, 8, *See also* cosmic ray
 primary flux
- lava flow. *See* exposure dating, depositional
 features, volcanic
- lepton, 5
- Lorentz force, 7

- manganese
- cosmogenic ^{53}Mn , 52
 - applications, 53
 - interference by ^{53}Cr , 53
 - meteoric, 53
 - production pathways, 53
 - production rate on Fe, 53
 - target elements, 53
 - useful time range, 53
- mean
- arithmetic, 141
 - error weighted, 141
 - standard deviation of, 141
- meson. *See* muon
- moderation. *See* neutron energy
- moraine. *See* exposure dating, depositional features
- muon
- decay, 5
 - decay length, 5
 - deceleration by
 - Bremstrahlung, 15
 - ionization, 15
 - energy spectrum, 6
 - half-life, 5
 - interaction with
 - geomagnetic field, 10
 - matter, 6
 - rocks, 15
 - solar activity, 10
 - mass, 5
 - range, 5
- neon
- atmospheric, 36
 - atomic radius, 39
 - cosmogenic ^{21}Ne & ^{22}Ne , 36, 38
 - applications, 39
 - measurement of, 58
 - production pathways, 38–39
 - production rate
 - in quartz, 38
 - influence of major element composition, 38–39
 - spallation line, 38
 - slope of, 39
 - crustal, 37–38
 - inherited, 36–37
 - in-vacuo crushing, 38
 - mantle derived, 36
 - mantle trend, 36
 - matrix hosted, 38
 - nucleogenic ^{21}Ne & ^{22}Ne , 37–38
 - retention in minerals, 39
 - stepwise heating, 38
 - three isotope diagram, 36
- neutron
- energy spectrum, 24
 - energy, moderation of, 6, 14
 - epithermal, 6
 - fast, 6
 - high-energy, 6
 - monitor, 21, 23–24, 63–65
 - Bonner sphere, 24
 - IGY, 23
 - median response energy, 23
 - MN64, 23
 - moderator, 23
 - response function, 24
 - range, 32
 - slow, 6
 - thermal, 6, 14
 - boundary effects, 12
 - cosmogenic, 14
 - diffusive loss, 15
 - effect of moisture and water content, 15
 - effect of snow cover, 15
 - environmental, 23
 - flux, 15
 - leakage. *See* neutron, thermal, diffusive loss
 - nucleogenic, 18
- noble gas
- inherited, 29
 - mass spectrometry, 57
 - abundance sensitivity, 58
- nuclear cascade, 4, 6, 8, 10, 16
- nuclear reaction
- absorption cross-section, 14
 - cross-section, 17
 - $^{10}\text{B}(n,\alpha)^7\text{Li}$, 23
 - $^{35}\text{Cl}(n,\gamma)^{36}\text{Cl}$, 52
 - $^3\text{He}(n,p)^3\text{H}$, 23
 - $^{40}\text{Ca}(n,\gamma)^{41}\text{Ca}$, 52
 - $^6\text{Li}(n,\alpha)^3\text{H}(\beta^-)^3\text{He}$, 32
 - $^9\text{Be}(n,\gamma)^{10}\text{Be}$, 46
 - de-excitation, 17
 - ejection distances of products, 33, 43
 - energy threshold, 17
 - evaporation, 6, 17, 19
 - excitation energy, 19
 - fast muons, 20

Cambridge University Press

978-0-521-87380-2 - Cosmogenic Nuclides: Principles, Concepts and Applications in the Earth Surface Sciences

Tibor J. Dunai

Index

[More information](#)

186

Index

- nuclear reaction (cont.)
 impacting particle, 3
 induced fission, 43
 negative muon capture, 19
 notation, 5
 nucleus binding energy, 3
 reaction cross-section, 17
 spallation, 3, 6, **16**
 intranuclear cascade, 16
 target nucleus, 16
 spontaneous fission, 43
 thermal neutron capture, **17**, 23, 32, 154
 α -particle emission, 17
- outliers, treatment of, 139
- outwash plain. *See* exposure dating, depositional features
- paleo-elevation, 130
- paleoseismic studies, 51
- Peirce's criterion, 139
- penumbra. *See* cosmic ray penumbra
- photographic emulsion, 20–21, 24, 64
 tracks, 22
- photoneutron, 16
- pion, 5
- pre-exposure, 91, 92, 139, *See also* exposure dating
- pressure anomaly, atmospheric, 70,
See also scaling factor
 long term, 71
 uncertainty of, 71
- prongs. *See* photographic emulsion, tracks
- radioactive mean life, definition, 79,
See also half life
- radiocarbon dating, 25, 47, 62, 148
- rigidity. *See* cosmic ray rigidity *or* cut-off rigidity
- sample preparation, 53
 chemical, 54
 impurities, 54
 interferences, 54
 mineral separates, 54
 physical, 54
 typical sample size, 55
- sampling
 checklist, 144
 considerations, 89–90, 92, 94, 97–99, 102, 104–106, 112, 129, 145
 notes, template, 146
- saturation, 27, 46, 48, 52, 61–62, 81
- scaling factor, 24, 154
 atmospheric pressure, 66–67, 70, 154
 combination of, 63
 comparison, 65, 68
 coordinate system, 66
 definition, 63
 from geological calibration, 63
 from physical principles, 63
 accuracy of, 63
 from proxy measurements, 63–64
 accuracy of, 65
 neutron monitors, 64
 photographic emulsions, 64
 water targets, 64
 geographic coordinates, 66
 geomagnetic coordinates, 68
 geomagnetic reconstructions, use of, 74,
 See also geomagnetic field
 geomagnetic variation, 68, 70,
 See also geomagnetic field
 pressure anomaly correction, 71
 solar modulation, 68, 70
 standard atmosphere, 66
- secondary neutron. *See* cosmic ray secondary neutron
- secular equilibrium, 41, *See also* saturation
- shielding
 correction factor, 84
 depth, initial, 80
 extreme, 88, 104
 loess, 89–90
 peat, 89
 self, 88
 sample thickness, 88–89
- snow, 89, 139
 dealing with uncertainty, 89, 139
 density of, 89
 strategy to avoid, 90, 139
 variability of, 89
- soil, 90
- topographic, 85, 88
 equation for a obstruction of constant height, 86
 equation for a series of obstructions of variable height, 87
 equation for a triangular obstruction, 87
- vegetation, 89–90
- volcanic ash, 89–90
- water content, 90
- SLHL. *See* cosmogenic nuclide, production rate, normalization of

Cambridge University Press

978-0-521-87380-2 - Cosmogenic Nuclides: Principles, Concepts and Applications in the Earth Surface Sciences

Tibor J. Dunai

Index

[More information](#)

Index

187

- soil, 77
 - creep, 132
 - deflation, 133
 - inflation, 133
 - laterite formation, 132
 - mixing, 133
 - production function, 132
 - transport, 132
 - soil dynamics, 131
 - conceptual models, testing of, 131
 - solar
 - activity, 7, 74
 - in the Holocene, 74
 - modulation, 7–8, 68, 70, 74
 - average, 75
 - in the Holocene, 75
 - last 50 years, 76
 - long term, 76
 - parameter, 7, 76
 - wind, 7
 - spallation. *See* nuclear reaction
 - standard atmosphere. *See* scaling factor
 - star. *See* photographic emulsion, tracks
 - subduction recycling, 99
 - sunspot cycle. *See* solar activity
 - supernova, 3
 - target element, 28
 - mass, 17
 - target nucleus. *See* nuclear reaction, spallation
 - target nuclide, 4, *See also* nuclear reaction
 - TCN. *See* cosmogenic nuclide
 - terrestrial *in situ* cosmogenic nuclide. *See* cosmogenic nuclide
 - trajectory
 - forbidden, 9
 - primary particle, 7, 9
 - tracing, 9, 68
 - tree-throw, 94, 126
 - uncertainty
 - analytical/observational, 134, 136, 142
 - geological, 134, 139, 141, 142
 - methodological, 133, 136, 142–143
 - angular dependency of cosmic ray flux, 137
 - half-life, 137
 - mass-attenuation, 139
 - scaling factor, 136, 137
 - outliers, treatment of, 139, 140
 - random, 134
 - systematic, 134
- uplift, determination of rate, 130–131
- uplift, effect on production rates, 90
- varve chronology, 62
- ventifact, 97–98, *See also* erosion, eolian
- wave cut platform. *See* exposure dating, erosional features
- weathering
 - chemical, 119, 132
 - contrast, 98
 - enrichment factor, zirconium, 119, 129
 - of bedrock, 132
 - resistance, 99
- xenon
 - adsorption, 43
 - atmospheric, 42
 - cosmogenic Xe, 25
 - in barite, 25, 43
 - production pathways, 43
 - target elements, 43
 - production by fission, 43
 - ejection distance, 43
 - retentivity in minerals, 43