

Index

- Abrikosov flux lattice, 461
- Abrikosov–Shubnikov phase, 461
- absorption vertex, 129
- action, 306, 321, 325
 - free, 317
- adiabatic switching, 83
- adjoint operator, 8
- analytical continuation, 142
- analytical properties of the free propagator, 521
- annihilation operator
 - bose, 23
 - fermion, 16
- anti-time-ordering, 56
- antisymmetric subspace, 9
- appendix contour, 91
- Aristotelian dynamics, 449
- auxiliary field, 453
- average field, 297

- BCS-energy gap, 220
- BCS-pairing, 219
- BCS-state, 39
- BCS-theory, 217, 219
- Bogoliubov equations, 364
- Bogoliubov–Valatin transformation, 221
- Boltzmann conductivity, 377
- Boltzmann equation, 188
- Boltzmann factor, 323
- Boltzmann propagator, 193, 412
- Boltzmannian paths, 401
- Boltzmannian motion, 192
 - path of, 192
- bose field, 24
- Bose function, 98
- Bose gas, 351
- Bose–Einstein condensate, 51, 77
- Bose–Einstein condensation, 51, 301, 351, 353
- Bose–Einstein distribution, 73, 98
- bosons, 6
- Brownian motion, 194, 450

- canonical ensemble, 49, 70
 - grand, 50, 70
- canonical formulation, 281
- central limit theorem, 329
- charge imbalance, 250
- charge-density wave, 231
- chemical potential, 50
- classical electrodynamics, 28
- classical equation of motion, 310, 511
- classical field, 297
- closed contour, 85
- closed time path, 84
- coherence length, 231, 368
- coherent backscattering, 384, 387
- collision integral
 - electron–phonon, 208
 - electron–electron, 214
 - electron–impurity, 188
- collision rate, 435
- commutator, 3
- condensate density, 356
- condensate wave function, 353, 363
- condensation energy, 221
- conductance, 159
- conductance fluctuations, 442
- conductance tensor, 159
- conductivity, 191
 - minimum metallic, 377
- conductivity diagram, 161
- conductivity diagrams, 377
- conductivity tensor, 158

- continuity equation, 13, 14, 191, 195
- contour ordered Green's function
 - inverse free, 105
- contour ordering, 85, 88
- contour variable, 87
- Cooperon, 379, 381, 390
- Cooperon equation, 403
- creation operator
 - bose, 23
 - fermion, 14
- critical phenomena, 258, 290
- critical velocity, 493
- current correlation function, 169
- current density, 13, 40, 63, 67
- current response, 155
- current response function, 155
- current vertex, 157
- cyclotron frequency, 215

- d'Alembertian, 27
- Debye cut-off, 59
- Debye model, 26
- deformation potential, 46, 410
- delta functional, 314
- density, 67
 - probability, 13
- density matrix, 22, 48, 56
- density operator, 38
 - current, 40
- density response, 153
- density response function, 153
- density–density response, 434
- diamagnetic current, 40
- dielectric function, 434
- diffusion approximation, 194
- diffusion constant, 194, 198
- diffusion equation, 196
- diffusion propagator, 194, 196
- Diffuson, 197, 381, 382, 401, 431
- diluteness parameter, 351
- dirty superconductor, 242
- displacement field, 26, 27, 410
- dissipation, 169
- distribution function, 187
- distribution functions for superconductors, 245

- Drude theory, 190
- dual space, 9
- dyadic notation, 467
- dynamic melting, 493
- Dyson equation, 116
 - equilibrium, 138
 - left-right subtracted, 179
 - matrix, 135
 - non-equilibrium, 303
- Dyson equations
 - non-equilibrium, 116
- Dyson's formula, 84
- Dyson–Beliaev equation, 357
- Dyson–Schwinger equation, 279

- effective action, 296, 299, 323
 - two-particle irreducible, 343
- Eilenberger equations, 232
- Einstein relation, 244
- elastic medium, 26
- electric field fluctuations, 172
- electron–electron interaction
 - diffusion enhanced, 436
- electron–hole excitations, 112
- electron–phonon interaction, 45, 46, 200, 410
- electron–photon Hamiltonian, 48
- electron–photon interaction, 48
- emission vertex, 129
- energy, 56
- energy gap, 220, 222
- energy relaxation rate, 431, 435, 436
- Euclidean action, 197, 506
- evolution operator, 3, 55
- exact impurity eigenstates, 430
- exclusion principle, 16, 18, 21

- Fermi energy, 22
- Fermi field, 21
- Fermi function, 98
- Fermi gas, 22
- Fermi momentum, 37
- Fermi sea, 22, 111
- Fermi surface, 22
- Fermi wavelength, 231, 232, 377
- Fermi's Golden Rule, 168
- Fermi–Dirac distribution, 73

- fermion–boson interaction, 45, 107, 125
- fermions, 6
- Feynman rules, 113
- Feynman-Vernon theory, 510
- field, 297
- fluctuation–dissipation relation, 180
- fluctuation–dissipation theorem, 70, 72, 171, 450
- flux flow regime, 462
- flux quantum, 427
- Fock space, 15
- free energy, 50, 290
- free particle density of states, 522
- free particle propagator, 515
- functional derivative, 272
- functional determinant, 317
- functional integral, 314
 - restricted, 330
- functional integration, 313
- fundamental dynamic equation, 279

- gauge invariance, 14
- gauge transformation, 231
- Gaussian integral, 315
- Gell-Mann–Low theorem, 83
- generating functional, 69, 103, 270, 281, 317, 320
- generator of 1PI-vertices, 299
- generator of connected amplitudes, 284, 290
- generator of connected Green's functions, 322
- generator of cumulants, 290
- Ginzburg–Landau regime, 247
- Gorkov equations, 224
- gradient approximation, 184
- Grassmann field, 319
- Grassmann algebra, 282
- Grassmann variable, 282, 319
 - function of a , 319
- Green's function, 4, 62
 - advanced, 67
 - anomalous, 224, 357
 - anti-time-ordered, 65
 - closed time path, 87
 - contour ordered, 87, 90
 - full, 118
 - grand canonical, 72
 - Greater, 64
 - imaginary time, 140
 - inverse, 66
 - kinetic, 67, 72
 - Lesser, 63
 - matrix, 122
 - one-particle, 22
 - phonon, 66
 - quasi-classical, 199
 - retarded, 66, 513
 - single-particle, 62
 - symmetric matrix, 280
 - time-ordered, 65, 81
 - trajectory, 240
 - two-particle, 64
- Green's function technique
 - standard diagrammatic impurity, 377
- Green's operator
 - advanced, 517
 - retarded, 517
- Green's operators, 515, 518

- Hamilton's function, 61, 504
- Hamiltonian, 3, 36
 - grand canonical, 72
- Hartree approximation, 470
- Hartree diagrams, 110
- Heisenberg picture, 57
- hermitian conjugation, 318
- hermitian operator, 9
- high-temperature superconductors, 476

- identical particles, 6
- imaginary-time, 140
- imaginary-time formalism, 140
- imaginary-time propagator, 506, 515
- impurity correlator, 106
- impurity scattering, 188
- inelastic differential cross section, 175
- inelastic scattering rate, 409
- influence functional, 508
- interaction picture, 82
- inverse propagator, 261
- irreducible vertex functions
 - one-particle, 298

- Jacobian, 316, 459
- jellium model, 45
- Johnson noise, 172
- Joule heating, 169

- Kadanoff–Baym equations, 148
- kinematic momentum, 40
- kinetic energy operator, 36
- kinetic equation
 - classical, 188
- kinetic propagator, 395
- Kramers–Kronig relations, 75, 158, 182, 518
- Kubo–Martin–Schwinger boundary conditions, 140

- Lagrange density, 321
- Lagrange’s function, 505
- Landau criterion, 191, 209
- Landau gauge, 423
- Landau–Boltzmann equation, 209
- Langevin equation, 450
- Legendre transform, 300
- Legendre transformation, 505
- Lindemann criterion, 495
- linear response, 151
- local density of states, 520
- localization, 388
- localization length, 375, 385
- London equations, 460
- longitudinal phonons, 45, 71
- loop expansion, 331

- magnetic impurities, 224, 233
- magnetic length, 402, 424
- magnetic moments, 37
- magneto-fingerprint, 446
- magneto-resistance, 424
 - anomalous, 426
- Markov process, 192, 193
- master equation, 168
- matrix element, 3
- matrix Green’s function, 122
 - inverse free, 125
- Matsubara frequency, 141
- maximally crossed diagrams, 378
- mean field theories, 350
- mean free path, 193
- Meissner effect, 460
- melting curve, 496
- mesoscopic fluctuations, 442
- mesoscopic sample, 437
- metal–insulator transition, 373, 376
- Migdal’s theorem, 200, 218
- mixed coordinates, 68, 181
- mixture, 48, 56
- momentum operator, 35
- monomial, 282
- multi-particle space, 15
- multiplication in parallel, 147
- multiplication in series, 146
- multiplication rule, 259

- N -state amplitude, 258, 261
- N -state diagram, 258
- Nambu field, 225
- Nambu space, 225
- Nernst–Ettingshausen effect, 215
- neutron scattering, 175
- Noether’s theorem, 512
- normal state, 301
- normal-ordered, 43
- normalization condition, 235, 242
- number operator, 19, 24
 - total, 38
- Nyquist noise, 173, 418, 437

- occupation number representation, 29
- Ohm’s law, 172
- Ohmic environment, 453, 510
- one-body operator, 34
- one-parameter scaling theory, 374
- one-particle irreducible, 113, 114, 296
 - vertices, 296
- operator
 - antisymmetrization, 7
 - symmetrization, 7
- optical mass, 207
- order parameter, 219, 223, 224, 235, 246

- pair correlation function, 23
- pair creation, 112
- pair-breaking parameter, 251
- paramagnetic current, 40

- particle–hole space, 225
- particle–hole symmetry, 201
- partition function, 4, 49, 290
- path integral, 504
- Pauli’s exclusion principle, 7, 22
- Pauli’s master equation, 190
- Peierls instability, 231
- phase coherence length, 410
- phase relaxation
 - rate, 437
 - time, 410
- phase-breaking rate, 409, 410, 413, 415, 421
- phonon, 26, 28, 46
- phonon field, 66
- phonon field operator, 46
- phonon Hamiltonian, 26
- photon, 47
- pinning, 462
- pinning force, 463, 469, 472, 475
- pinning potential, 463
- plane wave, 2
- Poisson bracket, 185, 213
- polarization, 433
- polarization vector, 47
- Popov approximation, 362
- principle of least action, 505
- probability amplitude, 258
- propagator, 4
 - advanced, 514
 - bare, 255
 - free, 255
 - retarded, 513
- quanta, 28
- quantum electrodynamics, 28
- quantum fields, 21
- quantum kinetic equation, 179, 202, 233, 236
- quantum of action, 3
- quantum phase transition, 377
- quantum statistics, 262
- quasi-particles, 46
- quenched disorder, 93
- radiation gauge, 29
- ray, 2
- real rules, 134
- real-time contour, 93
- renormalization, 205, 207, 257, 306
 - optical mass, 207
- resistance, 159, 169
- resistance tensor, 159
- response function
 - current-current, 156
 - density-density, 153
- road diagram, 286
- s-wave scattering length, 358
- scalar product, 2
- scaling function, 375
- scaling theory of localization, 374, 445
- scattering experiment, 174
- Schrödinger picture, 56
- Schrödinger equation, 3, 13, 54
- screening, 383, 433
- second quantization, 27, 61
- self-averaging, 437, 445
- self-consistent approximations, 350
- self-energy, 114, 117, 119, 302
 - impurity, 188
 - matrix, 135
- skeleton diagrams, 118
- skeleton diagrams
 - two-particle irreducible, 118
- Slater determinant, 10
- Sommerfeld model, 44
- sound velocity, 25
- spectral function, 68, 515, 520
- spectral operator, 518
- spectral representation, 182, 518
- spectral weight function, 68, 75, 139, 180, 185, 509
- spin, 37
- spin-flip scattering, 233
- spontaneously broken symmetry, 301
- state label, 255
- stationary state, 153
- statistical operator, 48
 - thermal equilibrium, 49
- strong localization, 375, 387
- structure factor
 - dynamic, 177

- superconductivity, 217
 - strong coupling, 224
- superfluid velocity, 232
- superposition principle, 110, 259, 260, 322, 428, 505
- symmetric representation, 128
- symmetric subspace, 9
- t-matrix, 359
- tadpole diagram, 266
- tadpole diagrams, 110, 460
- thermal equilibrium, 49, 165
- thermo-field approach, 122
- thermodynamic potential, 51
- thermodynamics, 4
- third rank vertex, 126
- three-line vertex, 113
- time-dependent Ginzburg–Landau equation, 248
- time-dependent Gross–Pitaevskii equation, 363
- time-ordering, 55
- trace, 49
- transformation function, 503
- transient phenomena, 92
- transition force, 495
- transition operator, 34
- transport relaxation time, 164, 191
- tree diagrams, 299, 331
- triagonal representation, 128
- triagonal representation, 129
- two-body interaction, 42
- two-body potential, 42
- two-particle interaction, 13, 64, 130
- two-particle irreducible vertices, 341
- two-particle source, 339
- unitary operator, 3
- unlinked diagrams, 260
- Usadel equation, 244
- vacuum diagrams, 266, 270, 280, 293, 326
- vacuum state, 15, 37, 38, 43, 55
- vertex, 257
 - two-particle irreducible, 342
- vertices
 - bare, 256
 - von Neumann equation, 56
- Ward identity, 512
- wave function, 2
- weak localization, 387
- weak-localization, 391
 - effect, 378, 389, 445
 - regime, 402
- Wick's theorem, 95, 96, 324, 326, 328
- Wiener measure, 197
- Wigner coordinates, 68, 181
- Wigner function, 187
- zero-bias anomaly, 430