

Fortran index

- ALOGAM function, 190
 BIDIAG subroutine, 143–146, 151
 BPEC subroutine, 210–211
 CALDAT subroutine, 278
 CFGAMI subroutine, 192–193
 CONV subroutine, 97
 CUMDF subroutine, 195–197
 DECOMP programme, 416–418
 DERIV subroutine, 86
 DIP1 subroutine, 489, 491
 DIP2 subroutine, 489, 491–492
 DIP3 subroutine, 489, 492–493
 DIPS subroutine, 489–491
 DISPF programme, 488–495
 DYDR subroutine, 360, 368
 EIGENS programme, 462, 467
 ERR function, 396, 398
 FFT2N subroutine, 128–129
 FFTN subroutine, 130–131
 FIGURE programme, 359–367
 GAMI subroutine, 193
 HHOLDER subroutine, 140–141, 143
 ICFS programme, 263–271
 INTPL subroutine, 85–86
 INTPSPEC programme, 288–290
 LEGENDRE programme, 519–521
 LEVSOL subroutine, 118–119
 LINSOL subroutine, 77–79
 LOVE programme, 429–442
 MAT programme, 459, 462
 MATRIX subroutine, 259–260
 MEMSPEC programme, 290–292
 NUT2003B programme, 309–310
 NUTRES programme, 310–311
 P1 function, 260
 P2 function, 260
 PMN function, 396
 PMN subroutine, 520–521
 POINCARE programme, 396–398, 462
 PP2009A programme, 278
 PPCY2009A programme, 279
 PPINTP programme, 286–287
 Q1 function, 260
 Q2 function, 260
 QUAD subroutine, 360, 367–368
 REL subroutine, 260–261
 RK subroutine, 360, 368–369
 RK4 subroutine, 261–262
 SEGAMI subroutine, 190–191
 SHIFT programme, 513
 SPMAT subroutine, 83–85
 STRIKE1 subroutine, 489, 494
 STRIKE2 subroutine, 489, 494
 STRIKE3 subroutine, 489, 495
 STRIKES subroutine, 489, 493
 SVD subroutine, 151–154
 SVDDFT programme, 281–284
 TORQUE programme, 381–382
 WINDOW subroutine, 165
 YPRIME subroutine, 254–256

Subject index

- Adams–Williamson condition, 498
adjoint, 136, 200
affine geometry, 2
aliasing, 170
alternating tensor, 12, 23
angular momentum, 294–295, 303–306
angular velocity, 276, 295, 324
approximating function, 79–92
 derivative of, 86
arc element, 8–9, 16
Arrhenius viscosity, 480
augmented matrix, 74–79, 83
autocorrelation, 97–99
 and power spectrum, 171–176
 as convolution, 99
 estimator of, 174, 176
 Hermiticity of, 98
 of wavelet, 102–105
 of white noise, 100
 relaxed definition of, 99, 101
 unknown, 202, 204
auxiliary co-ordinates, 388–390, 392–393
axial vector, 19
- back-substitution, 75
backward prediction, 205–206
band limited function, 169–170
Bartlett window, 162–165, 185
base vector, 2–4, 15–16
Betti’s reciprocal theorem, 42–43, 482
 generalisation of, 215–217, 500–501
body force, 223–229, 231
 on fluid, 404
boundary conditions, 423–429, 456–459
 essential, 448
 natural, 449
Boussinesq problem, 52–56
boxcar function, 156–158, 161–163
Brunt–Väisälä frequency, 413, 449
bulk modulus, 42, 412
Burg algorithm, 198, 205–211
- canonical cubics, 87–92
 Hermite, 89–91
Cartesian tensor, 22–24
celestial sphere, 307–309
centrifugal force, 224
 change in, 295–300
 ratio of, 323, 327, 338
centrifugal potential, 296–297, 326–328,
 387, 411
Cerruti’s problem, 56–62
Chandler wobble, 274, 302, 306
 geometry of, 306
 resonance curve of, 293
Clairaut equation, 324–325, 352–355,
 359
coefficient matrix, 74–79, 114, 135
 polynomial, 458–461
components
 contravariant, 4
 covariant, 4
 physical, 4
 tensor, 7–8
 vector, 1, 3–4
condition number, 136
conditional equations
 of DFT, 133–135
 of prediction filter, 108
 of Wiener filter, 107
confidence intervals
 for discrete segments, 179
 for product spectrum, 187, 197
 for WOSA, 186
continuity at boundaries, 424–428, 445–447,
 456–458, 499
continuity equation, 399–401
 approximate, 411
 scaled, 409
 subseismic form of, 415, 422,
 427
contracted product, 8
contravariance, 4, 7

- convolution, 95–97
 - and DFT, 125–126, 129–131
 - and Fourier transform, 159–160
 - and z-transform, 96–97
 - of continuous signals, 159
- co-ordinate transformations, 5–8, 20–24
 - Cartesian, 23–24
- core modes, 445–479
 - flow-through, 459
 - Poincaré, 462
 - spin-over, 463–464
 - translational, 464–478
- core–mantle boundary, 424, 427–429
- Coriolis force, 224, 229
- Coriolis frequency, 388
- covariance, 4, 6, 181–185
- cross product, 10–13, 16, 19
- crosscorrelation, 99
 - as convolution, 99
 - relaxed definition of, 99, 101
- cubic interpolation, 80–88
- cubical dilatation, 40–41
- curl, 11–13, 17–19
- D'Alembert's principle, 223, 224
- dc term, 120
- decimation, 127–128
- decompression factor, 415–419
- deconvolution, 110–114
- deformation, 37
 - analysis of, 37–40
 - coupling of, 229, 231
 - elasto-gravitational, 212–215, 423–444
 - spheroidal, 221–223, 229–230
 - static, 482
 - torsional, 222, 230–231
- deterministic time sequence, 97
- differential operators, 10–14
- dimensionless quantity, 326–337, 388, 408–411
- dip-slip, 484
- dipole forces, 502–503
- dipole wavelet, 102–103
- Dirac comb, 166–169
- Dirac delta function, 157–158, 172
 - as boxcar, 166
- Dirichlet conditions, 155
- discrete Fourier transform, 119–123
 - and convolution, 125–126, 129–131
 - and z-transform, 125–126
 - conditional equations of, 133–135
 - dc term of, 120
 - for unequally spaced data, 131–135, 279–285
- discrete sampling, 93
 - effects of, 165–170
- discrete segments, 176–179
 - overlapping, 179–186
- dislocation theory, 482–488
 - for realistic Earth models, 497–508
- displacement field, 37–40, 42–44
 - and polar motion, 509–513
 - discontinuous, 482–484
 - of fluid, 386–396, 398–399, 415, 420–423, 445–467, 470–472
 - of slip fault, 484–495, 501–508
 - rigid-body, 234
- divergence, 13–14, 17, 18
- double forces, 484, 503–508
- dual vector, 20, 24, 38
- Earth model, 221, 263
 - figure parameters of, 359–369
 - interpolation of, 254, 263
 - Love numbers for, 429–443
 - profiles for, 478–481
- earthquake, 482, 495, 511
- eccentricity, 388
- ecliptic, 308
- elastic half-space, 53–74
 - dislocations of, 483–488
- elasticity theory, 33–74
 - of dislocations, 482–488
- elasto-gravitational system, 212–215
 - boundary conditions on, 423–429
 - radial equations for, 217–223
- ellipsoid, 324, 334–335
 - departure from, 334–340, 353, 359, 369
 - Jacobi, 324
 - Maclaurin, 324, 357
- energy equation, 404–407
 - approximate, 411
 - scaled, 410
- energy signal, 95
 - autocorrelation of, 99
 - convolution of, 96
 - crosscorrelation of, 99
- ensemble average, 97, 98
- entropy, 198–202
- entropy rate, 200–202
- epicentral co-ordinates, 503
- equilibrium, 36
 - dynamic, 223–224
 - equation of, 36
 - modified, 212–215
 - figure of, 323–325, 341–369
 - hydrostatic, 213, 323–325, 341–369, 498–499
 - radial equations of, 217–219
- equipotential, 324, 326–333
- equivalent rigid-boundary radii, 429, 443
- equivalent wavelets, 104
- ergodic hypothesis, 98
- error energy, 111–114
- error power, 106–107
- prediction, 109–110
- error sequence, 106
 - deconvolution, 111
 - DFT, 132

- prediction, 206–211
 - unit, 108
- essential boundary conditions, 448
- Euler coefficients, 155
- Euler wobble, 274, 302
- expected value, 97
- fast Fourier transform, 126–129
 - for arbitrary length, 129–131
- filter, 105
 - deconvolution, 110–114
 - high-pass, 313
 - optimum Wiener, 105–107
 - prediction, 107–110
 - prediction error, 107–110
- finite element method, 453–456
 - support functions of, 453–456
- finite record, 93
 - effect of, 160–165, 175, 198
- flattening, 328, 339, 396
 - of inner core, 372–373, 381–384
- flow vector field, 462–467
- flow-through modes, 459
- fluid outer core, 386
 - compressibility of, 412–419
 - dynamics of, 398–407
 - electromagnetic effects in, 399
 - near equilibrium of, 408–412
 - small oscillations of, 398–399, 413, 415, 420–423, 445–479
 - stratification of, 408, 412–414
 - viscosity of, 404, 473–475, 478–481
- force
 - centrifugal, 224
 - Coriolis, 224, 229
 - dipole, 502–503
 - double, 484, 503–508
 - in medium, 33–35
 - point, 47–74
- Fourier integral, 155
- Fourier series, 154–158
- Fourier transform, 154–158
 - and convolution, 159–160
- free core nutations, 313–322, 463
 - geometry of, 318–320
 - ring downs of, 316–317, 320–322
- free surface, 53–55
 - of Earth, 425
- Froude number, 327
- functional, 446–453
 - reduced, 452
 - stationarity of, 449, 458
- Galerkin vector, 51–52
- gauge, 25
- Gauss–Jordan elimination, 75–79
- Gaussian elimination, 75
- Gaussian integration, 194–195
- generalised potential, 415, 420–423, 428
 - for displacement, 422, 445–467
- geodesy, 325–341
 - history of, 323–325
 - reference systems of, 339–341
- geoid, 324, 341
- geopotential, 220, 224, 326, 372, 411
- Givens rotation, 148
- gradient, 14, 17, 18
- gravimeter, 329, 467–468
- gravitation
 - constant of, 262
 - equation of, 214, 215, 407
 - scaled, 410
 - external, 326–341
 - near geocentre, 231
- gravitational flux vector, 424–426
- gravitational potential, 297–299
 - coefficients of, 337–339, 369
 - external, 326–341
 - perturbations in, 424–427
- gravity intensity, 329–334, 351
- gravity restoring torque, 371–385
 - coefficient of, 381–385
- heat equation, 342–343
- Helmholtz separation, 25, 44
- Hermitian function, 98
- Hermitian matrix, 107, 136, 137
- Hermitian transpose, 136
- high-pass filter, 313
- Hooke's law, 40–44
 - generalised, 212
- Householder transformation, 137–141
- hydrostatic stress, 42, 212–213, 411
- impulse response, 105–106, 110–111
 - inverse of, 110–111
- incompressibility, 42, 412
 - of flow, 387
- indicial equations, 232–233
 - eigenvalues of, 233–235
- inertia tensor, 294–295, 298–299
 - changes in, 509–511, 513
 - trace of, 298–299, 303
- inertial wave equation, 386–398, 462
- inner core boundary, 426–429
- interpolation, 79–92
 - cubic, 80–88
 - linear, 80
 - of pole path, 285–290
- invariants, 1
- inverse iteration, 459–461
- J_2 coefficient, 337–339, 369
- Jacobi ellipsoid, 324
- Jacobian determinant, 19, 20, 22

540

Kelvin's problem, 47–49
 Kronecker delta, 3, 8

Lamé coefficients, 40
 spatially varying, 212–215, 218

Lamb–Backus decomposition, 27, 33, 44

λ -matrix, 459

lamellar vector field, 26, 27, 29–33

Laplacian, 14, 17, 18

lapse rate, 412–413

Legendre functions, 28

Levinson algorithm, 114–119, 135

linear algebraic systems, 74–79

linear interpolation, 80

local basis functions, 88–92, 445, 453–456

local compressibility number, 416

Love numbers, 296, 302, 427
 internal load, 427–444
 and period, 430, 443
 effective, 429–444

MacCullagh's formula, 298

Maclaurin ellipsoid, 324, 357

mass redistribution, 511

matrix
 adjoint of, 136
 augmented, 74–79, 83
 coefficient, 74–79, 114, 135
 condition number of, 136
 eigenvalues of, 146–149, 459–461
 Hermitian, 107, 136
 Hermitian transpose of, 136
 propagator, 253–256, 512–513
 Toeplitz, 107, 114–119, 135
 unit, 7
 unitary, 136
 variance–covariance, 182, 199

matrix splitting, 149

maximum entropy method, 198, 205–211
 for pole path, 290–293

maximum entropy spectrum, 202–205

mean equivolumetric radius, 326, 375

method of images, 63

metric geometry, 2

metric tensor, 8–10, 15

metrical coefficient, 4, 6–7, 18, 22

Mindlin problems, 62–74

minimum delay wavelet, 104–105, 114

modulus of rigidity, 41, 223

moment of inertia, 295, 301, 511
 of inner core, 380–384

momentum equation, 401–402, 404
 approximate, 411, 414–415
 scaled, 409

natural boundary condition, 449

Navier equation, 40–44
 solutions of, 44–74

Subject index

Newtonian viscosity, 402

nuclei of strain, 484

numerical integration, 245–252
 for Love numbers, 427, 429–442
 of radial equations, 252–256, 260–272

nutration, 307–322
 and wobble, 318–322
 free core, 313–322, 463
 geometry of, 318–320
 ring down of, 316–317, 320–322

residuals, 309–316
 resonance curves of, 314–316
 spectrum of, 312–316
 VLBI data for, 309–311

Nyquist frequency, 167, 169–170

objective function, 132–134

oblate spheroid, 323, 324, 334

obliquity, 308

orthogonal co-ordinates, 15–18

Papkovich–Neuber solution, 50–51

Parseval's relation, 135–137, 177

partial pivoting, 75–79

Parzen window, 163–165, 178

permutation symbol, 12, 23

perturbation quantities, 386, 408–415

perturbations, 213–215
 in gravitational potential, 424–427

Poincaré equation, 387, 398
 boundary condition for, 394–396
 eigenfunctions of, 392, 462
 eigenvalues of, 396–398
 in auxiliary co-ordinates, 390–391, 394
 in Cartesian co-ordinates, 388
 in spheroidal co-ordinates, 391, 394
 Laplace form of, 388–391
 separation of, 391–392

Poinsot construction, 306, 319

point force, 47–74

Poisson equation, 25–27, 51

Poisson solid, 486, 497

Poisson's ratio, 42, 50

polar motion, 274–306
 annual feature, 274, 290, 292
 Chandler feature, 274, 290, 292
 DFT spectrum of, 279–285
 dissipation of, 300–302
 dynamics of, 294–306
 equation of, 294–295, 300
 forced, 301
 free, 300–301, 303–306
 geometry of, 303–306
 interpolation of, 285–290
 MEM spectrum of, 290–293
 shift in, 511–513
 VLBI data for, 278–279

polar vector, 18

- poloidal vector field, 27, 29–33
 power, 94, 97
 power signal, 95
 - autocorrelation of, 98
 - convolution of, 96
 - crosscorrelation of, 99
 power spectral density, 171, 173–174
 - and autocorrelation, 171–176
 - confidence in, 179, 186–187, 197
 - covariance of, 181–185
 - estimator of, 174–176
 - discrete segments, 176–179
 - frequency resolution of, 178, 198
 - maximum entropy, 202–205
 - product, 186–197
 - unbiased, 181
 - WOSA, 179–186
 - of nutation residuals, 312–316
 - of pole path, 279–285, 290–293
 - variance of, 176, 178, 179, 181–186
 power transfer function, 173
 prediction error equations, 110, 203–205
 - backward, 206
 prediction error filter, 107–110, 203–211
 - backward, 206
 - z-transform of, 203
 prediction error power, 109–110
 prediction error sequence, 206–211
 - unit, 108
 prediction filter, 107–110
 - conditional equations of, 108
 probability density, 179, 182, 187–188, 199
 product spectrum, 186–197, 468–470
 propagator matrix, 253–256, 512–513
 - derivatives of, 253–256, 263
 pseudo-tensor, 18–22
 quality factor, 300–301
 Radau transformation, 325, 354–355
 radial equations, 217–223
 - boundary conditions on, 423–429
 - dynamical, 223–231
 - fundamental solutions of, 239–245, 256–272, 511–513
 - integration of, 245–256
 - series expansion for, 231–245
 - spheroidal, 221–223, 229–230
 - torsional, 222, 230–231
 rake, 488, 495
 range convention, 2
 realisation, 97
 reciprocal unitary vector, 3–4, 15
 reduced pressure potential, 386
 reference frames, 273–274
 reverse wavelet, 102–103
 rigid body, 38–40
 - displacement as, 234
 rotating frame, 223–224
 - rate of, 262
 rotation, 273–322
 - and figure, 324–339
 - constants of, 301–302
 - equation of, 294–295, 300
 - rate of, 276, 300, 324
 Runge–Kutta method, 245–252, 260–262
 - for vectors, 252
 sample autocorrelation, 174
 sample power spectral density, 174–176
 satellite, 325, 341
 scalar, 1
 scalar capacity, 20, 503
 scalar field, 1
 - gradient of, 14, 17, 18
 - Laplacian of, 14, 17, 18
 scale analysis, 407–412
 secular polar shift, 511–513
 seismic moment, 495
 shear modulus, 41
 shifting theorem
 - for DFTs, 125
 - for Fourier transforms, 183
 sidereal time, 275–277
 sinc function, 156–157, 161, 175
 singular value decomposition, 135–154
 - for DFT, 280–285
 slip faults, 484–495, 501–508
 slip vector, 484–485
 solenoidal vector field, 26–27
 spherical harmonics, 27–29
 spherical polar co-ordinates, 18, 28
 spheroidal co-ordinates, 389–390, 392–393
 spheroidal deformation field, 221–223, 229–230
 - coupling of, 229, 231
 - near geocentre, 232, 239–245
 - of fluid outer core, 223, 230, 497–499
 - of inner core, 256–272, 425–444
 - of shell, 423–425, 427–444, 511–513
 spheroidal vector field, 30–33
 spin-over mode, 463–464
 spline, 80–88
 - Hermite, 87–88
 - local, 87–88
 - natural, 80–86
 splitting law, 469–473
 - viscous, 473–475
 stability factor, 413, 450
 state equation, 341, 412
 - approximate, 413
 - barotropic, 343, 412
 - scaled, 412
 static deformations, 482
 stationary time sequence, 98–99
 stochastic time sequence, 97–98

- strain, 39–42
 - normal, 39, 40
 - shearing, 39–40
- strain rate deviator, 403
- strain rate tensor, 402–403
- strain tensor, 39–42
- stratification parameter, 413
- stress, 6, 33–37, 40–42
 - hydrostatic, 42, 212–213
 - in fluid, 402–404
 - normal, 35
 - shear, 35
 - uniaxial, 41–42
 - viscous, 402–404
- stress deviator, 403
- stress tensor, 35–37, 40–42
- strike-slip, 485
- subseismic approximation, 413–414, 422, 427–429
- subseismic variational principle, 445–453
 - boundary conditions for, 448, 449, 456–459
 - eigensolutions of, 459–467
 - support functions of, 453–456
- subseismic wave equation, 420–423, 445–446
 - boundary conditions on, 423–429
- substantial time derivative, 400
- summation convention, 3
- support functions, 453–456
- surface element, 9, 16, 33–34
- sway, 306
- system function, 172

- tensor, 6–24
 - alternating, 12, 23
 - Cartesian, 22–24
 - components of, 7–8
 - contravariant, 7
 - covariant, 6
 - dual antisymmetric, 24
 - inertia, 294–295, 298–299
 - metric, 8–10, 15
 - mixed, 8
 - order of, 6
 - pseudo, 18–22
 - relative, 19
 - strain, 39–42
 - strain rate, 402–403
 - stress, 35–37, 40–42
- tensor capacity, 19–20
- tensor character, 8
- tensor density, 19–22
- time reverse, 99, 102–103
- time sequence, 94–95
 - convolution of, 95–97
 - decimation of, 127–128
 - decomposition of, 100–101
 - deterministic, 97
 - DFT representation of, 119–123
 - duration of, 95
- finite length, 160–165
 - power of, 94, 97
 - stationary, 98–99
 - stochastic, 97–98
 - time reverse of, 99
 - unequally spaced, 93, 131–135
 - white noise, 100
 - z-transform of, 96
- Toeplitz matrix, 107, 114–119, 135
- toroidal vector field, 27, 29–33
- torque, 294–296
 - on inner core, 371–385
- torsional deformation field, 222, 230–231
 - coupling of, 229, 231
 - self-coupled, 232
- trace, 298
- tractions, 42–43
- transformation
 - Householder, 137–141
 - unitary, 136
- transformation laws, 5–8, 20–24
 - Cartesian, 23–24
- translational modes, 423, 430, 443, 464–478
 - resonances of, 467–470, 475–476
 - rotational splitting of, 467–478
- unequally spaced time sequence, 93
 - DFT for, 131–135
- uniaxial stress, 41–42
- unit impulse sequence, 100, 110–111
- unit matrix, 7
- unit prediction equations, 108–110
- unit vector, 4
- unitary matrix, 136
- unitary transformation, 136
- unitary vector, 2–4, 15
- Universal Time, 277

- variance
 - for discrete segments, 176, 178
 - for WOSA, 179, 181–186
- variance–covariance matrix, 182, 199
- vector, 1–6
 - axial, 19
 - base, 2–4, 15–16
 - components of, 1, 3–4
 - contravariant, 4
 - covariant, 4
 - dual, 20, 24, 38
 - Galerkin, 51–52
 - polar, 18
 - reciprocal unitary, 3–4, 15
 - unit, 4
 - unitary, 2–4, 15
- vector field
 - curl of, 11–13, 17–19
 - divergence of, 13–14, 17, 18

Subject index

543

- lamellar, 26, 27, 29–33
- poloidal, 27, 29–33
- separation of, 25–27
- solenoidal, 26–27
- spheroidal, 30–33
- toroidal, 27, 29–33
- vector gradient, 37
- vector spherical harmonics, 27–33
- vernal equinox, 308
- viscosity, 402–404
 - Arrhenius, 480
 - bulk, 404
 - coefficients of, 403
 - dynamic, 404, 479–481
 - kinematic, 479
 - Newtonian, 402
 - profile of, 478–481
- VLBI nutation data, 309–311
- VLBI pole path data, 278–279
 - DFT spectrum of, 279–285
 - interpolation of, 285–290
 - MEM spectrum of, 290–293
- Volterra's formula, 483–488, 501–503
- volume element, 9–10, 16, 19–20
- vorticity, 402
- wavelet, 95, 102–105
 - delay of, 103
 - dipole, 102–103
 - equivalent, 104
 - finite, 102
 - minimum delay, 104–105, 114
 - reverse, 102–103
 - time reverse of, 102–103
- Welch analysis, 180
- white noise sequence, 100
- Wiener filter, 105–107
- Wiener–Khinchine theorem, 173
- Wilkinson shift, 147–149
- window, 161–165, 176–179
 - Bartlett, 162–165, 185
 - boxcar, 161–163
 - frequency resolution of, 165
 - Parzen, 163–165, 178
- wobble, 274–306
 - and nutation, 318–322
 - Chandler, 274, 302, 306
 - geometry of, 306
 - resonance curve of, 293
 - dynamics of, 294–306
 - equation of, 294–295, 300
 - Euler, 274, 302
 - nearly diurnal, 318–322, 463
 - decay of, 320–322
 - geometry of, 318–320
- Wold decomposition, 100–101
- y-notation, 219–221, 239, 253
- Young's modulus, 41
- z-notation, 239, 253
- z-transform, 96
 - and convolution, 96–97
 - and deconvolution, 110
 - and DFT, 125–126
 - of wavelet, 102–105