

Index

- 22q11 Deletion syndrome 205–6
- 504 plan 73–4, 446
- 5p- syndrome 206–7
- ability-achievement discrepancy 226–7
- academic skills training 274
- acculturation 56
- acetylcholinesterase inhibitors 383–4
- acute lymphoblastic leukemia (ALL) 112
- ADA *see* Americans with Disabilities Act of 1990
- ADHD *see* Attention Deficit Hyperactivity Disorder
- adult independence, transition to 209–11
- adult models of assessment 19–20
- AEDs *see* anti-epileptic drugs
- alternative medicine *see* complementary therapies
- American Psychological Association (APA), cultural guidelines 57–8, 61
- Americans with Disabilities Act of 1990 (ADA) 69, 76–9
 - average person standard 77–8
 - evaluation of college students 80–1
 - mitigating measures 78–9
 - otherwise qualified clause 76
 - relevance 79
- Angelman syndrome 200–2
- anoxic brain injury (ABI) 431–3
- anterior attentional system 14
- anti-epileptic drugs (AEDs) 133–4, 138
- anticonvulsants 380–1
- anxiolytics 383
- applied behavior analysis (ABA), autism intervention 163–4
- Asperger’s Disorder/Syndrome 152
 - cognitive profile 159
 - and NVLD 183
- assessment 30–1
 - adult learning disabilities 80–1
 - autism spectrum disorders 155
 - and conflict resolution 33–4
 - developmental models 20–1
 - and diagnosis 32–3
 - empirical guidelines 409
 - epilepsy 139–40
 - extrapolation of adult models 19–20
 - as form of intervention 37–40
 - future directions in 42–3
 - guiding intervention 35–7
 - identification of needs 34
 - and imperfect information 34
 - incremental validity of 31
 - individualized recommendations 36–7
 - mental retardation 195–6
 - motor control 340–3
 - multicultural issues 54
 - reassessments 37
 - and recommendations for treatment 35–7
 - research on efficacy of 40–3
 - right hemisphere disorders 184
 - specific learning disabilities 227–9
 - training needed for 31–2
 - traumatic brain injury 96–100
- assistive technology, writing problems 237
- “ataques de nervios” 343–4
- atomoxetine (Strattera®) 142, 269–70, 329, 460
- Attention Deficit Hyperactivity Disorder (ADHD) 253
 - in children with ASD 153
 - children with epilepsy 136
 - in children with TBI 92
 - cognitive functions 258–9
 - comorbid with SLD 242
 - diagnosis of 253–4, 264–5
 - future research needs 275
 - health risks and psychiatric concerns 254–5
 - and learning disabilities 274–5
 - medication 142–3
 - non-stimulant medication 268–70
 - stimulant medication 266–8
 - motor functions 265–6
 - neurobiology of 255–7
 - and neurofeedback 405–7
 - neuropsychological outcomes 259–65
 - neuropsychological tests 260
 - psychosocial treatments 270–1
 - coaching 273–4
 - parent training 271
 - social skills training 271–3
 - qualitative EEG studies 399–402
 - and tic disorders 265
- attention problems
 - in autism spectrum disorder 160–2
 - in children with epilepsy 136–7, 142–3
 - in children with SLD 242
 - improving with MPH treatment 120, 142–3

486 Index

- attention systems, functional neurodevelopment 13–14
- attention training 119, 452
- Autism Diagnostic Interview - Revised (ADI-R) 156
- Autism Diagnostic Observation Schedule (ADOS)
- Autism Spectrum Disorder (ASD) 151, 369–70
 - areas of intervention 161–3
 - assessment of 155
 - associated symptoms 152
 - avoidance of medication 371
 - brain anatomy 154
 - brain chemistry 154
 - comorbid disorders 152–3
 - diagnosis of 155–6
 - interview measures 156–7
 - observational measures 157–8
 - screening instruments 158
 - DSM-IV criteria 151–2
 - epidemiology of 153
 - fMRI studies of 154–5
 - intervention approaches 163–7
 - medications for 376–85
 - neuropsychological profile of 159–61
 - qEEG research 402
 - research, aims of future 167–8
- average person standard, ADA 77–8
- axes, interhemispheric communication 7
- barbiturates 381
- basal ganglia 12–13
 - abnormal in ADHD 256–7
 - and movement disorders 316–17
- Behavior Rating Inventory of Executive Function (BRIEF) 292, 328
- behavioral improvement, attribution processes
 - involved in 374–5
- behavioral interventions
 - dysexecutive disorders 305–6
 - for Tourette syndrome 330–1
- Benign Myoclonic Epilepsy (BME) 137
- benzodiazepines 383
- bilateralism in hemispheric brain functions 175–6
- bilingualism and TBI 62–3
- brain development 9–11
- brain injury rehabilitation *see* cognitive rehabilitation
- brain structure and function
 - bilateral hemispheric function 175–6
 - communication 7
 - functional systems 8
 - hemispheric axes 7
 - hemispheric organization 177–8
 - hierarchies 7–8
 - historical context 48
 - neurons 7
 - plasticity 8–9
 - resiliency 9
 - social processing network 189
 - specialization 8
- brain tumors 112
 - chemotherapy treatment for 113
 - radiation therapy treatment 113
- brainstem and spinal cord 13
- Broca's area 16, 57
- California Verbal Learning Test-Children's Version (CVLT-C) 98–9
- cancer 112
 - COG LTFU guidelines 116
 - cognitive remediation 119–20, 125
 - educational interventions 117–19, 125–6
 - long-term neuropsychological risks 114–16
 - neuropsychological evaluation of survivors 116–17
 - pharmacological interventions 120, 125
 - preventative interventions 124–5
 - psychosocial interventions 120–2
 - studies, methodological flaws in 122, 126
 - transactional model 123–4
 - treatments for 112–16
 - chemotherapy 113
 - radiation therapy (RT) 113–14
 - surgery 113
- CBM *see* curriculum-based measurement
- central nervous system (CNS) cancers 112
 - and academic functioning 115
 - and cognitive functioning 114–15
 - and intellectual functioning 114
 - and socioemotional functioning 115–16
 - interventions for improving outcome 116–22
 - long-term impact of 114–16
- cerebellum 13
- cerebral palsy 343–4
 - classifications 344
 - clinical symptoms 344
 - hemiplegic cerebral palsy 350–2
 - spastic diplegia 346–9
 - treatment methods 344–6
- cerebrovascular accidents (CVAs), neuroimaging information 424–6
- chemotherapy treatment 113
- Child Find provision 69
- childhood absence epilepsy (CAE) 137
- Childhood Autism Rating Scale (CARS) 157–8
- Children's Oncology Group (COG), Psychology Discipline Committee 126–7
- CIMT *see* constraint-induced movement therapy
- clonidine 268–9, 328
- CNS cancers *see* central nervous system (CNS) cancers
- coaching, goal attainment for ADHD children 273–4
- COG LFTU (Children's Oncology Group Long-Term Follow-up Guidelines) 116
- Cognitive Abilities Educational Software Project 187
- cognitive orientation to daily occupational performance (CO-OP) 356
- cognitive rehabilitation 444–5
 - adult models 448
 - environmental factors 451

487 Index

- and family integrity 459–60
- future directions 458–61
- and generalization to real world 449
- holistic approach 448–50
- importance of homework exercises 453
- Internet programs 452–3
- need for team approach 450
- school-based services 446–7
- standard of care 445–8
- therapeutic training exercises 452
- by trained schoolteachers 451–2
- Cognitive Remediation Program (CRP) 119–20, 454–8
- collaborative approaches *see* integrated team approaches
- college campuses, support services 82–3
- college students
 - average person standard 77–8
 - evaluation for services 80–1
- communication in the brain 7
- communication skills, teaching strategies for ASD children 165
- complementary therapies 59–60
- computerized tomography (CT) 416
- conflict resolution, assessment 33–4
- congenital hemiplegia *see* hemiplegic cerebral palsy
- constraint-induced movement therapy (CIMT) 350–2
- continuous performance tasks (CPTs) 259–63, 404
- coordination disorders *see* motor control disorders
- cortical activity, EEG measurement of 392–5
- cortical stimulation 140
- cost-benefit issues 34, 43
- CPTs *see* continuous performance tasks
- Cri du Chat syndrome *see* 5p- syndrome
- CRP *see* Cognitive Remediation Program
- culture 48
 - and beliefs about health and illness 52, 56
 - definitions of 51
 - and diagnosis 54–6
 - empirically validated models 59–60
 - and ethnicity 51
 - Hispanic 51–2
 - and immigration patterns 53
 - multicultural models 56–8
 - and TBI rehabilitation 52
 - and traumatic brain injury 50–1
- culture-bound syndromes 55–6
- curriculum-based measurement (CBM) 229
- DCD *see* developmental coordination disorder
- dendrites 7, 10
- depression
 - autism spectrum disorders 162–3
 - in children with epilepsy 143
 - following traumatic brain injury 98
- design copying 236
- developmental coordination disorder (DCD) 352–3
- performance-oriented approaches
 - cognitive interventions 356
 - compensatory interventions 356
 - conductive education 355–6
 - exercise therapy 356–7
 - neuromotor task training (NTT) 357
 - process-oriented approaches 354
 - neuro-developmental treatment (NDT) 354
 - sensory integrative (SI) therapy 354–5
- Developmental Gerstmann Syndrome (GSD) 183
- Developmental Intervention Model, autism 165
- developmental language disorder 153
- developmental models 20–2
- diagnosis
 - of ADHD 253–4, 264–5
 - and assessment 32–3
 - autism spectrum disorders 155–8
 - learning disabilities 72
 - mental retardation 195
 - multicultural issues 54–6
 - neuroimaging techniques 416
 - right hemisphere disorders 187–8
 - role of neuroimaging 416
- Diagnostic and Statistical Manual of Mental Disorders (DSM) 55, 167, 188, 352
- Diagnostic Interview of Social and Communication Disorders (DISCO) 156–7
- diaschisis 436
- differentiation, stage of brain development 10
- diffusion tensor imaging (DTI) 416, 435, 437–8
- disability
 - cultural beliefs about 56
 - historical treatment of 47
 - laws affecting education 69–79
 - Section 504 definition of 76
- disability determination 33, 35
- discrepancy criterion in ability and achievement 226–7
- Discrete Trial Training, autism intervention 164
- disinhibited behavior, controlling 305–6
- disruptive behavior disorders (DBD) 242
- donepezil 270
- dopamine antagonists 327
- Down syndrome 199–200
- DSM *see* Diagnostic and Statistical Manual of Mental Disorders
- “dual diagnosis” 196
- due process, aspect of IDEA 72
- dyscalculia 239
- dysexecutive disorders *see* executive dysfunction
- dysgraphia 235–6
- EACHA (Education for All Handicapped Children Act) 69, 70
- Eastern medicine 59–60
- ecological validity 43
- education
 - children with autism 161
 - interventions for cancer survivors 117–19
 - math instruction, effect of changes to 241
 - remedial reading programs 230–4
 - role of neuropsychologist 80–3

488 Index

- education laws 69
 - 504 plan 73–4, 446
 - defining SLD 225–7
 - training needed for clinicians 84
 - see also* Americans with Disabilities Act;
EACHA; Elementary and Secondary
Education Act; Individuals with
Disabilities Education Act
- EEG (electroencephalography)
 - analysis of waveforms 394–5
 - collection of data 392–3
 - waveform types 394
 - see also* quantitative EEG
- Elementary and Secondary Education Act
(ESEA-2001) 227–8, 230
- empirical validity, guidelines for 409
- epidemiology of brain trauma, link to ethnicity
50–1
- epilepsy 133
 - academic problems 141–2
 - and ADHD 142–3
 - anti-epileptic drugs (AEDs) 133–4, 380–1
 - side effects of 138
 - behavioral problems 142–3
 - causes of childhood 135
 - cognitive consequences 136–7, 141–2
 - emotional problems 143–4
 - future research needed 144–6
 - interictal discharges 138
 - ketogenic diet 135
 - memory and executive problems 142
 - neurological assessment of 139–40
 - parent education programs 143–4
 - psychosocial interventions 143
 - seizure types 134
 - side effects of anti-epileptic drugs (AEDs) 138
 - social and emotional consequences 138–9
 - surgical interventions 134–5, 140–1
 - assessment for 139–40
 - syndromes and associated outcomes 137–8
 - Vagal Nerve Stimulation (VNS) 136
- ethnicity
 - and brain injury 50–1
 - confusion with race 51
 - diversity of in the US 53–4
 - and rehabilitation outcomes 61–2
- evaluation *see* assessment
- executive dysfunction
 - childhood disorders associated with 288–9
 - efficacy of interventions 292–3, 307
 - neuropsychological interventions
for disinhibited behavior 305–6
 - establishing routines 300
 - evidence-based studies 294
 - initiation problems 300–3
 - metacognitive skills 299–300
 - organization and planning 303–5
 - summary of strategies for 301
 - systematic thinking 299
 - through everyday activities 293–9
 - pharmacological interventions 293
 - and problems at school 290–1
- executive function (EF) 17–18, 287
 - and ADHD 258–9, 274–5
 - brain structures associated with 18, 178
 - deficits in ASD 160
 - development of 289–91
 - effect of cholinergic agents on 270
 - measurement of 263, 291–2
 - neurobiology of 288
 - profiles of deficits in 264
- expectations, aligning with child’s level of
functioning 38
- extrapyramidal system 12, 316
- family interventions 22–3
 - cancer survivors 120–1
 - integrated team approaches 467
 - and TBI recovery 459–60
- FAPE *see* free and appropriate education
- fenfluramine 384
- Floor time, interactive intervention for ASD
children 165
- Fluency Training, autism intervention 164–5
- fMRI *see* functional MRI
- Fragile-X syndrome 197–9
- free and appropriate education 71
- frontal lobes
 - abnormal in ADHD 256–7
 - role in executive function 18, 288
- functional behavioral analysis (FBA) 72
- functional MRI (fMRI) 140, 184–5
- functional neuroimaging 416–18
- funding 35, 74
- genetic syndromes *see* intellectual disability,
genetic syndromes
- glutamatergic antagonists 383
- growth inhibition and stimulant medication 267
- guanfacine 269, 328, 379
- habit reversal (HR) interventions for tic disorders
330
- handwriting difficulties 235–6
- hemiplegic cerebral palsy 350–2
 - constraint-induced movement therapy (CIMT)
350–2
- hemispheric organization 177–8
- hierarchies of brain organization 7–8
- high functioning autism 182, 183
- hippocampus 17
- history of neuropsychological rehabilitation 47–50
- human development, impact of culture 48
- Huntington disorder (HD) 318–20
- hyperactivity *see* Attention Deficit Hyperactivity
Disorder; stimulant medication
- hyperlexia 180
- hyperprosody 179
- IAP *see* Intracarotid Amobarbital Procedure
- IDEA *see* Individuals with Disabilities Education
Act
- IEP *see* Individualized Education Plan
- illness, diversity of beliefs across cultures 56

489 Index

- immigration patterns 52, 53
- imperfect information, needs assessment 34
- inattention, and right hemisphere disorders 180
- incremental validity 31, 42
- Individualized Education Plan (IEP) 71, 186, 274, 446–7
- individualized interventions 22
- Individuals with Disabilities Education Act (IDEA) 69–70, 79
 - changes 72–3
 - definition of SLD 226–7
 - due process 72
 - evaluation of school children 80
 - evaluation of SLD 227–8
 - free and appropriate education (FAPE) 71
 - Individual Educational Plan (IEP) 71
 - least restrictive environment (LRE) 71
 - nondiscriminatory evaluation 71
 - parent and student involvement 72
 - transition planning 210
 - zero reject 70–1
- information processing 7
- information storage and retrieval 15
- inhibitory control, interventions for 305–6
- initiation deficits, interventions for 300–3
- integrated team approaches 450, 465
 - benefits of 469–70
 - expected outcomes of 470–1
 - studies supporting 465–7
 - summer rehabilitation program 468–9
- intellectual disability 193
 - assessment methods and targets 195–6
 - etiological approach 193–5
 - 22q11 Deletion syndrome 205–6
 - genetic syndromes 196–7
 - 5p- syndrome 206–7
 - Angelman syndrome 200–2
 - Down syndrome 199–200
 - Fragile-X syndrome 197–9
 - Inverted duplication 15 (Idic-15) 203
 - Neurofibromatosis-1 (NF-1) 204–5
 - Prader-Willi syndrome (PWS) 202–3
 - Williams syndrome 207–9
 - level of functioning approach 194
 - research in intervention 211–12
 - transition to adult independence 209–11
- intelligence quotient (IQ), and ecological validity of EF measures 292
- interdependence model of rehabilitation 57
 - 22q11 Deletion syndrome 206
 - 5p- syndrome 207
- interventions 21, 30
 - Angelman syndrome 201–2
 - assessment as form of 37–40
 - autism spectrum disorders 161–7
 - culturally-sensitive 60–1
 - Down syndrome 200
 - empirical guidelines 409
 - executive dysfunction 292–307
 - Fragile-X syndrome 198–9
 - guided by assessment 35–7
 - guiding principles 21–3
 - historical context 47
 - Inverted duplication 15 (Idic-15) 274
 - Juvenile-onset HD 320
 - mathematical difficulties 238–41
 - motivational factors 38–9
 - multicultural models 56–8
 - Neurofibromatosis-1 (NF-1) 205
 - and parental emotions 39–40
 - pharmacological 369–85
 - Prader-Willi syndrome 203
 - reading difficulties 229–35
 - right hemisphere disorders 185–7
 - Sydenham’s chorea 322
 - Tourette syndrome (TS) 327–32
 - understanding of 39
 - Williams syndrome 208–9
 - writing difficulties 235–8
- Intracarotid Amobarbital Procedure (IAP) 140, 141
- Inverted duplication 15 (Idic-15) 76–9, 203
- journaling, therapeutic technique 60
- Juvenile-onset Huntington disorder 318–20
- Juvenile Myoclonic Epilepsy (JME) 138
- K12 education, laws affecting 69–74
- Kennard principle 445
- ketogenic diet 135
- Landau-Kleffner Syndrome (LKS) 137, 153
- language
 - and assessment of autism 159–60
 - cultural variations and effects of brain injury 57
 - functional neurodevelopment of 16
 - improving organizational skills 304
 - and left hemisphere domination 178
 - pragmatic language problems 185–6
 - therapy for ASD children 162
 - and traumatic brain injury 62–3
- lateralization
 - of brain abnormalities in ADHD 257
 - hemispheric organization 177–8
- learning disability (LD)
 - and EEG studies 402
 - and neuroimaging 427–9
 - see also* specific learning difficulties
- Learning Disorders - Not Otherwise Specified (LD-NOS) 185, 188
- least restrictive environment (LRE) 71
- left hemisphere “domination” 175–6
- Lennox-Gastaut Syndrome (LSG) 137
- leukemia *see* acute lymphoblastic leukemia
- Lexia Learning Systems 187
- limbic system 18
- lithium 382–3
- longitudinal interventions 22
- magnetic resonance imaging (MRI) 416
 - see also* diffusion tensor imaging (DTI); functional MRI (fMRI)
- “math anxiety” 243
- mathematics disabilities, remediation for 238–41

490 Index

- medication 369
 - acetylcholinesterase inhibitors 383–4
 - for ADHD 142–3, 266
 - anticonvulsants 380–1
 - anxiolytics 383
 - attributing improvements to 374–5
 - and cognitive rehabilitation 460–1
 - for epilepsy 133–4
 - for executive dysfunction 293
 - fenfluramine 384
 - future considerations 385
 - glutamatergic antagonists 383
 - lithium 382–3
 - for long-term sequelae of TBI 97–8
 - monitoring change 376
 - naltrexone 382
 - neuroleptics 379–80
 - pyridoxine (vitamin B6) 384
 - qEEG monitoring effects of 403–4
 - secretin 384–5
 - for spastic diplegia 348–9
 - stimulants 376–8
 - sympatholytics 378–9
 - target symptoms, identifying 372–5
 - for Tourette syndrome 327–9
 - weighing benefits and risks 375
- memory skills in autism 161
- memory systems, functional neurodevelopment 14–15
- mental retardation *see* intellectual disability
- metacognitive skills 299–300
- metacognitive strategies, CRP program 458, 455–6
- methodological issues 126, 395–8
- methylphenidate (MPH) 142–3, 293
 - childhood cancer survivors 120
 - children with brain injury 460
 - clinical trial with clonidine 268
 - studies with ASD children 377–8
- metoclopramide 327–8
- mitigating measures, section 504/ADA 78–9
- modafanil, stimulant medication 267
- monitoring change following use of medication 376
- mood disorders in children with TBI 98
- motivation, important for successful intervention 38–9
- motor control disorders 338
 - assessment methods 342
 - assessment of motor skills 340–3
 - cerebral palsy 343–5
 - developmental coordination disorder (DCD) 352–7
 - future directions in research and therapy 357–8
 - hemiplegic cerebral palsy 350–2
 - neuropsychological conditions associated with 339
 - spastic diplegia 346–9
 - theories of motor control 339–40
- motor systems, functional neurodevelopment of 12–13
- movement disorders 314
 - classification of 314–16
 - future directions in treatment 332
 - Juvenile-onset Huntingdon disorder 318–20
 - pathophysiology of 316–17
 - predominant pediatric 317–18
 - Sydenham’s chorea 320–2
 - Tourette syndrome 322–32
- MPH *see* methylphenidate
- multicultural diagnostic issues 54
- multilinguals, language recovery after TBI 62–3
- Multimodal Treatment for ADHD (MTA) 270, 306
- myelination, stage of brain development 11
- Myoclonic Astatic Epilepsy (MAE) 137
- naltrexone 382
- naturalistic teaching methods for autism 164
- needs, identification of 34
- neural tube, stage of brain development 9
- neuro-developmental treatment (NDT) 354
- neurofeedback 404–5
 - ADHD studies 405–7
 - empirical efficacy of 408, 410
 - methodological flaws 408
 - with non-clinical populations 407–8
- Neurofibromatosis- 1 (NF-1) 204–5
- neurogenesis 9, 10
- neuroimaging 97, 415
 - acquired abnormalities 424–6
 - analysis of 429–31
 - and brain development 433–6
 - developmental abnormalities 421–4
 - and diagnosis 416
 - diffusion tensor imaging (DTI) 437–8
 - future directions in 439
 - lesion localization 436–7
 - and neuropsychiatric disorders 426–7
 - treatment planning 438–9
 - types of 416–20
 - utility of sequential brain scans 431–3
- neuroleptic medication 379–80
- neuromotor task training (NTT) 357
- neuronal migration, stage of brain development 10
- neurons 7
- neuropsychological development 6
 - functional development 11–18
 - organizing principles 6–9
 - structural development 9–11
- neuropsychological models
 - adult models, extrapolation of 19–20
 - developmental models 20–1
- neuropsychological rehabilitation, history of 47–50
- non-stimulant medication 268–70
- nondiscriminatory evaluation 71
- nonverbal learning disability (NVLD) 152–3, 181–2, 185, 187–8
- normative data 54
- NVLD *see* nonverbal learning disability
- Obsessive Compulsive Disorder (OCD), comorbidity with TS 325–6

491 Index

- occupational therapy 354–5
- olanzapine, atypical neuroleptic 380
- Opsoclonus-Myoclonus Syndrome (OMS) 318
- organizational deficits, interventions for 303–5
- organizing principles of brain structure and function 6–9
- otherwise qualified clause, ADA law 76
- outcomes
 - effect of interdisciplinary approaches 467
 - expected from summer NRP-C program 470–1
 - improved by early identification 40
- PANDAS (pediatric autoimmune neuropsychiatric disorders after streptococcal infections) 321, 326
- parent and student involvement, aspect of IDEA 72
- parents
 - assessment reducing anxiety of 39–40
 - effect of anxiety on outcome of childhood epilepsy 139
 - and family adjustment to child’s TBI 459–60
 - maternal problem-solving, cancer survivors 120–1
 - satisfaction with interdisciplinary approaches 466–7
 - support networks for parents of children with ASD 163
 - training programs to manage ADHD behavior 271
 - weighing benefits and risks of medication 375
- Pay Attention! program 119
- PDD-NOS *see* Pervasive Developmental Disorder - Not Otherwise Specified
- Peabody Picture Vocabulary Test (PPVT) 159
- pediatric interventions, key concepts 21–3
- pediatric neuropsychologists
 - background and training of 31–2
 - consultation with medical professionals 37
 - education laws, knowledge of 80
 - evaluation of college students 80–1
 - evaluation of school children 80
 - future training needs 482–3
 - knowledge of education laws 80
 - working with school personnel 81–3
- Pervasive Developmental Disorder - Not Otherwise Specified (PDD-NOS) 152, 182–3
- pervasive developmental disorders (PDD) 152, 182–3
- PET *see* positron emission topography (PET)
- pharmacological interventions *see* medication
- phonological awareness and phonics, reading programs 231
- physical therapy 354
- Piaget, Jean 21
- “piblotog” 55
- Pivotal Response Training 164
- planning deficits, interventions for 303–5
- plasticity of the brain 8–9, 224
 - following CVA at birth 422–3
- population growth, United States 53
- positron emission topography (PET) 416, 419
- posterior attentional system 14
- postsecondary education
 - attendance rates 84
 - laws affecting 76–9
- posttraumatic stress, cancer survivors 116, 121
- Prader-Willi syndrome (PWS) 202–3
- pragmatic language interventions 185–6
- prefrontal cortex
 - abnormality in ADHD 256–7
 - structure and function 18
- preventative treatment, assessment as 40
- primary neoplasms, importance of neuroimaging 426
- primary projection areas, brain hierarchy 7
- problem-solving skills training (PSST) 120–1
- Process Assessment of the Learner (PALS) program 231–2
- Progressive Myoclonic Epilepsy (PME) 138
- pruning, stage of brain development 10–11
- PSST *see* problem-solving skills training
- psychiatric difficulties, comorbid with mental retardation 196
- psychoeducational reports 82
- psychological assessment, research on efficacy of 40–2
- psychometric tests 98–100
 - for determining SLD 228
- pyramidal system 12
- pyridoxine (vitamin B6) 384
- quantitative EEG (qEEG) 392, 394–5
 - electrophysiological subtyping 398–9
 - ADHD children 399–402
 - autism spectrum disorders 402
 - of learning disabilities (LD) 402
 - other disorders of childhood 402–3
 - empirical efficacy of 408, 410
 - methodological issues 395–8
 - monitoring effects of medication 403–4
 - and neurofeedback 404–8
- race
 - and causes of traumatic brain injury 50–1, 59
 - confusion with ethnicity 51
- radiation therapy (RT) 113–14
 - and intellectual functioning 114
 - and neurocognitive functioning 114–15
- rating scales for measuring change following medication 376
- reading, essential components of 227–8
- reading comprehension 234–5
- reading decoding 229–34
- reading disorders 180
 - and brain activation 224–5
- reassessment 37
- reframing
 - effect of assessment 38
 - therapeutic technique 61
- rehabilitation
 - cultural differences in outcomes 61–2
 - empirically validated models 59–60
- Rehabilitation Act of 1973, Section 69, 73–4, 274

492 Index

- rehabilitation to community 57
- relevance issue, ADA law 79
- remedial reading programs 230–4
- research
 - on ADHD 275
 - on assessment 40–2
 - autism spectrum disorders 167–8
 - childhood cancer 122–7
 - children with genetic syndromes 211–12
 - cognitive rehabilitation 453–4
 - educational accommodations 84–5
 - on effectiveness of autism treatment programs 165–7
 - qEEG and neurofeedback 410
 - right hemisphere disorders 187
 - specific learning disabilities (SLD) 243–6
 - in traumatic brain injury (TBI) 101–2
- reserve, resiliency factors 9
- resilience following neurological insult 9
- response prevention, behavioral paradigm for tic disorders 330–1
- Response to Intervention (RTI) model 73, 228–9, 245
- Rett’s Disorder 152
- right hemisphere disorders
 - and arithmetic 182
 - assessment of 184
 - definitional difficulties 176
 - and Developmental Gerstmann Syndrome (GSD) 183
 - hemispheric organization 177–8
 - hyperlexia 180
 - imaging technologies, findings from 184–5
 - inattention 180
 - incidence/prevalence of 183–4
 - insufficient diagnostic criteria 187–8
 - interventions 185
 - pragmatic language 185–6
 - social skills 186
 - visual spatial abilities 186–7
 - and left hemisphere “dominance” 175
 - left hemisynndrome 180
 - and minimal brain dysfunctions 183
 - nonverbal learning disability (NVLD) 181–2
 - and pervasive developmental disorders (PDD) 182–3
 - research, future directions for 187
 - semantic pragmatic disorder 179
 - social-emotional learning difficulties 179–80
- risperidone, atypical neuroleptic 380
- RTI *see* Response to Intervention (RTI) model
- SCCIP *see* Surviving Cancer Competently Intervention Program
- schizophrenia, neuroimaging findings 426
- school personnel, strategies for working with 81–2
- scientifically sound interventions 23
- screening instruments for autism spectrum disorders 158
- secondary diagnoses, preventing through early treatment 40
- secretin 384–5
- Section 73–4, 76, 80, 274
- seizure disorders
 - in children with ASD 153
 - cultural beliefs about 58
 - see also* epilepsy
- selective serotonin reuptake inhibitors (SSRIs) 98, 382
 - for Tourette syndrome 328
- self-injurious behaviors (SIBs) 382
- Self-Regulated Strategy Development (SRSD) 238
- semantic pragmatic disorder (SPD) 179
- sensitive periods, brain development 8
- sensory integrative (SI) therapy 354–5
- sensory systems, functional neurodevelopment 11–12
- Severe Myoclonic Epilepsy (SME) 137
- single photon emission computed tomography (SPECT) 416, 420, 423
- SLD *see* specific learning difficulties
- social difficulties, unrecognised disorder 188
- social drive, omission from work of Darwin and Freud 188–9
- social interaction, fundamental human need 189
- ‘social processing disorder’, as a diagnostic category 188
- social processing neural network 189
- social skills, assessment instruments 184
- social skills training 186
 - for autistic children 162
 - for cancer survivors 122
 - for individuals with ADHD 271–3
- software for improving cognitive skills 187
- spastic diplegia
 - early intervention 346–7
 - management of spasticity 347–8
 - botox treatment 349
 - medication 348–9
 - physical and occupational therapy 348
 - surgical procedures 349
- spatial processing 17
- SPD *see* semantic pragmatic disorder
- special education
 - evaluation of SLD warranting 227
 - see also* education laws
- specialization of brain structures 8
- specific learning difficulties (SLD) 224–5
 - and ADHD 274–5
 - assessment of 227–9
 - comorbidities with 241–3
 - future research directions 243–6
 - legal definitions 225–7
 - mathematics 238–41
 - reading
 - comprehension 234–5
 - decoding 229–34
 - written expression 235–8
- SPECT *see* single photon emission computed tomography
- speech therapy for ASD children 162
- spelling difficulties, remediation for 237
- stereotyping of racial groups 60

493 Index

- stimulant medication 142–3, 266–8, 328–9, 376–8, 460
- Strattera® (atomoxetine) 142, 269–70, 329, 460
- streptococcal infection
 - and Sydenham’s chorea 320–1
 - and tic disorders 326
- structural neuroimaging 416
- structuring, therapeutic technique 60–1
- summer neurorehabilitation program for TBI
 - children (NRP-C) 468–71
- surgical procedures
 - for brain tumors 113
 - for epilepsy 134–5, 140–1
 - spastic diplegia 349
- Surviving Cancer Competently Intervention Program (SCCIP) 121
- Sydenham’s chorea 320–2
- sympatholytics 378–9
- symptom validation, therapeutic technique 60
- symptoms, targeting 372–4
- synaptogenesis 10
- systems-based interventions 22
- TACT study of clonidine 268–9
- target symptoms 372–4
- TBI *see* traumatic brain injury
- TEACCH (Treatment and Education of Autistic and related Communication Handicapped Children) program 165
- temporal lobe epilepsy (TLE) 137
- Test of Pragmatic Language (TOPL) 160
- tic disorders *see* Tourette syndrome
- topographical mapping 395
- Tourette syndrome (TS) 153, 322–4
 - behavioral interventions 330–1
 - cognitive interventions 331–2
 - comorbidity with ADHD 265, 325
 - comorbidity with OCD 325–6
 - incidence/prevalence of 324–6
 - and learning disabilities 324
 - and PANDAS 326
 - pharmacological interventions 327–9
- training of clinicians 84
- transdisciplinary interventions 23
- transient cognitive impairment (TCI) 138
- transition planning for adult independence 209–11
- transmission of brain signals 7
- traumatic brain injury (TBI)
 - assessment of 96–100
 - cerebral impairment 91
 - cognitive rehabilitation 100–1, 448–54
 - common sequelae of 92–3
 - family adjustment 93–4
 - and family interventions 459–60
 - future research directions 101–2
 - link to ethnicity 50–2
 - long-term outcome 96
 - moderating variables affecting recovery 94–6
 - neuroimaging 97, 429
 - outcome study 61–2
 - recovery of cognitive skills 94
 - severity 92
 - summer rehabilitation program 468–9
 - therapeutic techniques 60–1
 - treatment guidelines 96–7
 - and violence 61
- treatment planning 33
- treatment recommendations 35–7
- TS *see* Tourette syndrome
- tumors, importance of monitoring using
 - neuroimaging techniques 426
- United States, cultural diversity of 51–4
- Vagal Nerve Stimulation (VNS) 136, 143
- valproate 381
- VBM *see* voxel based morphometry
- velocardial-facial syndrome *see* 22q11 Deletion syndrome
- Vineland Adaptive Behavior Scales 155
- visual spatial deficits 188
- visual spatial skills training 186–7
- visuospatial systems, functional
 - neurodevelopment 17
- vitamin B6 384
- VNS *see* Vagal Nerve Stimulation
- voxel based morphometry (VBM) 429–31
- Vygotsky, Lev 48
- Wallerian degeneration 436–7
- weak central coherence theory 160
- weight gain following treatment with neuroleptics 380
- West Syndrome, epilepsy 137
- Williams syndrome 207–9
- working memory deficits, interventions for 306–7
- written expression, remediation for difficulties in 235–8
- zero reject, aspect of IDEA 70–1
- ziprasidone, atypical neuroleptic 380