

Index

- Compare&Swap*, 548
- Fetch&Increment*, 548
- Swap*, 432
- Test&Set*, 432
- Definitely*, 383
- Possibly*, 383
- Read-Modify-Write*, 551

- Abadi, M, 601, 627
- accuracy properties, 571
- Acharya, 107
- adaptive algorithms, 130
- Afek, Y, 655, 656
- Agarwal, D, 331
- Agrawala, AK, 312
- agreement
 - failure-free system, 515
- Alagar, 108
- Alvisi, L, 507
- anonymous algorithms, 130
- antimessages, 73
- Arora, A, 635, 648, 655
- asynchronous execution, 19
- asynchronous system, 132
- atomic broadcast, 583
- atomic registers, 436
- authentication, 599
- authentication protocol failures, 625
- authentication protocols
 - with asymmetric cryptosystem, 615
 - with symmetric cryptosystem, 602
- authentication server, 605

- Badrinath, 107
- Baldoni, R, 507

- Barabasi-Albert model
 - extended Barabasi-Albert model, 725
- Bellovin, SM, 623
- Bhargava, B, 506
- Bremner, A, 656
- Briatico, D, 470
- broadcast, 148
- Burrows, M, 627
- Byzantine agreement, 512
 - exponential tree algorithm, 519
 - upper bound, 517

- Cao, G, 467
- causal delivery, 106
- causal order, 206
 - optimal algorithm, 208
 - Raynal-Sciper-Toueg algorithm, 207
- causal ordering, 43
- causal path, 112
- causal precedence relation, 41
- Chakrabarti, S, 628
- Chandra, TD, 568, 570, 573, 578, 583, 584
- Chandrasekaran, S, 253
- Chandy, 93, 362, 364
- Chandy, KM, 375
- channel state recording, 107
- checkpoint, 110, 458
 - global, 459
 - local, 458
- checkpointing
 - communication-induced, 468
 - coordinated, 465
 - uncoordinated, 464
- checkpointing algorithm
 - Helary-Mostefaoui-Netzer-Raynal protocol, 499

- checkpointing algorithm (cont.)
 - Juang and Venkatesan algorithm, 478
 - Koo-Toueg, 476
 - Manivannan-Singhal algorithm, 483
 - Peterson-Kearns algorithm, 492
- Chord, 688
 - churn, 691
- clock inaccuracies, 80
- clock offset, 79
- clock skew, 79
- clocks
 - matrix, 68
 - physical, 78
 - scalar, 53
 - vector, 55
- closure, 634
- clustering, 713
- common clock primitives, 648
- common knowledge, 292
 - concurrent common knowledge, 293
 - Epsilon common knowledge, 292
 - eventual common knowledge, 292
 - protocols for concurrent common knowledge, 295
 - timestamped common knowledge, 293
- communication
 - asynchronous, 47
 - synchronous, 47
- communication primitives, 14
 - asynchronous, 15
 - blocking, 15
 - non-blocking, 15
 - synchronous, 15
- Compare&Swap, 550
- completeness properties, 570
- complex networks
 - Barabasi-Albert model, 722
 - error and attack tolerance, 718
 - graph structures, 712
 - Internet, 715
 - Internet graph, 714
- complexity metrics, 135
- concurrency, 12
- concurrency measure, 51
- consistent cut, 91
- conjunctive predicate detection
 - interval-based piggybacking algorithm, 401
 - interval based algorithm, 389
 - interval-based token algorithm, 397
 - state-based token algorithm, 395
- conjunctive predicate detection
 - state-based algorithm, 392
- consensus, 513
 - k*-set consensus, 532
 - approximate agreement, 533
 - impossibility in shared memory
 - asynchronous systems, 544
 - impossibility result for asynchronous systems, 529
 - phase king algorithm, 526
 - reliable broadcast, 544
 - renaming problem, 538
 - shared memory *k*-set consensus, 556
 - terminating reliable broadcast, 531
 - transaction commit, 532
 - wait-free renaming using splitters, 560
 - wait-free shared memory renaming, 557
- consensus hierarchy, 547
- consensus problem, 577
 - solution using eventually strong FD, 580
 - solution using strong FD, 578
- consensus under crash failures, 517
- Consistent global snapshots, 113
- consistent global snapshots
 - necessary and sufficient conditions, 110
- consistent global state, 91
- consistent global states, 44
- content-addressible networks (CAN), 695
- convergecast, 148
- convergence, 634
- crown, 197
- cryptographic protocols
 - design principles, 601
- cut, 91
- cut in a distributed computation, 45
- data indexing, 679
- deadlock
 - avoidance, 354
 - Chandy-Misra-Haas algorithm, 362, 364
 - detection, 354
 - Kshemkalyani-Singhal algorithm, 365
 - Mitchell-Merritt algorithm, 360
 - phantom, 355
 - prevention, 353
 - resolution, 355
- deadlock detection, 354
- deadlocks, 330
 - diffusing computations based algorithms, 359
 - edge-chasing algorithm, 359

- global state detection based
 - algorithms, 359
 - path-pushing algorithms, 358
 - degree distributions, 713
 - delayed messages, 461
 - Delporte-Gallet, C, 586
 - deterministic execution, 131
 - dictionary attack, 623
 - diffusion computation, 359
 - Dijkstra, E, 631, 636, 662
 - distributed deadlock, 352
 - distributed discrete event simulations, 77
 - Distributed Program, 39
 - distributed reset, 648
 - distributed systems
 - characteristics, 1
 - design issues, 22
 - Dolev, S, 652, 660
 - duplicate messages, 461
 - dynamic termination detection, 261
- El Abbadi, A, 331
- Elnozahy, EN, 507
- emulations, 21
 - message-passing, 14
 - shared memory, 14
 - synchronous system, 21
- Encrypted Key Exchange (EKE)
 - protocol, 623
- enumerating consistent snapshots, 118
- event counting, 54
- eventual accuracy properties, 571
- evolving networks, 723
- executions realizable with synchronous
 - communication, 196
 - timestamps, 198
- failure detector
 - adaptive, 591
 - implementation, 589
 - realistic, 586
 - weakest, 588, 589
- failure detectors, 569
 - reducibility, 572
 - types, 572
- failure pattern, 569
- failure recovery, 462
- Fowler, 62
- free-riding, 708
- Fuchs, WK, 469
- future cone of an event, 46
- Garg, V, 596
- Gartner, F, 652
- generalized deadlocks, 365
- generalized random graph networks, 720
- Gligor, V, 375
- global state, 43, 92
 - consistent, 91
- global virtual time, 75
- Gnutella, 682
- Gouda, M, 635, 648, 649, 655, 662
- graph algorithms, 138
 - maximal independent set (MIS), 169
 - all sources shortest paths, 151
 - compact routing tables, 172
 - connected dominating set (CDS), 171
 - constrained flooding, 155
 - delay bounded Steiner trees, 233
 - distance vector routing, 150
 - leader election, 174
 - minimum weight spanning tree, 157, 162
 - reverse path forwarding, 230
 - single source shortest path, 149, 151
 - spanning tree, 138, 140, 143, 146
 - Steiner trees, 231
- group communication, 205
 - fault-tolerant, 228
 - multicast, 220
- Guerraoui, R, 596
- Haas, L, 362, 364
- Helary, 100
- Helary, JM, 499
- Herman, T, 375
- Huang, ST, 656
- illegitimate state, 634
- impersonation attack, 618
- incarnation number, 486
- incremental snapshot, 99
- inhibition, 131
- interactive consistency, 513
- interconnection networks, 6, 679
- Israeli, A, 652
- Jard, 65
- Johnson, D, 507
- Jourdan, 65
- Juang, 478
- Kaminsky, M, 628
- Kasami, 336
- Katz, S, 664
- Kearns, 97, 109

- Kearns, P, 492
- Kerberos
 - authentication service, 611
 - authenticator, 613
- Kerberos authentication service, 611, 613
- Kim, KH, 507
- Knapp, E, 358, 375
- knowledge
 - agreement, 291
 - asynchronous system, 290
 - logic, 283
 - multi-dimensional clocks, 300
 - operators, 283
 - properties, 288
 - transfer, 298
- Koo, R, 476
- Kripke structures, 285
- Kshemkalyani, AD, 60, 321, 365, 375
- Kutten, S, 655

- Lai, 102
- Lam, S, 627
- Lamport, 93, 309
- Lamport's happens before relation, 41
- layering, 647
- lazy failure detection protocol, 592
- legitimate state, 634
- Lodha, 321
- log-based rollback recovery, 470
- logging
 - causal, 474
 - optimistic, 473
 - pessimistic, 472
- logical clocks, 52
- lost messages, 461

- Maekawa, M, 328
- Manivannan, 118, 483
- Marzullo, K, 506
- matrix clocks, 68
- matrix time, 68
- Mattern, F, 105, 263
- memory consistency, 413
 - atomic consistency, 414
 - causal consistency, 420
 - hierarchy, 424
 - linearizability, 414
 - pipelined RAM (PRAM), 422
 - processor consistency, 422
 - sequential consistency, 417
 - slow memory, 423
- Menasce, D, 360, 375
- Merritt, M, 360, 623
- message ordering, 190
 - asynchronous executions, 190
 - hierarchy, 199
 - synchronous executions, 194
- message ordering paradigms
 - causal order, 191
 - FIFO executions, 191
- Misra, 362, 364
- Mitchell, 360
- modularization, 647
- monitoring global state, 109
- Moran, S, 652
- Mostefaoui, 499
- muddy children puzzle, 282
- multicast, 220
 - core-based trees, 235
 - destination agreement based, 227
 - fixed sequencer based, 227
 - history based, 226
 - moving sequencer based, 227
 - privilege based, 226
 - propagation trees, 221
- Muntz, R, 375
- mutual exclusion
 - Agarwal-El Abbadi algorithm, 331
 - fast mutual exclusion, 429
 - hardware-assisted, 432
 - Lamport's algorithm, 309
 - Lamport's bakery algorithm, 427
 - Lodha-Kshemkalyani algorithm, 321
 - Maekawa's algorithm, 328
 - quorum-based algorithms, 327
 - Raymond's algorithm, 339
 - Ricart-Agrawala algorithm, 312
 - Singhal's dynamic algorithm, 315
 - Suzuki-Kasami algorithm, 336
 - token-based algorithms, 336

- Napster, 678
- Needham and Schroeder protocol, 617
- Needham, R, 601, 617, 627
- Network Time Protocol (NTP), 80
- Netzer, R, 113, 118, 499
- non-blocking universal algorithm, 553
- nonce, 604
- non-deterministic execution, 131

- object replication, 176
- one-time password, 606

- orphan messages, 461
- Otway-Rees protocol, 609
- overlays, 126, 679
 - structured, 680
 - unstructured, 681
- parallel system, 5
 - coupling, 11
 - Flynn's taxonomy, 10
 - interconnection networks, 6
 - multiprocessor, 5
 - parallelism, 12
- Pareto law, 715
- partial synchrony, 590
- partially synchronous models, 590
- past cone of an event, 46
- path
 - causal, 112
 - zigzag, 112
- peer-to-peer
 - flooding, 683
 - proportional replication, 686
 - random walk, 684
 - replication, 686
 - square-root replication, 686
 - uniform replication, 686
- Peterson, SL, 492
- physical clock synchronization, 78
- physical clocks, 78
- power law, 714
- Prakash, R, 507
- predicates, 380
 - conjunctive, 388
 - disjunctive, 404
 - modalities, 382
 - observer-independent, 405
 - relational, 384
 - stable, 380
 - unstable, 382
- Prisoners' dilemma, 708
- probabilistic self-stabilization, 636
- probe message, 363
- program structure, 137
- progress, 355
- pseudo stabilization, 669
- pseudo-stabilizing system, 636
- public key certificate, 616
- R-graph, 119
- Ramamoorthy, CV, 375
- randomized self-stabilization, 635
- Raymond, K, 339
- Raynal, M, 499, 596
- Reducing Weak FD to a Strong FD, 573
- register hierarchy, 434
- regular registers, 436
- relational predicate detection, 384
- rendezvous, 201
- reputation management, 709
- Ricart, 312
- Richard, G, 506
- safe registers, 435
- safety, 355
- scalar time, 53
- scale-free networks, 717, 719, 721
- Schiper, A, 596
- Schneider, M, 662
- Schroeder, MD, 617
- Secure Remote Password (SRP) protocol, 624
- secure sockets layer, 619
- self-stabilization, 634
 - cost, 646
 - for fault tolerance, 665
 - role of compilers, 662
- self-stabilizing algorithm for 1-maximal independent set, 657
- self-stabilizing distributed spanning trees, 650
- self-stabilizing token ring, 636
- shared memory, 410, 456
- shared memory mutual exclusion, 427
- simultaneous regions, 109
- Singhal, 60, 118, 315, 365, 375, 467, 483
- Sistla, P, 506
- small-world networks, 713, 720
- snapshots, 274
- solution to atomic broadcast, 584
- spanning tree, 247
- Spezialetti, 97, 109
- splitters, 560
- SSL Protocol, 619
- stable property, 97
- stable storage, 456–458
- starvation, 345
- state lattice, 384
- static termination detection, 259
- Strom, 506
- surface of the future cone, 47
- surface of the past cone, 47
- Suzuki, 336

- symmetry, 667
- synchronizers, 163
 - α synchronizer, 165
 - β synchronizer, 166
 - γ synchronizer, 166
 - simple synchronizer, 164
- synchronous execution, 19
- synchronous order, 202
- synchronous system, 132
- Tapestry, 701
- termination detection, 243, 368
 - atomic computation model, 263
 - channel counting method, 270
 - distributed snapshots, 243
 - faulty distributed system, 272
 - four counter method, 265
 - message-optimal, 253
 - spanning-tree based, 247
 - vector counters method, 268
 - very general model, 257
 - weight throwing, 245
- time
 - matrix, 68
 - physical, 78
 - scalar, 53
 - vector, 55
 - virtual, 69
- time warp mechanism, 72
- time-space diagram, 40
- topology based primitives, 648
- total order, 215
 - centralized algorithm, 216
 - three-phase distributed algorithm, 216
- total order property, 583
- total ordering, 54
- Toueg, S, 476, 568, 570, 573, 578, 583, 584
- transient failure, 635
- tree-structured quorum, 331
- Tseng, 273
- uniform algorithms, 130
- uniform consensus, 586
- universality of consensus objects, 552
- useless checkpoints, 464, 469
- vector clocks, 55
 - efficient implementations, 59
 - size, 57
- vector clocks size, 57
- vector time, 55, 492
- Venkatesan, S, 99, 108, 253, 478
- virtual time, 69
- wait-for-graph (WFG), 353
- wait-free algorithms, 134
- wait-free atomic snapshot, 447
- wait-free consensus
 - Compare&Swap, 550
- wait-free register simulations, 437–440, 442, 444, 445
- wait-free simulations, 434
- wait-free universal algorithm, 556
- wait-freedom, 434
- Wang, Y-M, 115
- Watts Strogatz model, 721
- weight-throwing scheme, 273
- Welch, J, 506
- wide-mouth frog protocol, 605
- Woo, T, 627
- Wu, TD, 624
- Xu, 113
- Yang, 102
- Yemini, 506
- Yung, M, 655
- zigzag cycle, 112
- zigzag path, 112
- Zipf's law, 715
- Zwaenepoel, 62