

Index

- abacus (machine), 45ff, simulation of Turing machine by, 51ff
- abacus-computable function, 46ff
- abbreviation, 108ff
- accent ('), 64
- Ackermann, Wilhelm, *see* Ackermann function
- Ackermann function, 84f
- A-correct, 290
- Addison, John, *see* Addison's theorem
- Addison's theorem, 286, 289ff
- addition, abacus computability of, 48f, laws of, 218, Turing computability of, 29f
- address of a register, 46
- ampersand (&), 102
- analysis, 312ff, axiomatic, 314, predicative, 315
- analytical sets, relations, functions, 284
- antidiagonal sequence, 18, set, 18
- Arabic numerals, *see* decimal representation
- argument(s) of a function, 4
- Aristotle, 272
- arithmetic (true arithmetic), 150, 207, non-standard models of, 150f, 302ff, undecidability of, 222, without addition, 295, without multiplication, 295; *see also* **P, Q, R**
- arithmetical classes, 287
- arithmetical completeness theorem, *see* Solovay completeness theorem
- arithmetical definability, *see* arithmetical sets, arithmetical classes
- arithmetical equivalence of formulas, 205
- arithmetical Löwenheim–Skolem theorem, 305, 317f
- arithmetical sets and relations, 199, 286ff
- arithmetical soundness theorem, 335
- arithmetization of syntax, 187ff
- arrow ($\rightarrow$), 102, 107f, 327
- associative laws of addition and multiplication, 218, of conjunction and disjunction, 245
- atomic formula, 107
- atomic term, 107
- avoidable appeal to Church's thesis, 83
- axiom of choice (AC), 163, 248, 341
- axiom of enumerability, 281, of induction, 214, 283, 314, of infinity, 282
- axioms of **GL**, 333, of **K**, 328, of **P**, 214–215, of **Q**, 207f, of **R**, 216, of **S5**, 340
- axiom scheme, 214
- axiomatizable theory, 191, finitely, 191
- back-and-forth argument, 345
- bars, 262
- Barwise, Jon, 341
- base-*b* representation of numbers, 11; *see also* binary, decimal, duodecimal
- base step in proof by induction, 109, 212–213
- basic functions, 64
- Behmann, Heinrich, *see* Löwenheim–Behmann theorem
- Benacerraf, Paul, xii
- Bernays, Paul, 233
- Berry's paradox, 227
- Bertrand's postulate, *see* Chebyshev's theorem
- beta function (β -function) lemma, 203
- Beth, Ewart W., *see* Beth definability theorem
- Beth definability theorem, 265ff
- biconditional ($\leftrightarrow$), 102, 108
- binary representation of numbers, 11, 21, 89
- Boole, George, 272
- box ($\square$, $\Box$), 328, 332
- box of an abacus, 46
- bound variables, 111, relettering of, 124
- bounded minimization and maximization, 77
- bounded quantification, 76
- branch, 323
- Büchi, J. R., *see* Turing–Büchi proof
- busy beaver problem, *see* productivity
- canonical domains, 142, 147
- Cantor, Georg, 239; *see also* back-and-forth argument, Cantor's theorem, diagonalization method, zig-zag enumeration
- Cantor's theorem, 16ff
- caret ($\wedge$), 328

- categorical theory, *see* denumerably categorical
- Chaitin, Gregory, *see* Chaitin's theorem
- Chaitin's theorem, 228f
- characteristic function, 73
- Chebyshev's theorem, 204, 238
- Ch'in Chiu-shiao (Qin Jiushao), *see* Chinese remainder theorem
- Chinese remainder theorem, 203
- choice, axiom of, *see* axiom of choice
- Church, Alonzo, 239; *see also* Church–Herbrand theorem, Church's theorem, Church's thesis
- Church–Herbrand theorem, 270f; *see also* dyadic logic
- Church's theorem, 120, 132, 134, Gödel-style proof of, 132ff, Turing–Büchi proof of, 126ff
- Church's thesis, 71, 134, 189, 192, avoidable and unavoidable appeals to, 83, extended, 71
- class, 286
- clique, 319
- closed formula or sentence, 103, 112
- closed term, 103
- closure properties of recursive relations, 76, of semi-recursive relations, 81f
- closure properties of a set of sentences, 155
- code number, 8ff, of an expression, 188, 193, of a sequence, 12f, of a Turing machine, 36ff
- coding operations of a Turing machine, 88ff; *see also* code number
- coextensive, 296
- cofinite, 15
- Cohen, Paul, 239
- coherence, 301
- combining Turing machines, 39
- commutative laws of addition and multiplication, 218, of conjunction and disjunction, 245
- compactness theorem, 137, 147ff, and second-order logic, 279, 283, for truth-functional valuations, 254
- complementation principle, 82
- complete induction, 213
- complete set of sentences, 147, theory, 191
- completeness, 148, in modal logic, 329
- completeness theorem, *see* Gödel completeness theorem, Kripke completeness theorems, Segerberg completeness theorem, Solovay completeness theorem
- complexity, 228f
- composition of functions, 14, 58, 64
- comprehension, axiom, 314
- concatenation function, 84, 187
- conclusion of a rule, 169
- condition, 289
- conditional ($\rightarrow$), 102, 108, 327
- conditional probability, 301
- configuration of a Turing machine, 27, standard initial and halting, 31f
- congruence axioms, 257
- conjunction ($\&$), 75, 102, 107, 327, general ($\wedge$), 328
- conjunctive normal form, 244, full, 245
- connective, 102, zero-place, *see* constant truth and falsehood
- consequence, logical, 101, 119
- conservative extension, 264, 315
- consistency, unprovability of, *see* second incompleteness theorem
- consistency sentence, 232
- consistent set of sentences, 169, theory, 191
- constant functions, 65
- constant symbol, 103, elimination of, 255ff
- constant truth and falsehood ($\top$, $\perp$), 245, 327
- constraint, 301
- constructive proof, 182, 237f
- continuum hypothesis (CH), 239
- convex set of points, 326
- copying machine, 39
- correct, 199; *see also* A-correct
- correspondence, 14
- corners ($\ulcorner$, $\urcorner$), *see* Gödel numeral
- countable, 3; *see also* enumerable
- Craig, William, *see* Craig interpolation theorem, Craig reaxiomatizability lemma
- Craig interpolation theorem, 260ff
- Craig reaxiomatizability lemma, 198
- cryptographic functions, 193
- cut elimination, 181
- decidable, effectively, 73, recursively, *see* recursive sets; semi-recursively, *see* semi-recursive sets
- decidable set of sentences, 191, theory, 191
- decimal representation of numbers, 11, 24f
- decision problem, 126
- decoding, 8
- deduction, deducibility, 148, 168f, in modal logic, 328
- definability, explicit, 266, implicit, 266; *see also* Addison's theorem, analytical sets, arithmetical sets, Beth's definability theorem, predicative and impredicative, Richard's paradox, Tarski's theorem
- definition by cases, 74
- De Jongh, Dick, *see* de Jongh–Sambin theorem
- De Jongh–Sambin theorem, 336
- demonstration, demonstrability, 148, 168f, in modal logic, 328
- denial, *see* negation
- denotation of a symbol, 104, of a term, 115
- dense linear order, 152
- density, 294
- denumerable or enumerably infinite, 4
- denumerably categorical, 147
- derivation and derivability, 168
- description of a time, 130
- diagonal lemma, 220f
- diagonal sequence, 18, set, 18
- diagonalization, method of, 17ff, of a relation, 86, of an expression, 220
- diagram, 164
- diamond ($\diamond$), 328

- difference function ($\dot{-}$), modified, 61, 69
- disjunction ($\vee$), 76, 102, 107, 372
- disjunctive normal form, 244, full, 245
- distributive law of addition and multiplication, 218, of conjunction and disjunction, 245
- dithering machine, 39
- divisibility ($\mid$), 86
- domain of a function, 7
- domain of an interpretation or model, 103f, canonical, 142, 147
- double arrow ($\leftrightarrow$), 102, 107f
- double turnstile ($\models$), 114
- Dreben, Burton, xii
- duodecimal representation of numbers, 11
- dyadic predicates and dyadic logic, 271, 275ff

- effectively computable function, 23ff, 63
- effectively decidable set or relation, 73
- effectively semi-decidable set or relation, 80
- Elements of Geometry*, *see* Euclid's *Elements*
- elementarily equivalent, 251
- elementary operation of an abacus, 47
- elementary subinterpretation or submodel, 251
- elimination of quantifiers, 296
- empty function, 7
- empty language, 103
- empty set ($\emptyset$), 4
- emptying a box, 47
- encoding, 8
- Enderton, Herbert, 341
- entering sentence, 169
- entry function, 80
- enumerability, axiom of, 281
- enumerable, 3
- enumerably infinite or denumerable, 4
- enumerator, 252
- Epimenides or liar paradox, 106, 227
- epsilon model (ε -model), 313
- equals sign, *see* identity symbol
- equinumerous sets, 14
- equivalence, arithmetical, 205
- equivalence, axiom of, 257
- equivalence, logical, 122, 124f
- equivalence class, 143
- equivalence relation, 142ff
- erasure act of a Turing machine, 26
- Erdős–Paul, *see* Erdős–Szekeres theorem
- Erdős–Szekeres theorem, 326
- essential undecidability, 222
- Euclid of Alexandria, *see* Euclid's *Elements*
- Euclid's *Elements*, 203, 238
- Euler ϕ -function, 86
- existential quantification ($\exists$), 103, 107, bounded, 76
- existential sentences and formulas, 164, 247
- existential, rudimentary ($\exists$ -rudimentary) sentences and formulas, 204, generalized, 204
- exiting sentence, 169
- expansion, 247

- explicit definability, 266
- exponential function ($\uparrow$), 66, abacus computability of, 50
- exponential-arithmetical ($\uparrow$ -arithmetical) definability, 200
- extended Church's thesis, 71
- extension of an interpretation or model, 250
- extension of a set of sentences or theory, 264, conservative, 264, 315
- extensionality axiom, 313f
- extensionality lemma, 118, 123

- factorial, 68
- falsehood, constant ($\perp$), 245, 327
- Fara, Michael, xiii
- Felapton, 112
- Field, Hartry, xii
- finite character, 154, 163
- finitely axiomatizable theory, 191
- finitely satisfiable sentence or set, 271f, 300; *see also* Trakhtenbrot's theorem
- finitism, 238
- first graph principle, 82
- first incompleteness theorem, 223f
- first-order logic, 101ff
- fixed point theorem, *see* De Jongh–Sambin theorem
- flow chart, 26
- flow graph, *see* flow chart
- forcing ($\Vdash$), 289ff, and FORCING, 291ff
- formalization, 215
- formation sequence, 107, 113, 195
- formula, 103, 107f, second-order, 279f
- free variables, 111, 195f
- Frege, Gottlob, 272, 285
- function, 4, one-to-one, onto, 14, partial and total, 7
- function symbols, 103, elimination of, 255ff
- function variable, 279

- GL** (system of modal logic), 333ff
- Gabbay, Dov, 341
- generalized existential-rudimentary ($\exists$ -rudimentary) formula or sentence, 204
- generic set, 291ff
- Gentzen, Gerhard, *see* sequent calculus, cut elimination
- Gentzen system, *see* sequent calculus
- glorified Ramsey's theorem, 325
- Glymour, Clark, xii
- Gödel, Kurt, 232ff–9, *see also* completeness theorem, first and second incompleteness theorems
- Gödel completeness theorem, 148, 163ff, 174ff, abstract, 190, failure for second-order logic, 279, 283
- Gödel incompleteness theorems, *see* first incompleteness theorem, second incompleteness theorem
- Gödel number, *see* code number of an expression
- Gödel numeral, 220

Gödel sentence, 225
Gödel–Berry formula, 228
Gödel–Chaitin formula, 228
Gödel–Grelling formula, 227
Gödel–Rosser sentence, 226
Gödel-style proof of Church’s theorem, 126, 132ff
Goldfarb, Warren, xiii
graph principle, first, 82, second, 96
graph relation of a function, 75
greatest common divisor, 86
Grelling or heterological paradox, 227
Guenther, Franz, 341

halting, of a Turing machine, 26, in standard
 configuration or position, 32, 91
halting function, 38f
halting problem, 40
Hare, Caspar, xiii
Harrington, Leo, *see* Paris–Harrington theorem
Henkin, Leon, 285; *see also* Henkin axioms, Henkin
 sentence
Henkin axioms, 162, 164
Henkin sentence, 235
Herbrand, Jacques, *see* Herbrand–Church theorem,
 Herbrand’s theorem
Herbrand’s theorem, 253ff
heterological or Grelling paradox, 227
Hilbert, David, 238; *see also* Hilbert’s thesis
Hilbert’s thesis, 185
Hindu–Arabic numerals, *see* decimal representation
homogeneous set, 320
horizontal section, 86

identifying nodes of a flow chart, 43
identity function(s), 5, 57, 64
identity of indiscernibles, 280
identity relation, 104, Whitehead–Russell definition
 of, 281
identity symbol, 103, elimination of, 255ff
implication, logical, 101
implicit definability, 266
impredicative and predicative, 315f
incompleteness of second-order logic, *see* Gödel
 completeness theorem, failure for second-order
 logic
incompleteness theorems, *see* first incompleteness
 theorem, second incompleteness theorem
inconsistent sentence or set, 148, theory, 191, in
 modal logic, 328
individual symbol, *see* constant
individual variable, 278; *see also* variable
induction, mathematical, proof by, 212– 213,
 complete, 213
induction axioms, 214, second-order, 283
induction hypothesis, 109
induction on complexity, proof by, 109ff
induction scheme, 214

induction step in a proof, 109, 213
infinitary Ramsey’s theorem, 321
infinity, axiom of, 282
instance of a formula, 112
interpolant, 261
interpolation theorem, *see* Craig interpolation
 theorem, Lyndon interpolation theorem
interpretation of a language, 102, 103f, in modal
 logic, 327
inverse function, 14
inversion lemma, 179f, 186
irrefutable, *see* consistent
isomorphism, 139ff
isomorphism lemma, 140
isomorphism type, 142

J, *see* pairing function
junction, *see* conjunction, disjunction

K (minimal system of modal logic), 328ff
Kant’s theorem, 269
Kleene normal form theorem, 94
Kleene, Steven Cole, 341; *see also* Kleene normal
 form theorem, Kleene’s theorem
Kleene’s theorem, 82
Kochen, Simon, xiii
König’s lemma, 322ff
Kreisel, Georg, *see* Tennenbaum–Kreisel theorem
Kripke, Saul, xi; *see also* Kripke completeness
 theorem
Kripke completeness theorems, 329ff

L^{*}, *see* language of arithmetic
L^{**}, *see* language of analysis
Lagrange’s theorem, 204, 213
Lambek, Joachim, *see* abacus
Lambek machine, *see* abacus
language, 103, empty, 103, meta-, 121, natural, 122f,
 non-enumerable, 162f, object, 121, of analysis, 312,
 of arithmetic, 103
leapfrog routine, 31
least common multiple, 86
least-number principle, 214
left introduction rules, 170
left movement of a Turing machine, 26
left number, 89
Leibniz’s law, 280
length function, 80
letterless sentence, 336, normal form theorem for, 336ff
level of a tree, 322f
Lewis, David, xiii
liar or Epimenides paradox, 106
linear order, 151f
lines or steps, 168
Löb, M. H., *see* Löb’s theorem
Löb’s theorem, 236
logarithm functions, 79

- logical consequence, *see* consequence
 logical equivalence, *see* equivalence, logical
 logical symbols, 102
 Löwenheim, Leopold, *see* Löwenheim–Behmann theorem, Löwenheim–Skolem theorem
 Löwenheim–Behmann theorem, 270; *see also* monadic logic
 Löwenheim–Skolem theorem, 137, 147ff, arithmetical, 305, 317f, and second-order logic, 279, 282, strong, 251, upward, 163
 lower domain, 312
 lower inequality, 297
 lower part, 312
 Lyndon, Roger, *see* Lyndon interpolation theorem
 Lyndon interpolation theorem, 268
- machine table, 26
 Maltsev (Malcev), A. I., *see* compactness theorem
 mathematical induction, proof by, *see* induction, mathematical
 matrix, 246
 max function, 34
 maximal principle, 163
 McAloon, Kenneth, *see* Tennenbaum–McAloon theorem
 Mellema, Paul, xiii
 metalanguage, 121
 metalogical, 120
 min function, 34
 minimal arithmetic, *see* **Q**
 minimal system of modal logic, *see* **K**
 minimization, 60f, 70ff, bounded, 77
 modal logic, 123, 327ff
 modalized, 336
 models, 137ff, existence of, 153ff, number of, 139ff, size of, 137, in modal logic, 329ff; *see also* epsilon model, non-standard model, standard model
 modus ponens, 328
 monadic predicates and monadic logic, 272ff
 monadic representation of numbers, 24, modified, 63f
 monotone function, 98
 mop-up, 54ff
 Mostowski, Andrzej, 341
 multiplication, abacus computability of, 49, laws of, 218, Turing computability of, 29ff
- $\mathcal{N}^*$, *see* standard model of arithmetic
 $\mathcal{N}^{**}$, *see* standard model of analysis
 name, *see* constant
 natural language, 122f; *see also* Hilbert’s thesis
 necessity ($\Box$), 328
 necessitation, 328
 negation ($\sim$), 75, 102, 107, 327
 negation normal form, 243f
 n -generic, 291
 nonconstructive proof, 182, 237f
 nonlogical symbols, 103
- nonstandard models, of analysis, 312ff, of arithmetic, 150f, 302ff
 normal form, for sentences and sets, 243, conjunctive, 244, disjunctive, 244, full conjunctive and disjunctive, 245, for letterless sentences, 336ff, negation, 243f, prenex, 246, Skolem, 247f
 normal form, for terms, 297
 nullity problem, 132
 numerals, *see* base- b representation, monadic or tally representation
- object language, 121
 objectual quantifier, 117
 official and unofficial notation, *see* abbreviation
 omega-consistency and -inconsistency (ω -consistency and -inconsistency), 217, 226
 omega-model (ω -model), 313
 one-to-one function, 14
 onto function, 14
 open formula, 103, 112
 open term, 103
 ordinal numbers, 210
 ordinary language, *see* natural language
 overspill, 147, 309
- P** (Peano arithmetic), 214–215
 Padoa, Alessandro, *see* Padoa’s method
 Padoa’s method, 267
 pairing function (J), 8f, 71
 paradox, Berry, 227, Epimenides or liar, 106, 227, Grelling or heterological, 227, Richard, 21f, Russell’s, 285, Skolem, 252f
 parentheses, 102, 109; *see also* abbreviation
 parenthesis lemma, 109
 Paris, Jeffrey, *see* Paris–Harrington theorem
 Paris–Harrington theorem, 325, 341
 partition, 143; *see also* Ramsey’s theorem
 parity, 29
 partial function, 7, recursive function, 71
 Peano, Giuseppe, *see* **P**
 Peano arithmetic, *see* **P**
 Pendelbury, Michael J., xiii
 pi (Π) notation, 69
 places, 103
 positively semi-decidable, *see* semi-decidable
 positively semi-definable, *see* semi-definable
 possibility ($\Diamond$), 328
 power, *see* exponentiation
 predecessor function, 69
 predicate or relation symbol, 103, dyadic, 271, 275ff, identity, 103, 255ff, monadic, 272ff
 predicative and impredicative, 315f
 prefix, 246
 premiss of a rule, 169
 prenex normal form, 246
 Presburger arithmetic, *see* arithmetic without multiplication

- Presburger, Max, *see* arithmetic without multiplication
- preservation upwards and downwards, 164f
- prime decomposition, 13
- primitive recursion, 58f, 67
- primitive recursive functions, 67, 132ff, real numbers, 86, sets or relations, 73
- print operation of a Turing machine, 26
- probability measure, 301
- product, *see* multiplication, pi notation
- productivity, of a Turing machine, 42
- projection functions, 64
- proof by contradiction, 170, 238
- proof by induction, *see* induction
- proof procedure, 166ff
- proof theory, 179
- provability logic, 387; *see also* **GL**
- provability predicate, 234, 335
- provable ($\vdash$), 191
- power, *see* exponentiation
- Putnam, Hilary, xiii
- Q** (minimal arithmetic), 207ff
- Qin Jiushao (Ch'in Chiu-shao), *see* Chinese remainder theorem
- quadruples of a Turing machine, 26
- quantifier, 102, bounded, 76, existential, 102, 107, universal, 102, 107
- Quine, Willard Van Orman, xiii
- quotient function, 12, 61
- R** (Robinson arithmetic), 216ff
- Rado, Tibor, *see* productivity
- Ramsey, Frank Plumpton, *see* Ramsey's theorem
- Ramsey's theorem, 319ff, glorified, 325, infinitary, 321
- random access, 46
- range of a function, 7
- recursion, *see* primitive recursion
- recursion equations, 67
- recursive function, 61, 71, set or relation, 73
- recursively enumerable sets, 96ff; *see also* semi-recursive sets
- recursively inseparable sets, 98
- reduct, 247
- reflexive relation, 143
- refutation, refutability, 167ff; *see also* inconsistent
- registers of an abacus, *see* box
- regular function or relation, 71
- Reidhaar-Olson, Lisa, 336
- relation, 73, 104
- relation symbol or predicate, 103
- relation variable, 279
- relatively prime, 86
- relativized quantifiers, 296
- relettering bound variables, 124
- remainder function, 12, 61
- representable, 207ff
- Richard's paradox, 21f
- right introduction rules, 170
- right movement of a Turing machine, 26
- right number, 89
- Robinson, Abraham, *see* Robinson's joint consistency theorem
- Robinson arithmetic, *see* **R**
- Robinson, Raphael, 341; *see also* **R**
- Robinson's joint consistency theorem, 264f
- Rosser, J. Barkley, *see* Rosser sentence
- Rosser sentence, 225
- rudimentary formula, 204; *see also* existential-rudimentary, universal-rudimentary
- rudimentary function, 206
- rule of inference, 169
- Russell, Bertrand, *see* Russell's paradox, Whitehead–Russell definition of identity
- Russell's paradox, 285
- S5**, 340
- Sambin, Giovanni, 336; *see also* De Jongh–Sambin theorem
- Santa Claus, 235
- satisfaction of a formula, 117ff
- satisfaction properties, 153f
- satisfiable sentence or set, 120
- Scanlon, T. M., xiii
- scanned symbol, 25
- scheme, *see* axiom scheme
- Schur's theorem, 325
- scoring function, 40f
- second graph principle, 96
- second incompleteness theorem, 232ff
- second-order logic, 279ff
- section of a relation, *see* horizontal section, vertical section
- secures ($\Rightarrow$), 167f
- Segeberberg, Krister, *see* Segerberg completeness theorem
- Segerberg completeness theorem, 334
- semantics of first-order logic, 114ff, distinguished from syntax, 106
- semi-decidable set or relation, effectively, 80, recursively, *see* semi-recursive set or relation
- semi-definable set or relation, 218
- semi-recursive set or relation, 80ff; *see also* recursively enumerable
- sentence or closed formula, of first-order logic, 103, 112, of modal logic, 328, of second-order logic, 280
- sentence letter, 103, 107, 114, 327
- sentential logic, 301, 327
- sequents and sequent calculus, 166ff
- Shoenfield, J. R., 341
- sigma (Σ) notation, 69
- signature of an equivalence relation, 143, 151
- size-*n* set, 320
- Skolem, Thoralf, *see* Löwenheim–Skolem theorem, Skolem normal form

- Skolem axioms, 248
- Skolem expansion, 248
- Skolem function symbol, 247
- Skolem normal form, 247
- Skolem paradox, 252f
- Smith, Nicholas, xiii
- Solovay, Robert, *see* Solovay completeness theorem
- Solovay completeness theorem, 335
- soundness, 148, 167, 174ff, in modal logic, 329, arithmetical, 335
- spectrum, 149
- standard configuration or position, initial, 31, final or halting, 32, 91
- standard element of a non-standard model, 303
- standard interpretation or model, of the language of analysis, 312, of the language of arithmetic, 104
- standing sentence, 169
- state of a Turing machine, 25
- steps or lines, 168
- subformula, 111
- subinterpretation or submodel, 249f, elementary, 251
- subsentence, 112
- substitution, of equivalents, 124
- substitution of functions, *see* composition
- substitution of functions in relations, 75
- substitution of terms for variables, 188f, 195; *see also* instance
- substitution function, 84
- substitutional quantification, 116
- subterm, 111
- successor function, 57, 64
- successor step in proof by induction, *see* induction step
- sum, *see* addition, sigma notation
- Sun Zi (Sun Tze), *see* Chinese remainder theorem
- super-duper-exponentiation, 67
- super-exponentiation ($\uparrow$), 66f
- symmetric relation, 143
- syntax of first-order logic, 106ff, distinguished from semantics, 106
- tally representation of numbers, *see* monadic representation
- Tarski, Alfred, 341; *see also* compactness theorem, Tarski's theorem, truth
- Tarski's definition of truth, *see* truth
- Tarski's theorem, 222
- tautology and tautological consequence, 328
- Tennenbaum, Stanley, *see* Tennenbaum's theorem, Tennenbaum–Kreisel and Tennenbaum–McAloon theorems
- Tennenbaum's theorem, 302
- Tennenbaum–Kreisel theorem, 306
- Tennenbaum–McAloon theorem, 306
- term, 103, 107, atomic, 107, closed, 103, 107, denotation of, 115, open, 103, 107
- term model, 155
- theorem, of a first-order theory, 191, 263, in modal logic, 328
- theory, 191, 263, axiomatizable, 191, complete, 191, consistent, 191, decidable, 191, finitely axiomatizable, 191
- Thomson, James, xiii
- total function, 7
- touring machines, 42
- Tovey, Peter, xiii
- Trakhtenbrot, Boris, *see* Trakhtenbrot's theorem
- Trakhtenbrot's theorem, 135, 198
- transfer theorem, *see* Löwenheim–Skolem theorem
- transitive relation, 143
- trees, 322ff
- true analysis, *see* analysis
- true arithmetic, *see* arithmetic
- truth, definability of, 286ff; *see also* Tarski's theorem
- truth in an interpretation ($\models$), 114, for modal logic, 329
- truth predicate, *see* Tarski's theorem
- truth tables, 255
- truth value, 105
- truth-functional compound, 244
- truth-function satisfiability, 253
- truth-functional valuation, 253, 327
- Turing, Alan M., 239; *see also* Turing computability, Turing machine, Turing's thesis
- Turing computability, 33
- Turing machine, 25ff, 126ff, code number for, 36ff, coding operations of, 88ff, simulation of abacus by, 51ff, universal, 44, 95f
- Turing–Büchi proof of Church's theorem, 126ff
- Turing's thesis, 33, 132; *see also* Church's thesis
- turnstile ($\vdash$), 191, 328, double ($\models$), 114
- two-sorted language, 312
- unavoidable appeal to Church's thesis, 83
- unbarred, 262
- uncomputability, 35ff
- undecidability, of arithmetic, 222, essential, 222, of first-order logic, *see* Church's theorem
- undecidable sentence, 224, theory, *see* decidable theory
- undefined, 6
- unique readability lemma, 111, 123
- universal closure, 208
- universal function, 217
- universal quantification ($\forall$), 102, 107, bounded, 76
- universal sentences and formulas, 165, 247
- universal Turing machine, 44, 95f
- universal-rudimentary ($\forall$ -rudimentary), 204
- universe of discourse, *see* domain of an interpretation
- unofficial and official notation, *see* abbreviation
- unsatisfiable, *see* satisfiable
- upper domain, 312
- upper inequality, 297
- upward Löwenheim–Skolem theorem, 163

- valid sentence, 120, 327
- valuation, truth-functional, 327, 253
- value of a function, 4
- van Heijenoort, Jean, 341
- variable, 102, 106, bound and free, 111, individual
 and second-order, 279
- Vaught, Robert, *see* Vaught’s test
- Vaught’s test, 147
- vertical section, 86

- Wang, Hao, *see* coding operations of a Turing
 machine

- Wang coding, *see* coding operations of Turing
 machine
- wedge ($\vee$), 76, 102, 107, 372
- Whitehead, Alfred North, *see* Whitehead–Russell
 definition of identity
- Whitehead–Russell definition of identity, 281

- zero function, 57, 64
- zero step in proof by induction, *see* base step
- Zeus, 19f, 23, 235, 321
- ZFC**, 278
- zig-zag enumeration, 7