

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

Index

- abscission
 leaf 413
 phyllode 46
- Acacia* 2, 11, 38
baileyana 49
catechu 440
cyclops 44, 47, 49, 50, 51
dealbata 49, 53
decurrens 49
elata 51
implexa 47, 51
leucophloea 31
ligulata 51
longifolia 46, 47, 48, 51, 53
melanoxylon 42, 43, 46, 47, 51
meamsii 43, 47, 48, 49, 52
nilotica 11, 17, 38
adstringens 30
cupressiformis 30
indica 22, 24, 26, 30, 31
kraussiana 22, 23
leiocarpa 22, 25
subalata 22, 25, 30, 31
tomentosa 22
- oswaldii* 50
papyrocarpa 50
pendula 51
pycnantha 47
saligna 12, 48, 51
senegal 31
sophorae 50
tortilis 31
- Acalitus*
adoratus 137, 144
- Acallipitrix* 413
- Acanthocereus* 117
- Acatoscelides*
Puniceus 263
quadridentatus 263
- Acarina 51, 137, 143, 191, 194, 236, 441
- Eriophyoidea 143, 194, 234
- Galumnidae 191, 441
- Aceria lantanae* 235
- ACIAR 469
- Acizzia*
melanocephala 27, 29
uncatooides 44, 51
- Aconophora compressa* 231
- Acremonium zonatum* 193, 459
- Acrididae 194, 363
- Acridotheres tristis* 215
- Acrocercops*
 nr *pylonias* 325
- Acrolepia xylophragma* 412
- Actinote* 143
anteas 143, 469
thalia pyrrrha 143, 470
- activities
 antimicrobial 217
 fungicidal 217
 insecticidal 217
 nematocidal 217
 recreational 88
- Aculeiferum* 38
- Acythopeus*
burkhartorum 177, 180
 host-specificity studies 180
coccinae 177
 host-specificity studies 178
- Adesmus hemispilus* 413
- adult numbers, decline 26
- Aepytus (Pseudolaca) sarta* 326
- Africa 8, 11, 17, 19, 38, 39, 64, 75, 108, 109, 247, 353
 Central 130, 426
 eastern 164
 southern 74, 319
 sub-Saharan 454
 tropical 74, 183
 West 130, 131, 134, 426
- African countries 121, 409

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

482

Agenda 11
Ageratina
 adenophora 2, 7, 12, 63, 68, 131, 439
 riparia 68
Ageratum conyzoides 131
Agraulis vanilla 326
 agricultural losses 276
 agroecosystems, tropical 423
 agroforestry 19, 39
 AICRP-BC 439
Alcidion cereicola 118, 121
Algarobius
 bottimeri 366, 367
 prosoxis 360, 366, 367
 alkaloids 137
 allelopathic
 compounds 64
 properties 137
 qualities 211
 allelopathy 6
 allergies 276
Alternaria eichhorniae 193, 459
 Alydidae 44
Ambrosia 282, 296
 artemesifolia 289, 296, 297
 America 38, 130, 212, 355
 North 12, 39, 74, 296, 409
 southern 75
 western 74, 355
 Central 74, 75, 247
 South 39, 74, 88, 92, 100, 116, 212, 247,
 319, 334
 Andes Mountains 319, 321
 northern 74, 75
 western 75
 tropical 215
Ammalo insulata 139
Anabaena azolla 74
 Anacardiaceae 455
 Andes, west of 134
Angionychus lividus 337
 Angola 426
 Animal fodder 188
Anopheles 336
 antagonists, natural 423
Anthonomus 415
 morticinus 415, 416
 santacruzii 415
Antiblemma acclinalis 167
 Antilles, Greater 212
 ants 140
Aphis gossypii 176
 aphid 78
Apion brunneonigrum 137, 144, 145, 440

Index

aquatic 2
 Arabian
 countries 121
 peninsula, south-western 426
 Araceae 2, 332, 469
 Araneae 51
 Arctiidae 100, 101
 areoles 108
 Argentina 99, 109, 212, 338
 central 92
 northern 92, 130, 296, 409
 north-western 132
Argentinothynchus 337
 aroid, free floating 332
 Aroideae 332
 Ascension islands 164
 Ascomycota 69
 Ascomycontina 193
 Asia 38, 39, 64, 131, 175, 247
 south-east 75, 130, 256
Asphondylia prosopidis 366
Aspidomorpha miliaris 446
 Asteraceae 2, 12, 63, 68, 69, 130, 140, 274, 282, 439,
 442, 469
 Asterales 63
 Asteroideae 131
Astrebla 19
Athetis 339
 Atlantic 92
 North 319
 atrazine (+ metachlor) 250
Aregumia matutinalis 167
Aulacophora 176
 Australasia 75
 Australia 1, 8, 10, 11, 12, 20, 38, 64, 75, 88, 90, 91,
 95, 97, 109, 122, 134, 175, 202, 247, 251, 256,
 274, 409, 426
 northern 131
 South 50
 southern 74
 Australian
 Centre for International Agri-
 cultural Research 13
 native grassland ecosystems 17
Austroepatorium inulaefolium 131, 143
Azolla 74
 classifications 74
 africana 75
 caroliniana 74, 75, 339
 cristata 75
 filiculoides 2, 12, 74, 75, 76, 457
 mexicana 74, 75
 microphylla 75
 nilotica 75, 79

- pinnata* 79
 africana 75
 asiatica 75
 imbricata 75, 76
 pinnata 75
 rubra 74
 Azollaceae 2, 339

Bactra venosana 446
Bactrocera cucurbitae 176
Bagous pistiae 337
 Bahamas 212
 Bangladesh 134, 274
 bats 409
Bellura densa 194
Bemisia 176
 benefit–cost analysis 2, 202
 Bénin 12, 454
Bessa remota 473
 biodiversity
 reduced 11
 biogas production 188, 217
 biological
 control 41, 280
 of *Chromolaena odorata* in PNG in South Africa,
 149, 150
 of *Lantana* 217
 of *Lantana camara* 228
 classical 7, 12, 65
 measures of efficiency 226
 pathogens 193, 256
 nitrogen fixation 20
 biomass 335
 biopesticides 456
 biotic interference 168
 biotype
 African 132
 Asian–West African 134, 135, 142
 invasive 131
 maladapted 48
 matching 140
 southern African 137, 142, 145
 birds 42, 211, 384, 409
 fruit-feeding 319
Blepharomastix ebulealis 167
Blyxa 103
 Bolivia 108, 109, 142, 320
 Botrycephalae 49
 Botswana 12, 26, 399
Brachinus 194
Bracon 67
 terryi 67
Brasenia 92
 Brazil 1, 131, 134, 211, 251, 335, 378, 389
 Belem 389
 southern 92, 409
 Brentidae 236
 British Columbia 74
Bruchidius
 andrewesi 360
 grandemaculatus 28
 sahlbergi 23, 24, 28
Bruchophagus 52
 acaciae 53
 orarius 53
 Brunei 64, 139
 buffalo 384
 Burkina Faso 135, 457
Bucculatrix parthenica 291

Cabomba
 aquatica 92, 104
 caroliniana 2, 88, 92, 100
 caroliniana 92
 flavida 93
 pulcherrima 93
 furcata 92, 104
 heynesii 92, 104
 palaeformis 92
 Cabombaceae 2, 88, 92
 Cactaceae 1, 108, 118, 438, 443
 cacti 2, 11
 cactus 1
 pear 108
Cactoblastis cactorum 115
 California 64
Calleida 194
Calligrapha pantherina 469
Calliorheas 212
Calycomyza
 eupatorivora 144
 lantanae 222
Camara 212
 Cambodia 247
 camels 20
 Cameroon 134, 135
Campyloneurus 68
 Canada 88, 109
 canals, irrigation 95
 Canary Islands 108, 109
Canna indica 194
 capacity building
 human 13
 institutional 13
 capybara 384
Caradrina 339
 carbohydrate reserves 231
 carbon dioxide 94

Carolinas 92
 Caribbean 134, 175
 Antigua 122
 Grand Cayman 122
 Islands 122
 Jamaica 122, 134, 135
 Montserrat 122
 Nevis 122
 St. Kitts 122
 carminic acid 110
Carmentia
 mimosa 258, 260
 ithacae 447
 nr *ithacae* 290
Carposina bullata 166
Casuarina infesta 168
 cassava 248
 cat weed 63
Cecidochares connexa 142, 441, 469
 Central America, tropical 69
 Central African Republic 134
 Ceratophyllaceae 94
Ceratophyllum demersum 88, 94
Cercospora
 eupatorii 69
 piaropi 193
 rodmanii 193
Cereus 117, 120
 jamacaru 118, 121
 Cereinae 117
Ceutorhynchus portulacae 447
 Chad 135, 361
Chalcodermus
 nr *segnis* 253
 serripes 262
Chaliopsis junodi 44
Chara 88, 95
 Charophyceae 88
 Chemicals 65
 2, 4-D 65
Chiasmia
 assimilis 23, 24, 26
 inconspicua 26
 Chile 108
 northern 320
 China 13, 64, 65, 74, 76, 88, 134, 247
 southern 274, 470
 Chironomidae 100
Chironomus falvipilus 194
Chlamisus mimosae 263
 Chlorophyta 398
 chlorosis 146, 192
 Choco 92
Chromolaena

ivaefolia 131
laevigata 131
odorata 2, 6, 7, 8, 11, 12, 13, 130, 439, 440, 469
squalida 131, 134
 chrysomelid 78
 Clavicipitaceae 298, 456
Clerodendron chinense 470
Clidemia hirta 2, 8, 163, 469, 474
 as a natural area pest 164
 biological control 165
 chemical/mechanical control 165, 354
 efficacy of natural enemies 170
 environmental and economic sustainability 170
 climate 140, 230
 modeling 30
Clynotis 251
Coccinia
 cordifolia 175
 grandis 2, 7, 175
 biological control 176
 chemical control 176
 indica 175
 cochineal
 Madras 114
 insect 108
 coconut 248
 cod, Mary river 90
Coelocephalopion
 aculeatum 261
 camarae 236
 gandolfi 366
 pigrae 261
 Coelomycetes 324
 Coleoptera 24, 25, 51, 68, 78, 79, 117, 118, 137, 150,
 167, 176, 177, 190, 194, 221, 251, 253, 258, 261,
 262, 263, 265, 266, 268, 280, 282, 283, 286, 288,
 289, 337, 338, 366, 389, 390, 395, 396, 413, 415,
 432, 440, 441, 442, 443, 446, 447, 456, 457, 469
 Apionidae 440
 Bruchidae 366, 367, 412, 413
 Buprestidae 167
 Carabidae 194, 337
 Cerambycidae 68, 223, 258, 326, 412, 413
 Chrysomelidae 23, 24, 25, 79, 118, 150, 176, 221,
 263, 265, 266, 282, 283, 412, 413, 443, 446, 469
 Coccinellidae 51, 251, 442
 Curculionidae 48, 51, 78, 100, 116, 117, 137, 145,
 177, 190, 253, 261, 262, 263, 280, 282, 286, 288,
 289, 337, 338, 366, 389, 390, 395, 396, 413, 415,
 432, 441, 443, 447, 456, 457, 469
 Rhynchitidae 268
Collabismus notulatus 413
 Collembola 337
 Entomobryidae 337

- Colletotrichum*
gloeosporioides clidemiae 168
 Colombia 141, 324
Columba arquatrix 409
Cometaster pyrula 26, 29
Commelina 194
 Commelinales 183
 Commonwealth
 Agricultural Bureau
 International 13, 193
 Institute of Biological Control 122, 130, 432, 439, 455
 of the Northern Marianas 139, 247, 465
 Scientific and Industrial Research Organization 469
 Compositae 130
 compostable 76
 Congo 12
 Democratic Republic of 135, 457
Conotrachelus
albocinereus 289, 296, 447
squalidus 413
 constraints, genetic 28
 contamination 6
 control
 biological 77, 189
 chemical 77
 mechanical 77
 mosquito 76
 Convolvulaceae 446, 474
Convolvulus arvensis 446
 Cook Islands 247, 469
Cornops aquaticum 194
 Corticiaceae 459
Corythaica cyathicollis 412
 Costa Rica 104, 163
Cosmophasis 251
 Côte d'Ivoire 134, 457
 countries
 developed 1
 developing 1
 crassulacean acid metabolism 108
 Crofton weed 63, 439
 cropland 248
Ctenopharyngodon idella 439
 Cuba 134
 Cucurbitaceae 2, 175
Cuphodes profluens 23, 25
 curiosities 108
Cyanotrica necryai 323
Cylindropuntia (Opuntia) 119
fulgida 119
imbricata 117, 119
rosea 119
 Cyperaceae 346, 446, 474
Cyperus rotundus 446, 474
 Cyphellaceae 44
Cyrtobagous
salviniae 389, 390, 396, 457
singularis 389, 390, 395
 Dacca 134
Dactylopius 110
austrimus 117
ceylonicus 1, 12, 114, 438, 439
coccus 108, 114, 438
elatii 439
opuntiae 439
tomentosa 114
tomentosus 117
Dahlia 289, 296
 dahlias 69
Dalbergia sissoo 440
 damage, insect 74
 Darwin river 91, 96
Dasineura 50
dielsi 50, 51
rubiformis 52
Dasiops caustonae 325
 defend leaf cells 146
 defoliation 286
 defoliators 263
 dermatitis, contact 276
Diameromicrus 68
kiesenwetteri 67
vibidia 68
Diaphania indica 176
Diastema tigris 442
 dichlorophneoxyacetic acid-2,4 189
Dichomeris 137
 die-back, shoot 46
Digitaria exilis 428
Dihammus argentatus 68
 Diptera 51, 65, 78, 142, 144, 150, 176, 194, 220, 222,
 324, 325, 366, 439, 473, 1-79a, 443
 Agromyzidae 144, 150, 176, 220, 222, 224, 439, 443
 Cecidomyiidae 50, 137, 366
 Chironomidae 194
 Chloropidae 194
 Dolichopodidae 194
 Drosophilidae 324
 Ephydriidae 194
 Syrphidae 51
 Lochaedae 325
 Tachinidae 473
 Tephritidae 65, 142, 176, 223, 439
 diquat 77, 189
 disease
 blowing 64
 Numinbah 64
 Tullebudgera horse 64
 disturbance 99

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

486

diversity
 benthic 187
 littoral 187
Dominican Republic 122
Draeculacephala inscripta 337
Dunn, Robert 467
Durban 135, 276
dyes 39

East Timor 13
Eccritotarsus catarinensis 192, 457
Echinochloa 346
ecological interactions 146
economic importance 164
economics
 biological control, of 9, 146, 233
effect of
 agents 180
 natural enemies 180
Egeria
 densa 101
 najas 95, 101
egg
 diapause 26
Egypt 75
Eichhornia
 azurea 458
 crassipes 2, 8, 10, 12, 183, 334, 383, 439, 441, 459, 469, 474
 natans 183
Eleusine coracana 428
Entre Rios 92
environment 88
environmental problems 276
Ephydriidae 100
Epiblema strenuana 282, 296, 443
 selective preference of 301
Epinotia lantana 222, 231, 442
Epipsamma 339
Eragrostis tef 428
erineum 145
Eriophyidae 137, 144
Eriopsis connexa 251
Eritrea 109, 121
Erythmelus teleonemiae 442
Ethiopia 11, 13, 109, 121, 274, 276, 354
Eugaurax setigena 194
Euglandina rosea 473
Eulocastra
 argentsparsa 432
 undulata 432
Eupatorium
 adenophorum 63
 glandulosum 63
 odoratum 130

Index

pasadense 63
 riparium 64
Eupatorieae 131
eupatory 63
Eupelmus 68
 allynii 67
 cushmani 67
 cyaniceps 67
Euphorbiaceae 455
Euproctis
 nr *trispila* 253
Eurema hecabe 253
Europe 39, 64, 74, 335, 385
Eurysthen obliquus 326
Eurytoma 67, 68, 432
 obtusiventris 67
 tephritidis 67
Eutreta xanthochaeta 223, 229, 231, 232
eutrophication 186, 341
Evippe
 sp. # 1 359, 369
extinction, native species 11

Fabaceae 440, 469
Falconia intermedia 224
FAO 362, 467
feeding behavior 296
fern
 aquatic 74
 heterosporous 75
fertilizers 188
 ammonia-based 74
Fiji 8, 12, 164, 175, 247, 468
filters, predictive 30
fire 20, 216
flavonoids 137
Flechtmannia eichhorniae 194
Fleischmannia microstemon 131
Florida 212, 334
 southern 132
flower feeders 261
fodder 20, 76
forests 64
Formosa 92
France 64
French Polynesia 247, 465
fuel 20, 39, 216, 217
fumonisin B1 431
fungal
 isolates 364
 pathogens 456
fungi 69
 arbuscular mycorrhizal 423, 430
 rust 280
furniture 39

- fusaric acid 431
 9, 10-dehydrofusaric acid 431
Fusarium 430
 acuminatum 430
 nygamai 430
 oxysporum 430
 semitectum 430
 verticilloides 430
 Futuna 247

Galeopsomopsis 67
 Gall 66, 142, 282
 development 46
 induction 51
 size 66
 Gambia, The 135
 Ganges floodplain 134
Gargaphia decoris 414
 genetic diversity 21
 genotypes (*Parthenium hysterophorus*) 280
 German Agency for Technical Cooperation 469
 germination rate 96
 Ghana 12, 139, 457
 glochidia 75
 glyphosate 77, 189, 410
Gmelina arborea 134
 goats 20, 64
 Gondwanaland 39
 grasslands, perennial 276
 Greece 64
 growth, maximum rates of 382
 Guadeloupe 122
 Guam 10, 12, 134, 139, 140, 233,
 247, 469
Guizotia abyssinica 282, 444
 gum 20
 arabic 39
 gummosis 44

Harrisia 117
 martini 117, 118
 haustoriogenesis 424
 haustorium development 424
 Hawaii 1, 7, 8, 10, 63, 68, 69, 109, 175, 233,
 319, 442
 Maui 64
 East 70
 Hawaiian Islands 64, 319
 HDRA 362
 health problems, animals, humans 276
Hedriodiscus sp. 100
 Heliantheae 289
Helianthus 289
 annus 282, 296

Helicosporidium 398
Heliothis 68
Hemiargus hanno 253
 Hemiptera 1, 44, 47, 78, 176, 192, 194, 220, 250, 251,
 258, 363, 366, 412, 414, 442, 455, 457
 Aleyrodidae 176
 Aphididae 100, 176, 337
 Aphidoidea 78
 Cicadellidae 337
 Coreidae 176, 258, 363
 Dactylopiidae 1, 108, 438
 Delphacidae 194, 291
 Dictyopharidae 194
 Membracidae 231, 363
 Miridae 44, 47, 192, 224, 457
 Pseudococcidae 455
 Psyllidae 27, 51, 364, 366, 447
 Psylloidea 250
 Reduviidae 251
 Tingidae 220, 223, 232, 412, 414, 442
 hemp agrimony 63
 herbicides 90, 277, 354, 388, 410
 herbivory-induced changes 140
Heteracles 326
Heteropsylla
 flava 364
 spinulosa 250, 251, 447
 Heteroptera 51
 Alydidae 51
 Anthocoridae 51
 Lygaeidae 51
 Pentatomidae 51
 Pseudococcidae 118
 Himalaya 65
 hippopotamus 384
Homichloda barkeri 25
 Homoptera 51, 108, 118, 291,
 337, 447
 Honduras 260
 host-specificity 264
 screening 79
 testing 45, 51
 hummingbirds 215
 Hungary 88
 Hyacinthaceae 183
 hybridization 22
Hydrocharis 339
 Hydrocharitaceae 88, 95, 99, 339
Hydrotimeles natans 100
Hydrellia 194
Hydrilla 103
 verticillata 99
Hydromus chrysogaster 90
Hylocereus 120

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

488

Hymenoptera 45, 52, 67, 68, 251, 258, 324, 432, 442, 446
 Braconidae 67, 168
 Chalcididae 168
 Eulophidae 67
 Eupelmidae 67, 68
 Eurytomidae 52, 67, 68, 258, 432
 Ichneumonidae 168
 Mymaridae 442
 Pteromalidae 45, 67, 68
 Torymidae 67, 68
 Trichogrammatidae 168, 324, 446
 Vespidae 251
 Hypocreaceae 459
 Hypocreales 298, 456, 458, 459
 Incertae sedis 458
Hypogeococcus festerianus 118, 121

Ibidion 326
 imazapyr 410
Imperata cylindrica 64, 137, 249, 454
 Incas 321
 India 1, 2, 7, 8, 11, 12, 13, 22, 64, 88, 109, 114, 134, 139, 217, 247, 340, 410, 438
 indigenous weeds
 biological control 446
 Indian subcontinent 17, 19, 75, 274, 276, 353
 Indonesia 20, 38, 134, 139, 164, 247, 340
 l'Institut d'Économie Rurale, Mali 457
 Inter-African Development Bank 11
 International Plant Protection Convention 467
 interest
 conflict of 11
 International Institute of Tropical
 Agriculture 2, 13, 453
 biological control of water hyacinth 456
 classical biological control in Africa 455
 International Mycoherbicide Programme 459
 Intraspecific variation
Lantana camara 211
 introduced natural enemies 180
 inundative biological control 456
 invasive 30, 39
Ipomoea
aquatica 446
batatas 428
carnea 446
palmata 446
reniformis 446
 Iran 20
 Iraq 20
 Ireland 76
 Islands
 In the Atlantic Ocean 409
 in the Indian Ocean 38, 409

Index

in the Pacific Ocean 38, 409
 isoxaflutole 250
 Israel 274
Isturgia
deeraria 27
disputaria 27
 Ivory Coast 12

 Japan 74, 88
 Java 139
Josia
fluonia 324
lingata 325
Junonia orithya 432

 Kalimantan 139
 Kenya 12, 26, 109, 121, 217, 274, 319, 354, 362, 399, 457
 kerosene, surfactant mixed 77
 Kosrae 139
 Kruger National Park 119

 Lake Victoria 12, 13, 195
 lakes 95
 lantana 1
Lantana
 biological control, future of 234
camara 2, 10, 12, 64, 137, 211, 212, 442, 468, 469, 474
 ecological inter-actions 225
hirsuta 212
montevicensis 212, 228
 selection of biocontrol agents 235
 spp. 97
 taxonomy 228
urticifolia 212
 variety of 229
Lantanophaga pusillidactyla 222, 230, 231
 Laos 134
 larvae, number of 66
 Leguminosae 256, 353
Lemna 80, 339, 384
 Lemnaceae 339
 Lentibulariaceae 94
Lepidocyrtus pistiae 337
 Lepidoptera 25, 26, 27, 44, 51, 68, 78, 101, 103, 116, 118, 137, 139, 140, 143, 166, 167, 177, 190, 191, 192, 194, 215, 251, 253, 259, 260, 264, 265, 282, 289, 290, 291, 323, 324, 325, 326, 337, 339, 359, 363, 389, 391, 398, 412, 432, 439, 442, 443, 446, 447, 469, 470, 473
 Acrolepiidae 412
 Arctiidae 101, 137, 139, 140, 145, 176, 253, 439
 Bucculatricidae 291
 Carposonidae 166
 Citheroniidae 251

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

Index

489

- Gelechiidae 137, 359
 Geometridae 24, 26, 27, 264, 265
 Gracillariidae 23, 25, 259, 325
 Heliconiinae 326
 Hepialidae 326
 Lasiocampidae 363
 Lycaenidae 253
 Momphidae 167
 Noctuidae 26, 68, 167, 194, 337, 339, 442
 Notodontidae (= Dioptriidae) 323, 324, 325
 Nymphalidae 143, 326, 432, 470
 Oecophoridae 326
 Pieridae 253
 Psychidae 44
 Pterophoridae 68, 222, 432
 Pyralidae 78, 100, 103, 115, 137, 167, 176, 190, 191,
 192, 324, 337, 389, 391, 398, 442
 Pyraustidae 116
 Sesiidae 176, 177, 260, 290, 447
 Tortricidae 44, 222, 282, 289, 442, 443, 446
 Xyloryctidae 258
 Zygaenidae 473
Leptobrysa decora 223, 230, 442
Leptoglossus australis 176
Lespesia 251
Leuciris fimbriaria 265
Levuana iridescens 473
 light
 availability 99
 penetration 99
Limmobium 339
 spongia 339
Liothrips urichi 165
Lippia 228
Liriomyza 176
Listronotus setosipennis 282, 286, 296
Lius poseidon 167
 livestock death 137
Longitarsus 150
 bethae 237
Lygidolon laevigatum 44

Macaria pallidata 260, 264
Macchiademus diplopterus 51
Maccullochella peelii mariensis 90
Macrodontomerus australiensis 68
 Madagascar 108, 109, 114, 121, 164, 274
Maidenia 103
 maize 248
Malacorhinus irregularis 265
 Malaysia 8, 12, 139, 247
 peninsular 164
 Malawi 12, 26
 Malvaceae 469
 management 7
 biological 7
 chemical 7
 cultural 7
 integrated 267
 mechanical 7, 336
 pest, integrated 12
 water quality 188
Mangifera indica 455
Manihot esculenta 455
Mansonia 336
 manufacture
 furniture 188
 paper 188
 pulp 217
 manure, green 74, 76
 Mariana Islands 7, 175
 Markham Valley, PNG 141
Maroga setiotricha 258
 maternal matings, frequency of 26
 Mauritania 12
 Mauritius 8, 10, 135, 247
 medicine 39
 folk 217
Megamelus scuttaris 194
Megastigmus 68
Megasts 116
Melanagromyza eupatoriella 150
Melanolestes 251
Melanterius 48
 acaciae 49
 maculatus 48
 servulus 43, 48, 51
 ventralis 43
 Melastomataceae 2, 469
Melittara 116
Melittia oedipus 176, 177
 host-specificity studies 177
Merremia peltata 169, 474
Mescinia
 nr parvula 145
 mesquite 353
 meristem, apical 66
Metarhizium anisopliae 456
Meteorus laphygmae 168
 metabolic sink 67
Metamasius spinolae 117
Metarhizium anisopliae 298
 Mexico 63, 69, 104, 142, 212, 260, 263, 288
 Gulf of 280
 Mexican devil 63
 Micronesia 8, 10, 12, 134, 139, 247
 Micronesian Islands 468
 microsporidia 141

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

490

Mictis profana 258, 363
 Middle-east 17, 19, 353
Mikania micrantha 6, 13, 131, 442, 469, 474
Mimorista pulchellalis 119
Mimosa
 asperata 259
 diplotricha 2, 8, 247, 447, 469, 474
 invisa 247
 pigra 2, 256, 259, 362
 agents 266
 biological control
 impact of
 opportunities 268
 Mimosaceae 2, 17, 247
 moisture regime 26
Mompha trithalama 167
Monochoria vaginalis 192
Moneilema 116
Monochoria africana 194
 Morocco 109
 mosquitoes, malaria-spreading 217
 Mozambique 26, 135, 274, 426
 Muridae 90
 Myanmar 134, 135
 mycoherbicides 430
 mycotoxins, human 431
 mycotoxin 431
Mycovellosiella
 lantanae 231
 lantanae 224
 Mycosphaerellaceae 224
Myrothecium roridum 458

Najas tenuifolia 88
 Najadaceae 88
 Namangana 339
 Namibia 12, 109
Nanaia 7.115.1
 ational Institute of Freshwater Fisheries Research N457
 natural enemies 140, 438
 naturalised taxa 237
Nealcidion bicristatum 412, 413
 Neilson, R. Captain 114
Neochetina 190
 bruchii 190, 441, 456
 eichhorniae 190, 441, 456, 469
Neohydronomus
 affinis 338, 341, 342, 343, 457, 469
 pulchellus 338
 Neolithic times 39
 Neotropics 259
 Nepal 20, 63, 64, 134, 274
Neptunia
 dimorphantha 261

Index

major 260
oleracea 259
plena 259
Neseaeprepida infuscata 266
 Netherlands, the 88, 211
 networks 454
 ASARECA 454
 COMESA 454
 FARA 454
 IAPSC 454
 EPAD N454
 Neuroptera 51
 Chrysopidae 51
Neurostrota gunniella 258, 259, 260
 New Caledonia 20, 48, 247, 465, 468
 New World 108
 New Zealand 8, 38, 64, 75, 319, 409
 Nicaragua 260
Nicotiana tabacum 428
 Nieu 247
 Nigeria 64, 139, 247, 457
 Nigerian Institute for Oil Palm Research 130
 Nile crocodile 136
Niphograptia albiguttalis 190, 191, 456
 Nitrogen
 availability 184
 deficient waters 74
 Northern Territory 17, 95
 Nostocaceae 74
 Nostocales 74
 nutrient concentrations 186
 Nymphaeaceae 92
 Nymphaeales 92
Nymphula 337
 (*Synclita*) *obliteralis* 78
 tenebralis 337
Nyssodryis 326

 Oceania 8, 64, 130, 131
Octotoma scabripennis 221, 231, 442
Odonna passiflorae 326
Oidaematophorus beneficus 68
 oil palm 248
 Olethreutinae 44
Olycella 116
Ophiomyia 220
 camarae 224
 lantanae 220, 230, 439, 442
 strigalis 432
Opius
 longicaudatus 67
 tryoni 67
Opuntia
 aurantiaca 12, 117, 118

- elator* 11, 121, 443
dillenii 114, 439
ficus-indica 11, 108, 117, 118, 362
monacantha 1, 12, 110, 438, 443
pascoensis 119
pubescens 119
species 8, 108, 443
stricta 119, 439, 443
stricta 118
Opuntioideae 115
ornamental 108
Ornithorhynchus anatinus 90
Ornithorhynchidae 88
Orobanchaceae 2, 423, 425, 443
Orobanche 443
Orthogalumna terebrantis 191, 441
Orthoptera 78, 194, 363, 389, 393, 399, 445
Acrididae 363
Pauliniidae 389, 393, 398, 445
Oryza
glaberrima 428
sativa 428
Oxyraches tarandus 363
oviposition 259
- Pacific
community 465
Islands 175, 247, 274
Plant Protection Organization 467
region 335
Palau 139, 247, 465
Pakistan 22, 25, 28, 274
Panama 259
Panicum spp. 103
Papua New Guinea 8, 12, 13, 48, 64, 134, 139, 183, 195,
253, 282, 340, 465
Department of Agriculture And Livestock 469
Paracles 100, 101
Paraguay 92, 409
Paraná 94
southern 92
Paraponyx diminutalis 100, 103
paraquat 77, 189
+ diuron 250
Paraserianthes lophantha 41, 43, 46
parasitism 46, 140, 143
parasitic alga 398
Pareuchaetes
aurata aurata 145
pseudoinsulata 137, 139, 439, 440, 469
species 140
Parthenium hysterophorus 2, 6, 11, 13, 274, 439,
443, 474
abiotic factors 298
climate matching 303
factors influencing biological control 297
establishment 297
natural enemies 297
field host range 303
future research 302
genetic impediments 301
impact of biological control 294
nontarget damage 295
pathogens on 276
plant genotypes 302
plant-vigor preference 301, 303
response to herbivory 302
simulation and system models 304
- Passiflora*
cv. *banana-poka* 321
biological control agents, selection 322
economics of biological control 322
mixta 321
mollissima 2, 319, 321
other stem-mining insects 326
terminata 321
triparteda 321
varieties in 321
Passifloraceae 2, 319
passion fruit, banana 319
pasture land 248
Patagonia 355
Paulinia acuminata 389, 393, 399, 445
peanuts 248
Pennisetum glaucum 428
pentatomid 44
Peradiniya 134
Percichthyidae 90
Pereskia aculeata 117, 118
Pereskioideae 118
Peru 108, 109, 134, 324
Petrophila drumalis 337
pH
eutral 1186
Phaeoramularia 69
Phenacoccus manihoti 455
phenological 21
Phenrica guérini 118
Phestinia costella 145
Philippines, the 64, 134,
139, 247
phoresy 144
Phragmites 346
phyllode 47
Phyllodineae 38
Phytomyza orobanchia 443
Pileolariaceae 45
pineapple fields 248

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

492

Pisces 439
 Cyprinidae 439
Pistia stratiotes 2, 10, 12, 332, 384, 457, 469
 Pistoioidea 332
 Pitcairn Islands 465
Plagiohammus spinipennis 223, 229, 231
 plant
 size 97
 vigor 66
 Plant Protection Research Institute 194
Platphalonidia mystica 289, 296
Platydemus 473
Platymopsis humeralis 258
Platyphora 412
 platypus 88
 Pleosporales 459
 Pleosporaceae 459
 Poaceae 64, 103, 249, 346, 457, 474
Poekilocerus pictus 363
 Pohnpei 8, 139
 poisoning 216
 choletasis 216
 hepatotoxicity 216
 photosensitization 216
 pollination, self 409
 Polyporales 459
Pontederia cordata 193
 Pontederiaceae 2, 183, 192, 193, 334, 383, 439, 469
 Portugal 64, 76
Portulaca oleracea 446
 Portulacaceae 446
 Port St. Johns 135
Potamogeton 88, 95
 ferrugineus 95
 gayi 95
 illinoensis 95, 101
 nodosus 95
 pusillus 95, 101
 Potamogetonaceae 88, 95
Praxelis clematidea 131
 predation 140, 143
 prickly pear 108
 Destruction Commission 115
 problematic 39
Procecidochares utilis 7, 12, 65, 439
Promecops campanulicollis 253
Prosopis 11, 353
 biological control 355, 364
 agents 364
 challenges for 358
 criteria for 358
 host specificity 360
 potential for new measures 371
 predicting efficacy 358

Index

cinerarea 360
 conflict (cost–benefits) 361
farcta 360
glandulosa 355
 glandulosa 355
 torreyana 355, 366
koelziana 360
 natural enemies 363
 introduced range 363
 native range 363
pallida 355, 363
ruscifolia 355
velutina 355, 366
Prosopidopsylla flava 366, 368
Prosopidium tuberculatum 224, 229, 231
Protonectarinia sylvleriae 251
Proxenus 339
Pseudolagarobasidium acaciicola 44
Pseudolampsis
 darwini 78
 guttata 78, 79
Psigida (Psilopigida) walkeri 251
 Pterophoridae 222
 public safety 88
Puccinia
 abrupta
 parthenicola 292, 447
 lantanae 230, 237
 melampodii 282, 292
 spgazzinii 469
 Pucciniaceae 224
 Puerto Rico 104
Pyrausta perelegans 323, 324

 Queensland 17, 26, 91
 central 288
 coastal regions 17, 28
 northern 90, 134
 southeast 97
 western 28

 r–strategist 423
 rangelands 64
Rastrococcus invadens 455
Rayieria 43, 47
 reclamation of wastelands 19
 regions
 temperate 1
 tropical 1, 2
 humid 2
 rehabilitation of degraded forests 19
 reservoirs 95
Reunion 162, 247
Rhytocamara 212

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

Index

493

- rice, upland 248
- riparian communities 183
- Rio de Janiero 114
- Risbecoma pigrae* 258
- Rhipsalis baccifera* 108
- Rhizobium* 42
- Rhizoctonia solani* 459
- Rhizosperma* 75
- rice cultivation, wetland 74
- rivers 95
- rodents 42
- root feeders 265
- Rhopalosiphum nymphaeae* 78, 100, 337
- rubber
- industry 217
 - plantations 248
- Rubus* spp. 97
- Rwanda 217
- Saipan 10
- Salbia* (*Syngamia*) *haemorrhoidalis* 442
- Salticidae 251
- Salvini, Antonio Maria 378
- Salvinia*
- auriculata* 378
 - complex 389
 - biloba* 378
 - hastata* 79
 - herzogi* 378
 - minima* 339, 378
 - molesta* 2, 7, 8, 10, 12, 97, 250, 335, 337, 378, 439, 444, 469
 - biological control 394
 - cost–benefit 400
 - impact of 386
 - integrated management of 400
 - invasion pathways 384
 - management of 388
 - utilization, possible 386
- oblongifolia* 378
- Salviniaceae 2, 97, 250, 335, 339, 378, 439, 444, 469
- Samoa 8, 247, 468, 469
- American 164, 247
- Samea multiplicalis* 337, 389, 391, 398
- Sameodes albiguttalis* 190, 456
- Santa Cruz Island, California 109
- Sarcolippia* 212
- Saudi Arabia 109
- savannas 38
- Scirpus* 346
- Scrophulariaceae 423
- Secretariat of the Pacific Community 2, 6, 13, 465
- challenges and opportunities 470
 - managing negative perceptions 473
- national capacity 470
- opportunities for weed biological control 474
- regional capacity 470
- seed
- banks 20, 42, 261, 423
 - reduction 53
- Selenicereus* 120
- semi-tropical areas 319
- Senecio jacobaea* 140
- Senegal 12, 426
- Senna obtusifolia* 228
- Septoria* 225
- passiflorae* 324
- sesquiterpene lactones 423
- Seychelle Islands 164
- Sibinia*
- aspera* 253
 - fastigata* 262
- Sida* 469
- acuta* 469
 - rhombifolia* 469, 474
- Singapore 164
- Smicronyx* 432
- albovariegatus* 432
 - dorsomaculatus* 432
 - guineanus* 432
 - lutulentus* 288, 443, 444, 447
 - umbrinus* 432
- Sminthopsis douglasi* 19
- snail 78
- soaps 39
- social forestry 19
- soil
- fertility 20
 - stored 42
- Solanum* 11
- erianthum* 409
 - granulo-leprosum* 409
 - mauritanum* 2, 11, 408
 - control economics and efficacy 416
 - prospects for biological control 416
 - melongena* 412
 - riparum* 409
 - verbascifolium* 409
- Solanaceae 2, 408
- Solomon Islands 8, 10, 12, 164, 233, 247, 469
- Somalia 274, 426
- Sorghum bicolor* 428
- South Africa 8, 10, 11, 12, 13, 22, 26, 27, 41, 64, 68, 75, 76, 88, 115, 122, 135, 139, 274, 353, 408
- soybeans 248
- species
- polytypic 21

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

494

Sphaeropsidaceae 225
 Sphaeropsidales 324
Sphagneticola halepense 474
 spiders 251
Spirodella 80, 339, 384
Spodoptera 337
 litura 68
 pecticornis 337, 339, 340, 343
 Sri Lanka 8, 10, 109, 114, 134, 139, 140, 164, 274, 340, 385
 standing water, permanent 88
 stem-boring agents 410
Stenocereus 120
Stenoptilodes taprobanes 432
 Stellenbosch 65
Stenopelmus
 brunneus 78
 rufinasus 12, 78
 sticky
 agrimony 63
 eupatorium 63
 snakeroot 63
Stobaera concinna 291, 296
 strains 48
 Stratiomyidae 100
Streptopelia chinensis 215
Striga 2, 423
 asiatica 423, 424, 425, 430
 aspera 428
 conservation biological control 430
 forbesii 426
 gesnerioides 424, 426
 herbivores 431
 hermonthica 423, 426, 430, 432
Strymon bazochii 229
 Stylommatophora 473
 Spiraxidae 473
 substrate type 95
 subtropical 2, 38
 subtropics 17, 134, 335
 succulent 108
 Sudan 426
 sugarcane fields 248
 Sulawesi 139
 Sumatra 139
 sunbirds 215
 sunflower 11, 289, 296
 sustainable 7
 development 11
 environmentally 11
 sustainability 151
 of *Azolla filiculoides* control 84
 sustainability 234
 environmental 2

Index

economic 2
 Swaziland 136, 274
 symbiosis 423
 sympatric 22
Synclita oblitalis 337
Syntomopus 67

Tacsonia 321
 Tahiti 64
 Taiwan 13, 134, 164, 247, 274
Tanyssphyrus lemnae 337
 tannin 20
 Tanzania 26, 135, 217, 457
Taosa inexacta 194
Taragama siva 363
 Tea 248
Teleonemia
 harleyi 232
 scrupulosa 220, 230, 231, 442
 Tephritidae 7, 65, 141, 222, 410, 439, 469
Temnocerus (Pselaphorhynchites) debilis 268
 temperate 2
 cool 88
 warm 38
 terpenoids 137
 Texas 109, 132, 212, 288
 Thailand 64, 134, 139, 164, 247, 340
Thecesternus hirsutus 280
Thrypticus 194
 Thysanoptera 51, 165
 Phlaeothripidae 165
 timber 20
 Timor 134
 West 139
 tolerance to high temperatures, low 74
 Togo 457
 tomatoes 248
 Tonga 468
Torymus umbilicatus 67
 translocation, disruption 231
Trathla flavororbitalis 168
 Trebouxiophyceae 398
Tribulus cistoides 469
 trichomes, leaf 75
Trichilogaster 45
 acaciaelongifoliae 43, 46
 signiventris 47
Trichogramma
 nr *higai* 168
Trichogrammatoidea bactrae 446
 triclopyr 410
 Trinidad 130, 139, 141, 142, 163, 389, 440
 Curepe 389

Cambridge University Press

978-0-521-87791-6 - Biological Control of Tropical Weeds using Arthropods

Edited by Rangaswamy Muniappan, Gadi V. P. Reddy and Anantanarayanan Raman

Index

[More information](#)

Index

495

- tropical 2, 38, 88
 agroecosystems 423
 lianas 321
 tropics 17, 335
 American 263
 dry 355
 humid 134
 Old World 2, 130, 426
 tsetse flies 217
Tucumania tapiacola 119
 turbidity 94
Typha 346
 Typhaceae 346
Tyria jacobaeae 140
- Uganda 187, 217, 457
 United Kingdom 76
 United States 88
 Agency for International Development 13
 Department of Agriculture 193
 eastern 74
 of America 109
 southern 175
 univoltine 46
 unpalatable 64
 Uredinales 282, 292
Uromycladium tepperianum 45
Uroplata
fulvopsutulata 230
girardi 221, 231, 442
 Uruguay 92, 212, 409
 river basins 94
 USA 10, 288
 gulf coasts 92
 southern 95, 130
Utricularia
breviscapa 94
foliosa 94
gibba 94
platensis 94
poconensis 94
- Vachellia* 17
Vallisneria 103
 Vanuatu 164, 247, 469
 vegetative propagules 97
 Venezuela 440
 eastern 139
 Laguna Grande 334
 western 320, 324
- Verbenaceae 2, 134, 211, 442, 468, 470
 Vietnam 20, 76, 134, 139, 247, 261, 274, 474
Vigna
subterranea 428
unguiculata 428
 vigour, plant 29
 volcanic soils 214
Vossia cuspidata 457
- Wallis 247
 water
 carbon dioxide, dissolved 95
 depth 97
 hyacinth 13
 movement 95
 pH 95
 quality 88
 rats 90
 turbidity 95
 Waterhouse, D. F. 468
 wattle wilt 44
 wattles 39
 weather patterns 140
 weeds 2
 West Indies 20, 75, 109
 Western Australia 17
Wolfia 384
 woodlands, open 38
 World Bank 13
- Xanthium* 282, 296
occidentale 297
strumarium 297, 474
Xanthoptera 339
 xenognosins 423
Xubida infusella 192
- Yap 8, 139
 Yemen 109, 121, 362
- Zambia 26
Zapriothrica
 nr *salebrosa* 324
Zatropis 67
Zea mays 428
 Zimbabwe 7, 26, 64, 109, 135, 189, 274,
 388, 457
Zygotemma bicolorata 282, 283, 296, 297, 443
 allopatric populations 297
 Zygothryaceae 469