

Index

- Abu Ghraib prison, 188
- aftershocks, 2, 16, 18, 20–1, 23–30, 32, 67, 85, 88, 98, 125, 128, 149, 152–3, 163, 166, 178, 221, 224, 229, 236, 257, 261, 265, 277
- alprazolam, 133, 135
- amnesia, 125
- analgesia as response to torture, 45
- animal responses to stress, 11
- earthquakes, 23
- anticipation of torture, 42
- Anticipatory Fears Scale, 32
- antidepressants for mass trauma survivors, 167–8
- anxiety
- uncertainty as a factor, 12
- anxiety disorders, 2
- control-focused behavioral treatment (CFBT), 98–9
- incidence, 13
- anxiety–depressive state, 12
- Anxiety reduction, 2, 87, 88, 133–40, 159, 162, 169, 192
- asphyxiation as torture, 189
- assessment of trauma survivors, 65
- earthquake survivors, 65
- Depression Rating Scale (DRS), 68–9
- Fear and Avoidance Questionnaire (FAQ), 67–8
- Screening Instrument for Traumatic Stress in Earthquake Survivors – Child Version (SITSES-C), 66–7
- Screening Instrument for Traumatic Stress in Earthquake Survivors (SITSES), 65–6
- misconception, 76
- research instruments, 75
- assessment of cognitive effects of trauma, 76
- Sense of Control Scale, 75
- structured assessment of PTSD and depression, 75
- Structured Interview for Survivors of Earthquake (SISE), 75
- Structured Interview for Survivors of Torture (SIST), 75
- Structured Interview for Survivors of War (SISOW), 75
- torture, 69
- war trauma, 69
- intervention outcomes, 74
- Screening Instrument for Traumatic Stress in Survivors of War (SITSOW), 69–70
- Avoidance
- Anxiety, 12
- Assessment
- Fear and Avoidance Questionnaire 65, 67–8, 205–6, 224–6, 261–3
- Behavior Checklist for Grief, 110–3, 246–7, 271–2
- Associations among helplessness, avoidance, and traumatic stress, 30–1
- Cost-benefit theory, 25–6
- Earthquake, 22–3
- Natural recovery
- Earthquake trauma, 26–8
- Torture trauma, 46–7
- Observational learning, 24–5
- Preparedness theory, 24
- Treatment, *See control-focused behavioral treatment*
- Beck Depression Inventory (BDI), 4, 68, 105, 111, 182
- Behavior Checklist for Grief (BCG), 110–13, 114, 116–117, 123
- benefit rate, 148
- blindfolding, 40, 41, 48, 52, 60, 82
- Buddhist training, 137
- burial rites, 114–15
- Calming, 162
- captivity, 39
- coping with, 44–6
- falling captive, 39–40
- natural recovery, 46–7
- care issues for mass trauma survivors, 157
- antidepressants, 167–8
- cost-effective care, 159
- cross-cultural validity, 166–7
- developing countries, 159–60
- implications for CBT, 168–70
- industrialized countries, 160–1
- intervention guidelines, 162
- aims, 162–3
- focus, 164–5
- levels of intervention, 163–4
- timing, 165–6
- social recovery, 161–2
- state-of-the-art treatment, 157–9
- catastrophic cognition, 31–3
- Centre for Victims of Torture in Nepal* (CVICT), 177
- Centre Medico-Psychosocial pour des Personnes Exiles et pour des Victims de Torture* (EXIL), 177
- Centro de Atencion Psicossocial*, 177
- cerebrovascular stroke, 13
- child survivors of mass trauma, CFBT
- delivery, 241
- session 1, 242
- subsequent sessions, 242
- progress table, 242–2
- traumatic stress symptom checklist, 241–2
- children
- control-focused behavioral treatment (CFBT), 101–2
- CIA, 188
- Clinician Administered PTSD Scale (CAPS), 179
- Clinician's Global Impression-Improvement Scale, 184
- Clinician-Administered PTSD Scale (CAPS), 30, 54, 66, 100, 111, 128, 179
- cognitive behavioral therapy (CBT)
- treatment for mass trauma survivors, 157–8, 168–70
- cognitive factors
- war and torture trauma, 57–9
- Combat experience, 39, 50, 53–4, 59

- compliance with treatment, 93–94, 97, 99, 102, 136
- complicated grief treatment (CGT), 122
- control over stressor events, 11–13, 46, 79, 86, 136, 137, 150
- control versus self-efficacy, 136
- control-focused behavioral treatment (CFBT), 1–3, 79, 147
- assessment pre-treatment, 79–80
- case vignettes
- earthquake simulation treatment, 105–8
 - earthquake trauma, 96–7
 - psychosis, 99
 - torture, 82–3
- children, 101–2
- delivery manual, 147
- earthquake simulation treatment, 103–5
- evidence base, 3–6
- explaining treatment and rationale, 83
- addressing the survivor, 84–6
 - clarifying need for treatment, 83–4
 - how the treatment works, 86–9
- first session
- 1 – identifying trauma and avoidance behaviors, 80–3
 - 2 – explaining treatment rationale, 83–9
 - 3 – defining tasks and self-exposure instructions, 89
 - 4 – closing the session, 93–4
- group single sessions, 102–3
- closing the session, 103
 - defining goals and self-exposure, 103
 - explaining rationale, 103
- issues in treatment, 97
- anxiety disorders, 98–9
 - co-morbid depression, 97–8
 - comorbid medical conditions, 101
 - flashbacks, 99–101
 - psychosis, 99
 - substance abuse, 99
 - suicide risk, 98
- single-session treatment for earthquake survivors, 102
- group, 102–3
 - individual, 102
- subsequent sessions, 94
- therapist-administered live exposure, 94–6
 - treatment when fear isn't the main problem, 96
- termination, 97
- coronary heart disease, 13
- cruel, inhuman, and degrading treatment (CIDT), 52, 53, 55, 60, 189
- compared with physical torture, 190
- depersonalization, 45
- depression, 220–1
- control-focused behavioral treatment (CFBT) comorbid to traumatic stress, 97–8
 - loss of close ones, 15
 - traumatic stress reaction, 14
 - uncertainty as a factor, 12
- Depression Rating Scale (DRS)
- earthquake trauma survivors, 68–9
 - war trauma survivors, 70
- deprivation of basic needs, 39, 43, 51–2, 60
- derealization, 45
- detachment, 110, 125, 128
- detention. *See* captivity
- Detention incommunicado, 40
- developing countries, disaster survivor care, 159–60
- diabetes, 13
- drowning, threats of, 42
- earthquake preparedness activities, 150
- disseminating treatment knowledge, 150–1
- Earthquake Simulation Treatment, 103–5
- case vignettes, 105–8
 - experiment to test efficacy, 128
 - resilience building, 151–2
 - randomized controlled trial, 128–9
- earthquake, torture, war trauma comparison
- duration and severity, 178
 - psychological impact, 178–9
 - severity of mental problems, 179–80
 - impunity, 180–1
 - mechanisms of traumatization, 181
 - response to treatment, 181–7
 - case vignettes, 182–3, 185
- earthquake trauma recovery, CFBT
- delivery manual, 218
 - assessing traumatic stress problems, 223
 - assessing severity of fear and avoidance, 224–6
 - conditions requiring specialist attention, 226–8
 - fear and avoidance questionnaire, 224–5
 - impact of fear and avoidance, 226
 - summary, 228
- traumatic stress symptom checklist, 223–4
- treatment need, 226
- beating fear and distress, 229
- anti-avoidance instructions, 230–1
 - closing session, 233, 236
 - dealing with less common problems, 238–40
 - dealing with problems that impede progress, 235–6
 - evaluating improvement, 234
 - explaining treatment, 229–30
 - homework exercises, 231–2, 235
 - involving close ones in treatment, 233
 - monitoring progress, 234
 - progress table, 234–5
 - session 1, 229
 - summary of treatment procedures, 240
- children, 241, 242
- progress table, 242–2
 - traumatic stress symptom checklist, 241–2
- prolonged grief
- assessment, 245
 - behavior checklist, 246–7
 - grief assessment scale, 245–6
 - identifying problem behaviors, 246
 - resuming normal life, 252
 - terminating treatment – closure of grief process, 252
 - treatment need, 247
 - treatment order, 248
 - treatment procedure, 248–53
 - treatment summary, 253
- single session treatment, 243
- explaining treatment, 243–4
 - goals and anti-avoidance instructions, 244
 - groups, 243
 - individuals, 243
 - session closing, 244
 - session opening, 243
- understanding traumatic stress, 219
- avoidance, 219–20
 - depression, 220–1
 - fear and avoidance, 221
 - fear of earthquakes, 221–2
 - hyperarousal symptoms, 220
 - non-avoidance of fear and distress, 222–2
 - re-experiencing trauma events, 219
- earthquake trauma recovery, self-help manual, 254
- assessing grief, 258
 - grief assessment scale, 258–9

Cambridge University Press

978-0-521-88000-8 - A Mental Healthcare Model for Mass Trauma Survivors: Control-Focused Behavioral Treatment of Earthquake, War, and Torture Trauma

Metin Basoglu and Ebru Salcioglu

Index

[More information](#)

Index

- earthquake trauma recovery (cont.)
 normal grief, 259
 treatment need, 259–60
 assessing traumatic stress problems, 256
 depression, 257
 traumatic stress symptom checklist, 256–7
 treatment need, 257–8
 beating fear and distress, 265
 difficulty confronting distress, 268–9
 distress caused by reminders, 267–8
 fear of buildings, 265–7
 fear of earthquakes at home, 267
 identifying avoidance behaviors, 265
 involving close ones, 269
 starting treatment, 269
 dealing with other problems that impede treatment, 277
 dealing with treatment problems, 275
 flashbacks, 276–7
 increasing stress, 275
 panic attacks, 276
 worsening depression, 275
 evaluating progress, 269
 improvement timescale, 270
 progress table, 269–70
 prolonged grief, 271
 Behavior Checklist for Grief (BCG), 271–2
 defining closure point, 273
 defining treatment tasks, 272
 evaluating treatment progress, 273–4
 improvement timescale, 274
 resuming normal life activities, 273
 treating traumatic stress and grief together, 273
 treatment timeframe, 273
 working on tasks, 272–3
 treatment mechanisms, 261
 anti-avoidance instruction, 264–7
 avoidance behavior, 261
 coping with fear, 264
 distress associated with memories, 261
 fear and avoidance questionnaire, 262–3
 fear of earthquakes, 261
 role of fear in traumatic stress, 263
 treatment principle, 264
 self-help treatment suitability, 260
 warnings, 260
 earthquake survivors
 control-focused behavioral treatment (CFBT)
 anti-avoidance instructions, 89–90
 identifying trauma and avoidance behaviors, 80–1
 overcoming trauma-related distress, 90
 screening, 65
 Depression Rating Scale (DRS), 68–9
 Fear and Avoidance Questionnaire (FAQ), 67–8
 Screening Instrument for Traumatic Stress in Earthquake Survivors – Child Version (SITSES-C), 66–7
 Screening Instrument for Traumatic Stress in Earthquake Survivors (SITSES), 65–6
 single-session CFBT, 102
 group, 102–3
 individual, 102
 earthquake survivors, a mental healthcare model, 143, 150–54
 alternative treatment dissemination methods, 147
 CFBT delivery manual, 147
 mass media, 149–50
 self-help manual, 147–9
 outreach treatment delivery program, 143–5
 applications in primary care and outpatient settings, 146–7
 cost-effectiveness, 145–6
 post-disaster phase, 152–3
 disseminating treatment knowledge, 153
 long-term mental healthcare programs, 154
 outreach programs, 154
 settlement of displaced survivors, 153–4
 pre-disaster phase, 150
 disseminating treatment knowledge, 150–1
 enhancing resilience, 151–2
 stages, 151
 therapist time cost comparison of treatments, 146
 earthquake trauma,
 learning theory formulation, 11
 natural recovery processes, 25–6
 case vignette, 26–8
 cognitive and behavioral responses, 18
 avoidance, 22–3
 fatalistic thinking, 22
 quest for safety, 18–20
 reliance on safety signals, 20–1
 fear of earthquakes from an evolutionary perspective, 23–4
 observational learning of fear, 25
 preparedness theory, 24
 mechanisms of traumatic stress, 28
 associations among helplessness, avoidance and traumatic stress 30–1
 catastrophic cognitions, 31–3
 helplessness and hopelessness, 28
 resource loss, 14
 earthquakes, 1
 aftermath, 18
 aftershocks, 18
 stressors, 17–19
 exposure to earthquake stressors
 scale, 17
 unpredictability and uncontrollability, 16
 Turkey (1999), 2, 16, 18
 fear of, 3
 field surveys of survivors, 5
 initial major shock, 16–18
 effectiveness rate, 147
 efficacy of CFBT, 125, 140
 children, studies with, 132–3
 clinical trials, effect sizes, 130
 compared with other treatment for PTSD, 129–31, 138
 earthquake simulation treatment experiment, 128
 earthquake simulation treatment randomized controlled trial, 128–9
 meta-analytic comparison of studies, 129
 new intervention versus a variant of exposure therapy, 137
 aims of treatment, 137–9
 primary treatment method and presumed mechanism, 139
 procedures, 139–40
 techniques, 139
 open trial, 125–7
 randomized controlled trial of single session CFBT, 127–8
 self-help manual, 131–2
 electric shocks administered to the body, 42
 emotional numbing, 125, 128, 129, 169, 220
 emotional support, 14, 15
 Emotions and Beliefs after War (EBAW) questionnaire, 57, 59, 76, 180
 endogenous opiate release during torture, 45
 Endorsement rate of fear an helplessness responses, 29, 53, 56

- executions, sham, 41, 42, 51, 52, 60
 Exposure to Torture Scale, 48, 52, 53, 75, 178
 Exposure to War Stressors Scale (EWSS), 54, 75, 178
 Exposure treatment
 Compared to control-focused behavioral treatment, 137
 Aims in treatment, 137–9
 Treatment method and mechanism of change, 139
 Treatment procedures, 139–40
 Treatment techniques, 139
 Cognitive change, 123, 163, 187
 Context-dependency of habituation, 87
 Cost-effectiveness, 145–6
 Drug treatment, combined, 168
 Human-made trauma, 181–2
 Limitations in torture and war trauma, 194
 Mechanisms of recovery, 133–7
 Meta-analytic comparison of PTSD treatments, 130–1
 Processes of change, 2–3
 Prolonged grief, 122–3
 Enhancing efficacy, 168–70
 Sense of control, 168–9
 Live exposure vs other treatment techniques, 169
 Redundant treatment procedures, 170
 extinction model of anxiety reduction, 133
 Eye Movement Desensitization and Reprocessing (EMDR), 158

 falaqa, 42, 45, 50, 51, 52
 family members
 assisting in grief, 117
 Fear and Avoidance Questionnaire (FAQ), 67–8, 205–6, 224–6, 261–63
 fear and distress, overcoming
 dealing with less common problems, 238
 flashbacks during homework, 239
 increasing symptoms, 238
 worsening depression, 238
 monitoring progress, 234
 session 1, 229
 involving close ones in treatment, 233
 step 1 – explaining treatment, 229–30
 step 2 – anti-avoidance instructions, 230–1
 step 3 – homework exercises, 233
 step 4 – closing session, 233
 session 2
 closing session, 236
 dealing with problems that impede progress, 235–6
 evaluating improvement, 234
 homework exercises, 235
 progress table, 234–5
 session 3, 236–8
 session 4, 238
 summary of treatment procedures, 240
 Fear and Loss of Control Scale, 28, 53, 56
 flashbacks
 control-focused behavioral treatment (CFBT), 99–101
 fluoxetine, 126, 167
 forced stress positions, 43, 52, 60, 83, 185
 friends
 assisting in grief, 117
 funding organizations for torture rehabilitation, 193–4
 funerals, 114–15, 183, 184

 good cop/bad cop strategy, 40
 grief, 15
 Grief Assessment Scale (GAS), 110–13, 123
 grief, normal, 247, 258, 259, 272
 grief, prolonged, 65, 69, 80, 97, 110, 123, 147, 245–53, 258–60, 271–4
 assessment, 110–13, 245, 258
 behavior checklist, 110–3, 216, 246–7, 271
 grief assessment scale, 110–3, 215, 245–6, 258–9
 problem behaviors, 114, 246, 271
 symptom severity, 245
 treatment need, 247, 259
 treatment order, 248, 273
 case vignettes, 118
 death of child in earthquake, 118
 death of child in earthquake – father's treatment, 119–21
 death of child in earthquake – mother's treatment, 118–19
 comparison of CFBT with other treatments, 122–3
 preliminary evidence of CFBT effectiveness, 121–2
 resuming normal life, 252, 273
 terminating treatment – closure of grief process, 117, 251–2, 273
 treatment, 113, 248, 271
 1 – identifying problem behaviors, 113, 246, 271–2
 2 – explaining treatment and rationale, 114–15, 248
 3 – defining exposure task and self-exposure instructions, 115–16, 248, 272
 4 – subsequent sessions, 116–17
 5 – defining closure, 117, 251–2, 273
 dealing with problem that impede progress, 251–2
 evaluating homework exercises, 250–1
 explaining treatment, 248
 homework exercises, 248–50
 involving close ones, 250
 monitoring progress, 250–2, 273–4
 outcomes, 122
 progress table, 250, 274
 summary, 253
 Guantanamo, 47, 60, 81, 188, 190

 Habituation, 2, 6, 40–1, 133–5, 138–40, 182, 194
 helplessness, learning theory formulation, 11–3
 interrogations, 40–2
 helplessness and hopelessness, mechanisms of earthquake trauma, 28–30
 torture trauma, 40–1
 hooding, 40, 60
 hopelessness in response to unavoidable stress, 12
 human responses to traumatic stress, 11–13
Human Rights Foundation, 177
 humiliation, 42
 hunger strikes, 46
 hyperarousal symptoms, 80, 125, 160, 220
 hypertension, 13

 identifying need for treatment 70
 priorities in treatment planning, 74
 PTSD and perceived need for help, 70–3
 immune system dysregulation, 14
 impossible choice technique, 41
 industrialized countries, disaster survivor, 160–1
 insults. *See* verbal abuse
 International Rehabilitation Council for Torture Victims (IRCT), 177
 interrogation, 39–47
 psychological manipulations, 40–2
 interrogator–captive relationship, 40–45
 Intervention outcomes, 74–5
 irreversibility of torture, threatened, 43

Cambridge University Press

978-0-521-88000-8 - A Mental Healthcare Model for Mass Trauma Survivors: Control-Focused Behavioral Treatment of Earthquake, War, and Torture Trauma

Metin Basoglu and Ebru Salcioglu

Index

[More information](#)

Index

- learned helplessness, 11, 12, 28, 47, 188–9
- learning theory, 11
torture and war trauma, 39, 59–61
traumatic stress model, 11–13, 33
- loss of close ones, 12, 15, 16, 22, 28, 113, 186, 234, 267
- mass media
disseminating treatment knowledge
pre-disaster phase, 150
post-disaster phase, 153
role in social recovery from earthquakes, 161–2
- mechanisms of recovery using CFBT, 133–7
- Medical Foundation for the Care of Victims of Torture*, 177
- Medical Rehabilitation Centre for Torture Victims*, 177
- Mevlevi Order of Islamic Sufism, 137
- mirtazapine, 167
- mourning rituals, 114–15
- myocardial infarction, 13
- nakedness in captivity, 41
- Narrative Exposure Therapy (NET), 158–9
- natural disasters versus man-made trauma, 178–87
blame and impunity, 180–1
duration and severity, 178
emotional responses to perceived impunity, 181
mechanisms of traumatic stress, 181
psychological impact, 178–9
rates of psychiatric conditions comorbid with PTSD, 180
rates of psychiatric diagnoses, 179
response to treatment, 181–7
severity of mental health outcomes, 179–80
- New World Order, 1
- noradrenergic and specific serotonergic agents (NaSSA), 167
- observational learning of fear, 24–5
- olanzapine, 167
- panic disorder, 31, 99, 134, 135, 169
- paroxetine, 167, 168
- Patient's Global Impression-Improvement scale, 121, 184
- pessimistic attributional style, 12
- physical effects of stress, 13
- posttraumatic stress disorder (PTSD)
assessment
Traumatic Stress Symptom Checklist (Earthquake version), 65–6, 200, 223–4, 256–7
Traumatic Stress Symptom Checklist (Child earthquake version), 67, 203, 241
Traumatic Stress Symptom Checklist (War version), 69–70, 209
Clinician-Administered PTSD Scale (CAPS), 75
association with perceived need for treatment, 70–4
association with perceived need for help, 70–3
cross-cultural validity, 166–7
cross-cultural variation, 166–7
emotional and social support, 14–15, 47
learning theory formulation, 11–13
natural recovery
earthquake trauma, 25–8
torture trauma, 46–7
predictors
cognitive factors
earthquake trauma, 16, 31–2
war and torture trauma, 16, 57–60
fear and helplessness
earthquake trauma, 30–1
torture trauma, 53–5
war and torture trauma, 59–60
loss of close ones, 15
resilience and captivity context in torture trauma, 53
resource loss, 14–15
social and emotional support, 14–15, 47
predictors
fear and helplessness, 30–1, 53–4, 56–7, 59
resilience and captivity context, 53
treatment
antidepressants, 126–7, 167–8
cognitive behavioral-treatment, 157–8
control-focused behavioral treatment, 80–97
exposure treatment, 157–8
eye-movement desensitization and reprocessing, 158
narrative exposure therapy, 158–9
preparedness theory, 24
Primo Levi, 177
Prisoner-of-war (POW), 50, 53, 54, 56, 60
psychological debriefing, 74, 157, 159–60, 193
Psychological Preparedness for Torture Scale, 47
psychosis
control-focused behavioral treatment (CFBT), 99
rape, threatened or actual, 39, 41, 42, 48, 51, 52, 54, 59, 60
recovery processes, natural, 13, 25–8, 46–7
recovery processes, spontaneous, *See* natural recovery processes
Redress for Trauma Survivors Questionnaire (RTSQ), 57, 76, 180
reductionist medicalising, 188
Refugee, 1
Control-focused behavioral treatment, 83, 99, 182–7
Experience as predictor of PTSD, 59
Rehabilitation centers, 177–8
Rehabilitation issues, 187–94
Lack of evidence-based thinking, 190
Lack of scientific approach, 187
Limitations of evidence-based treatments, 192–3
Problems in using evidence-based treatments, 194
Reinforcement of helplessness and secondary victimization, 191
Resistance to brief treatments, 193
Resistance to exposure treatment, 192
Role of funding organizations, 193
Rehabilitation and Research Centre for Torture Victims, 177, 194
Resilience, 137
Resilience-building, 137
assessment, 47, 50
against traumatic stressor, 2, 28, 46–7, 88–90, 99, 125, 129, 135, 137–8, 151–3, 162, 163, 164, 166, 167, 182, 192, 230, 240, 255, 264, 268
captivity and torture, 6, 50, 51, 53, 54, 179
war trauma, 56, 59–60
political activists, 44, 46, 47, 85
resource loss, 14, 15
risperidone, 167
Screening Instrument for Traumatic Stress in Earthquake Survivors – Child Version (SITSES-C), 66–7, 202–4
Severity of Disability Scale – Child Version (SDS-C), 67, 204

- Survivor Information Form – Child Version (SIF-C), 67, 202
- Traumatic Stress Symptom Checklist – Child Version (TSSC-C), 67, 203, 241
- Screening Instrument for Traumatic Stress in Earthquake Survivors (SITSES), 65, 199–201
- Severity of Disability Scale (SDS), 66, 201
- Survivor Information Form (SIF-E), 65, 199
- Traumatic Stress Symptom Checklist (TSSC-E), 65–6, 200, 223–4, 256–7
- Screening Instrument for Traumatic Stress in Survivors of War (SITSOW), 69, 208–10
- Severity of Disability Scale, 70, 210
- Survivor Information Form (SIF-W), 69, 208
- Traumatic Stress Symptom Checklist (TSSC-W), 69–70, 209
- secondary victimization, 191–2
- selective serotonin reuptake inhibitors (SSRIs), 167, 168
- self-efficacy, 14, 134, 136, 137
- self-help manual for CFBT, 131–2, 147–9, 254–77
- self-treatment, 148
- Sense of Control Scale, 75, 76, 214
- SERE (Survival, Evasion, Resistance, and Escape) program, 47, 137, 188
- serotonin-norepinephrine reuptake inhibitors (SNRIs), 167
- sertraline, 126, 167, 185
- Severity of Disability Scale (SDS), 66, 70, 201, 210
- Severity of Disability Scale – Child Version (SDS-C), 67, 204
- sexual assault, 41, 60
- stressors during an earthquake, 17
loss of postural control, 17
visual and auditory stimuli, 17
- sham executions, 41, 48, 51, 52, 60, 83
- sharing torture experiences, 46
- sleep deprivation, 43, 49, 52, 60, 185
- social recovery from mass trauma, 161–2
- social support, 14
- solitary confinement, 43, 46, 49, 51, 52, 60, 137
- stripping naked, 41, 49, 52, 82
- Structured Interview for Survivors of Earthquake (SISE), 75
- Structured Interview for Survivors of Torture (SIST), 75
- Structured Interview for Survivors of War (SISOW), 55, 75
- substance abuse
control-focused behavioral treatment (CFBT), 99
- suicide risk, 13
control-focused behavioral treatment (CFBT), 98
- Survivor Information Form (SIF-E), 65, 199
- Survivor Information Form (SIF-W), 69, 208
- Survivor Information Form – Child Version (SIF-C), 67, 202
- Tablet Attributions Questionnaire, 134
- Tawakkul, 22
- torture, 39
cognitive factors, 16, 57–9
contextual factors of captivity, control-focused behavioral treatment (CFBT)
anti-avoidance instructions, 90
case vignettes, 82–3
focused self-exposure, 91–3
identifying avoidance behaviors, 81–3
overcoming torture-induced fear and distress, 91
coping with, 44–6
during interrogation, 40–2
incidence, 1
learning theory model, 39, 59–61
natural recovery, 46–7
prevention and rehabilitation lack of progress, 187
lack of evidence-based thinking, 190–1
lack of scientific approach, 187–90
limitations of evidence-based treatments, 192–3
problems with evidence-based rehabilitation, 194–5
reinforcement of helplessness and secondary victimization, 191–2
resistance to brief treatments, 193
resistance to exposure treatments, 192
role of funding organizations, 193–4
psychological responses to, 43–4
rehabilitation, 177
case studies, 182–7
recommendations, 195
state of the art, 177–8
scientific evidence, 47–55
control and distress, 51
fear and helplessness as predictors of PTSD, 53–4
resilience and captivity context as predictors of PTSD, 53
resilience and captivity context in control, 51–2
resilience and distress, 50–1
sample characteristics, 48
stressor interactions, 52–3
screening of survivors, 69
Depression Rating Scale (DRS), 70
identifying need for treatment, 70–4
intervention outcomes, 74
Screening Instrument for Traumatic Stress in Survivors of War (SITSOW), 69–70
torture of loved ones, 42
torture stressors
deprivation of basic needs, 43, 49
fear inducing psychological manipulations, 40–2, 48
humiliating treatment, 42, 49
physical pain / discomfort, 42–3, 48
sexual torture, 49
Traumatic Stress Symptom Checklist – Child Version (TSSC-C), 67, 203, 241
Traumatic Stress Symptom Checklist (TSSC-E), 65–6, 200, 233–4, 256–7
Traumatic Stress Symptom Checklist (TSSC-W), 69–70, 209
ulcers, 13
United Nations High Commissioner for Refugees (UNHCR), 1, 182, 185
venlafaxine, 167
verbal abuse, 42, 49, 50, 52, 82, 185
vigilant avoidance, 25
war on terror, 1, 190
war trauma
cognitive factors, 16, 57–9
control-focused behavioral treatment (CFBT)
anti-avoidance instructions, 91
identifying avoidance behaviors, 81–3

Cambridge University Press

978-0-521-88000-8 - A Mental Healthcare Model for Mass Trauma Survivors: Control-Focused Behavioral Treatment of Earthquake, War, and Torture Trauma

Metin Basoglu and Ebru Salcioglu

Index

[More information](#)

Index

- war trauma (cont.)
 - focused self-exposure exercises, 91–3
 - therapist-administered live exposure, 95–6
 - learning theory model, 39, 59–61
 - rehabilitation, 177
 - case vignette, 182–4
- recommendations, 195
- scientific evidence, 54
 - associations among resilience, loss of control and distress, 54
 - fear and helplessness, 54
 - helplessness and PTSD, 56–7
 - sample characteristics, 54
- war-related stressors, 55–6
- waterboarding, 81, 188, 189
- witnessing other people being tortured, 41, 48, 51, 52, 54, 60
- World Health Organization (WHO), 1, 164, 194