

Index

- aa (lava), 62, 64
 absolute age determination:
 basic working equation for, 298
 blocking temperature, 301, 304, 575
 by the following method:
 ⁴⁰argon–³⁹argon, 301
 fission track, 303
 hafnium–tungsten, 302
 lutetium–hafnium, 303
 potassium–argon, 301
 rhenium–osmium, 302
 rubidium–strontium, 299
 samarium–neodymium, 301
 uranium–lead, 299–301
 concordant, 299
 concordia plot, 300
 discordant, 299
 isochron, 299
 using electron microprobe analyses of
 monazite, 303
 using zircon crystals, 300
 Abukuma-type metamorphic facies series, 470
 acceleration of gravity (g):
 on Earth, 6
 on Moon, 27
 accessory minerals, 19, 133
 accretion of Earth, 10, 585
 ACF diagram (*see* compatibility diagrams, ACF)
 achondrites (*see* meteorites)
 across-layer fluid infiltration, 529, 530, 540–544
 activation energy:
 for diffusion, 124
 for nucleation, 269
 mechanical, 168, 170–176
 metamorphic reactions, 534
 viscous flow, 25
 activity (nonideal solution), 184, 209
 coefficient, 184
 diagram, 520–521
 of silica in magma, 355
 accumulate (*see* igneous cumulates)
 adiabat:
 in core, 6
 in mantle, 11
 adiabatic:
 decompression melting, 236, 237, 593–595
 due to meteorite impact, 409
 melt productivity, 238, 593
 primary cause for formation of igneous rocks,
 593
 gradient, 325
 phase relations, 236–239
 process, 156
 Adirondacks, New York State, 434,
 556, 578
 advection, 123
 of fluids and formation of rocks, 595–598
 of fluids, metamorphism (*see* fluid flow,
 metamorphic; mass transfer,
 metamorphic fluids; time-integrated
 fluid flux)
 of heat (*see* heat flux)
 of heat, metamorphism (*see* pressure–
 temperature–time paths)
 Afar, Ethiopia:
 Dabbahu volcano, 34, 74, 391
 Erte'ale volcano, 61, 391, 392
 flood basalts, 381
 rift, 57, 391
 AFM diagram (*see* compatibility diagrams; AFM)
 age of:
 accretion of planet Earth, 10, 585
 core formation, 304
 crust:
 based on similar ¹⁴³Nd/¹⁴⁴Nd in rocks and
 chondritic meteorites, 306
 based on oxygen isotopes in zircon, 285
 Earth, 6
 igneous-rock forming periods on global
 scale, 584
 mantle formation, based on ¹⁴²Nd/¹⁴⁴Nd, 305
 Moon-forming impact, 10, 304
 agglomerate, 70
 AKF diagram (*see* compatibility diagrams; AKF)
 albite:
 configurational entropy change of high–low
 inversion of, 157–158
 solubility of CO₂ in molten, 247
 solubility of H₂O in molten, 246
 water-saturated solidus, 251, 252
 algae and oxygen production, 398
 Aleutian arc, Alaska:
 variation in composition along, 378
 volcano spacing, 51
 alkali feldspar:
 phase relations, 213–215
 thermodynamic mixing properties, 193
 alkali olivine basalt (*see* igneous rocks)
 alkaline igneous rock, 143, 220–223
 depth of origin, 606, 607
 Alkemade's theorem, 220, 233
 alnöite, 394
 alpha (α) particle, 11, 296
 alpine peridotites, 371
 Al₂SiO₅ polymorphs, 13
 andalusite (chiastolite) photomicrographs, 13,
 418, 438
 textural sector zoning in chiastolite, 289
 kinetic rates of transformation and reaction
 paths, 416, 419, 452, 521–522, 535
 kyanite photographs, 416, 418, 419, 461, 536
 petrogenetic grid, 420, 452
 relation to geothermal gradient, 414–415
 sillimanite, 13
 photographs, 416, 418, 419, 536
 alteration (*see* hydrothermal alteration)
 amphibole (*see also* hornblende)
 photomicrographs, metamorphic rocks, 421,
 541, 561
 stability limit coincides with source of
 subduction-related volcanism, 610
 amphibolite (*see* metamorphic facies)
 amygdale (also amygdule), 64
 anatexis, 608 (*see also* migmatite, partial melting,
 metamorphism)
 andalusite (*see* Al₂SiO₅ polymorphs)
 andesite:
 associated with convergent plate boundaries,
 375, 376
 origin of, 609–611
 blocky lava flow, McKenzie Pass, High
 Cascades, Oregon, 68
 definition, 141
 in composite volcanoes, 68
 magma, 16
 formed by partial fusion of hydrous lherzolite,
 606
 magma temperatures, 611
 magma viscosity, 24
 phenocrysts in, 376
 disequilibrium amongst, 377
 water activity high in source, 611
 xenoliths of lower crustal rocks, 611
 anisotropy of magnetic susceptibility
 (AMS), 49
 anorthite, beginning of melting
 (water-saturated), 252
 anorthosite, 141
 formation from hydrous melt, 253
 lunar highlands, 400
 massif-type (Proterozoic), 400–405
 age of, 400, 584
 associated iron-titanium-oxide apatite
 rocks (nelsonite), 402
 associated jotunite (ferrodiorite), 402
 associated leuconorite, 402
 associated quartz mangerite, 402
 coarse grain size, 401, 402
 composition of plagioclase, 402
 crystal size distribution in Lake St. John
 massif, Quebec, 285
 diapiric bodies, 400
 distribution, 400
 europium anomalies, 403, 404
 lack of zoning in plagioclase, 403

646 Index

- anorthosite (cont.)
 pressure shift in the plagioclase–pyroxene eutectic, 404
 relation to rifting, 405
 role of liquid immiscibility, 403
 occurrence in alkaline ring complexes, Niger, 394
- Antarctica, Ferrar flood basalts and sills, 83, 381
- Antrim, Northern Ireland, flood basalts, 380
- apatite, Sr diffusion and metamorphic timescales, 572, 580
- aphanitic (*see* grain size)
- aplite, 103, 255, 257
 grain size due to sudden decompression crystallization, 257
 layering in, 256
- Archean:
 atmosphere, 398
 banded iron formations (BIF), 398
 crust, 398–399
 geotherm, 397, 400
 gray gneisses (trondjemites), 398
 greenstone belts, 398, 584
 komatiites (*see* komatiites)
 lithosphere thickness, 398
 stromatolitic limestone, 398
 trondjemite (low K/Na), preponderance during Archean, 398
- Ardnamurchan ring structure, Scotland, 87
- argon, ⁴⁰argon–³⁹argon dating, 301
- Arrhenius relation:
 diffusion, 124
 nucleation rate, 269
 viscosity, 25
- aseismic ridge, 370
- ash, volcanic (*see* pyroclastic deposits)
- aspect ratio (*see* crystal morphology)
- assimilation, magmatic, 347–350
 and fractional crystallization (AFC), 347, 349
 desilication reaction, 348
 in layered mafic intrusions, 350
 isotopic evidence of, 309, 310, 349
 limited by heat of fusion, 347
 rate of, determined using short-lived radioisotopes, 379–380
 role of, in formation of calcalkaline series, 310–311, 378
 zone melting, 349
- asteroids, source of meteorites, 130
- asthenosphere (*see* low-velocity zone)
- atmosphere (Earth's) during Archean, 398
- atmosphere (unit of pressure), 6
- augen gneiss, 441
- augite:
 early fractionating phase in continental tholeiitic magmas, 382
 early fractionating phase in MORB magma, 367
 exsolution lamellae in orthopyroxene, 230
 exsolution lamellae in pigeonite, 230
 sector zoning in, 277
- aureole, contact (*see* metamorphism, contact)
- Auvergne, France, volcanoes of (*see* volcanoes, Puy de Sarcou)
- Avrami equation (*see* crystal growth)
- axial magma chamber (AMC), 50
 schematic section through, 374
 beneath East Pacific Rise, 368, 374
 beneath Galapagos spreading center, 50, 368, 374
- back-arc spreading, 596
 melting associated with, 611
 possible source of ophiolites, 372
- Baltic Shield, reduced heat flow, 10
- banded iron formations (BIF), 398
- Bandelier tuff, New Mexico (*see* pyroclastic deposits)
- bar, cgs unit of pressure, 6
- Barre, Vermont, granite batholiths, 102
- Barrovian metamorphism (*see* metamorphism, Barrovian; Scottish Highlands)
- basalt:
 alkali olivine basalt
 rare earth element content of, 361
 beginning of melting (water-saturated), 252
 definition, 141
 eutectic composition of, 199
 extrusion temperature, 20
 flood (*see* flood basalts)
 inclusions (pillows) in granite, 103, 105, 107, 351, 353, 378
 inclusions in obsidian, cause of eruption, 377
 in island arc, rare earth element content of, 360
 magma, 16
 magma density, 22
 magma flow rate, 28
 magma viscosity, 24
 metamorphism of (*see* metabasalt)
 scoriaceous, 35
- Basin and Range Province:
 heat flow, 18
 reduced heat flow, 10
- basin, extensional sedimentary, 29
- barium diffusion in sanidine, 125–127
- batch melting (*see* melting)
- bathograd, 469
- batholith, 101–108
 areal extent of, 101
 analog (small-scale) in sill near Montreal, 46, 106, 107–108
 at convergent plate boundaries, 378
 Barre, Vermont, 102
 basalt inclusions in, 103, 107 (*see also* basalt, inclusions in granite)
 buoyant rise of, 102
 catazone (deep), 102, 103
 Coastal Batholith, Peru, 102, 104, 107
 Coast Range, British Columbia, 102
 compositional zoning, 103
 density of rocks in, 102
 diapiric rise, 46, 106
 epizone (shallow), 102, 103
 extent at depth, 102
 mezozone (intermediate), 102
 Pilbara, western Australia, 106
 rapakivi, southern Finland, 102, 105
 rock types in, 102
 Sierra Nevada, California, 102
 spacing of, 46, 106
 Virgin Gorda, British Virgin Islands, 103
 White Mountain, New Hampshire, 102
- bathozone, 470
- Bay of Islands ophiolite, Newfoundland, 371
- Bénard convection cells, 324
- Benioff seismic zone, 374
- Bergen Arcs, Norway, 573–574
- Berthelot–Nernst fractionation, 358
- beryllium (¹⁰Be) evidence for sedimentary contamination of magma, 598
- beta (β) particle, 11, 296
- Big Maria Mountains, southeastern California, 579
- Bingham liquid:
 flow rate of, 39–41
 viscosity of, 23
- binode, 188
- biotite, photomicrographs, 418, 461, 541
- Bisbee, Arizona, hydrothermal alteration around copper deposit, 70
- Bishop tuff, California (*see* pyroclastic deposits)
- black body radiation, 122
- black smoker, 9, 373
- blastoporphyratic, 435
- blocking temperature (*see* absolute age determination)
- blocky lava, 68
- blueschist facies (*see* metamorphic facies)
- boiling, resurgent (second) (*see* resurgent boiling)
- bomb, volcanic, 35, 65, 70
- boudinage structure, 258, 546
- boundary curve (in phase diagram), 217
- Bowen, N. L., 20, 495
 fractionation trend, 403
- breccia:
 diatreme, 89, 90
 fault and shear zones, 441
 igneous, 80, 102
 meteorite impact-generated, 406
 Onaping tuff, Sudbury, Ontario, 411
 Sudbury breccia, 411
 rheomorphic, 100, 102, 347
- Bristol, New Hampshire, hot spot, 571–572
- Brito-Arctic large igneous province, 52, 368, 380
- brittle deformation, 441
- brittle–ductile transition, 4, 16, 441, 517
 form of batholiths, 103
- brittle failure, 4
 at tip of dike, 82
 on partial melting, 32
- Bronson Hill anticlinorium, Massachusetts, 485–486, 578
- Buchan metamorphism (*see* metamorphism, Buchan)
- buffering, metamorphic fluids (*see* fluids, metamorphic)
- bulk modulus, 22
- burial, 560
- Bushveld Complex, South Africa (*see* lopolith)
- calcalkali igneous rocks, 144 (*see also* igneous rock associations; igneous rocks)
 andesites, origin of, 609–611 (*see also* andesites)
 isotopic composition of, 310–311
 isotopic composition of, in Andes of Ecuador and Chile, 311
 New Britain island arc, 310
 role of water in formation, 253
- calcite (*see also* metacarbonate rock)
 calcite–aragonite transformation kinetics, 535
 photomicrographs, metamorphic rocks, 434, 541
 solubility in metamorphic fluids, 519
 transformation to aragonite, 535
 twins (deformation), 433, 434

- calcsilicate, 494
- caldera:
 associated with rhyolitic magmatism, 74–76
 Long Valley, California, 74, 76
 on Kilauea, Hawaii, 60
 on Mauna Loa, Hawaii, 74
 on Olympus Mons, Mars, 66
 on shield volcano, 60
 on Sierra Negra, Galapagos, 61
 resurgent dome in, 76
 subsidence of, 75
 Valles, New Mexico, 74, 77
 Yellowstone, Wyoming, 74, 75, 76
- caldron subsidence (*see* ring dike)
- camptonite, 394
- Canadian Shield, reduced heat flow, 10
- carbonate rock, metamorphism of (*see* metacarbonate rock)
- carbonatite, 396–397
 associated rock types, 396
 fenite, 397
 classification of, 138
 composition of, 396
 distribution and occurrence, 396
 formed by partial fusion of CO₂-saturated lherzolite, 606
 generation from carbonated peridotite, 261
 natrocarbonatite (Na₂CO₃), Oldoinyo Lengai, Tanzania, 392, 396
 niobium and rare earth economic deposits with, 397
 possible immiscible relation with kimberlite and alnöite magmas, 397
 role of liquid immiscibility in formation of, 343
⁸⁷Sr/⁸⁶Sr indicate mantle source, 397
- carbonation reaction, 260
- carbon dioxide:
 cycling through plate tectonics, 15
 effect on melting in silicate systems, 259–261
 metamorphism (*see* fluids, metamorphic)
 release from volcanoes, 70
 solubility in silicate melts, 246–247
 as function of silica content of melt, 247
 calculated using VolatileCalc, 246
- Cascade volcanoes (*see* High Cascades)
- cataclastic, 441
- cathodoluminescence, 191
- Central Atlantic Magmatic Province (CAMP), 381
 dike swarm associated with, 86
 flood basalts associated with, 52, 381
 possible association with mass extinctions, 384
- central volcanoes, 59–73
 composite, 59, 66–71
 Orsono volcano, Chile, 67
 domes, 59, 71
 Dabbahu, Ethiopia, 34
 Glass Mountain, California, 71
 maar, 89, 90
 shield, 59
- chain rule, 283
- chalcophile elements, 243, 346
- channelized flow (*see* flow)
- chemical potential (μ_i), 164, 180
 and mole fraction in ideal solution, 184
 at equilibrium, 181
 diagram, 523
 gradient and cause for diffusion, 181
- chert nodules, metamorphism of, 494, 523
- chiastolite, 418, 436, 438 (*see also* Al₂SiO₅ polymorphs)
- Chicxulub, Yucatan, Mexico (*see* meteorite impact structures)
- Chiricahua welded ash-flow tuff, Arizona (*see* pyroclastic deposits)
- chisel marks on columnar joints, 56, 57 (*see also* columnar joints)
- Chiwaukum Schist, Washington State, 438, 439
- chlorite, photomicrographs, 416, 419, 421, 439, 461
- chloritoid:
 photomicrographs, 418, 461
 sector zoning in, 277
- chondrite-normalization of REE analyses, 359
- chondritic meteorite (*see* meteorites)
- chondrule, 131, 132 (*see also* meteorites)
- Christmas Mountains, Big Bend, Texas:
 metacarbonate rocks, 494
 metasomatism (chert nodules), 522–525
- chromitite, 138
 formation through magma mixing, 356
 in ophiolites, 372
- CIPW norm (*see* norm)
- Clapeyron equation, 166
- cleavage, metamorphic rocks (*see also* texture, metamorphic)
 axial planar, 429
 bedding-cleavage intersection, photograph, 419
 crenulation, 431
 C-type shear band, 443
 C'-type shear band, 443
 foliation, general characteristics of, 428–435
 refraction, 429
 slaty, 428
 solution, 430
 strain-slip, 431
- coefficient of:
 diffusion, 124
 friction for flow of liquid through fractures, 41
 fugacity (γ), 167
 interdiffusion, 125
 thermal conductivity, 7, 112
 thermal expansion (α), 21, 161
 thermal expansion of oxide components in magma, 21
 compressibility (β), 6, 22, 161
- coesite (high-*P* polymorph of SiO₂):
 generated by meteorite impact, 409
 occurrence in Vredefort ring structure, South Africa, 409
 ultrahigh-pressure metamorphism, 425, 426
- Cohasset flood-basalt flow (*see* Columbia River flood basalts)
- colonnade jointing, 55 (*see also* columnar joints)
- color index, 133, 137
 measurement of using NIH Image software, 148
- Columbia River flood basalts, Washington and Oregon, 54, 381
 Cohasset flow, crystal-mush compaction in, 55, 331
 Ginko flow, cooling of, 55
 Sentinel Gap on Columbia River, 57
 subsidence associated with, 57
 volume of, 52
- columnar joints, 55–57
 Aldeyjarfoss, Iceland, 56
 chisel marks on, 56, 57
 colonnade, 55
- entablature, 55
- Greenstone flow, Keweenaw Peninsula, Michigan, 57
- Kirkjubæjarklaustur, Iceland, 55
- Sentinel Gap on Columbia River, 57
- commingling of magmas (*see* magma mixing)
- compaction:
 length, 43
 in Cohasset flood-basalt flow, Columbia River basalt, 331
 in Holyoke flood-basalt flow, Connecticut, 329–331
 in welded ash-flow tuff, 77, 78, 108
 of crystal mush (*see* crystal mush)
- compatible element, 357 (*see also* Nernst distribution coefficient)
- compatibility diagrams, 447, 450
 ACF, 454–456
 AKF, 454, 456–457
 AFM (Thompson projection), 457–462
 metacarbonate rocks (CaO–MgO–SiO₂), 495
 solid solutions and, 457, 465–467
 tetrahedral, 449
- component, thermodynamic definition, 170
 conservative and nonconservative, 179–180, 197
- composite volcano, 59
- composition change, of rock, 552 (*see also* mass transfer, metamorphic fluids)
- composition of:
 bulk Earth, 130, 131
¹⁴³Nd/¹⁴⁴Nd, 305
⁸⁷Sr/⁸⁶Sr, 309
 carbonaceous chondrites, 131
¹⁴³Nd/¹⁴⁴Nd, 305
 continental crust, 131
 magmas (and rocks), 132–133
 mantle, 131
 solar system, 130, 131
 suites of volcanic rocks, 317–321
- compressibility (β), 6, 22
 of magma, 30
- compressibility factor, 492
- concentration ratio (CR) diagram, 553
- concordia plot (*see* absolute age determination)
- conduction of heat, 7, 20, 111, 112–121
 cooling of lava, 116
 cooling of lithosphere away from spreading axis, 587
 cooling of sheet-like body, 116
 heat flux, 112
 across a plane contact, 113–121
 contact temperature, 114, 115
 involving latent heat of crystallization, 114–116
 typical values from Earth, 112
- metamorphism (*see* pressure–temperature–time paths)
 numerical analysis of, 117–121
 lava lake cooling, 117–119
- cone sheet (*see* dike)
- congruent melting, 201
- conservation equation, 10
- conservative (*see* component)
- contact metamorphism (*see* metamorphism, contact)
- contact temperature, 114
- contamination of magma (*see* assimilation)

648 Index

- continental crust, 29
 composition of, 131
 content of radiogenic isotopes, 11
 steady-state geotherm, 12
 thickness, 2
- continuous metamorphic reactions, 463
- convection:
 Bénard cells, 324
 compositionally driven, 323, 325, 326
 double-diffusive, 326, 327, 328
 dripping instabilities, 328
 forced, 323
 formation of pipes, 326
 free, 323
 heat transfer by, 7, 111 (*see also* heat flux; advection)
 hydrothermal, 243
 in crystal mush, 326, 328, 338
 in magma (*see* magmatic processes)
 in magma ocean, 585
 in mantle, 6, 7, 11, 15, 586
 in outer core, 6, 326
 in thermal boundary layer at base of lithosphere, 587
 metamorphic fluids (*see* fluid flow, metamorphic)
 plate tectonics, rate, 589
 rate of, in Bénard cell, 325
 rate of, near vertical wall, 323
 Rayleigh number, 324
 thermal, 323
 whole-mantle versus layered-mantle, 15, 588
- convergent plate boundary, 4
 density of subducted slab, 610
 igneous rocks associated with (*see* igneous rock associations)
 rate of cycling fluids and magmas through, 598–599
 perturbed geotherm resulting from crustal thickening, 599
 thermal effects, 14, 596, 610
 zone of melting in mantle wedge, 611
- Conway granite, Ossipee ring complex, New Hampshire, 89
- cooling by:
 conduction (*see* conduction)
 convection, 324, 325
 in early magma ocean, 585
 radiation, 121–123
 from surface of lava, 122
 from surface of turbulent flow, 122
- cordierite, photomicrographs, 418, 426
- core of Earth, 2, 11
 formation, 304
 age based on Hf–W, 304
 age based on Re–Os, 304
 strongly exothermic, 585
- Comingware®, 205
- cotectic, 216
 curvature:
 due to nonideal mixing, 223
 magma mixing, 219
 shape of grain boundaries, 219, 226
- crack–flow–seal sequence, 550
- crack–seal texture, 544
- Crank–Nicolson finite difference technique (*see* numerical analysis)
- crater (*see* meteorite; volcanic crater)
- Crater Lake, Oregon
 $^{238}\text{U}/^{230}\text{Th}$ and $^{230}\text{Th}/^{232}\text{Th}$ in rhyodacite and andesite, 379
- crenulation:
 cleavage, 431
 lineation, 431
- crecumulate (*see* igneous cumulates)
- critical point on boundary line in phase diagram, 227
- critical radius (*see* nucleation)
- cross-derivative rule, 160
- crustal contamination of magma (*see* assimilation)
- crust of Earth, 2
 Archean 398–399
 continental, 29
 isotopic composition of, 309–310
 extension of, 86
 western Scotland, 57
 oceanic, 43
 thickening and perturbation of geotherm, 599
- cryoscopic equation:
 with solid solution, 208
 with no solid solution, 195, 197
- crystal:
 growth rates (*see also* crystal morphology):
 Avrami equation, 274
 degree of undercooling, 273
 dissipation of heat of crystallization and impurities-controlled, 273
 dendritic and skeletal crystal forms, 273, 399
 factors controlling, 271
 in dikes, 274–276
 diffusion-controlled, 271
 phase boundary reaction-controlled, 272
 screw dislocation-controlled, 272
 surface nucleation-controlled, 272
- morphology (shape):
 acicular, 274, 275
 aspect ratio, 293
 crystalloblastic series, 287, 435
 dendritic, 273, 274, 275, 399
 determined by rate determining growth process, 274–281, 294
 epitaxial growth, 288
 equilibrium, 286, 287, 294
 phenocrysts, 274
 porphyroblasts, 435 (*see also* porphyroblasts)
 sector zoning, 258, 277–278, 303
 spherulitic, 274
 wetting by magma, 293
 zoning due to Rayleigh fractionation, 279
- mush, 328
 beneath mid-ocean ridges, 16
 compaction, 42, 98, 328–331
 in Cohasset, Columbia River basalt, 331
 in Holyoke basalt, 329–331
 in magma source region, 601
 in Muskox Intrusion, Northwest Territories, Canada, 339
 in Stillwater Complex, Montana, 346
 convection through, 326
 permeability determined by wetting by melt, 293–294
 X-ray CT image of, 329
- suspension, 328
 nucleation (*see* nucleation)
 settling, 97 (*see* magmatic processes)
 in ocelli, 343
 size distribution (CSD), 281–286 (*see also* grain size)
 crystal growth rate from, 283
 in high-Al basalt in Atka volcano, Aleutian Islands, Alaska, 285
 in Kilauea Iki 1959 picrite, Hawaii, 285
 in Makaopuhi lava lake, Hawaii, 285
 in metamorphic rocks, 285–286
 in Sudbury lopolith, 285
 in Waterville formation, Maine, 285
 magma mixing, 285
 mean length of crystals from, 284
 measurement of, from 2-D sections (e.g. thin section), 286
 computer program for corrections, 286
 population density, 282
 resulting from batch crystallization, 284
 size, versus mean cooling velocity, 116
- crystallization (*see also* fractional crystallization):
 at constant bulk composition, 263
 at constant oxygen fugacity, 263
 batch, 284
 degree of, based on incompatible element concentration in magma, 358
 in convecting magma, 325
 crystalloblastic series, 287, 435
 crystallographic preferred orientation, 432
 CT, X-ray scan, 43, 44, 286, 329
 cumulates (*see* igneous cumulates)
 cyclic rule for total differentials, 160, 161
- D" (D double prime) layer, 3, 7, 15
 graveyard for subducted slabs, 589
- dacite:
 definition, 141
 in composite volcanoes, 68
- Daly Gap in alkaline rock series, 343, 369, 393, 394
- Damköhler-I number, 539 (*see also* kinetics of metamorphic reactions)
- Darcy's law, 39, 42
 metamorphic fluids, 515 (*see also* fluid flow, metamorphic)
- decay constant (*see* radioactive decay)
- Deccan trap, India:
 age of and possible correlation with K–T boundary mass extinction, 52, 384
 flood basalts, 381
 volume, 52
- decompression melting (*see* adiabatic)
- defects in crystal structures (*see* diffusion)
- deformation and metamorphism:
 heating due to, 443, 574
 textures (*see* texture, metamorphic)
 reactions, effect on, 561
 twins, 433, 434
- deformation lamellae in quartz (*see* meteorite, planar features in quartz)
- degenerate system, 176
- degrees of freedom of a system (*see* variance)

