Index

aa (lava), 62, 64 absolute age determination: basic working equation for, 298 blocking temperature, 301, 304, 575 by the following method: ⁴⁰argon-³⁹argon, 301 fission track, 303 hafnium-tungsten, 302 lutetium-hafnium, 303 potassium-argon, 301 rhenium-osmium, 302 rubidium-strontium, 299 samarium-neodymium, 301 uranium-lead, 299-301 concordant, 299 concordia plot, 300 discordant, 299 isochron, 299 using electron microprobe analyses of monazite, 303 using zircon crystals, 300 Abukuma-type metamorphic facies series, 470 acceleration of gravity (g): on Earth, 6 on Moon, 27 accessory minerals, 19, 133 accretion of Earth, 10, 585 ACF diagram (see compatibility diagrams, ACF) achondrites (see meteorites) across-layer fluid infiltration, 529, 530, 540-544 activation energy: for diffusion. 124 for nucleation, 269 mechanical, 168, 170-176 metamorphic reactions, 534 viscous flow, 25 activity (nonideal solution), 184, 209 coefficient, 184 diagram, 520-521 of silica in magma, 355 adcumulate (see igneous cumulates) adiabat: in core, 6 in mantle, 11 adiabatic: decompression melting, 236, 237, 593-595 due to meteorite impact, 409 melt productivity, 238, 593 primary cause for formation of igneous rocks, 593 gradient, 325 phase relations, 236-239 process, 156 Adirondacks, New York State, 434, 556, 578

advection, 123 of fluids and formation of rocks, 595-598 of fluids, metamorphism (see fluid flow, metamorphic; mass transfer, metamorphic fluids; time-integrated fluid flux) of heat (see heat flux) of heat, metamorphism (see pressuretemperature-time paths) Afar, Ethiopia: Dabbahu volcano, 34, 74, 391 Erte'ale volcano, 61, 391, 392 flood basalts, 381 rift. 57, 391 AFM diagram (see compatibility diagrams; AFM) age of: accretion of planet Earth, 10, 585 core formation, 304 crust. based on similar 143Nd/144Nd in rocks and chondritic meteorites, 306 based on oxygen isotopes in zircon, 285 Earth. 6 igneous-rock forming periods on global scale, 584 mantle formation, based on 142Nd/144Nd, 305 Moon-forming impact, 10, 304 agglomerate, 70 AKF diagram (see compatibility diagrams; AKF) albite: configurational entropy change of high-low inversion of 157-158 solubility of CO2 in molten, 247 solubility of H2O in molten, 246 water-saturated solidus, 251, 252 algae and oxygen production, 398 Aleutian arc, Alaska: variation in composition along, 378 volcano spacing, 51 alkali feldspar: phase relations, 213-215 thermodynamic mixing properties, 193 alkali olivine basalt (see igneous rocks) alkaline igneous rock, 143, 220-223 depth of origin, 606, 607 Alkemade's theorem, 220, 233 alnöite, 394 alpha (a) particle, 11, 296 alpine peridotites, 371 Al₂SiO₅ polymorphs, 13 andalusite (chiastolite) photomicrographs, 13, 418, 438 textural sector zoning in chiastolite, 289 kinetic rates of transformation and reaction paths, 416, 419, 452, 521-522, 535

kyanite photographs, 416, 418, 419, 461, 536 petrogenetic grid, 420, 452 relation to geothermal gradient, 414-415 sillimanite, 13 photographs, 416, 418, 419, 536 alteration (see hydrothermal alteration) amphibole (see also hornblende) photomicrographs, metamorphic rocks, 421, 541, 561 stability limit coincides with source of subduction-related volcanism, 610 amphibolite (see metamorphic facies) amygdale (also amygdule), 64 anatexis, 608 (see also migmatite, partial melting, metamorphism) andalusite (see Al2SiO5 polymorphs) andesite: associated with convergent plate boundaries, 375 376 origin of, 609-611 blocky lava flow, McKenzie Pass, High Cascades, Oregon, 68 definition, 141 in composite volcanoes, 68 magma, 16 formed by partial fusion of hydrous lherzolite, 606 magma temperatures, 611 magma viscosity, 24 phenocrysts in, 376 disequilibrium amongst, 377 water activity high in source, 611 xenoliths of lower crustal rocks, 611 anisotropy of magnetic susceptibility (AMS), 49 anorthite, beginning of melting (water-saturated), 252 anorthosite, 141 formation from hydrous melt, 253 lunar highlands, 400 massif-type (Proterozoic), 400-405 age of, 400, 584 associated iron-titanium-oxide apatite rocks (nelsonite), 402 associated jotunite (ferrodiorite), 402 associated leuconorite, 402 associated quartz mangerite, 402 coarse grain size, 401, 402 composition of plagioclase, 402 crystal size distribution in Lake St. John massif, Quebec, 285 diapiric bodies, 400 distribution, 400 europium anomalies, 403, 404 lack of zoning in plagioclase, 403

646 Index

anorthosite (cont.) pressure shift in the plagioclase-pyroxene eutectic, 404 relation to rifting, 405 role of liquid immiscibility, 403 occurrence in alkaline ring complexes, Niger, 394 Antarctica, Ferrar flood basalts and sills, 83, 381 Antrim, Northern Ireland, flood basalts, 380 apatite, Sr diffusion and metamorphic timescales, 572, 580 aphanitic (see grain size) aplite, 103, 255, 257 grain size due to sudden decompression crystallization, 257 layering in, 256 Archean: atmosphere, 398 banded iron formations (BIF), 398 crust, 398-399 geotherm, 397, 400 gray gneisses (trondjhemites), 398 greenstone belts, 398, 584 komatiites (see komatiites) lithosphere thickness, 398 stromatolitic limestone, 398 trondjhemite (low K/Na), preponderance during Archean, 398 Ardnamurchan ring structure, Scotland, 87 argon, 40 argon-39 argon dating, 301 Arrhenius relation: diffusion, 124 nucleation rate, 269 viscosity, 25 aseismic ridge, 370 ash, volcanic (see pyroclastic deposits) aspect ratio (see crystal morphology) assimilation, magmatic, 347-350 and fractional crystallization (AFC), 347, 349 desilication reaction, 348 in layered mafic intrusions, 350 isotopic evidence of, 309, 310, 349 limited by heat of fusion, 347 rate of, determined using short-lived radioisotopes, 379-380 role of, in formation of calcalkaline series, 310-311, 378 zone melting, 349 asteroids, source of meteorites, 130 asthenosphere (see low-velocity zone) atmosphere (Earth's) during Archean, 398 atmosphere (unit of pressure), 6 augen gneiss, 441 augite: early fractionating phase in continental tholeiitic magmas, 382 early fractionating phase in MORB magma, 367 exsolution lamellae in orthopyroxene, 230 exsolution lamellae in pigeonite, 230 sector zoning in, 277 aureole, contact (see metamorphism, contact) Auvergne, France, volcanoes of (see volcanoes, Puv de Sarcoui) Avrami equation (see crystal growth) axial magma chamber (AMC), 50 schematic section through, 374 beneath East Pacific Rise, 368, 374 beneath Galapagos spreading center, 50, 368, 374

back-arc spreading, 596 melting associated with, 611 possible source of ophiolites, 372 Baltic Shield, reduced heat flow, 10 banded iron formations (BIF), 398 Bandelier tuff, New Mexico (see pyroclastic deposits) bar, cgs unit of pressure, 6 Barre, Vermont, granite batholiths, 102 Barrovian metamorphism (see metamorphism, Barrovian; Scottish Highlands) basalt: alkali olivine basalt rare earth element content of, 361 beginning of melting (water-saturated), 252 definition, 141 eutectic composition of, 199 extrusion temperature, 20 flood (see flood basalts) inclusions (pillows) in granite, 103, 105, 107, 351, 353, 378 inclusions in obsidian, cause of eruption, 377 in island arc, rare earth element content of, 360 magma, 16 magma density, 22 magma flow rate, 28 magma viscosity, 24 metamorphism of (see metabasalt) scoriaceous, 35 Basin and Range Province: heat flow, 18 reduced heat flow, 10 basin, extensional sedimentary, 29 barium diffusion in sanidine, 125-127 batch melting (see melting) bathograd, 469 batholith, 101-108 areal extent of, 101 analog (small-scale) in sill near Montreal, 46, 106, 107-108 at convergent plate boundaries, 378 Barre, Vermont, 102 basalt inclusions in, 103, 107 (see also basalt, inclusions in granite) buoyant rise of, 102 catazone (deep), 102, 103 Coastal Batholith, Peru, 102, 104, 107 Coast Range, British Columbia, 102 compositional zoning, 103 density of rocks in, 102 diapiric rise, 46, 106 epizone (shallow), 102, 103 extent at depth, 102 mezozone (intermediate), 102 Pilbara, western Australia, 106 rapakivi, southern Finland, 102, 105 rock types in, 102 Sierra Nevada, California, 102 spacing of, 46, 106 Virgin Gorda, British Virgin Islands, 103 White Mountain, New Hampshire, 102 bathozone 470 Bay of Islands ophiolite, Newfoundland, 371 Bénard convection cells, 324 Benioff seismic zone, 374 Bergen Arcs, Norway, 573-574 Berthelot-Nernst fractionation, 358

beryllium (10Be) evidence for sedimentary contamination of magma, 598 beta (β) particle, 11, 296 Big Maria Mountains, southeastern California, 579 Bingham liquid: flow rate of, 39-41 viscosity of, 23 binode, 188 biotite, photomicrographs, 418, 461, 541 Bisbee, Arizona, hydrothermal alteration around copper deposit, 70 Bishop tuff, California (see pyroclastic deposits) black body radiation, 122 black smoker, 9, 373 blastoporphyritic, 435 blocking temperature (see absolute age determination) blocky lava, 68 blueschist facies (see metamorphic facies) boiling, resurgent (second) (see resurgent boiling) bomb, volcanic, 35, 65, 70 boudinage structure, 258, 546 boundary curve (in phase diagram), 217 Bowen, N. L., 20, 495 fractionation trend, 403 breccia: diatreme, 89. 90 fault and shear zones, 441 igneous, 80, 102 meteorite impact-generated, 406 Onaping tuff, Sudbury, Ontario, 411 Sudbury breccia, 411 rheomorphic, 100, 102, 347 Bristol, New Hampshire, hot spot, 571-572 Brito-Arctic large igneous province, 52, 368, 380 brittle deformation, 441 brittle-ductile transition, 4, 16, 441, 517 form of batholiths, 103 brittle failure, 4 at tip of dike, 82 on partial melting, 32 Bronson Hill anticlinorium, Massachusetts, 485-486, 578 Buchan metamorphism (see metamorphism, Buchan) buffering, metamorphic fluids (see fluids, metamorphic) bulk modulus, 22 burial, 560 Bushveld Complex, South Africa (see lopolith) calcalkali igneous rocks, 144 (see also igneous rock associations; igneous rocks) andesites, origin of, 609-611 (see also andesites) isotopic composition of, 310-311 isotopic composition of, in Andes of Ecuador and Chile, 311 New Britain island arc, 310 role of water in formation, 253 calcite (see also metacarbonate rock) calcite-aragonite transformation kinetics, 535 photomicrographs, metamorphic rocks, 434, 541 solubility in metamorphic fluids, 519 transformation to aragonite, 535 twins (deformation), 433, 434

Index 647

calcsilicate, 494 caldera: associated with rhyolitic magmatism, 74-76 Long Valley, California, 74, 76 on Kilauea, Hawaii, 60 on Mauna Loa, Hawaii, 74 on Olympus Mons, Mars, 66 on shield volcano, 60 on Sierra Negra, Galapagos, 61 resurgent dome in, 76 subsidence of, 75 Valles, New Mexico, 74, 77 Yellowstone, Wyoming, 74, 75, 76 caldron subsidence (see ring dike) camptonite, 394 Canadian Shield, reduced heat flow, 10 carbonate rock, metamorphism of (see metacarbonate rock) carbonatite, 396-397 associated rock types, 396 fenite, 397 classification of, 138 composition of, 396 distribution and occurrence, 396 formed by partial fusion of CO2-saturated lherzolite, 606 generation from carbonated peridotite, 261 natrocarbonatite (Na2CO3), Oldoinyo Lengai, Tanzania, 392, 396 niobium and rare earth economic deposits with, 397 possible immiscible relation with kimberlite and alnöite magmas, 397 role of liquid immiscibility in formation of, 343 Sr/86Sr indicate mantle source, 397 carbonation reaction, 260 carbon dioxide: cycling through plate tectonics, 15 effect on melting in silicate systems, 259-261 metamorphism (see fluids, metamorphic) release from volcanoes, 70 solubility in silicate melts, 246-247 as function of silica content of melt, 247 calculated using VolatileCalc, 246 Cascade volcanoes (see High Cascades) cataclastic, 441 cathodoluminescence, 191 Central Atlantic Magmatic Province (CAMP), 381 dike swarm associated with, 86 flood basalts associated with, 52, 381 possible association with mass extinctions, 384 central volcanoes, 59-73 composite, 59, 66-71 Orsono volcano, Chile, 67 domes, 59, 71 Dabbahu, Ethiopia, 34 Glass Mountain, California, 71 maar, 89, 90 shield, 59 chain rule, 283 chalcophile elements, 243, 346 channelized flow (see flow) chemical potential (μ_i), 164, 180 and mole fraction in ideal solution, 184 at equilibrium, 181 diagram, 523 gradient and cause for diffusion, 181 chert nodules, metamorphism of, 494, 523

polymorphs) Chicxulub, Yucatan, Mexico (see meteorite impact structures) Chiricahua welded ash-flow tuff, Arizona (see pyroclastic deposits) chisel marks on columnar joints, 56, 57 (see also columnar joints) Chiwaukum Schist, Washington State, 438, 439 chlorite, photomicrographs, 416, 419, 421, 439, 461 chloritoid: photomicrographs, 418, 461 sector zoning in, 277 chondrite-normalization of REE analyses, 359 chondritic meteorite (see meteorites) chondrule, 131, 132 (see also meteorites) Christmas Mountains, Big Bend, Texas: metacarbonate rocks, 494 metasomatism (chert nodules), 522-525 chromitite, 138 formation through magma mixing, 356 in ophiolites, 372 CIPW norm (see norm) Clapeyron equation, 166 cleavage, metamorphic rocks (see also texture, metamorphic) axial planar, 429 bedding-cleavage intersection, photograph, 419 crenulation, 431 C-type shear band, 443 C'-type shear band, 443 foliation, general characteristics of, 428-435 refraction, 429 slaty, 428 solution, 430 strain-slip, 431 coefficient of: diffusion, 124 friction for flow of liquid through fractures, 41 fugacity (γ) , 167 interdiffusion, 125 thermal conductivity, 7, 112 thermal expansion (α), 21, 161 thermal expansion of oxide components in magma, 21 compressibility (β), 6, 22, 161 coesite (high-P polymorph of SiO₂): generated by meteorite impact, 409 occurrence in Vredefort ring structure, South Africa, 409 ultrahigh-pressure metamorphism, 425, 426 Cohassett flood-basalt flow (see Columbia River flood basalts) colonnade jointing, 55 (see also columnar joints) color index, 133, 137 measurement of using NIH Image software, 148 Columbia River flood basalts, Washington and Oregon, 54, 381 Cohassett flow, crystal-mush compaction in, 55, 331 Ginko flow, cooling of, 55 Sentinel Gap on Columbia River, 57 subsidence associated with, 57 volume of, 52 columnar joints, 55-57 Aldevjarfoss, Iceland, 56 chisel marks on, 56, 57 colonnade, 55

chiastolite, 418, 436, 438 (see also Al2SiO5

entablature, 55 Greenstone flow, Keweenaw Peninsula, Michigan, 57 Kirkjubæjarklaustur, Iceland, 55 Sentinel Gap on Columbia River, 57 commingling of magmas (see magma mixing) compaction: length, 43 in Cohassett flood-basalt flow, Columbia River basalt, 331 in Holyoke flood-basalt flow, Connecticut, 329-331 in welded ash-flow tuff, 77, 78, 108 of crystal mush (see crystal mush) compatible element, 357 (see also Nernst distribution coefficient) compatibility diagrams, 447, 450 ACF, 454-456 AKF, 454, 456-457 AFM (Thompson projection), 457-462 metacarbonate rocks (CaO-MgO-SiO₂), 495 solid solutions and, 457, 465-467 tetrahedral, 449 component, thermodynamic definition, 170 conservative and nonconservative, 179-180, 197 composite volcano, 59 composition change, of rock, 552 (see also mass transfer, metamorphic fluids) composition of: bulk Earth, 130, 131 ¹⁴³Nd/¹⁴⁴Nd, 305 ⁸⁷Sr/⁸⁶Sr, 309 carbonaceous chondrites, 131 143Nd/144Nd, 305 continental crust, 131 magmas (and rocks), 132-133 mantle, 131 solar system, 130, 131 suites of volcanic rocks, 317-321 compressibility (β), 6, 22 of magma, 30 compressibility factor, 492 concentration ratio (CR) diagram, 553 concordia plot (see absolute age determination) conduction of heat, 7, 20, 111, 112-121 cooling of lava, 116 cooling of lithosphere away from spreading axis, 587 cooling of sheet-like body, 116 heat flux, 112 across a plane contact, 113-121 contact temperature, 114, 115 involving latent heat of crystallization, 114-116 typical values from Earth, 112 metamorphism (see pressure-temperature-time paths) numerical analysis of, 117-121 lava lake cooling, 117-119 cone sheet (see dike) congruent melting, 201 conservation equation, 10 conservative (see component) contact metamorphism (see metamorphism, contact) contact temperature, 114 contamination of magma (see assimilation)

648 Index

continental crust, 29 composition of, 131 content of radiogenic isotopes, 11 steady-state geotherm, 12 thickness, 2 continuous metamorphic reactions, 463 convection: Bénard cells, 324 compositionally driven, 323, 325, 326 double-diffusive, 326, 327, 328 dripping instabilities, 328 forced, 323 formation of pipes, 326 free. 323 heat transfer by, 7, 111 (see also heat flux; advection) hydrothermal, 243 in crystal mush, 326, 328, 338 in magma (see magmatic processes) in magma ocean, 585 in mantle, 6, 7, 11, 15, 586 in outer core, 6, 326 in thermal boundary layer at base of lithosphere, 587 metamorphic fluids (see fluid flow, metamorphic) plate tectonics, rate, 589 rate of, in Bénard cell, 325 rate of, near vertical wall, 323 Rayleigh number, 324 thermal, 323 whole-mantle versus layered-mantle, 15, 588 convergent plate boundary, 4 density of subducted slab, 610 igneous rocks associated with (see igneous rock associations) rate of cycling fluids and magmas through, 598-599 perturbed geotherm resulting from crustal thickening, 599 thermal effects, 14, 596, 610 zone of melting in mantle wedge, 611 Conway granite, Ossipee ring complex, New Hampshire, 89 cooling by: conduction (see conduction) convection, 324, 325 in early magma ocean, 585 radiation, 121-123 from surface of lava, 122 from surface of turbulent flow, 122 cordierite, photomicrographs, 418, 426 core of Earth, 2, 11 formation, 304 age based on Hf-W, 304 age based on Re-Os, 304 strongly exothermic, 585 Corningware®, 205 cotectic, 216 curvature: due to nonideal mixing, 223 magma mixing, 219 shape of grain boundaries, 219, 226 crack-flow-seal sequence, 550 crack-seal texture, 544 Crank-Nicolson finite difference technique (see numerical analysis) crater (see meteorite; volcanic crater)

Crater Lake, Oregon $^{238}\mathrm{U}/^{230}\mathrm{Th}$ and $^{230}\mathrm{Th}/^{232}\mathrm{Th}$ in rhyodacite and andesite, 379 crenulation: cleavage, 431 lineation, 431 crescumulate (see igneous cumulates) critical point on boundary line in phase diagram, 227 critical radius (see nucleation) cross-derivative rule, 160 crustal contamination of magma (see assimilation) crust of Earth, 2 Archean 398-399 continental, 29 isotopic composition of, 309-310 extension of, 86 western Scotland, 57 oceanic, 43 thickening and perturbation of geotherm, 599 cryoscopic equation: with solid solution, 208 with no solid solution, 195, 197 crystal: growth rates (see also crystal morphology): Avrami equation, 274 degree of undercooling, 273 dissipation of heat of crystallization and impurities-controlled, 273 dendritic and skeletal crystal forms, 273, 399 factors controlling, 271 in dikes, 274-276 diffusion-controlled, 271 phase boundary reaction-controlled, 272 screw dislocation-controlled, 272 surface nucleation-controlled, 272 morphology (shape): acicular, 274, 275 aspect ratio, 293 crystalloblastic series, 287, 435 dendritic, 273, 274, 275, 399 determined by rate determining growth process, 274-281, 294 epitaxial growth, 288 equilibrium, 286, 287, 294 phenocrysts, 274 porphyroblasts, 435 (see also porphyroblasts) sector zoning, 258, 277-278, 303 spherulitic, 274 wetting by magma, 293 zoning due to Rayleigh fractionation, 279 mush, 328 beneath mid-ocean ridges, 16 compaction, 42, 98, 328-331 in Cohassett, Columbia River basalt, 331 in Holyoke basalt, 329-331 in magma source region, 601 in Muskox Intrusion, Northwest Territories, Canada, 339 in Stillwater Complex, Montana, 346 convection through, 326 permeability determined by wetting by melt, 293-294 X-ray CT image of, 329

suspension, 328 nucleation (see nucleation) settling, 97 (see magmatic processes) in ocelli, 343 size distribution (CSD), 281-286 (see also grain size) crystal growth rate from, 283 in high-Al basalt in Atka volcano, Aleutian Islands, Alaska, 285 in Kilauea Iki 1959 picrite, Hawaii, 285 in Makaopuhi lava lake, Hawaii, 285 in metamorphic rocks, 285-286 in Sudbury lopolith, 285 in Waterville formation, Maine, 285 magma mixing, 285 mean length of crystals from, 284 measurement of, from 2-D sections (e.g. thin section), 286 computer program for corrections, 286 population density, 282 resulting from batch crystallization, 284 size, versus mean cooling velocity, 116 crystallization (see also fractional crystallization): at constant bulk composition, 263 at constant oxygen fugacity, 263 batch, 284 degree of, based on incompatible element concentration in magma, 358 in convecting magma, 325 crystalloblastic series, 287, 435 crystallographic preferred orientation, 432 CT, X-ray scan, 43, 44, 286, 329 cumulates (see igneous cumulates) cyclic rule for total differentials, 160, 161 D" (D double prime) layer, 3, 7, 15 graveyard for subducted slabs, 589 dacite: definition, 141 in composite volcanoes, 68 Daly Gap in alkaline rock series, 343, 369, 393, 394 Damköhler-I number, 539 (see also kinetics of metamorphic reactions) Darcy's law, 39, 42 metamorphic fluids, 515 (see also fluid flow, metamorphic) decay constant (see radioactive decay) Deccan trap, India: age of and possible correlation with K-T boundary mass extinction, 52, 384 flood basalts, 381 volume, 52 decompression melting (see adiabatic) defects in crystal structures (see diffusion) deformation and metamorphism: heating due to, 443, 574 textures (see texture, metamorphic) reactions, effect on, 561 twins, 433, 434 deformation lamellae in quartz (see meteorite, planar features in quartz) degenerate system, 176 degrees of freedom of a system (see variance)

Index 649

dehydration reactions during metamorphism, 416, 596 activity of water, effect of, 425, 452 dP/dT slope of. 425 fluid pressure (see fractures, metamorphic) muscovite, 416, 448, 452, 469 dehvdration rim, 28 delamination, 4, 106, 587 dendritic crystal growth (see crystal growth rates) density of: basalt magma, 22 granite magma, 22 magma, bulk, 22 plagioclase, 22 depleted mantle (see mantle) depolymerization of melt by H2O, 246 desilication reaction, 348 devolatilization, 415 diabase (dolerite), 85 definition, 141 dike, crystal growth in, 274-276 texture, 139 diamond: association with diatremes, 93 associated with meteorite impact, 411 ultrahigh-pressure metamorphism, 425 diamond anvil (high-P experiments), 6 diapir, 28, 45 anorthosite massifs, 400 ballooning, 47 batholiths, 106, 598 cooling of rising, 47 in mafic sill, near Montreal, Quebec, 46, 106, 107–108 oil-honey model of, 46 on segregation sheets in basalt, 59 diatreme (see igneous bodies) source of gas in, 91-92 World's Fair site, Montreal, Quebec, 91 differentiation: index Differentiation Index (D.I.), 320 magnesium number (M'), 318 magmatic (see magmatic, differentiation) of early magma ocean, 585 diffusion. 123-127 activation energy for, 124 Arrhenius relation, 124 barium diffusion in sanidine, 125-127 characteristic length scale, 127 significant, 127, 192 coefficient, 124 controlled crystal growth rate, 271 Fick's first law, 124 Fick's second law, 124 in chemical potential gradient, 181 in formation of adcumulates, 338 in formation of igneous layering, 338 interdiffusion coefficient, 125 in zircon, 300, 303 mean free path, 123 metamorphic fluids (see mass transfer, metamorphic fluids) metamorphic minerals

apatite (Sr diffusion), peak metamorphic timescales, 572, 580 garnet, peak metamorphic timescales, 572 garnet, thermobarometry, 480-482 of Ti in quartz, 191-193 role of defects and vacancies in crystals, 123 self-diffusion, 124 Soret effect (see magmatic processes) dihedral angle, 288, 599-600 amount of melt required to remain in magma source region between magma and clinopyroxene, amphibole, olivine, and plagioclase, 293 control over permeability, 293, 600 metamorphism (see fluids, metamorphic) modification during compaction of crystal mush, 339 dike (dyke), 28, 80-86 bridge, 86 composite, 85 cone sheet, 87, 88 crystal growth in, 274-276 diabase, Pilbara, western Australia, 106 dilation, 84, 85 emplacement by replacement. 85 en echelon sets of, 84, 86 horn, 86 multiple, 85 nucleation rate in. 270 radial swarm, 35, 86 associated with large igneous provinces (LIP), 380 Shiprock, New Mexico, 80, 81 ring, 86 Ardnamurchan, Scotland, 87, 89 associated alkaline rocks, 393 caldron subsidence, 88 Glen Coe, Scotland, 88, 99 Khibina-Lovozera, Kola Peninsula, Soviet Union, 88 Loch Ba, Mull, Scotland, 109 Niger and Nigeria, 88 Oslo, Norway, 88 Ossipee, New Hampshire, 87, 88, 257, 258 Pilanesberg, South Africa, 89, 90 Sara-Fier, Nigeria, 89 Scottish Tertiary, 87 subsidence of central block, 88 White Mountains, New Hampshire, 88 sheeted, complex in ophiolites, 372 Troodos, Cyprus, 373 swarm, 35, 86 associated with flood basalts, 382 at mid-ocean ridges, 85 British Tertiary, 86 crustal extension, 57 eastern North America, 382 Iceland, 69 Krafla, Iceland, 53 velocity of laminar magma flowing in, 38 velocity of turbulent magma flowing in, 41 width to breadth ratio, 82 dinosaur extinction, association with: Chicxulub meteorite impact structure, Yucatan, Mexico, 409 Deccan trap, India, 52

diopside: beginning of melting (water-saturated), 252 photomicrograph (metacarbonate rock), 541 diorite: at convergent plate boundaries, 378 definition, 141 in batholiths, 102 in stocks, 99 discontinuities, 2-3 410-km, 3, 211, 590 660-km, 3, 588, 590 core-mantle, 2, 7 inner core-outer core, 2, 6 lithosphere-asthenosphere, 7 Mohorovičić (Moho, M) (see Mohorovičić discontinuity) spinel to perovskite, 7 discontinuous magmatic reaction (see peritectic) discontinuous metamorphic reactions, 462 nonterminal, 462-463 terminal, 462 disequilibrium, metamorphic reactions, 425 (see also kinetics of metamorphic reactions) dispersivity, longitudinal, 518 distribution coefficient (KD) (see Nernst distribution coefficient) divergence, 526 divergent plate boundaries: decompression melting near, 593-595 metamorphism associated with, 594 thermal effects at, 14 dolerite (see diabase) dolomite (see metacarbonate rock) dolostone, 414 dome, volcanic, 71 Dabbahu, Ethiopia, 34 endogenous, 71 exogenous, 71 Glass Mountain, California, 71 Dora Maira Massif, western Alps, 479, 577 double-diffusive convection (see convection and magmatic processes) down-T fluid flow, 532 Dry Valleys region, Antarctica, sills, 80 ductile deformation, 428 at tip of dike, 82 Duluth Gabbro (see lopolith) dunite, 44 definition, 141 in layered intrusions, 385 veins in ophiolite, 44, 372, 373 Dutchess County, New York State, 520 dyke (see dike) Earth: age, 6 bulk composition, 130 chondritic composition (isotopic), 305 differentiation of, 130 major structural units, 2

earthquake, 4 East African rift system, 391 , eastern North America igneous province, 52 (*see also* large igneous provinces – LIP)

650 Index

East Pacific Rise: axial magma chamber, 368 depth of melting beneath, 367 heat flux, 8 MELT Seismic Team, 367 eclogite (see metamorphic facies) formation in sinking mantle plumes, 368 formation in subducting slabs, 590, 598 formation of immiscible carbonate melt in partially melted, 344 near-eutectic composition, 602 nodules (xenoliths) in kimberlite, 395, 602 Einstein limit, 23 elastic modulus, 95 electrical potential, 164 electron capture, 11, 296 element: abundances, solar system, whole Earth, mantle, continental crust, 131 chalcophile, 243 compatible, 357 incompatible, 319, 357 large ion lithophile (LIL), 305, 306 lithophile, 305 major, minor, and trace, 132 siderophile, 302, 304 element mobility, metamorphism (see mass transfer, metamorphic fluids) emissivity (see radiation) endothermic process (+ ΔH), 152 energy (see also Gibbs free energy): enthalpy, 152 heat, 149 internal, 152 work, 149 of expansion, 152 enriched mantle I and II (EM I and II) (see mantle) enstatite (see also pyroxenes): beginning of melting (water-saturated), 252 congruent melting of (at high pressure), 204 incongruent melting of, 202-205, 220-223 entablature jointing, 55 (see also columnar joints) enthalpy (H), 152 apparent enthalpy of formation, 153 of reaction, 156 standard enthalpy of formation, 152 entrance length: for fully developed laminar flow, 37 thermal, 37 entropy (S), 157-158 configurational, 158 of ideal mixing, 181-183 thermal, 158 epidote, photomicrograph, 421 epitaxial crystal growth, 288 equation of state (see fluids, metamorphic) equilibrium: chemical potential at, 181 constant of a reaction, 189-193 relation to Gibbs free energy, 190 crystallization, 199 Gibbs free energy at, 159 zeroth law of thermodynamics, 164 equiline in radioactive decay series, 379 error function (erf), 114

eruption velocity (see velocity)

euhedral crystals, 272 (see also crystalloblastic series) europium anomaly, 359, 361 in quartz mangerites associated with massif-type anorthosites, 403 in massif-type anorthosites, 404 lack of, in continental flood basalts, 382 lack of, in MORB, 367 eutaxitic (see texture) eutectic: composition and common igneous rocks, 199 in binary system, 197 intergrowth, 199 graphic granite, 199, 200, 202 ophitic, 198, 199 in ternary systems, 217 exchange reaction, 190 exhumation, 560 (see also pressure-temperaturetime paths) rates 567, 572, 577 exothermic process ($-\Delta H$), 152 explosive eruption, 59, 65, 69 periodic fluctuations in, 69 Volcanic Explosivity Index (VEI), 71 exsolution binode, 188 in alkali feldspars, 214 solvus, 188 spinode, 189 texture, 187 thermodynamics of, 187-189 extensional zones in lithosphere (see crust of Earth, extension of; rift valley) extensive variable, 164, 200 extrusive igneous bodies (see igneous bodies, extrusive) facies, metamorphic (see metamorphic facies) fault gouge, 441 feldspar phase relations (see phase diagrams) felsic, 133, 137 Fen district, Norway (carbonatite), 396 fenitization (Na metasomatism), 347, 397 Fenner fractionation trend, 403 Ferrar, Antarctica, diabase sill, 83 (see also flood basalts) fiamme (see texture, igneous) Fick's first law, 39, 124 (see also mass transfer; metamorphic fluids, diffusion) crystal growth rate determined by, 271 homogenizing commingled magmas, 354 Fick's second law, 124, 354 (see also mass transfer, metamorphic fluids, diffusion) filter pressing (see magmatic processes) fission track, 296, 303 flaser gneiss, 441 flinty-crush-rock, 442 flood basalts, 52-59, 380-384 Afar, Ethiopia, 381 Antrim, Northern Ireland, 59 aphyric nature of, 383 associated with breakup of Pangea, 381 association with continental rifting, 380 association with mantle plumes, 380 association with red bed sedimentary rocks, 380 Columbia River, Washington and Oregon, 381 (see also Columbia River flood

basalts)

columnar jointing in, 55-57 composition of, 381-382 tripartite division, 382 Coppermine River, Northwest Territories, Canada 388 Deccan traps, India, 381 (see also Deccan trap) eastern North America and Morocco, 381 Ferrar, Antarctica and Tasmania, 381 Karoo, South Africa, 381 gaseous emanations from, and effects on global climate and mass extinctions, 384 inflation of flows, 53 isotopic composition in ε_{Nd} – ε_{Sr} plot, 308, 309 Keweenawan, Lake Superior, 380 Greenstone flow, Keweenaw Peninsula, Michigan, 57 volume of, 52 North Mountain basalt, Nova Scotia, vesicle cylinders in, 59 Parana, Brazil, 381 parental magma to, 382 rare earth element concentration in. 361 Snake River, Oregon and Idaho, 381 Thulean, UK and Greenland, 381 volume of, 52-53 Zig-Zag Dal, northeastern Greenland, 380 flow (see also flux, fluid flow, metamorphic): alignment of phenocrysts by, 49, 85 average laminar velocity in dike, 38 average laminar velocity in pipe, 37 average turbulent velocity in dike, 41 average turbulent velocity in lava flow, 38 channel, 43-45 in compacting crystal mush, 326 in Oman ophiolite, 44 channelized by deformation, 44-45, 601, 608 choked (overpressured), 93 diapiric, 45-47 differentiation (see magmatic processes) focused, 44 friction coefficient, 41 igneous textural evidence of, 48-49 laminar, 24, 37 minimum, required for intrusion of sheet, 84 plug flow of Bingham liquid, 40 porous, 41-43 shear induced, 45 steady state flow in vertical pipe, 36-38 steady state flow of lava, 25-26 rate of basaltic magma at Pali-Aike, Chile, 28, 129 rate of Bingham liquid, 39-41 rate of kimberlite magma, 28 rate of magma at convergent plate boundaries, 598 rate of Newtonian magma, 35-39 turbulent, 24, 37, 41 in ash flows, 77 viscous pressure drop, 31, 39 flowage differentiation (see magmatic processes) fluid content, metamorphic protoliths, 415-416 fluid flow, metamorphic (see also fluids, metamorphic; mass transfer, metamorphic fluids): across-layer infiltration, 529, 530, 540-544 advection, 511 channel (flow in model fracture), 515 convection, 516

Index 651

Darcy's law (flow in porous rock), 515 depth in crust: middle and lower crust, 517 upper crust, 516, 517 down-T, 532 fluxes (see time-integrated fluid flux) focused (channelized), 555 fractures (see fractures, metamorphic; veins, metamorphic) heat transfer (see pressure-temperature-time paths) hydrostatic pressure gradient, 514 importance of, 511 layer-parallel, 516, 529, 530, 543 lithostatic pressure gradient, 515 permeability of rock (see permeability) pervasive, 555 pore velocity (average flow velocity in porous rock), 516 porosity of rock (see porosity) Rayleigh number, convection and, 516 viscosity of fluid, 514 up-T, 532, 533 fluid inclusions in: metamorphic rocks, 436, 532, 562 olivine in mantle xenoliths, 604 fluidization, 43 in ash flows, 76 in diatremes, 92 fluid pressure, 4 fluid:rock ratio (see fluids, metamorphic) fluids, magmatic: concentrated in initial magma by fractional melting, 608 cycling through subduction, 593, 595 effect on melting (see carbon dioxide and water) flow regimes in crust, 593 perturbations in composition and flux, 592 release during subduction, 595, 610 role in mantle metasomatism, 611 fluids, metamorphic, 415-417 Al concentrations in, 520 buffering capacity, of reaction, 503 buffering, external, 502, 504 buffering, internal, 502, 503, 504 carbonaceous organic matter, C-O-H fluids and, 493 Cl concentrations in, 520 dihedral angles, 513 equation of state, 490 fluid:rock ratio, 506, 508, 529 flow (see fluid flow, metamorphic; mass transfer, metamorphic fluids; timeintegrated fluid flux) kinetics of reactions, effect on (see kinetics of metamorphic reactions) ideal gas law, 490 Lewis and Randall rule, 493 mixing of H2O-CO2 ideal, 493 nonideal, 493 modified Redlich-Kwong equation, 491 molality, definition of, 520 mole fraction-concentration conversion, 533 solubility of minerals in, 519-521 supercritical, 490, 511 van der Waals equation, 491 viscosity, 514

water, effect of activity on partial melting during metamorphism, 453-454 wetting behavior, 513-514 $X_{\rm CO_2}$, estimation for metacarbonate rocks, 504 flux of fluid through: dike in turbulent flow, 41 pipe in laminar flow, 37 fluxion structure, 442 foliation (see also cleavage, metamorphic rocks; texture, metamorphic): in rhyolite, 73 magmatic, 49 forbidden zone in pyroxene quadrilateral, 232 Fourier's equation, 113 Fourier's law, 39, 112 fractional crystallization, 199, 210, 213, 219 Bowen trend, 403 calculated by least squares fit to rock analyses, 321 degree of, based on incompatible element concentration in magma, 358 Fenner trend, 403 in system diopside-albite-anorthite, 226 of hydrous magma, 254-259 fractionation, Rayleigh, 280 during garnet growth, 279, 291 during partial melting of lherzolite, 601 in magma source region, 601, 608 trace elements in magmas, 358 fractures, metamorphic, 514, 610 earthquakes and, 538 fluid flow in, 515 hydrofracturing, 515, 517, 537, 538, 574 middle and lower crust, 544-546 permeability, 547 strength of rock, 515 veins (see veins, metamorphic) fragmentation threshold of magma, 93 Franciscan complex, California, 577 free energy (see Gibbs free energy) friction coefficient, 41 fugacity: coefficient (γ), 167 definition, 167 fumaroles, 70 gabbro: in alkaline stocks, 99 in layered intrusions, 97 Galapagos axial magma chamber (AMC), 50, 368 hot spot, 50 Sierra Negra volcano, InSAR interferograms, 61, 62 spatter cones, Bartholomew Island, Galapagos, 66 spreading axis, 50 Gardar province, southwest Greenland: alkaline rocks of, 390 dikes of, 85 garnet: determining age, using: Lu-Hf, 311 Sm-Nd, 572 diffusion-controlled growth rate, 281 diffusion, metamorphic timescale estimation, 572

water, activity of, 425, 450-451, 452

disequilibrium growth, 289, 291 formation from chlorite + quartz, 278, 279 grossular, near dike, County Mayo, Ireland, 270 lherzolite nodules in kimberlite, 395 (see also peridotite and lherzolite) photomicrographs, 291, 416, 418, 419, 421, 431, 433, 436, 438, 439, 461 Rayleigh fractionation of Mn during growth of, 279, 291 snowball structure, 437, 438, 439-440 textural sector zoning, 289, 291 zoning and thermobarometry, 278-281, 480-482 gas, volcanic (see volcanic gases) geobarometry, 179, 190 metamorphic (see thermobarometry, metamorphic rocks) geochemical front, 529 (see also time-integrated fluid flux) geothermal gradient, 6, 7 adiabatic gradient in convecting: core, 6 magma, 325 mantle, 11, 236, 237, 589 at convergent plate boundary, 596, 610 continental steady-state geotherm, 12, 261 calculated from mantle nodules in kimberlite, 395.602 in Archean, 397, 400 oceanic steady-state geotherm, 12, 261 perturbation of, 14, 591-592 steepening due to lithosphere extension, 593 possible whole Earth, 589 steady-state geotherm, 11-13 geothermal power. 8 geothermometer, metamorphic (see thermobarometry, metamorphic rocks) geothermometry, 179, 190 coexisting ilmenite-hematite and magnetiteulvöspinel, 265 coexisting pyroxenes, 232 metamorphic (see thermobarometry, metamorphic rocks) nickel in augite and olivine in basalt, 357 stable isotope fractionation, 312 δ^{18} O between quartz and magnetite, 314 δ^{34} S between sulfide minerals, 315 titanium in quartz, 191-193 geyser, 76 Old Faithful, Yellowstone, Wyoming, 75 Gibbs equation, 159-161 Gibbs-Duhem equation, 180, 200 metapelitic rocks and, 458 Gibbs free energy (G), 159 apparent free energy of formation, as function of pressure, 160 as function of temperature, 160 at equilibrium, 159 equilibrium constant, 190 of formation, 161-162 ideal solution, 183 nonideal solution, 184 (see also regular solution model) of ideal solution, 181-184 of mixing, 181 excess due to interactions, 185 ideal solution, 183 interchange energy, 185

652 Index

Gibbs free energy (G) (cont.) of nonideal solutions, 184-187 of growth, 269 of strain, 269 partial pressure, 183 surface, 286, 333, 599-600 (see also wetting) surface in G-T-P space, 164-166 Schreinemakers rules, 168-176 Gibbs-Helmholtz equation (van't Hoff), 191 Gibbs phase rule, 170, 200-201 Glass Mountain, Medicine Lake Highlands, California, 71 $^{238}\text{U}/^{230}\text{Th}$ and $^{230}\text{Th}/^{232}\text{Th}$ in rhyolite and dacite, 380 glaucophane, photomicrographs, 421, 561 Glen Coe, Scotland, 88 (see also dike, ring) gneiss, physical characteristics of, 428 grain boundaries: coherent, 512 incoherent, 512 semicoherent, 512 grain dispersive pressure, 340 (see also flowage differentiation) grain size: aphanitic, 137 coarse, 281 fine, 281 function of strain in metamorphic rock, 271 of dikes and sills, 85 of igneous rocks (coarse, medium, fine), 137 of mylonite, 271 granite: at convergent plate boundaries, 378 A-type, 148 beginning of melting curves for, 609 definition, 141 diapirs, 31, 598 eutectic composition of, 202, 208 formed by partial melting, 15, 598 hypersolvus, 213, 214, 227 in batholiths, 102 inclusions of basalt in, 105, 353 in stocks, 99 I-type, 147, 378 magma, 16 magma density, 22 magma temperature, 20 magma viscosity, 25 peraluminous, 609 rapakivi, Finland, 105 subsolvus, 213, 214, 228 S-type, 147, 378 system albite-orthoclase-silica, 226-227 trondjhemite (low K/Na), preponderance during Archean, 398 granitization, 511 granodiorite: at convergent plate boundaries, 378 definition, 141 in batholiths, 102 in stocks, 99 granophyre: definition, 141 from partial melting between quartz and feldspar, 32 in diabase dikes and sills, 85, 342, 382 in Skaergaard Intrusion, 342

granophyric texture (see texture) granulite facies metamorphism (see also metamorphic facies): temperature buffered by partial melting of granite, 599 graphic granite (see texture, igneous) gravitational acceleration (g), 6, 27 gravitational energy of core formation, 10 gray gneisses (trondjhemites) Archean, 398 Great Dyke of Zimbabwe (Rhodesia) (see lopolith) greenschist (see metamorphic facies) greenstone belts (Archean), 106, 398, 584 Greenstone flow, Keweenaw Peninsula, Michigan (see flood basalts) groundmass, 137 Haddo House Complex, Aberdeenshire, Scotland, 347 hafnium 176Hf formed by decay of 176Lu, 303 ¹⁷⁶Hf/¹⁷⁷Hf and provenance of magma, 311 ¹⁸²Hf decay to ¹⁸²W, 302 Hagen-Poiseuille law, 37, 39 half-life (see radioactive decay) Hall, Sir James, 19 melting experiment of, 20 Harker variation diagram, 320 harmonic tremor, 28, 62 harzburgite, 44 definition, 141 in layered intrusions, 385 in ophiolites, 15.61 Oman, 44 Hawaii: Alae pit crater. cooling rate, 114 1963 eruption rate, 36 elevated ³He/⁴He, 369 fountains of fire, 35, 51 Haleakalā, cinder cones, Maui, 65 Kilauea (see Kilauea) Kilauea Iki (see Kilauea Iki) Makaopuhi lava lake: crystal size distribution in, 285 nickel in olivine and augite, 357 mantle plume beneath, 365, 589 Mauna Loa, 50, 60, 74 immiscible liquids (glasses) in basalt, 187 potential temperature of mantle beneath, 370 Pu'uhonua o Honaunau National historic Park, lava tube, 64 Pu'u 'O'ō, Hawaii, 65 water content of basaltic magmas, 35 hazards earthquake, 15, 538 meteorite impact, 409 Chicxulub, Yucatan, Mexico, mass extinction at K-T boundary, 409 volcanic, 15, 52 Askja, Iceland, 33 Deccan trap, India, dinosaur extinction, 52, 384 effect on climate, 71 forecasting, 62, 70 forecasting using InSAR, 62, 66, 76 gases from flood basalts, correlation with mass extinctions, 384 jökullaup, 66

Herculaneum, Italy, 33 Lakagigar, Iceland, 52, 384 lahar, 68 MODIS satellite thermal monitoring, 63 Mount Pelée, Martinique, 33, 74, 77 Mount St. Helens, Washington, 73 Nevado del Ruiz, Colombia, 68 Pompeii, Italy, 33, 73-74 SO₂ satellite monitoring, 63 Tambora, Sumbawa, Indonesia, 33 Vesuvius, Italy, 33 Yellowstone, Wyoming, 33, 76 heat (thermodynamic quantity), 149 heat capacity (C_p), 112, 153 heat flow unit (HFU), 8 heat flux (flow), 7, 10, 112 advection, 585-591 (see also convection) of fluids, 595 of magma, 597-598, 609 conduction (see conduction) convection (see convection) during metamorphism (see pressuretemperature-time paths) productivity, crustal, 567 (see also heat generation; pressure-temperature-time paths) radiation (see radiation) reduced, 10 through ocean water circulation, 9, 243 total global, 8, 10 typical values from Earth, 112 heat generation by shearing, 443, 444, 592 heat-generating radioactive elements, 10, 309 by short-lived isotopes in early Earth, 585 heat generation unit (HGU), 11 heat of fusion (see latent heat of fusion) helicitic folds, 438 helium isotopes, 315 elevated ${}^{3}\text{He}/{}^{4}\text{He}(R)$ on oceanic islands (hot spots), 369 $^{3}\text{He}/^{4}\text{He}(R)$ primordial value in meteorites, 315 ${}^{3}\text{He}/{}^{4}\text{He}(R)$ produced by radioactive decay, 315 in ancient granitic crustal rocks, 315 in rocks derived from deep in mantle, 315 Henry's law, 184, 356 for Ti in quartz, 192 Higganum dike, Connecticut, 33, 84 partial melting at contact of, 32 resorbtion of phenocrysts during intrusion, 383 width-to-length ratio, 83 high-alumina basalt, 376 High Cascades volcanoes, 54 blocky lava, McKenzie Pass, Oregon, 68 high field strength elements (HFSE) in convergent boundary igneous rocks, 375, 598 high µ mantle (HIMU) (see mantle) high-T, low-P metamorphism, 4, 258, 598, 599 (see metamorphic facies series) high-T, high-P metamorphism, 4 (see metamorphic facies series) Holyoke flood basalt, Connecticut: crystal-mush compaction in, 329-331 ferrodiorite segregation in, 281 nucleation and crystal growth rates in, 282 X-ray CT image of, 329 Honey Hill thrust zone, Connecticut, 442 hornblende: occurrence in camptonite, 139, 143, 254, 292, 394 stability limit, 254, 591, 604

Index 653

shoshonites, 375

hornfels, 422, 428 hot spot, 368 deep source required for fixed position, 369 Galapagos, 50 Hawaii-Emperor seamount chain, 368 Iceland, 381 Reunion, 381 Tristan da Cunha, 381 White Mountains of New England and New England seamount chain, 393 Yellowstone-Snake River, 76 Hutton, James, 19, 397 hyaloclastite, 64 hydraulic: conductivity, 42 fracturing, 32, 82, 561, 574 radius of open channel, 38 hydrodynamic dispersion (see mass transfer; metamorphic fluids) hydrodynamic front, 527 hydrofracturing (see hydraulic fracturing; fractures, metamorphic) hydrogen isotopes, 313-314 δ^2 H (δ D) correlation with latitude, 313 hydrostatic pressure, gradient, 5, 514 hydrothermal alteration: around igneous bodies, 70 of ocean floor rocks, 595 (see also metamorphism, seafloor hydrothermal) of ophiolites, 372 (see also ocean water circulation) hydrothermal solutions, composition of, 323 hydrous mineral, stability and melting relations, 254 hydrovolcanism, 92 (see also diatreme) hydroxyl groups in silicate melts, 246 hypabyssal rock (IUGS) classification, 139-143 (see also lamprophyre) hypersolvus crystallization, 214, 227 (see also granite) Iceland: Askja, eruption of, 33 columnar jointing: Aldevjarfoss, 56 Kirkjubæjarklaustur, 55 crustal extension, 57 elevated ³He/⁴He, 369 geothermal power plant, Hengill volcano, 8 Grimsvötn, 66 heat flux, 8 Herdubreid Mountain (tuya), 66 Krafla, 53, 54 Lakagigar 1783 eruption flux, 25, 52, 79, 84 mantle plume beneath, 365, 381, 589 Mid-Atlantic Ridge, 53 width of feeder dikes, 36, 81 ideal gas law, 34, 490 ideal solution, 181 igneous bodies: extrusive 52-77 (see also central volcanoes) flood basalts, 52-59 (see also flood basalts) intrusive, 52, 77-108 batholith (see batholith) concordant, 79 cooling of sheet-like body, 116 diapir (see diapir) diatreme, 28, 89-93

dike (dyke) (see dike) discordant, 79 hypabyssal, 52 laccolith (see laccolith) layered intrusion (see lopolith) lopolith (see lopolith) plutonic, 52 room problem, 80, 101 sill (see sill) stock (see stock) volcanic neck, 80 igneous cumulates, 332-340 adcumulate, 332, 338 cumulus and intercumulus grains, 332, 338 crescumulate, 333 harrisitic texture, 99, 333 layering (see also individual intrusions): cross-bedding, 97, 102, 334-340 cryptic, 334 cyclic, 334 doublet, 337, 338 dynamic, 336 graded, 97, 99, 333, 334, 335, 338 in alkaline gabbroic intrusions, 335, 337 modal, 97, 333, 334, 336 nondynamic layering, 336 origin of, 334-340 resulting from compaction, 337 reverse graded, 335, 336 rhythmic, 97, 333, 334 slumped, 98, 334, 338 trough, 97, 333, 334, 335, 337 mesocumulate, 332 orthocumulate, 332 poikilitic texture, 338, 339 thickness required to cause compaction, 340 igneous rock associations, 365 continental alkaline rocks, 390-394 associated with East African rift. 392 association with mantle plume, 393 associated with Monteregian Province (see Monteregian Province) continental flood basalts, 380-384 (see also flood basalts) associated diabase sills, 381 convergent plate boundaries, 374-380 andesite, 375, 376 (see also andesite) basalt, andesite, dacite, rhyolite (BADR), 375.379 boninite, 375, 376 calcalkali series, 375 conditions of formation, 378-380 dacite, 377 diorite, 378 degree of melting related to thickness of lithosphere, 377 geochemical signature of, 375 granite, 378 granodiorite, 378 high-alumina basalt, 376 high-K series, 375 island arc tholeiite, 375 I-type granite, 378 plutonic rocks associated with, 378 porphyry copper deposits, 378 potassium versus depth of source, 377 rhyolite, 377

S-type granite, 378 large igneous province (LIP), 380-384 (see also large igneous province) large layered igneous complexes, 384-390 (see individual intrusions) oceanic regions, 365-374 aseismic ridges, 370 intraplate oceanic islands, 368-370 mid-ocean ridge basalts (MORBs), 366-368 (see also MORB) plateaus, 370 ophiolite suites, 370-374 Precambrian associations, 397-405 anorthosites, 400-405 (see also anorthosite) Archean crust, 398-399 komatiites, 399-400 (see also komatiite) ultra-alkaline and silica-poor associations, 394-397 alkaline lamprophyres, 394-395 carbonatites, 396-397 depth of origin, 605, 607 kimberlite, 395-396 igneous rocks, 1, 14 (see also individual rock names) acid, 137 alkaline, 143, 220-223, 606 bimodal composition of, 343 alkali olivine basalt, 369 associated rocks, 369 early crystallizing minerals in, 369 formed by partial fusion of fluid-saturated lherzolite, 606 basanite, 369 basic, 137 breccia, 80 carbonatite, 261 formed by partial fusion of CO2-saturated lherzolite, 606 calcalkaline, 144 classification of Irvine and Baragar, 143-144 classification of (see IUGS classification) comagmatic/consanguineous, 316 conditions necessary for formation, 591-599 cumulates (see igneous cumulates) felsic, 137 ferrodiorite segregation in basalt, 281 mafic, 137 monomineralic, formation through magma mixing, 219 names of, in IUGS classification, 141 oversaturated (SiO₂), 138, 143, 202, 220-223, 261 peralkaline, 143 periods of abundant formation in Earth history, 584 plagiogranite, 367 subalkaline, 143, 220-223 tectonic association, 144 textural evidence of flow, 48-49 tholeiitic, 144, 606 ultrabasic, 137 ultramafic, 137 classification of, 138 undersaturated (SiO₂), 138, 143, 202, 220-223, 261 associated with oceanic islands, 369

654 Index

igneous texture (see texture, igneous) ignimbrite (see pyroclastic deposits) image analysis (see National Institutes of Health (NIH) Image) immiscibility (see liquid immiscibility) incompatible element, 357 (see also Nernst distribution coefficient) incongruent dissolution of metamorphic minerals, 520 incongruent melting, 201, 202-205 index mineral, 417 index mineral zones: Barrovian, 417 Buchan, 417 general, 447 metacarbonate rocks, contact metamorphic example, 495 metacarbonate rocks, regional metamorphic example, 541 infiltration metasomatism resulting from compaction of crystal mush, 339 inflation of flood-basalt flows, 53, 58 initial isotopic ratio, 298 inner core of Earth, 2 InSAR (see interferometric synthetic aperture radar) instability: gravitational, 45 near wall of cooling magma body, 323 Rayleigh-Taylor, 45 (see also Rayleigh-Taylor instability) intensive variable, 164, 200 interchange energy of mixing in solution, 185 interfacial energy, 269 (see also Gibbs surface free energy) interferometric synthetic aperture radar (InSAR). 62, 66, 76 2005 rifting event in the Afar region, Ethiopia, 391 Sierra Negra, Galapagos, 61 intergranular (see texture, igneous) intergranular region, 512 internal energy (thermodynamic), 152 International Heat Flow Commission, 8 International Union of Geological Sciences (IUGS) Subcommission on the Systematics of Igneous Rocks, 130, 140, 141 classification of plutonic igneous rocks, 137-139 classification of volcanic and hypabyssal rocks, 139-143 (see also lamprophyre) intertectonic crystal, 439 intracrystalline deformation, 433 intrusion rate of: laminar flowing magma, 35-39 turbulent flowing magma, 41 inverted pigeonite, 231 (see also pyroxenes) Inyo dike, Long Valley, California, 84 ionization potential, 206 Ios, Greece, 573 IRIDIUM program for modeling compaction, 331 iron: banded iron formations (BIF), 398 enrichment fractionation trend in igneous rocks, 263–264, Bowen trend, 403 Fenner trend, 403 in calcalkali series, 379 in layered intrusions, 385

in massif-type anorthosites, 402, 403 in Skaergaard Intrusion, East Greenland, 387 in tholeiitic diabase sills, 382 meteorites (see meteorites) irreversible (natural) thermodynamic process, 151 Irvine-Baragar classification of volcanic rocks, 143-144 isentropic process, 237 (see also adiabatic) island arc. 374 basalt, rare earth concentrations in, 360 variation in composition along arc, 378 isobaric conditions, 201, 215 isochron (see absolute age determination) isograd, 417, 447, 457, 462-465 isopleth, 198 isostatic equilibrium, 592 depth of ocean floor, 9 isotherm on liquidus surface, 217 isothermal and isobaric sections in ternary phase diagrams, 217, 231 isotope geochemistry, 295-315 isotopes (see also radioactive decay; individual elements): definition, 295 evidence of crustal contamination of mantlederived magma, 307, 349 initial ratio of radioactive, 298 long-lived radioactive, 11 mass fractionation, 295 short-lived radioactive, 10 stable (H. He, O, S), 312-315 delta value (δ), 312 isotopic reservoirs, evolution in the Earth, 304-312 chondritic ratio of $^{143}\mathrm{Nd}/^{144}\mathrm{Nd}$ and Sm/Nd in bulk Earth, 305 evidence of time of core formation, 304 evidence of time of mantle formation, 305 Isua, Greenland: gray gneisses (trondjhemites), 398 metasediments: ¹⁴²Nd/¹⁴⁴Nd in, 305 ¹⁴³Nd/¹⁴⁴Nd in, 305, 306 I-type granite (see granite) Jack Hills Western Australia: oldest zircons (4.4 Ga), 305 oxygen isotopes, 398 jökullaup, 66 Kamchatka volcanic belt, Russia, volcano spacing, 51 Karoo sills (dolerites), South Africa, 80 Katmai, Alaska (see volcanoes) $K_{\rm D}$, distribution coefficient between metapelitic minerals, 474 K_{ν} , partition coefficient by volume, 528 Kenya dome, alkaline magmatism, 392 Daly Gap in rock series, 393 early phonolite flows associated with, 392 keratophyre, 139 definition, 141 Keweenaw flood basalts, 380 Greenstone flow, 53 columnar jointing in, 55 volume of, 52 Khibina-Lovozera ring complex, Kola Peninsula, Soviet Union, 88 Kiglapait, Labrador (see lopoliths)

Kilauea, Hawaii, 50, 61 1974 eruption, 60 1983 eruption, 62 analyses of lavas from, 317 Differentiation Index (D.I.) plot, 320 FMA plot, 317, 319 Harker (silica) plot, 320 oxide versus magnesium number, 318 annual flux of magma, 62 augite phenocrysts, problem with scarcity of, 319 caldera, 60 compositional variation and differentiation of lavas, 317-321 depth of magma source, 317 elevation, 50 forecasting eruptions, 62 immiscible liquids in basaltic glass, 205, 206, 341 liquidus temperatures of lava, 319 magma chamber, 62, 317 magma conduit, 61 magma density, 22 Pu'u 'O'ō, 62 rift zones, 317 Kilauea Iki lava lake, Hawaii, 20 1959 eruption rate, 51 cooling, 20, 114 crystal size distribution in 1959 picrite, 285 fissure eruption, 86 olivine phenocrysts in lava lake, 319 segregation sheet in, 319 Kilbourne Hole, New Mexico, spinel lherzolite from, 603 high-P melting experiments, 606 kilobar, 6 kimberlite, 89, 138, 395-396 (see also igneous bodies, diatreme) association with diatremes, 93 composition of, 93, 395 definition, 141 diamond-graphite stability relations in source of, 396 elevated contents of incompatible elements, 396 formed by partial fusion of fluid-saturated lherzolite, 606 generation from carbonated peridotite, 261 isotopic composition in ε_{Nd} – ε_{Sr} plot, 308 magma viscosity, 24, 93 mantle nodules, 395 depth of origin, 395 occurrence, 395 kinematic viscosity, 24 kinetics of metamorphic reactions: advection-hydrodynamic dispersion-reaction, with kinetics, 539-540 Al₂SiO₅ polymorphs: kinetics, 452, 535 reaction paths, 521-522 calcite-aragonite transformation, 535 Damköhler-I number, 539 eclogite facies, 573-574 fluids and, 535 fluid composition and (H2O-CO2 fluid), 538-539 fluid infiltration and, 539-540 overstepping, 534, 536, 574 devolatilization reaction, 536-538

Index 655

rate law, devolatilization reactions, 535 rate law, general, 534 activation energy, 534 activity of fluid species, 534 Gibbs free energy dependence, 534 intrinsic rate constant, 534 reactive mineral surface area, 534, 535 rate-limiting step, 534 reaction order linear, 536 nonlinear, 536 reaction paths, Al2SiO5 polymorphs, 521-522 retrograde metamorphism, 560 strain, effect of, 561 surface-controlled, 534 transport-controlled, 534 komatiite, 399-400 composition, 399 crustal contamination of, 348, 400 definition, 141, 399 depth of source, 400, 606 in Archean greenstone belts, 399 in Caribbean, 399 liquidus temperature, 399 magma viscosity, 24 nickel sulfide deposit (Kambalda, Western Australia) associated with, 400 of Munro Township, Ontario, 273, 399 rare earth element concentration in. 361 skeletal (dendritic) crystals in, 273, 399 spinifex texture, 399 Krafla volcano (see Iceland) kvanite, 13 (see Al₂SiO₅ polymorphs) to andalusite reaction, 167 laccolith, 93-95 Henry Mountains, Utah, 94 terminations on, 95 Maverick Mountain, west Texas, 93 peripheral shape of, 94 radius-depth relation, 94 radius-thickness relation, 95 lahar 68 Mount Hood, Oregon, 69 Lakagigar fissure eruption (see Iceland) Lake St. John, Quebec, anorthosite, 434 (see also anorthosite, massif-type) laminar flow, 24 lamproite, 396 lamprophyres: alkaline lamprophyres, 394-395 alnöite, 394 camptonite, 292, 394 classification, 139, 143 monchiquite, 394 lanthanide contraction (see rare earth elements) lapilli, 70 large igneous provinces (LIP), 52, 380-384 association with mantle plumes, 368 Columbia River, 52 Deccan India 52 definition, 380 eastern North America (Central Atlantic Magmatic Province, CAMP), 52 Snake River - Yellowstone, 52 Tertiary Brito-Arctic, 52, 368, 380

large ion lithophile elements (LILE), 305, 306 (see also mass transfer, metamorphic fluids, LILE) in convergent boundary igneous rocks, 375, 598 latent heat (enthalpy) of fusion or crystallization, 32, 114 in numerical calculations, 119 limiting assimilation, 347 lava: aa, 64 blocky, 68 cooling of surface by radiation, 122 cooling of turbulent flow, 122 hyaloclastite, 64 lake, 60 cooling, numerical analysis, 117-119 Erte'ale, volcano, Ethiopia, 61 Kilauea Iki, 1959, 20 laminar flow rate, 23, 26 pahoehoe, 63 tube, 64 Pu'uhonua o Honaunau National Historic Park, Hawaii, 64 turbulent flow rate, 38 law of sines, 288 layer-parallel fluid flow, 516, 529, 530, 543 (see also fluid flow, metamorphism) layered intrusion (see lopolith and Skaergaard) layering in igneous rocks (see igneous cumulates) lead isotopes, 296 Lesser Antilles island arc, variation in composition along, 378 leucite: occurrence in volcanic rocks, 208 phenocrysts in volcanic glass, 207 twinning related to isometric to tetragonal inversion, 207, 208 leucocratic, 137 leucosome, 44 lever rule, 197 lherzolite: change in composition of partial melt with pressure, 606 garnet, in mantle, 590 likely source for basaltic magma, 604 liquidus, 591 melting range at low and high pressure, 591 xenoliths, 602 in lavered intrusions, 385 near-eutectic composition at 14 GPa, 606 phase relations and the source of magmas, 605 solidus under CO2-saturated conditions, 260 solidus under fluid-absent, H2O- and CO2saturated conditions, 605 solidus under H2O-saturated conditions, 606 spinel: from Kilbourne Hole, New Mexico, 603 high-P melting experiments, 606 likely source for basaltic magma, 604 Liesegang rings, 337 lineation, 430 crenulation, 431 magmatic, 48, 49 stretching, 443 liquid immiscibility (see also magmatic processes): between carbonatite and kimberlite and alnöite magmas, 397 coalescence of immiscible droplets, 342, 344

composition of, 341 element partitioning between immiscible liquids, 342 in alkaline basalts, 342 in anorthosite-quartz mangerite series, 403 in experimentally melted carbonated eclogite, 344 in Kilauea basaltic glass, 205, 206, 341 in layered intrusions, 385 in lunar samples, 340 in MORB, 367 in simple binary systems, 205-207 in Skaergaard Intrusion, 342 in system favalite-leucite-silica, 223 in ternary systems, 223-224 in tholeiitic basalts, 341 ocelli (see ocelli) role in formation of carbonatite, 343 sulfide-silicate liquids, 248, 344 in core formation, 585 in gabbro, Sudbury, Ontario, 249 in komatiite, Kambalda, Western Australia, 400 in Merensky Reef, Bushveld Complex, South Africa, 388 in mesostasis of Holyoke basalt, Connecticut, 249 wetting of crystals in tholeiitic basalt, 291 liquidus, 119, 195 function of ΔH of fusion, 195 lithophile elements, 305 lithosphere, 3 extension and decompression melting, 593, 594 section through, 3 thickness of, 13 control on partial melting above Benioff zone, 377 in Archean, 398 lithostatic pressure gradient, 5, 515 local equilibrium, 523 Loch Ba ring dike, Mull, Scotland (see dike) lopolith (layered intrusion), 95-99, 384-390 (see also Skaergaard) age of large, 384 Bjerkreim-Sokndal Intrusion, Norway, 350 anorthosite block in, 97 rhythmic layer and channels in, 97 Bushveld Complex, South Africa, 96, 384, 387-388 age of. 384 chromitite layers, Dwars River, 385 layered ultramafic rocks, 387 magma mixing, 388 Main Zone, 388 Merensky Reef (chromitite), 387, 388 possible meteorite impact origin of, 411 Upper Zone, 388 composition of magma, 384 multiple surges of fresh magma, 385 Duluth gabbro: age of, 384 association with midcontinent gravity high, 381 Fongen-Hyllingen Intrusion, Norway, 350 Great Dyke of Zimbabwe (Rhodesia), 81, 97, 384 age of. 384 pyroxene and plagioclase cumulates, 332

656 Index

lopolith (layered intrusion) (cont.) Hasvik Intrusion, Norway, 350 isotopic evidence of crustal contamination of, 310.350 Kalka Intrusion, central Australia, 310 Kiglapait, Labrador: age of, 384 isotopic evidence of assimilation and fractional crystallization, 350 layering, 96, 333 layering of rocks in, 96, 97, 333 graded layers, 97 Muskox Intrusion, Northwest Territories, Canada, 96, 384, 388-390 age of, 384 compaction of crystal mush in, 339 cvclic units in. 389 feeder dike to, 81, 97 Rum Complex, northwestern Scotland, 98 deformed layers of troctolite, 98 harrisitic texture, 98, 333 layered ultrabasic rocks on Hallival, 96 sequence of crystallization in, 385 Stavanger, Norway, 335 graded layering, 99, 334 Stillwater Complex, Montana, 97 age of, 384 chromitite layer, 96 doublet layering, 337, 338 inch scale layering, 337 magmatic lineation, 98 olivine-orthopyroxene reaction texture, 203, 222 poikilitic texture, 339 reaction texture, 338 sulphide (PGE) deposit, 346 Sudbury, Ontario, 97, 384, 410 age of, 384 breccia, 410, 411 crystal size distribution in, 285 immiscible sulfide ore in gabbro, 249 magmatic sulfide deposits, 248, 410 meteorite impact origin of, 410 typical rock types in, 385 Lord Kelvin, 6 low-T, high-P metamorphism, 4, 14 (see metamorphic facies series) age of, 584 low-velocity zone (asthenosphere), 3, 7, 13 intersection of geotherm with garnet lherzolite solidus, 591 melting in, 261 lutetium: ¹⁷⁶Lu decay to ¹⁷⁶Hf, 303 ¹⁷⁶Lu-¹⁷⁶Hf and provenance of magma, 311 maar, 89, 90 mafic, 133, 137 magma, 19 accumulation in source, 599-601 ascent rate at convergent plate margins, 598 (see also flow) assimilation (see assimilation) bulk density of vesicular, 33 buoyant rise, 15, 28-32, 83 in batholiths, 102 chamber, 62 cooling rate of convecting and

nonconvecting, 324, 325

chamber, axial (AMC), 50 compressibility, 30 contamination (see assimilation) crystal mush, 20 density, 21-23 role in magma mixing, 351 density increase with pressure, 23 depth to source, 31 derived from crust, ¹⁴³Nd/¹⁴⁴Nd and ⁸⁷Sr/⁸⁶Sr signature, 306 derived from depleted mantle ¹⁴³Nd/¹⁴⁴Nd and 87Sr/86Sr signature, 306 diapiric intrusion of, 45-47 differentiated - evolved, 316 direct measurement of temperature of, 19 disruption by expanding vesicles, 34, 69 flow rate of Bingham, 39-41 flow rate of turbulent, 41 (see also flow) flow textures, 48-49 flow through channels, 16 flow through pores, 16 flux through pipe, 37 focused flow, 44 gases (see see volcanic gases) solubility (see water; carbon dioxide and sulfur) generation, 599-601 intrusion, 28 intrusion rate of laminar Newtonian magma, 35 - 39intrusion rate of turbulent magma, 41 level of neutral buoyancy, 31, 47 melting range, 19 mixing, 219, 350-356 cause of eruption, 377 commingling, 351, 352-354, 377 effect on phase relations, 356 evidence from crystal size distribution, 285 evidence from phenocrysts, 355 formation of economic deposits, 356, 385 in andesites, 377 in Bushveld Complex, South Africa, 388 in calcalkali series (BADR), 379 in dacite and rhyolite, 377 in Glass Mountain, California, 71, 377 in large layered intrusions, 385 in MORBs, 367 in Mount Desert Island, Maine, 353 isotopic evidence of, 309, 349, 355 Paricutin Volcano, Mexico, 355 Reynolds number for, 351 role of magma density, 351 ocean on early Earth, 11, 585 solidification of, 591 parental, 316 primary, 316 rise by ballooning, 47 source region composition for basaltic magma, 601-604 based on mantle xenoliths, 601-604 pyrolite model mantle, 604 steady-state laminar flow in vertical pipe, 36-38 superheat, 20, 115, 200 suspension, 20 tectonic pressure on, 35 temperature lowered by H2O, 20 temperatures, 19-20 turbulent flux through dike, 41

vesiculation, 33 viscosity, 16, 23-25 (see also viscosity) role in magma mixing, 352 yield strength, 23, 317 magmatic processes, 316-364 assimilation (see assimilation) compaction (see crystal-mush compaction) convection, 317, 323-328 compositional, 323, 325 double-diffusive, 326, 328 dripping instabilities, 328 forced, 323 free, 323 Nusselt number, 324 of dense crystal suspensions, 328 rate near vertical wall, 323 rate of in sheet-like body cooled from above, 325 Rayleigh number, 324 thermal, 323 through crystal mush, 326 crystal-mush compaction, 328-331 in Cohassett, Columbia River, flood-basalt flow, 331 in Holyoke flood-basalt flow, Connecticut, 329-331 IRIDIUM program for modeling, 331 crystal settling, 317, 321-323 in ocellus, 343 Stokes law, 322-323 yield strength, 322 differentiation, 316 calculation using least squares computer fit to rock analyses, 321 rate determined using short-lived radioisotopes, 379-380 filter pressing, 317, 340 (see also compaction) flowage differentiation, 317, 340 fractionation: Berthelot-Nernst (equilibrium), 358 crystal-liquid, 316 liquid, 316 Rayleigh, 358 liquid immiscibility, 316, 340-345 melt productivity under adiabatic decompression, 238 mixing (see magma mixing) pneumatolitic action, 317, 346-347 resurgent boiling (second boiling), 259, 346 Soret diffusion, 316, 345-346 trace element fractionation, 356-361 during partial melting in source region, 601 vapor-phase separation (see pneumatolitic action) zone melting, 349 magmon, 601 magnesium number M' (differentiation index), 318 of MORB, 367 magnetic field, 2, 326 magnetite: crystallization, effect on vanadium content of magma, 359 skeletal form of, 273 with fayalite and quartz as oxygen buffer (see oxygen) with ilmenite as oxygen buffer (see oxygen) major element, 132

Index 657

mantle of Earth, 2 array in ENd-ESr plot, 308 composition, 131 density, 29 depleted, 309 rare earth element signature of, 361 fertile, from Kilbourne Hole, New Mexico, 603 isotopic signature of magma sources in, 312 depleted MORB mantle (DMM), 312 enriched mantle I (EM I), 312 enriched mantle II (EM II), 312 focus zone (FOZO), 312 high μ (HIMU), 312 layered (upper, lower), 588-589 metasomatism, isotopic evidence for, 311 prior to ocean island magmatism, 593, 594, 611 nodules (see mantle xenoliths) plume, 52, 368 association with large igneous provinces (LIP), 368 association with alkaline igneous rocks, 367 beneath: Afar triangle, Ethiopia, 392 Hawaii, 365, 589 Iceland, 365, 381, 589 depth of origin, 365 diameter of plume head, 368 elevated ³He/⁴He, 369 excess temperature, 368 flood basalts associated with, 380 isotopic signature, 309, 312 superplume, 589 thermochemical, 368 pyrolite, model, 604 tensile strength of upper, 32 time of formation based on ¹⁴²Nd/¹⁴⁴Nd in, 305 viscosity of, 23, 26 wedge above subduction zone, isotopic signature of, 310-311 temperature distribution in, 596 xenoliths: eclogite, 602 in alkaline rocks, 601-604 in alnöite, 395 in diatremes (kimberlite), 93 in kimberlite, 395 in ocean island nephelinites, 370 peridotites (garnet lherzolite, spinel lherzolite, harzburgite), 602 marble, 494 (see also metacarbonate rock) Margules' formulation (asymmetric regular solution model), 187 Mars: Olympus Mons, 66 volcanoes on, 66 mass balance analysis (see mass transfer, metamorphic fluids) mass transfer, metamorphic fluids (see also fluid flow, metamorphic): advection of mass, 516, 526 conservation of mass: advection-hydrodynamic dispersion, 526 advection-hydrodynamic dispersion-reaction, general form, 528

advection-hydrodynamic dispersion-reaction, with kinetics, 539-540 solution to partial differential equation, example, 527 diffusion 511, 517, 518 cross coefficients, 524 Fick's first law, 517 Fick's first law, Onsanger's extension of. 524 Fick's second law, 518 interdiffusion coefficients, 524 length scales, 518, 543 Onsanger diffusion coefficients. 524 fluxes (see time-integrated fluid flux) H2O-CO2 transport-reaction across lithologic contacts, 540-544 hydrodynamic dispersion, 518, 526, 540, 543 large ion lithophile elements (LILE), 544 mechanical dispersion, 518 metasomatic mineral zonation, 522-525, 544 metasomatism, 511, 522 metasomatism, examples of element mass transfer: chert nodules, 522-525 mélange zones, 544 subduction zones, general, 544 vein selvages, 550-555 (see also veins, metamorphic) metasomatism, mass balance analysis of: concentration ratio (CR) diagram, 553 interpretation of elemental ratios, 550-551 interpretation of mass and volume changes, 553 mass change, overall for rock, 552 mass changes for individual elements, 552 partial melting, 552 precursor rock, 550 pseudomorphs and volume change, 551 reference frame, 551 residual dilution, 554 residual enrichment, 554 statistical treatment, 553-554 volume change for rock, 552 wedge diagram, 554, 555 rare earth element (REE) mobility, 553 Mauna Loa, Hawaii (see volcanoes) mean free path (see diffusion) mechanical dispersion (see mass transfer; metamorphic fluids) Medford dike, Massachusetts, 85 mélange zones, 544 melanocratic, 137 melanosome, 44 melting (see also partial melting) beginning of melting curves (H2O-saturated) for common minerals and rocks, 251, 252 congruent, 201 decompression, 15, 236-239 (see also adiabatic) fluxing with H₂O, 15, 17 hydrous mineral, 254 incongruent melting, 201 productivity resulting from adiabatic decompression, 238 (see also adiabatic) range of igneous rocks, 19 temperature lowered by H2O, 20, 250-254 volume expansion on, 22, 32 zone, 349

MELTS, 194, 239-240 density calculation, 22 viscosity calculation, 25 use in normative mineral calculation, 136-137, 148 MELT Seismic Team (East Pacific Rise), 367 Merrimack synclinorium, Massachusetts and Connecticut, 481, 485-486, 578 mesocumulate (see igneous cumulates) metabasalt: ACF diagrams for, 455 blocks in mélange zones, 544 metamorphic facies, 419-424 petrography of, 421 pseudosection example, 489 metacarbonate rock: calcsilicate, 494 common reactions, 495, 499-501, 506, 541 contact metamorphism, 494 fluids (see fluids, metamorphic; mass transfer, metamorphic fluids; time-integrated fluid flux) H2O-CO2 transport-reaction across lithologic contacts, 540-544 index mineral zones, contact metamorphic example, 495 index mineral zones, regional metamorphism example, 541 metasomatism and mass transfer, 522-525, 540-544, 550-555 petrogenetic grid (see T-X_{CO2} diagram) petrography of, 541 protolith characteristics, 490 vein selvage metasomatism, 550-555 metamorphic core complex, 573 metamorphic facies, 419-424, 455 albite-epidote hornfels, 422 amphibolite, 422 blueschist, 422 eclogite, 422 granulite, 422 greenschist, 422 hornblende hornfels, 422 prehnite-pumpellyite, 422 pumpellyite-actinolite, 422 pyroxene hornfels, 422 sanidinite, 422 zeolite facies, 422 metamorphic facies series, 562 high-temperature, low-pressure (Buchan, Abukuma) type, 417, 470, 485, 562, 568, 579-580 intermediate, 562 low-temperature, high-pressure (LT/HP) type, 562, 569, 575-577 moderate-temperature, moderate-pressure (Barrovian) type, 417, 486, 562, 572, 578, 580 metamorphic field gradient, 562, 563 metamorphic geotherm, 562 metamorphic grade, 417 metamorphic mineral facies, 419, 451 metamorphic rocks, 1, 14 crustal volume of, 414 mapping of, 417-419 model terrane map and interpretation, 447-454 metamorphic reaction overstepping, 270, 291 (see also kinetics of metamorphic reactions)

658 Index

metamorphic subfacies, 424 metamorphic textures (see texture; metamorphic) metamorphism: Barrovian, 417 (see also Scottish Highlands for more detail) Buchan, 417 (see also high-T, low-P metamorphism) contact, 1, 14, 414, 427 marble at contact with dike, Montreal, Quebec, 82 nucleation rate of garnet near dike, County Mayo, Ireland, 270 result of advective heat transfer from mantle by magma, 594 definition, 414 facies series (see metamorphic facies series) high-T, low-P metamorphism, 4, 258 (see also metamorphic facies series) high-T, high-P metamorphism, 4 (see also metamorphic facies series) low-T, high-P metamorphism, 4, 14 (see also metamorphic facies series) partial melting and, 448, 453-454 prograde, 414, 447-454 regional, 1, 14, 17, 414 due to heat advectively introduced by magma into crust, 598 low-grade, due to lithospheric extension, 594 retrograde, 414, 417 preservation of mineral assemblages during exhumation, 560-562 seafloor hydrothermal, 414, 422, 424, 516 ultrahigh pressure (UHP), 425-427, 479, 577 ultrahigh temperature (UHT) 425-427 age of, 584 formed after removal of melt, 599 metapelite (see also Scottish Highlands): AFM diagram (Thompson projection), 457-462 common mineral formulas, 457 components in, 459 petrogenetic grid, 467-469 petrography of, 418, 461 protolith (shale) composition, 457 pseudosection example, 482-485 solid solutions, 457-467 thermobarometry (see thermobarometry) variance of assemblages, 458, 460 metasomatism (see also mass transfer, metamorphic fluids, replacement): dike emplacement by, 85 fenitization, 347 of mantle (see mantle, metasomatism) sodium (on ocean floor), 139 metastable (see also stability): reaction, 425, 560 Meteor Crater, Arizona (see meteorite) meteorite, 130-132 chondrule, 132 flux as function of time, 405 from Mars, 132 from Moon, 132 kinetic energy of, 405 impact-generated rocks and minerals, 405-411 breccia, 406, 411 coesite, 409 diamond, 407, 410 lechatelierite, 407 melt, 406, 407, 411

maskelynite, 407, 408 Onaping tuff, Sudbury (fall back breccia), 411 planar features in quartz, 408 pseudotachylite, 409, 410, 411 shatter cones, 406, 407 stishovite, 409 Sudbury breccia, 411 tektites, 407 impact (explosion) structures, 409 central uplift, 406 Bushveld Complex, South Africa, 411 Charlevoix, Quebec, 407 Chicxulub, Yucatan, Mexico, 408, 409 Clearwater Lakes, Quebec, 408 crater diameter as function of kinetic energy, 406 craters, 405, 406 decompression melting associated with, 409 greenstone belts, 398 large Precambrian layered intrusions, 384 Manicouagan, Quebec, 407, 408, 409 Meteor Crater, Arizona, 406 shatter cones, 406, 407 Sudbury lopolith, Ontario, 410 Vredefort, South Africa, 408 iron, 131, 132 stony, 131 achondrites, 131 chondrites, 11, 131, 132 accretion following core formation, 304 carbonaceous, 131 enstatite, 131 ordinary, 131 stony iron, 131, 132 velocity, 405 miarolitic cavity, 103, 259 Mid-Atlantic Ridge: Iceland, 53, 54 textural variation across pillow from, 273 midcontinent gravity high, 381, 405 Midland Valley of Scotland, alkaline rocks associated with, 391 mid-ocean ridge (see also East Pacific Rise; Mid-Atlantic Ridge): axial magma chamber (AMC), 50 basalt (MORB) (see MORB) fissure eruption, 52 volume of, 52 fracture zone, 366 heat flux, 4, 8 potential temperature, 366 shallow thermal anomaly in mantle, 589 migmatite, 44, 45, 252, 414, 448, 608 (see also partial melting) leucosome, 44 melanosome, 44 Milankovitch cycles (see oxygen isotopes) Minas Gerais, Brazil, carbonatite, 396 minerals: accessory, 19, 133 rock-forming and accessory, 19, 133 minimum (on liquidus), 212, 227 minor element, 132 mode, 133 determination by point counting, 133 determination from image analysis, 133 (see also National Institutes of Health (NIH) Image)

modified Redlich-Kwong equation, 246, 491 Mohorovičić discontinuity (Moho, M), 2, 370 in ophiolite suite, 373 mineral transformations at, 17 molality, definition of, 520 molar volume, 22 partial, 21 mole fraction, 22 monazite absolute dating of, by electron microprobe analysis, 303 closure temperature of, 303 zoning in, 303 monchiquite, 394 Monteregian igneous province, southern Quebec, 101 alkaline rock distribution, 392-393 assimilation in, 347 bimodal (mafic-felsic) composition of rocks in, 343 possible role of liquid immiscibility, 393 Daly Gap in rock series, 393 diatreme breccia, Ile Bizard, 90 dikes and sills, 82 isotopic evidence for crustal contamination of mantle-derived magma, 307 layering in gabbro, 337 Oka carbonatite, 396 Rb-Sr isochron, 299 Moon: anorthosite in lunar highlands, 400 formation from giant impact on Earth, 10,304 age of, 304 liquid immiscibility in lunar rocks, 340 maria basalt, 398 rise of basaltic magma on, 31 MORB (mid-ocean ridge basalt), 366-368 classification on basis of isotopic signatures, 148 depleted source of, 367 depth of source, 367, 605, 607 fractionation of, 367 role of augite in, 367 immiscible glasses in, 367 isotopic composition of, 311-312 in ε_{Nd} – ε_{Sr} plot, 308 magma mixing, 367 magnesium number of, 367 N-type, 312 phenocrysts of olivine and plagioclase in, 366 product of decompression melting, 594 rare earth element concentration in, 361 Soret diffusion in, 345 volume of, 53 Mount Desert Island, Maine, basalt inclusions in granite, 105 Mount Johnson, Quebec, layering in, 337 Mount Pelée, Martinique (see volcanoes) Mount Royal, Montreal, Quebec, dike bridges and horns, 86 Mount St. Helens, Washington State, 28, 67, 69, 73, 74 explosion velocity, 28 zoned plagioclase phenocryst in andesite, 376 Mourne granites, Northern Ireland, 89 (see also dike, ring) mudflows (volcanic), 68 (see lahars)

Index 659

Mull, Isle of, Scotland: cone sheet, 88 isotopic composition of basalts from, 309 δ^{18} O around central complex, 313 Loch Ba ring dike, 109 muscovite (see dehydration reaction) Muskox Intrusion, Northwest Territories, Canada (see lopolith) mylonite, 442 grain size of, 271 National Institutes of Health (NIH) Image program, 108, 133 use in measuring mode, 148 skeletonize function in, 330 natrocarbonatite (Na2CO3), Oldoinyo Lengai, Tanzania, 392 Naxos, Greece, 573 neodymium: ϵ_{Nd} , 308 ¹⁴³Nd/¹⁴⁴Nd evidence of crustal contamination, 349 ¹⁴³Nd/¹⁴⁴Nd evolution in bulk Earth, 305–306 ¹⁴³Nd/¹⁴⁴Nd evolution in crust, 306 143Nd/144Nd evolution in mantle, 306 ¹⁴³Nd/¹⁴⁴Nd in MORB, 306 143Nd/144Nd in primordial Earth, 305 nepheline: monzonite diapirs, 46 phenocrysts, 200 syenite, eutectic composition of, 202 nephelinite, occurrence on oceanic islands, 370 Nernst distribution coefficient (partition coefficient), 279 between crystal-liquid, 357 between metapelitic minerals, 474 by mass, 528 by volume (K_v) , 528 Mg-Fe between olivine and liquid, 321 New Britain island arc, isotopic data from, 310 newton (unit of force), 6 Newton's second law, 5 Newtonian liquid, 23, 40 Niger and Nigeria, ring complexes and tin deposits, 393 nonconservative (see component) non-Newtonian liquid, 23 nonpenetrative structure, 431 norite, formation through assimilation, 347 norm, 133-137 CIPW, 133–136 minerals, 134 indicated by MELTS program (see MELTS) molecular, 143 normative minerals (see norm) nucleation, 268-271 activation energy, 269 critical radius for, 269 heterogeneous, 268 homogeneous, 268 maximum rate, 270 nuclei. 268 overstepping required for, 268, 269 overheating (metamorphic), 270 strain, 271 undercooling (igneous), 270 nuclei (see nucleation) nuées ardentes (glowing clouds), 74

Crank-Nicolson finite-difference method (P-T-t paths), 565, 566of heat conduction, 117-121 Nusselt number, 324 (see also magmatic processes, convection) obduction, 53, 371 obsidian, 72 dome, Glass Mountain, California, 71, 377 flow, Little Glass Mountain, California, 72 flow, Newberry Volcano, Oregon, 71 ocean floor: age of, 365 depth versus age, 9, 114, 586 MORB (see MORB) hydrothermal alteration of, 4, 9, 243, 372, 595 (see also metamorphism, seafloor hydrothermal) rate of formation, 365 sediments: contribution to island-arc magmatism, 311 isotopic composition of, 310 ocean water: circulation through ocean floor, 4, 9, 243, 372 Sr and Nd isotopic composition of, 310 standard mean, (SMOW), values of 18O/16O and ²H/¹H, 313 oceanic crust, 29, 43 content of radiogenic isotopes, 11 layer 2A, 30 olivine-rich veins, 44 steady-state geotherm, 12 stratigraphy, 43 structure, 370 thickness, 2 ocean island basalts: alkali olivine basalt, 369 depth of origin, 369 trace element composition of, 369 basanite, 369 composition of 369 depth of origin, 369 early crystallizing minerals in, 369 high ³He/⁴He, 369 isotopic composition in ENd-ESr plot, 308 tholeiites, 369 ocelli, 292 carbonate, in kimberlite and alnöite, 397 crystal settling in, 343 deformation around sinking crystals, 344 occurrence in lamprophyres, 342, 343, 394 origin as immiscible liquid globules, 342, 343 wetting of hornblende crystals, 292 Oka carbonatite, Quebec, 396 (see also Monteregian Province) oikocryst, 338, 339 Old Faithful geyser, Wyoming, 76 olivine: α - β transformation at depth of 400 km, 590 alignment of a-axis in: harzburgite in ophiolites, 372 oceanic mantle, 370 dendrites in komatiite, 273, 399 floating in magma at 10 to 15 GPa, 591, 592 fluid inclusions in mantle olivine, 604

numerical analysis:

119-121

Crank-Nicolson finite-difference method,

liquidus relations, 208-210 reaction with garnet to form perovskite at depth of 670 km, 590 reaction with magma to form orthopyroxene, 203 Olympus Mons, Mars, 67 Oman, Persian Gulf: olivine veins in peridotite, 44 ophiolite, 371 omphacite (pyroxene), 422, 603 photomicrographs, 421, 426, 561 Ontong Java plateau, 370 ophiolite, 43, 370-374 associated rocks, 371 hydrothermal alteration, 372 Oman (see Oman) stratigraphic succession, 371-372 (see also oceanic crust) chromitite, 372 dunite veins, 372, 373 harzburgite (deformed and serpentinized), 371 layered gabbros, 372 Mohorovičić discontinuity, 373 pillow lavas, 372 plagiogranite, 372 sheeted dike complex, 372 strata-bound sulfide deposits, 372 transition zone, 372 Troodos, Cyprus, 373 ophitic (see texture) ore body: associated with Khibina-Lovozera ring complex, Kola Peninsula, Soviet Union. 88 chromite layers in lopoliths, 96 Dwars River, Bushveld Complex, South Africa, 385 formation through magma mixing, 356, 385 Merensky Reef chromitite layer with PGE. 387 Stillwater, Complex, Montana, 96 diamond, 395-396 hydrothermal, 70, 243, 346 iron-titanium-oxide apatite rocks (nelsonite) in massif-type anorthosites, 402 magmatic sulfide deposits, 248, 346 formed through magma mixing, 356 nickel sulfide deposit associated with komatiite, Kambalda, Western Australia, 400 nickel sulfide deposit associated with Sudbury meteorite impact crater, Ontario, 249, 410 niobium and rare earth deposits associated with carbonatite, 397 pegmatite, 255, 346 platinum group elements (PGE), 346 in Merensky Reef, Bushveld Complex, South Africa, 388 porphyry copper deposit, 89, 378 strata-bound sulfide deposit in ophiolites, 372 Skouriotissa, Cyprus, 373 sulfur isotopes in, 314 tin and niobium associated with granitic ring complexes, 88, 393 Orijarvi, Finland, 419 orthocumulate (see igneous cumulates)

660 Index

orthopyroxene (see also pyroxenes) exsolution lamellae in augite, 230 incongruent melting of, 202-205, 220-223 inversion to pigeonite, 211 Oslo graben, Norway, 419 igneous rocks of, 393 rift-associated alkaline magmatism, 391 ring complexes, 88 osmium: ¹⁸⁷Os formation by decay of ¹⁸⁷Re, 302 ¹⁸⁷Os/¹⁸⁸Os as evidence of deep mantle (core) source, 309 Ossippee ring complex, New Hampshire, 87, 88 Ostwald ripening (coarsening through recrystallization), 285, 286, 289, 337 overstepping (see kinetics of metamorphic reactions) oxygen: atmospheric, production by algae, 398 bridging and nonbridging in crystals and melts, 206 role in solution of CO2 in melt, 247 role in solution of H2O in melt, 246 buffer, 262 coexisting hematite-ilmenite and magnetite-ulvöspinel, 265 hematite-magnetite (HM), 262 magnetite-wüstite (MW), 262 nickel-nickel oxide (NNO), 262 quartz-fayalite-magnetite (QFM), 262 fugacity: control over CO/CO2 in volcanic gases, 244 control over solubility of S in silicate melt, 247 determination from coexisting ilmenite-hematite and magnetite ulvöspinel, 265 role in phase equilibria, 261-265 setting value in MELTS program, 137 isotopes, 313-314 δ^{18} O correlation with latitude, 313 δ^{18} O correlation with Milankovitch cycles and Pleistocene glaciations, 313 $\delta^{18} \mathrm{O}$ in basalts around the central complex on Isle of Mull, Scotland, 313 δ^{18} O in mantle and continental derived rocks, 313 geothermometry, 313-314 in zircon (Jack Hills, Western Australia) and age of crust, 285, 313, 398, 585 standard mean ocean water (SMOW) $^{18}\mathrm{O}/^{16}\mathrm{O}$ and ²H/¹H, 313 pahoehoe, 62, 63 paired metamorphic belts, 562, 579 Palisades Sill, New Jersey: compaction of crystal mush in, 340 convective velocity of magma in, 325 granophyric segregations in, 342 layers produced by redistribution of pyroxene during compaction, 338 layers, reversely graded, 335, 336 inflation of, 79 intrusion near base of sedimentary section, 381 olivine layer, 128 formation through crystal settling, 321 Rayleigh number for magma in, 324 stratigraphic level of emplacement, 29, 31 thermal gradient in convecting magma, 325 thickness and lateral extent, 80

Papua, New Guinea, 577 ophiolite, 371 partial derivatives, explanation, 160 partial melting (see also melting): amount required to cause fracturing, 32 anatexis, 45, 608 at base of crust, 598, 609 at margin of dike, 32, 33, 84 at margin of stock, 100, 102 batch, 239 between microcline and quartz, 207 between plagioclase and pyroxene, 198 channelized flow by deformation, 44-45 degree of, in source region, 599 equilibrium, of garnet lherzolite, 607 fractional, 239 of garnet lherzolite, 601 stepwise process, 607 in D", 3 in low velocity layer, 3, 7, 13 in magma source region, 604-611 in orogenic belts, 13, 44, 378, in upper mantle peridotite, 44, 591, 606 metamorphism, 414, 448, 453-454, 469-470 migmatite, 44, 45, 608 near convergent plate boundaries, 610 porous flow, 42 Rayleigh fractionation in magma source region, 601 rheomorphic liquid, 100 to form crust, 304 to form granite, 15, 31, 45, 104, 599, 608, 609 following dehydration of biotite, 609 following dehydration of hornblende, 609 following dehydration of muscovite, 609 to form syenite, 609 trace element fractionation during, 608 partial molar volume, 21 of common oxide components of magma, 21 partition coefficient (see Nernst distribution coefficient) pascal (unit of pressure), 6 peak metamorphic conditions, 427, 439, 486, 564-569, 572, 580 Pearse-Cann discriminant diagram, 147 Péclet number, 570, 592 pegmatite, 85, 103, 214 conditions of formation, 256 common at sillimanite grade metamorphism, 258 composition of fluids associated with, 346 definition, 255 economic mineral content of, 255 ferrodiorite, in Holyoke basalt, Connecticut, 281 Gotta pegmatite, Middletown district, Connecticut, 257 grain size of, 255, 256, 258 Hale pegmatite, Middletown district, Connecticut, 256 Interest Group (PIG), 255 Lewiston, Maine, 257 Pemaquid Point, Maine, 258 replacement, 257 undercooling, 257 zoning of, 255, 256, 257 Pele's hair, 70 pelite, metamorphism of (see metapelite) peralkaline igneous rock, 143

peridotite (see also lherzolite, harzburgite, and wehrlite) beginning of melting (CO2-saturated), 261 beginning of melting (H2O-saturated), 252 channelized flow through sheared, 44 classification of, 138 definition, 141 garnet, isotopic composition in $\epsilon_{Nd}\!-\!\epsilon_{Sr}$ plot, 308 peritectic, 203 composition and common igneous rocks, 204 in alkali feldspars, 214, 215 in system CaO-MgO-SiO₂-CO₂, 261 in systems with partial solid solution, 211 in ternary systems, 220 permeability, 42 anisotropic, 44, 516 Darcy's law, 515 fractured rock mass, 547, 548 heterogeneous rock packages, 516 of partially melted mantle, 44 determined by wetting by melt, 293-294 porosity and, 516 with depth in crust, 515 perthite (see texture, exsolution) perovskite, formation from olivine and garnet, 590 perovskite-spinel transition, 7 petrogenetic grid: general discussion of, 424, 447, 495 metapelitic rocks, 467-469 metacarbonate rocks (see T-X_{CO2} diagram) model metamorphic terrane, 452-454 ultramafic rocks, 424 petrology, 1-2 phase: indifferent, 176 rule (see Gibbs phase rule) singular, 176 thermodynamic definition of, 170 phase diagrams: liquidus phase diagrams (igneous): $Ca_2Al_2SiO_7\text{--}Ca_2MgSi_2O_7,\,212$ CaAl₂Si₂O₈-NaAlSi₃O₈, 210 CaO-MgO-SiO2-CO2, 260 CaSiO₃-MgSiO₃-FeSiO₃, 230-233 FeO-Fe2O3, 262, 263 FeO-Fe2O3-SiO2, 11, 263 FeO-SiO2, 205-206 FeO-TiO₂-O₂, 264 FeS-FeO-SiO2, 248-250 KAlSiO₄-SiO₂, 207-208 (Mg,Fe)SiO₃-CaSiO₃, 211 Mg₂SiO₄-Ca₂SiO₄-SiO₂, 233 Mg2SiO4-Ca2SiO4-NaAlSiO4-SiO2, 236 Mg2SiO4-Fe2SiO4, 208-210 Mg2SiO4-SiO2, 203-205 MnO-FeO, 211, 212 $NaAlSi_3O_8 – KAlSi_3O_8, 213 – 215$ $NaAlSi_{3}O_{8}\!\!-\!\!KAlSi_{3}O_{8}\!\!-\!\!H_{2}O,\,213,\,214$ albite-H2O, 250-252 albite-anorthite, 210 albite-nepheline-sodium silicate, 218-219 albite-orthoclase-silica, 226-227 albite-orthoclase-silica-H2O, 228, 254 albite-orthoclase-silica-H2O, 227-228 alkali feldspars, 213-215 alkali feldspars-H2O, 214 diopside in terms of P and S, 238

Index 661

diopside-albite-anorthite, 224-226 diopside-anorthite, 196-197, 198 diopside-anorthite-H2O, 253 diopside-forsterite-albite-anorthite, 234 diopside-forsterite-anorthite-silica, 235 diopside-nepheline-silica, 220 fayalite-leucite-silica, 223-224 feldspars, 228-230 forsterite-anorthite-silica, 220-223 magma mixing in, 356 forsterite-diopside-silica-H2O, 253 forsterite-diopside-pyrope, 607 forsterite-nepheline-silica, 606 gehlenite-akermanite, 212 nepheline-quartz, 200, 201-202 plagioclase-H2O, 253 pvroxenes, 230-233 subsolidus phase diagrams (metamorphic) (see activity diagram; chemical potential diagram; petrogenetic grid; pseudosection; T-X_{CO2} diagram) (Mg,Fe)SiO₃-CaSiO₃, 211 $chlorite + quartz = garnet + H_2O,\,278$ phase rule, modified (metamorphism), 451 (see also Gibbs phase rule) phase triangle, 226 (see also tie triangle) phengite, 476 phenocryst, 19, 137 imbrication of, 48 lineation, 48 relation to eutectic composition, 199 rotation near igneous contact, 48 phlogopite occurrence in alnöite, 394 occurrence in kimberlite, 395 stability limit and reaction products, 394, 591,604 phonolite flows associated with early rifting, Kenya, 392 phreatomagmatism, 92 (see also diatreme) phyllite, physical characteristics of, 428 phyllonite, 441 picrite, 144 definition, 141 piercing point (in phase diagram), 234 pieziometric head, 42 pigeonite (see also pyroxenes) exsolution lamellae in augite, 230 inversion to orthopyroxene, 211, 230 Pilanesberg ring complex, South Africa, 89, 90 Pilbara, western Australia (see batholiths) pillow lava, 57 in mid-ocean axial valley, 366 in ophiolites, 371, 372 Troodos, Cyprus, 373 in Precambrian ocean floor basalt, Ungava, northern Quebec, 58 in Talcott basalt, Connecticut, 58 pipes, segregations in compacting crystal mush, 326 pipe-stem vesicle (see vesicle) plagioclase: crystallization in the system diopside-albiteanorthite, 224-226 density, 22 growth rate in Makaopuhi lava lake, 285 inclusions of Fe-Ti oxides in, 401

maximum crystal growth rate from melt, 274 neutral buoyancy in basaltic magma, 321 phenocrysts in andesite, 376 reactions with olivine to form spinel and pyroxene, 603 sector zoning in, 277, 278 plagiogranite, 367 in ophiolites, 372 plastic deformation, 428 plateau basalt, 52 plate tectonics, 4, 15 plate tectonic boundaries: convergent, 14 divergent, 14 transform, 1, 14 platinum group elements (PGE), 346 in Merensky Reef, Bushveld Complex, South Africa, 388 pleochroic halo, 296, 297 plinian volcanic activity, 35, 69, 73 plug flow of Bingham liquid, 40 plume (see mantle plume) plutonic igneous rock classification (see IUGS) poikilitic texture (see texture, igneous) poikiloblastic, 436 poise (cgs unit of viscosity), 24 Poisson's ratio, 39, 95 polymerization of magma, 25, 206 polymorph: effect on phase transitions with solid solutions, 210-211 high-pressure, due to meteorite impact, 409 of Al2SiO5 (see Al2SiO5 polymorphs) of enstatite, 230 of quartz and nepheline, 202 transformation of kyanite to andalusite, 167 (see also Al2SiO5 polymorphs) Pompeii (see volcanoes, Vesuvius) population density (see crystal size distribution) pore velocity, 516 porosity, 42 intergranular region, 512 metamorphic rocks, 512-514 partially melted mantle, 44 reduction, in sediments, 415 porous flow, 41-43 average velocity, 42 porphyritic texture (see texture, igneous) porphyroblastic texture, 435 porphyroblasts, 435 garnet zoning and thermobarometry, 480-482 growth of, 435 inclusions in, 436-440 textures (see texture, metamorphic) porphyroclast, 441 porphyry copper deposit, 89, 378 post-tectonic crystal, 438 potassic alteration, 532 potassium: content in magmas versus depth to Benioff zone, 377 isotopes of, 296 ⁴⁰K in Earth's core, 11 potential temperature, 237, 366, 370 Precambrian igneous rock associations, 397-405 preferred crystallographic orientation, 432

pressure: diamond anvil experiments (high P), 6 fluid, 4 generated by vesiculation, 33 gradient, 5 perturbation in, 592 gradient, excess, 28, 31, 36 hydrostatic, 5 in Earth, 4-6 inside bubble due to surface tension, 289 lithostatic, 5 pieziometric head, 42 shadows, 430 shock experiments (high P), 6 solution, 289, 415, 430 formation of planar fabric, 340 reduction of porosity in crystal mush, 339 unit of (pascal), 6 pressure-temperature-time (P-T-t) paths, 481, 482, 560 anticlockwise (counterclockwise), 486, 578 at convergent plate boundaries, 599 clockwise, 486, 578 $C_{P,f}\rho_f$, value of, 570 $C_{P,Rock}\rho_{Rock}$ value of, 570 crustal thickening, 565 equations for: advection of fluid and magma, 569-570 conduction, 564 conduction-mass transport heatingradiogenic heating, 565 Crank-Nicolson solution method, 565, 566 erosion (exhumation) rates, 567 heat consumption inventory, 575 mass transport (exhumation or burial) heating, 564 radiogenic heating, 564 reactions (chemical), 574 erosion delay preceding exhumation, 568 example of possible path, 562 examples, field: Adirondacks, New York State, 578 Barrovian zones, Scotland (magmatism and fluid flow), 572, 580 Bergen Arcs, Norway (eclogite facies), 573-574 Big Maria Mountains, southeastern California, 579 Bristol, New Hamphsire, hot spot, 571-572 Bronson Hill anticlinorium, Massachusetts, 485-486, 578 continent-continent collision, 578 Dora Maira Massif, western Alps, 577 Franciscan complex, California, 577 granulite facies, 578-579 high-temperature, low-pressure metamorphism, 485, 568, 579-580 Ios, Greece, 573 low-temperature, high-pressure (LT/HP) metamorphism, 575-577 Merrimack synclinorium, Massachusetts, 485-486, 578 Naxos, Greece, 573 Papua New Guinea, 577 Pyrenees, 579 Tauern window, eastern Alps, 567, 578 UHP metamorphism, 577 Waterville Formation, Maine, 485 Wepawaug Schist, Connecticut, 481, 571

surge, 73

662 Index

pressure-temperature-time (P-T-t) paths (cont.) exhumation rates, 567, 572, 577 fluid flow: effect on geotherms, 570, 571 hot spot, Bristol, New Hampshire, 571-572 high-temperature, low-pressure metamorphism, 579 shear zones, Bergen Arcs, Norway, 573-574 veins, 571 heat productivity, crustal, 567 magmatic heat input: Barrovian zones, Scotland, 572, 580 Greek Islands (Naxos and Ios), 573 high-temperature, low-pressure metamorphism, 568, 579-580 metamorphic field gradient, 562, 563 model finite-difference calculation, 564-569 Péclet number, 570 reaction effects, 574-575 invariant points, 574 total heat consumed, 575 thermal conductivity, 564 value, for crustal rocks, 566 thermal diffusivity, 564 value, for crustal rocks, 567 pretectonic crystal, 436 prograde metamorphism (see metamorphism; prograde) propylitic alteration, 532 protolith, 414 protomylonite, 442 pseudoleucite, 207, 208 pseudosection, 473 metapelite example, 482-485 metabasalt example, 489 pseudotachylite: formed by meteorite impact, 409 Sudbury breccia, 410 in fault zones, 443, 444 PT array, 562 P-T projection, 424 (see also petrogenetic grid) P-T-t paths (see pressure-temperature-time paths) pumice, 34, 74, 77, 108 Dabbahu, Ethiopia, 74 pumpellyite, photomicrograph, 421 PyroCeram®, 205 pyroclastic deposits, 34, 70, 73 air-fall, 73 Dabbahu, Ethiopia, 34 Los Alamos, New Mexico, 78 Pompeii, 73 ash-flow, 74, 76 Dabbahu, Ethiopia, 74 temperature of, 77 thickness and distribution, 77 velocity of, 77 welded, 77, 78 Bandelier tuff, New Mexico, 77, 78 Bishop tuff, California, 76, 77 geothermometry (Ti in quartz), 192 oscillatory zoning of Ti in quartz phenocrysts, 191, 192 Chiricahua tuff, Arizona, 77, 78 basalt inclusions in pumice, 105 ignimbrite, 77 North Island, New Zealand, 77

Pompeii, 73 Valley of Ten Thousand Smokes, Alaska, 77 welded ash-flow tuff, 77, 78 Yellowstone, Wyoming, 76, 79 pyrolite model mantle, 604 pyroxene (see also augite; orthopyroxene; pigeonite): exsolution lamellae in orthopyroxene, 187, 229 photomicrograph (granulite facies), 421 quadrilateral, 229, 230 forbidden zone in, 232 omphacite, 603 quartz: β phenocrysts in rhyolite, 207 deformation lamellae resulting from meteorite impact, 408 maximum crystal growth rate from melt, 274 preferred crystallographic orientation, 432 pressure solution, 415, 430 solubility in metamorphic fluids, 519 (see also veins) solubility of Ti in, 191-193 quartzite, 288, 432, 447 quicksand, 43 radiogenic heat production, 11 radiation (heat transfer), 7, 20, 111, 121-123 black body, 122 emissivity, 122 Stefan-Boltzmann law, 122 radioactive decay, 295 constant, 297 half-life, 298 heat production in Archean, 397 rate of, 296-304, first order reaction, 297 schemes, 295 alpha particle (a), 296 beta particle (β), 296 electron capture, 296 spontaneous fission, 296 series, disturbance of, and determining rate of magmatic processes, 379-380, 598-599 equiline, 379 radioactive decay of: $^{40}_{19}$ K \rightarrow_{82}^{40} Ar, 296 $^{182}_{72}$ Hf \rightarrow_{74}^{182} W, 302 age of core formation, 304 $_{71}^{176}\text{Lu} \rightarrow _{72}^{176}\text{Hf}, 303$ $_{37}^{87}\text{Rb} \rightarrow _{38}^{87}\text{Sr}, 296$ $_{75}^{187}\text{Re} \rightarrow _{76}^{187}\text{Os}, 302$ age of core formation, 304 $_{92}^{235}U \rightarrow_{82}^{207}Pb, 296$ $_{92}^{238}U \rightarrow_{82}^{206}Pb, 296$ radioactive isotopes: concentration of U, Th, and K toward Earth's surface, 10, 309 long-lived, 11 short-lived, 10 heat generation in early Earth, 585 in decay series, 379-380 radium, use in determining rate of subduction processes, 598 Raoult's law, 183

rapakivi granite (see also texture; igneous): basalt inclusions in, Finland, 105 batholiths, southern Finland (see batholith) definition, 141 rare earth elements (REE), 305 abundance in common volcanic rock types, 361 chondrite-normalization of analyses of, 359 europium anomaly, 359 fractionation of, by common minerals, 360 in alkali olivine basalts, 361 in igneous rocks, 359-361 in island arc basalts, 360 in komatiites, 361 in MORBs. 361 in tholeiitic continental flood basalts, 361 lanthanide contraction, 305, 359 mobility, 553 (see also mass transfer, metamorphic fluids) rates of metamorphic reactions (see kinetics of metamorphic reactions) Rayleigh fractionation, 280 (see also fractionation) Rayleigh number (Ra), 324 (see also magmatic processes, convection) critical (Ra_c), 324 for a sheet generating its own heat, 586 Rayleigh-Taylor instability, 45 at periphery of laccolith, 94, 95 in wine glass, 45 oil-honey model, 46 on edge of fried egg, 95 on felsic sheet in basaltic sill, Montreal, Quebec, 107 spacing of batholiths, 106 spacing of volcanoes in island arc, 46, 51 reaction, continuous and discontinuous, 210, 211-212, 338 (see also peritectic) reaction infiltration instability, 44 reaction paths (see kinetics of metamorphic reactions) reaction progress variable, 504, 533, 575 reaction rind, 544 reconstructive phase transition, 535 Redlich-Kwong equation (modified), 246, 491 Red Sea rift (see rift valleys) reduced heat flow, 10 regular solution model, 185-187 asymmetric, 187 symmetric, 185-187 unmixing, 187-189 replacement: dike emplacement by, 85 of xenoliths in pegmatites, 255 residual dilution, 554 residual enrichment, 554 resurgent boiling (second boiling), 259, 346 resurgent dome, 76, 99 retrograde metamorphism (see metamorphism, retrograde) reversible thermodynamic process, 151 Reynolds number (Re): critical, 37, 38 for flow in dike, 38 for flow in open channel, 38 for flow in pipe, 37 for fountain into magma chamber, 351 for sinking or floating sphere, 322-323 for turbulent flow in dike, 41

screen, 103, 106

Index 663

rhenium isotopes of, 302 in Sudbury nickel ore, Ontario, 410 ¹⁸⁷Re decay to ¹⁸⁷Os, 302 rheomorphic breccia (see breccia) rheomorphic liquid (see partial melting) rhyolite: definition, 141 extrusion temperature, 20 flow, Newberry volcano, Oregon, 71 magma viscosity, 24 solubility of H₂O in magma, 33 Riecke's principle (pressure solution), 289 rift valley, 57 Afar, Ethiopia, 57, 391 deformation recorded by satellite interferometry (InSAR), 391 alkaline rocks associated with 390-394 associated with breakup of Pangea, 381, 391 Benue trough, Cameroun, associated alkaline magmatism, 391 carbonatites associated with, 396 East African, associated alkaline magmatism, 392 domes along rift, 391, 392 failed arms and association of alkaline igneous rocks, 390 Red Sea. 391, 589 Rhine Graben, Germany, associated alkaline magmatism, 391 Rio Grande, New Mexico, associated alkaline magmatism, 391 ring complex, 87 (see also dike, ring) ring dike (see dike, ring) rock-forming minerals, 19, 133 roof pendant, 103 rubidium isotopes, 296 absolute dating with Sr (see absolute age determination) rule of combinations, 468 Rum, Scotland (see lopoliths) samarium/neodymium in initial Earth, 305 Samoa, potential temperature of mantle beneath, 370 sanidine. barium diffusion in, 125-127 incongruent melting of, 207 sapphirine, ultrahigh-temperature metamorphism and, 426 satellite interferometry (see interferometric synthetic aperture radar (InSAR) saturation surface, 524 scarn deposit, 127 schist, physical characteristics of, 428 Schreinemakers rules, 168-176 and cusps on lherzolite solidus, 605 solid solutions in metapelitic rocks, 467, 468 T-X_{CO2} diagram and, 500 scoriaceous basalt, 35 Scottish Highlands, 417 Barrovian type locality: Al₂SiO₅ polymorphs and kinetics, 416, 419, 521-522, 535 heat transfer and timescales, 572, 580 index mineral zones, 417

Buchan type locality, 417

isograds, 417

screw dislocation, 272 seafloor hydrothermal metamorphism (see metamorphism, seafloor hydrothermal) seawater (see ocean water) second boiling (see resurgent boiling) sector zoning in crystals, 277-278 hourglass, 277 in titanaugite, 277 in alkali feldspar, 258 in chiastolite, 289 in garnet, 289 due to growth far from equilibrium, 289, 291 sedimentary: basin, extensional, 29, 593 rocks, 1, 14 seismic discontinuities (see discontinuities) selvages (see veins, metamorphic) serpentine, photomicrograph, 416, 419 settling of crystals (see crystal settling) shatter cones (see meteorite, impact (explosion) structures) shear: heating, 592 modulus, 39 simple and pure, 593 strain, 23 strength, 4 stress, 23 thinning, 24, 45 shear band cleavages, 443 (see also cleavage, metamorphic rocks) shear sense indicators, 442-443 shear zones, 440-444, 573-574 sheeted dike complex (see dike swarm) shield (Precambrian), 398 shield volcano, 59-65 Shiprock, New Mexico, 80, 81 shock experiments (high P), 6 Siberian rift, 381 flood basalts possibly associated with mass extinctions, 384 siderophile elements, 302 core formation, 304, 585 Sierra Nevada batholith, California (see batholith) sieve texture, 436 silica activity in magma, 355 sill, 80-86 (see also dike) dilation due to buoyancy, 85 Ferrar, Antarctica, 83 sillimanite (see Al2SiO5 polymorphs) Silly Putty®, viscosity, 24 sines, law of, 288 Skaergaard Intrusion, East Greenland, 386-387 crescumulates in Marginal Border Group, 333, 386 crystallization of, 387 δ^{18} O in rocks affected by circulating groundwater, 313-314 graded layers, 334 immiscible liquids in, 342 lavered series, 335, 386 Sandwich Horizon, 387 Upper Border Group, 387 skeletal crystal form (see crystal growth rates) Skye, Isle of, Scotland: granite, isotopic evidence for origin of, 310 isotopic composition of basalts from, 309

slaty cleavage, 428 slip direction, 433 slip plane, 433 Snake River flood basalts, Oregon and Idaho, 381 volume of, 52 snowball structure, in garnet, 437, 438, 439-440 solfataras, 70 solid-solid reaction, 415, 425 (see also thermobarometry) solid solution, effect on phase equilibria, 208-210 solidus, 119, 198 solubility of minerals in metamorphic fluids, 519-521 solute front, 527 solution transfer, 415, 430 solvus, 188, 213 Soret effect (see magmatic processes) South Sandwich Islands, abundance of silicic rocks, 378 spatter cone, 65 Bartholomew Island, Galapagos, 66 spilite, 139, 367, 372 definition, 141 spine, volcanic, 71, 72 spinel: lherzolite from Kilbourne Hole, New Mexico, 603 reaction with pyroxene to form garnet, 604 transition to perovskite, 7 spinifex (see texture; igneous) spinode, 189 stability, stable, unstable, metastable, 168 standard heat (enthalpy) of formation (see enthalpy) state property (thermodynamic), 152 staurolite: equilibrium crystal morphology, 287 photomicrographs, 418, 433, 461 sector zoning in, 277 steady-state flow, 26 of magma in vertical pipe, 36-38 sustaining, 47-48 Stefan-Boltzmann law (see radiation) Steinmann trinity, 371 (see also ophiolite) stereology, 286 Stillwater Complex, Montana (see lopolith) Stirling's approximation, 157-158, 182 stishovite (high-P polymorph of SiO2) generated by meteorite impact, 409 occurrence in Vredefort ring structure, South Africa, 409 stock, 99-101 associated with calderas, 99-100 density of associated rocks, 100 associated with rift valleys, 99, 100 density of associated rocks, 100 layering in, 100, 102 mantle source of magma, 100 Monteregian intrusions, Quebec, 100-101 Stokes' law, 322-323 effect of vield strength, 322 stony iron meteorites (see meteorites) stoping, magmatic, 80, 348 strato volcano, 66, 67 strength, tensile, 4 stromatolitic limestone (Precambrian), 398 Strombolian volcanic activity, 35

664 Index

strontium: isotopes of, 296 absolute dating with Rb (see absolute age determination) ε_{Sr}, 308 87Sr/86Sr evidence of crustal contamination, 349 ⁸⁷Sr/⁸⁶Sr evolution in crust, 306 ⁸⁷Sr/⁸⁶Sr evolution in Earth, 306 ⁸⁷Sr/⁸⁶Sr evolution in mantle, 306 87Sr/86Sr of bulk Earth, 309 87Sr/86Sr vertical variation in continental crust, 309 S-type granite (see granite) subalkaline igneous rock, 143 subduction, 4, 15 angle of, 374, 597 cycling of fluids through, 593 density of subducted ocean floor, 610 effect on geothermal gradient, 596 mélange zones, 544 metasomatism and mass transfer, general, 544 subophitic (see texture, igneous) subsidence, 560 subsolvus crystallization, 214 (see also granite) Sudbury lopolith, Ontario (see lopolith) sulfide: capacity of melt, 247 deposit formed through magma mixing, 356 deposition in black smokers, 372 liquid immiscibility in silicate melts, 248 sulfur: isotopes, 314-315 34 S/ 32 S, δ^{34} S definition, 314 δ^{34} S in mantle-derived rocks, 314 $\delta^{34}S$ in evaporites and seawater, 314 solubility in silicate melts, 247-250 solubility as function of FeO content of melt, 248 supercontinents (Gondwana and Rodinia), age of, 584 superheat in magma (see magma) surface free energy (see Gibbs free energy) surface tension, 288 (see also wetting) surface uplift, 560 surge deposit, 73 (see also pyroclastic deposits) syenite, formed by partial melting at high pressure, 609 syntectonic crystal, 437 Syros, Greece, 544, 561 system, phase equilibria (see also phase diagrams): 2-component, 194-197 with binary compounds, 201-205 with complete solid solution, 208-210 with liquid immiscibility, 205-207 with liquidus minimum, 212-215 with no solid solution, 197-200 with partial solid solution, 211-212 3-component, 215-218 isothermal-isobaric sections, 217 plotting ternary compositions, 215 with binary and ternary compounds, 233 with binary solid solution with a minimum, 226-228 with binary solid solution without a minimum, 224-226 with congruent melting phase, 218-220 with incongruent melting phase, 220-223 with liquid immiscibility, 223-224 with multiple solid solutions, 228-233

4-component, 233-236 flowchart, 235 adiabatic, 236-239 system, thermodynamic, 149 closed, 149 degenerate, 176 isolated, 149 open, 149 Talcott basalt, Connecticut, 58 Tambora, Sumbawa, Indonesia death toll from 1815 eruption, 33 Tauern window, eastern Alps, 567 Taylor series expansion, use of in: calculating geotherm, 11-12 numerical calculation of heat conduction, 120 tectonic pressure on magma, 35 tektites, 407 (see also meteorites) temperature: geothermal gradient, 6, 7 in Earth, 6-10 of magma, 19-20 tensile strength, 4, 32 of upper mantle, 32 tephra, 59, 68, 70 (see also pyroclastic deposits) tephrochronology, 74 Tertiary Brito-Arctic igneous province, 52 texture: exsolution, 187 perthite, 213 igneous, 19, 47, 275 diabase, 139, 274 dolerite, 139 equilibrium-controlled, 287, 294 eutaxitic, 77 fiamme, 77 foliation, 49 granophyric, 33, 198, 202, 258 graphic granite, 199, 200, 202, 255, 258 growth or kinetic-controlled, 294 harrisitic, 99, 333 intergranular, 276 lineation, 48, 49, 97 of flood basalt, 55 ophitic, 139, 198, 199, 226, 276, 338 planar fabric due to compaction, 340 poikilitic, 338, 339 porphyritic, 16, 49, 137, 198, 199 protoclastic, 401 pseudoleucite, 207 rapakivi, 215, 230 reaction at peritectic, 203, 222 spinifex texture, 273, 399 subophitic, 276 vitrophyric, 199, 207, 276 metamorphic, augen gneiss, 441 beards, 430 blastoporphyritic, 435 cataclastic, 441 cleavage (see cleavage, metamorphic rocks) crack-seal texture, 544 crack-flow-seal sequence, 550 crenulation: cleavage, 431 lineation, 431 crystalloblastic series, 287, 435 flaser gneiss, 441

flinty-crush-rock, 442 fluxion structure, 442 foliation (see cleavage, metamorphic rocks) foliation due to pressure solution, 289 gneiss, physical characteristics of, 428 grain coarsening, 286, 289, 435 granoblastic-polygonal, 288 helicitic folds, 438 intertectonic crystal, 439 lineation, 430 crenulation, 431 stretching, 443 mylonite, 442 phyllite, physical characteristics of, 428 phyllonite, 441 poikiloblastic, 436 porphyroblastic, 435 porphyroclast, 441 post-tectonic crystal, 438 preferred crystallographic orientation, 432 pressure shadows, 430 pretectonic crystal, 436 protomylonite, 442 pseudotachylite, 443, 444 schist, physical characteristics of, 287, 428 sieve, 436 snowball structure, in garnet, 437, 438, 439-440 syntectonic crystal, 437 twins (deformation), 433, 434 ultramylonite, 442 thermal conductivity (K), 112, 564 value, for crustal rocks, 566 thermal diffusivity (k), 112, 564 value, for crustal rocks, 567 thermal entrance length, 37, 84 with turbulent flow in dike, 93 thermal expansion, coefficient of (α) , 21 thermal gradient, 112 (see also geothermal gradient) isentropic adiabat, 237 potential temperature, 237 thermal maximum on liquidus in phase diagrams, 202, 205, 220, 606 (see also Alkemade's theorem) changes with pressure, 606 thermobarometry, metamorphic rocks, 473 albite-jadeite-quartz geobarometer, 476 calcite-dolomite solvus geothermometer, 478 distribution coefficient (KD), 474 examples (see also pressure-temperature-time (P-T-t) paths): Bronson Hill anticlinorium, Massachusetts, 485-486 Dora Maira Massif, western Alps, 479, 577 Merrimack synclinorium, Massachusetts, 485-486 New England, petrogenetic grid-based geobarometry, 469-470 Waterville Formation, Maine, 485, 486 Wepawaug Schist, Connecticut, 481 Fe-Mg exchange potential, 474 Fe-Mg exchange reaction, 473 garnet-biotite (GARB) geothermometer, 474 garnet-clinopyroxene geothermometer, 476 garnet-clinopyroxene-phengite geobarometer, 476 garnet-aluminosilicate-plagioclase-quartz (GASP) geobarometer, 475

Index 665

garnet-rutile-aluminosilicate-ilmenite-quartz (GRAIL) geobarometer, 475 garnet zoning and, 480-482 multiequilibrium, 477 oxygen isotope geothermometry, 479 plagioclase-garnet-pyroxene-quartz geobarometer, 476 Ti-in-quartz geothermometer, 478 Ti-in-zircon geothermometer, 478 Zr-in-rutile geothermometer, 478 THERMOCALC, 424, 477, 488 thermodynamics, 149 first law of, 149, 151-152 second law of, 149, 156-157 third law of, 158 zeroth law of, 164 tholeiitic igneous rocks, 144, 606 thorium, disturbance of decay series and dating subduction-zone processes, 598-599 Thulean igneous province, 52 tie line (in phase diagram), 217 metamorphic compatibility diagrams and, 449 switching reaction, 452, 462 tie triangle (in phase diagram), 217, 226 metamorphic compatibility diagrams and, 449 time-integrated fluid flux (q_{TI}) : decarbonation reactions, 533, 557 devolatilization of crustal column, 427 estimates for rocks, 529, 530, 550, 555-556 equations for, 527, 529, 531, 532, 533 geochemical fronts, 525-530 asymmetry of, 530 isotopes and, 529 kinetic treatment of, 539-540 partial differential equation for, 528 simple time-integrated fluid flux expression, 529 Sr geochemical front, interpretation of, 530 Na-K metasomatic reactions, 532-533 quartz veins, 530-532, 550, 571 Tinos, Greece, 436, 561 titanaugite, sector zoning in, 277 titanium in quartz geothermometer, 191-193 tomato ketchup, viscosity, 24 tomography: seismic, 3 seismic, beneath Kilauea volcano, 61-62 X-ray CT image of basalt, 43, 329 tortuosity factor, 517 total differential of Gibbs free energy, 160 tourmaline in pegmatite, 257 trace element, 132 fractionation in magmas, 356-361 Berthelot-Nernst (equilibrium), 358 Rayleigh, 358 Henry's law and distribution of, 184 trachyte, occurrence on ocean islands, 369 transform plate boundaries: exposure of, on ocean floor, 370 thermal effects of, 1, 14 Vema transform, 370 translation gliding, 433 trap rock, 52

texture and strength of, 55 tridymite, 207 troilite, in meteorites, 131, 132 trondjhemite (low K/Na), preponderance during Archean, 398 derived from partial melting of tholeiitic basalt, 398 Troodos Massif (ophiolite), Cyprus, 371, 373 strata-bound sulfide deposits, 372, 373 tuff, 70, 74 (see also pyroclastic deposits): welded ash-flow, 77 tuffisite, 89 West Cork, Ireland, 91 tungsten ¹⁸²W, formation from decay of ¹⁸²Hf, 302 turbulent flow, 24 through dike, 41 tuya, 66 Herdubreid Mountain, Iceland, 66 twin gliding, 433, 434 T-X_{CO2} diagram (see also fluids, metamorphic): common reactions, 495, 499-501, 506, 541 H2O-CO2 transport-reaction across lithologic contacts, 542 isobaric invariant point, 500, 501, 504 Schreinemakers rules and, 500 topology of, 497-499 ultra-alkaline undersaturated igneous rocks (see igneous rock associations) ultrahigh-pressure (UHP) metamorphism (see metamorphism, ultrahigh pressure) ultrahigh-temperature (UHT) metamorphism (see metamorphism, ultrahigh temperature) ultramafic igneous rock, 137 mélange zones, 544 metamorphism of, 424 ultramylonite, 442 underplating, 4, 15, 31, 106 uniformitarianism, 97, 397 unstable (see stability) uplift of rock, 560 up-*T* fluid flow, 532, 533 uranium: disturbance of decay series and dating subduction zone processes, 598-599 isotopes of, 296 vacancies in crystal structures (see diffusion) vanadium, concentration in magma affected by magnetite crystallization, 359 van der Waals equation, 491 van't Hoff equation (Gibbs-Helmholtz), 191 variance (degrees of freedom) of a system, 164, 165, 170, 201 variation diagrams, 317-321

Differentiation Index (D.I.), 320 FeO, MgO, Na₂O + K₂O (FMA), 317 Harker (silica), 320 magnesium number (M'), 318 quantitative use of, 320 veins, 544 abundance, in outcrop, 546 crack–seal texture, 544 crack–flow–seal sequence, 550 dunite, in ophiolite, 44, 372, 373, 601

fracturing (see fractures, metamorphic) grain size, 550 heat transfer, 571-572 mass precipitated in, 550 mineral progression with grade, Dutchess County, New York, 520 photographs, 419, 547, 549 selvages, 547, 548, 550-555 sequence of vein-forming events, 550 solubility of minerals and, 519-520 time-integrated fluid flux, quartz veins, 530-532, 550, 571 timescales of fluid flow, 548 timing of formation, 548 wall rock, 547 velocity of: ascent of basalt at Pali-Aike, Chile, 28 eruption of basalt at Lakagigar, Iceland, 79 eruption of diatreme, 91 eruption of Kilauea, 51 eruption of kimberlite. 28 laminar flowing magma in dike, 38 laminar flowing magma in pipe, 37 turbulent flowing kimberlite magma in pipe, 93 turbulent flowing magma in dike, 41 turbulent flowing magma in lava flow, 38 Vema transform, 370 vesicle, 33, 64 cylinders, 58, 59, 326 deformed by flow, 48, 49 in aa, 64 in flood basalt, 58 in pahoehoe, 64 pipe-stem, 58, 59, 64 vesiculation of magma, 33 Vesuvius, Italy (see volcanoes) Vinalhaven, Maine, basalt inclusions in granite, 105 Virgin Gorda, British Virgin Islands, basalt inclusions in granite, 105 viscosity, 23 andesite magma, 24 basalt magma, 24 Bingham liquid, 23 bulk, 23 calculation from chemical analysis, 25 calculation from MELTS, 25 chemical composition control of, 25 Einstein limit, 23 granite magma, 25 kimberlite magma, 24 kinematic, 24 komatiite magma, 24 magma, 23-25 effect of solubility of H_2O , 25, 246 Newtonian, 23, 40 non-Newtonian, 23 pascal second (unit of), 24 poise (unit of), 24 polymerization of magma, 25 pressure effect, 25 pseudoplastic, 24 rhyolite magma, 24 shear thinning, 24

More information

666 Index

viscosity, (cont.) temperature effect on, 25 values for magmas and common substances, 23 water, effect of, 25 yield strength, 23 vitrophyric (see texture, igneous) VolatileCalc (software program), 246 volatiles: composition in fumaroles, 70 concentrated in initial magma by fractional melting, 608 concentration in andesites, 611 enrichment toward top of batholith, 108 in kimberlite, 93 metamorphic, 415-417 (see also fluids, metamorphic) origin of in diatremes, 91-92 release during metamorphism, 15 release from volcanoes, 70 release of H₂O from subducting slab, 17, 593 volcanic: ash (see pyroclastic deposits) bomb, 35, 65, 70 Explosivity Index (VEI), 71 gases, 243-244 (see also oxygen fugacity) juvenile and meteoric, 243 solubility calculated with VolatileCalc, 246 sulfur species, 247 neck, 80 Shiprock, New Mexico, 81 rock classification (IUGS), 139-143 rock classification of Irvine and Baragar, 143-144 volcanoes, 52-77 Askja, Iceland, 33 central, 59-73 composite, 59, 66-71 Crater Lake, Oregon (see Mount Mazama) Dabbahu, Ethiopia, 34, 74, 391 dome, 59, 71 Erte'ale, Ethiopia, 391, 392 lava lake, 61 Etna, Sicily, 70 fissure eruption, 52 flood basalts, 52-59 forecasting eruptions (see hazards) Gabho, Ethiopia, 391 Gabillema, Ethiopia, 68 Glass Mountain, California, 71, 377 Grimsvötn, Iceland, 66 hazards (see hazards, volcanic) Hengill, Iceland, 8 Katmai, Alaska, 77 238U/230Th and 230Th/232Th in rhyolite and dacite, 380 Kilauea, Hawaii, 22, 50 Kilauea Iki, Hawaii, 20, 51 Kilimaniaro, Tanzania, 392 Krafla, Iceland, 53 Krakatoa, Indonesia, 71, 74 Lakagigar, Iceland, 25, 52 Lassen Peak, California, 71 Little Glass Mountain, California. 72 Long Valley caldera, California, 74, 77

Masaya, Nicaragua, 68 Mauna Loa, Hawaii, 50 Mayon, Philippines, 67 Monte Somma, Italy, 67, 74 Mount Fuji, Japan, 67 Mount Hood, Oregon, 67 lahar, 69 Mount Mazama (Crater Lake), Oregon, 74, 77 Mount Pelée, Martinique, 33, 71, 74, 77 death toll from 1902 eruption, 33 Mount St. Helens, Washington State, 28, 67, 69, 73, 74 zoned plagioclase phenocryst in andesite from, 376 Nevado del Ruiz, Colombia, 68 Newberry, Oregon, 71 commingled basalt and rhyolite glass, 351 Oldoinyo Lengai, Tanzania, 139, 392, 396 Olympus Mons, Mars, 66, 67 Orsono, Chile, 67 Paricutin, Mexico, hybrid magmas, 355 Pu'u 'O'ō, Hawaii, 62 Puy de Sarcoui, Auvergne, France, 71 Rainier, Washington State, 67 Shasta, California, 67 shield, 59-65 Shiprock, New Mexico, 80, 81 Sierra Negra, Galapagos, 61, 62 Soufrière Hills, Montserrat, 69 Soufrière, St. Vincent, rate of crystallization in magma chamber, 380 spacing in island arc, 46, 51 strato, 66 Tambora, Indonesia, 33 tuya, 66 Valles caldera, New Mexico, 74 Vesuvius, Italy, 33, 67, 69 burial of Pompeii and Herculaneum by volcanic ash, 33 Pompeii, 69, 72, 73-74 Ba diffusion in sanidine, 125-127 Yellowstone caldera, Wyoming, 74, 75 volume change of rock, 552 (see also mass transfer, metamorphic fluids) volume expansion on melting, 32 Vredefort ring structure, South Africa, 408 pseudotachylite, coesite, and stishovite, 409

wairakite, photomicrograph, 421 Waits River Formation, Vermont, 445 water: effect on melting in silicate systems, 250-254 beginning of melting curves for common minerals and rocks, 251, 252 metamorphism (see fluids, metamorphic) molecular (in melts), 246 percentage in hydrous magma as function of degree of crystallization, 259 release during progressive metamorphism of subducted metabasalt, 596 solubility in magma calculated using VolatileCalc, 246 solubility in: albite melts, 246

basaltic melts, 246 granite melts, 246 rhyolitic melts, 246 silicate melts, 244-246 Waterville formation, south-central Maine, 485, 486, 529 crystal size distribution in, 285 websites, list of general websites, xiv-xv websterite in layered intrusions, 385 wedge diagram, 554, 555 wehrlite: in layered intrusions, 385 in ophiolite transition zone, 372 welded ash-flow tuff, 77 (see also pyroclastic deposits) Wepawaug Schist, Connecticut, 481, 530, 540-544, 550, 571 wetting of mineral grains: and control of permeability of crystal mush, 293-294 and crystal growth, 293 by immiscible liquids, 291, 292 by magma, 15, 43, 47, 291-294 in source region, 599-600 by metamorphic fluids (see fluids, metamorphic) in igneous cumulates, 333 Whin sill, northern England, thickness and lateral extent of, 80 White Mountain batholith, New Hampshire (see batholith) White Mountain ring complexes, New Hampshire, 88 Widmanstätten texture, 131, 132 winTWO, 424, 477, 509 wollastonite, metamorphic: fluid:rock ratio, 505-506 metasomatic, 523 P-T conditions of calcite + quartz breakdown reaction, 495-497 time-integrated fluid flux, 557 work (thermodynamic quantity), 149 of expansion, 150, 152 Wulff's theorem, 287 X_{CO2}, estimation for metacarbonate rocks, 504 (see also fluids, metamorphic) xenolith, 103, 255 cognate, 334 in island arc andesites, 611 in kimberlite, 395 mantle, in alkaline rocks, 601-604 eclogite, 604 peridotite, 602 role in assimilation, 347 X-ray CT scan (see CT scan)

Yellowstone caldera, Wyoming, 75 ³He⁴He (*R*) values, 315 volume of ash erupted, 33 yield strength of magma, 23, 40, 94, 98 effect on sinking of crystals, 322 of Columbia River basalt at 1195 °C, 322 Young's modulus, 95

Zig-Zag Dal flood basalts, northeastern Greenland, 380

Index 667

zircon: lutetium in, 303 oldest (4.4 Ga), Jack Hills, Western Australia, 305 use in absolute dating by U–Pb method, 300 zone melting, 349 zonation, chemical, in metamorphic minerals: apatite, metamorphic timescale estimation, 572, 580 garnet: diffusion, metamorphic timescale estimation, 572 disequilibrium growth, 289, 291 Mn growth zoning, 279, 291 zoning and thermobarometry, 480–482 general discussion, 480, 561, 562 glaucophane, 561 zones, metamorphic (*see* index mineral zones) zoning (of crystals) (*see also* sector zoning): branched, in garnet, 291 hourglass, 277 normal, 210 oscillatory, 49, 191, 277, 376 resulting from Rayleigh fractionation, 279 sector, 258, 277–278, 303