

Index

abuse <ul style="list-style-type: none">ACE study reference category 78–79barriers to recognition 43–44data-gathering methods 152–153definition 18–19early life stress 124evaluation of related factors 153minimizing 45prevalence 58, 157–158recording 45transmission 38unawareness of 220<i>see also</i> general abuse outcomes; physical abuse; sexual abuse	generic measures 209	infantile 229–230
ACE study <i>see</i> Adverse Child Experiences study	identity 210–211	traumatic 243–244
ACTH <i>see</i> adrenocorticotrophic hormone	late childhood trauma 207–208	amygdala <ul style="list-style-type: none">childhood adversity 113–114deactivation in dissociative states 183defensive behaviors 179development 145fear processing 167function in PTSD 245functional activity 150–151inhibition by prefrontal cortex 150–151, 168lateralization of function 146learning processes 185neural circuitry of stress 170stress response 125
acting out behaviors 211	medical disease 77–78 <ul style="list-style-type: none">ACE study 82–83early life stress 133–138	analgnesia 180 <ul style="list-style-type: none">emotional responses 180
adaptation, positive to previous adversities 40	psychiatric disease 77–78, 89 <ul style="list-style-type: none">ACE study 79–80	anterior cingulate 145 <ul style="list-style-type: none">emotional responsiveness modulation 168
addictive behaviors 211	psychiatric morbidity 50–51	antisocial behavior, neglect 126
adjustment, sexual abuse impact 27	psychological disturbance 207	anxiety/anxiety disorders 95 <ul style="list-style-type: none">corticotropin-releasing factor 149–150, 160
adolescents, CBT applications 272–273	relatedness 211	early life stress 160
adoption, overseas 136	symptoms of childhood abuse 208	emotional expression 282
adrenocorticotrophic hormone 95, 96	trauma-specific measures 209–210	gender 98–99
depressive disorders 159	Adverse Child Experiences (ACE) study 77–78, 89–90	HPA axis 149–151
HPA axis 158	data processing 85	5-HTTLPR polymorphisms 149
stress response 125	findings 79–84	juvenile stress-induced 97–98
Adult Attachment Interview (AAI) 211–212	health risks 80–82	neglect 124
adults <ul style="list-style-type: none">affect regulation 211assessment of childhood trauma effects 207–213approach 208–209measures 211–213complex outcomes 208disrupted attachment effects 210–211dissociation 210early childhood trauma 207–208<ul style="list-style-type: none">outcomes 208, 210–213general abuse outcomes 208–210	healthcare implications 84–86	onset 97
	outline 78–79	resilience 149–151
	psychiatric disease 79–80	risk 149–151
	reference categories 78–79	symptoms in childhood 98
	setting 78–79	arousal modulation, childhood interpersonal trauma 64
	treatment implications 85–86	associative processes, fear conditioning 167
	weight program 77, 80	attachment 39–40 <ul style="list-style-type: none">behavior patterns 49bond with primary caregiver 49brain development 144–145classification 211complex PTSD 260–261
affect dysregulation 211 <ul style="list-style-type: none">borderline personality disorder 249childhood interpersonal trauma 62	affect regulation, complex PTSD 260	
affect regulation, complex PTSD 260	afferent input of fear-producing events 166	
age <ul style="list-style-type: none">exposure to potentially traumatic events 17prevalence of abuse 19trauma exposure risk 20	aggression measures 209	
alarm states 59 <ul style="list-style-type: none">continuous 59	alcohol use, ACE study 80–82	
alexithymia 59, 171	amnesia <ul style="list-style-type: none">ACE study 80dissociation 244dissociative 167, 229functional 244	

Index

- attachment (*cont.*)
 disorganized 40, 49, 145, 249
DRD4 7-repeat allele 52
 psychiatric morbidity in adults 50–51
 disrupted effects 210–211
 early trauma 243
 HPA axis dysregulation 50
5-HTTLPR polymorphisms 52
 infancy as sensitive period 48–49
 infant security 49
 insecure 145, 211, 248–249
 insecure-ambivalent 49
 insecure-avoidant 49
 measures 211–212
 mentalizing
 insecure 248–249
 secure 248
 transgenerational transmission of relationship 248–249
 treatment for attachment trauma 247–253
 relational trauma 145–146
 right brain 144–145
 secure 49, 248, 249
 self-report measures 212
 transgenerational transmission of mentalizing relationship 248–249
 traumatic 145–146, 252
 attachment dysregulation 48–53, 88
 borderline personality disorder 249–250
 institutionalized infants 124
 attachment figures, war situations 235
 attachment theory of Bowlby 49
 attachment trauma/abuse 39
 mentalizing role in treatment 247–253
 attention
 disturbances in childhood
 interpersonal trauma 62
 impaired capacity for effortful control 249
 attention-deficit hyperactivity disorder (ADHD) 151
 maltreated children 159
 autobiographical memory 179, 219–222, 265
 impoverished 220–222
 autoimmune disease, ACEstudy 83
 autonomic buffering 40
 autonomic nervous system
 stress response 190–191
 traumatic attachments 145
 babbling, infant 109
 Babinski, Joseph, simulation model 6
 Bartholomew and Horowitz's Relationship Questionnaire (RQ) 212
 battered child syndrome 7
 historical aspects 7
 behavioral characteristics, trauma exposure risk 20
 beliefs, dysfunctional/disruptive 271
 Bell Object Relations and Reality Testing Inventory (BORRTI) 212
 betrayal trauma theory 220, 245
 biological dysregulation, childhood interpersonal trauma 62
 biological stress response systems 124, 125
 fight or flight or freeze reaction 125
 immune system effects 126
 biological system disruption, childhood interpersonal trauma 63
 black children, Family Mosaic Program 36
 body
 stressor responses 124
 tuning into in psychodynamic psychotherapy 291
 borderline personality disorder 179
 affect dysregulation 249
 amygdala deactivation 183
 analgesia state 180
 attachment dysregulation 249–250
 conditioned stimulus 185
 impaired capacity for effortful control of attention 249
 mentalizing 247, 249–250
 interventions 250–253
 treatment 247
 parenting quality 249–250
 pre-mentalizing modes of experience 250
 pretend mode 250
 psychic-equivalence mode 250
 startle response 185
 teleological mode 250
 Bowlby, John 33–34
 attachment theory 49
 trauma concept 38
 brain
 activity in childhood interpersonal trauma 59
 asymmetry for emotional processing 103
 childhood interpersonal trauma regional effects 63
 compromised integrity in impoverished autobiographical memory 220
 default mode network 170–171
 development
 adverse 127
 attachment 144–145
 gender effects 128
 healthy childhood 126–127
 PTSD 127–128
 sexual abuse 116
 stress 146
 emotional 144
 fear network 270
 lateralization of function 103, 109
 maturation investigations in neglect 127–128
 neglect
 development 127
 maturation investigations 127–128
 remodeling 96–97
 sensitive periods for childhood adversity 116
 stress effects 96–97, 220
 stressor responses 124
 structural changes with threats 189–190
 volume
 PTSD 128
 stress response 190
 see also named regions of brain
 brain-derived neurotrophic factor (BDNF)
 hippocampal activity 170
 polymorphisms and depressive disorders 163
 Briquet, Paul 4
 care quality
 child genetic predisposition expression 52–53
 disorganization 51
 HPA axis 143
 psychiatric morbidity in adults 50–51
 unresponsive for infants 48, 59
 caregiver
 education and exposure to potentially traumatic events 18
 primary 49
 disruption with foster care 133–134
 therapeutic interventions after early life stress 137–138
 see also parent(s); parental entries

Index

- causation, neurobiology studies 171–172
- CBT *see* cognitive-behavioral therapy
- central benzodiazepine receptors, stress 113–114
- cerebral cortex
 - brain development 126–127
 - childhood adversity 114–115
 - parietal and motor response to threats 168
 - volume in PTSD 128
 - see also* prefrontal cortex
- cerebral hemispheres *see* hemispheric development
- Charcot, Jean Martin 4–5
- Child Abuse Prevention and Treatment Act 1988 19
- Child Behavior Checklist (CBCL) 39
- child protection services 45–46
- child soldiers 236, 242
 - PTSD 236
- childhood adversity 112
 - amygdala effects 113–114
 - cerebral cortex effects 114–115
 - corpus callosum effects 112–113
 - hemispheric development 114
 - hemispheric integration 112–113
 - hippocampus effects 113
 - neurobiology 112–120
 - sensitive periods 116
 - verbal abuse neuropsychiatric effects 116–117
 - voxel-based morphometry 115–116
- childhood interpersonal trauma 57–65
 - affect dysregulation 62
 - arousal modulation 64
 - attention disturbances 62
 - biological dysregulation 62
 - biological system disruption 63
 - brain activity effects 59
 - brain region impact 63
 - clinical assessment 63–64
 - cognition disturbances 62
 - comorbidities 58, 63
 - consciousness disturbances 62
 - co-occurring symptoms 62–63
 - effective action taking 64
 - impulse dysregulation 62
 - interoception capacity increase 64
 - interpersonal difficulties 62
 - regulation of self 64
 - self-experience 59
 - self-perception distortion 62
 - social functioning 59
 - somatization dysregulation 62
 - source of developmental trauma disorder 63
 - stress hormone reactivity 63
 - symptomatology 62–63
 - systems of meaning distortion 62
 - treatment 63–64
- childhood traumatic victimization
 - adverse outcomes 69–70
 - current knowledge limitations 70–72
 - psychobiological functioning 71–72
 - resilience 72
 - socioeconomic status 71
 - timing 70–71
- childrearing
 - inadequate 5
 - modes 3
- chronic obstructive pulmonary disease, ACE study 83
- circa-strike defense 180
- clarification interviews
 - false memory 228
 - recovered memory 228
- classical conditioning, borderline personality disorder 185
- clinician-administered PTSD scale (CAPS) 210
- cognition disturbances, childhood interpersonal trauma 62
- cognitive appraisal of threats 166–167
- cognitive-behavioral therapy (CBT) 252, 297
 - applications for children/adolescents 272–273
- children traumatized by organized violence 238
- combined treatments 271–272
- core concepts 268
- efficacy data 269
- exposure techniques 269–271
 - children 273
 - parents of traumatized children 273
 - prolonged 270, 271–272, 286–287
- eye movement desensitization and reprocessing, comparison 272
- group interventions 273–274
- imagery 269–270
- predictors of treatment outcome 274
- prolonged 270
- PTSD 268–274, 286–287
- cognitive capacity
 - early life stress 136
 - neglect 127
 - non-verbal 59
- cognitive distortion
 - complex PTSD 264
 - measures 209
- cognitive flexibility 194–195
- cognitive processes
 - active inhibitory 220–221
 - autobiographical memory 220–221
- cognitive-processing therapy (CPT) 271, 297
 - combined with prolonged exposure 271–272
- communicative gestures, lateral asymmetries in infants 103–109, 143–144
- ISOG coding system 105–106
- study 105–109
- community factors, trauma exposure risk 21–22
- complex post-traumatic stress disorder (CPTSD) 208, 210, 286
 - affect regulation 260
 - attachment 260–261
 - attributes of patients 287–292
 - clinician issues 258
 - cognitive distortions 264
 - coping strategies 265
 - counter-transference reactions 258, 260–261
 - disruptions in life 258
 - dissociation 287–288
 - chronic 289–290
 - fear 287
 - flashbacks 259
 - guided imagery 290–291
 - historical aspects 257
 - map sharing 289
 - memory fragmentation 289–290
 - memory processing 296
 - session 263–264
 - phasic trauma treatment 259–262
 - policy issues 258
 - psychodynamic psychotherapy 286–293
 - adaptation 287–292
 - psychotherapeutic interventions 259
 - safety in therapy 259, 288–289
 - screen technique 290–291
 - self-blame/loathing 288
 - self-destructive behaviors 259–260
 - sensorimotor psychotherapy 290–291
 - shame 261–262
 - social factors 258
 - stability 259
 - suicidal ideation 260
 - therapeutic alliance 260–261
 - trauma focus 260–259
 - traumatic transference 260–261

Index

- complex post-traumatic stress disorder (CPTSD) (*cont.*)
 - treatment 257–265
 - approach 258
 - informed consent 258, 262
 - stage 2 262–264
 - stage 3 264–265
 - tuning in to the body 291
- conduct disorder 151
- consciousness
 - altered 178–179
 - disturbances in childhood
 - interpersonal trauma 62
- coronary artery disease, ACE study 83
- corpus callosum
 - brain development 126–127
 - childhood adversity effects 112–113
 - neglect 127–128
 - PTSD 127–128
- cortex *see* cerebral cortex; prefrontal cortex
- corticolimbic inhibition
 - excessive 182–183, 184
 - failure 181–182
 - versus excessive 180–181, 184
- corticosterone 96, 99
- corticotropin-releasing factor (CRF)
 - 50, 95
 - anxiety disorders 149–150, 160
 - depressive disorders 149–150, 159–160
 - early life stress 135, 160–161
 - extrahypothalamic system 158–159
 - HPA stress response 191
 - neurons 158–159
 - neurotransmission impact of stress 96
 - sexual abuse 162
 - stress response 125
- corticotropin-releasing factor (CRF)
 - receptors 158–159
 - HPA stress response 191
- cortisol production 50
 - childhood interpersonal trauma 63
 - early adoption 136
 - early life stress 135, 136, 162
 - emotional stimuli response 146
 - HPA stress response 191
 - neglect 126, 143
 - sexual abuse 162
- counter-transference reactions
 - complex PTSD 258, 260–261
 - dissociation 258
- country/nation factors, trauma
 - exposure risk 22
- CRF *see* corticotropin-releasing factor
- culture, organized violence 235–236, 238, 242
- “dealing but not feeling” 59
- Deese–Roediger–McDermott (DRM) paradigm 228, 244
- defense responses, animal models 179–180
- dehydroepiandrosterone 191
- depersonalization 182
- depersonalization disorder 183, 257–258
 - neural correlates 184
- depression/depressive disorders
 - ACTH levels 159
 - adult
 - ACE study 79–80
 - impact of maternal on infants 48–49
 - amygdala functional activity 150–151
 - BDNF* polymorphisms 163
 - childhood 98
 - maltreated children 159
 - offspring and parenting quality 51
 - corticotropin-releasing factor 149–150, 159–160
 - early life stress 159–160, 163
 - HPA axis 159
 - 5-HTTLPR* polymorphisms 163, 193
 - neuroendocrine system 163
- derealization 182
- desensitization, PTSD treatment 185
- detailed assessment of post-traumatic stress (DAPS) 209, 210
- developing world, trauma exposure risk 22
- development of children 242
- developmental disorders 144
 - institutionalized infants 124
- developmental neurobiological models 148–154
- developmental neuroscience 144
- developmental trauma disorder (DTD)
 - 88–89
 - characteristics 220.10,
 - childhood interpersonal trauma as source 63
 - diagnosis impact on treatment outcome 63
 - need for diagnosis 59–61
 - rationale for diagnosis 220.10,
 - symptom spectrum 62–63
- developmental traumatology 124
- Diagnostic and Statistical Manual of Mental Disorders* (DSM) 39
- third edition (DSM-III), PTSD 45
- fourth edition (DSM-IV), stressor criterion 45
- diffusion tensor imaging
 - peer verbal bullying 118
 - white matter tract effects of parental verbal abuse 117
- disorders of extreme stress not otherwise specified (DESNOS) 69–70, 208, 210, 213, 257
- diagnostic value 286
- symptom categories 286, 287–292
- disorganization
 - care quality 51
 - in infancy 40, 49
 - psychiatric morbidity in adults 50–51
- dissociation 178, 202
 - adults 210
 - affect dysregulation 211
 - amnesia 167, 229, 244
 - amygdala deactivation 183
 - analgesia 180
 - animal defense responses as model 179–180
 - attention conditions 219
 - autobiographical memory
 - impoverishment 221–222
 - chronic 289–290
 - circa-strike defense 180
 - complex PTSD 287–288
 - corticolimbic inhibition 180–181
 - failure 181–182
 - counter-transference reactions 258
 - defensive strategy 288
 - depersonalization disorder 183
 - depersonalization/derealization 182
 - temporal lobe activation 184
 - distress 288
 - explicit memory 218–219
 - false memory acceptance 227–228
 - fear stimuli 182–183
 - forms 179
 - freezing response 180
 - learning impact 185
 - limbic system hyperinhibition 183
 - measures 210
 - neurologic etiology 180–184
 - primary 181, 202
 - protective factor 202
 - PTSD 181, 245
 - recovered memory 228–229
 - resilience 202
 - secondary 181, 185, 202
 - temporal lobe 184
 - traumatic early life-associated 178–185

Index

- dissociative disorder not otherwise specified (DDNOS) 179, 258
- dissociative disorders 257–258
- clinician issues 258
 - memory-processing session 263–264
 - treatment
 - stage 2 262–264
 - stage 3 264–265
- Dissociative Experiences Scale (DES) 210
- dissociative identity disorder (DID) 179, 257–258
- coping strategies 265
 - neural correlates 184
 - self-states 259, 261, 262
 - treatment 263
 - unknown 263
 - treatment 259, 263
- distress, dissociative states 288
- divorce impact, long-term outcomes 38–39
- DNA methylation 150
- domestic violence 39
- witnessing
 - IQ impact 128–129
 - white matter tract effects 118
- dopamine
- early life stress 162
 - externalizing disorder 151–152
 - neural circuitry of stress 170
- dopamine D₂ receptor
- DRD2 allele 192–193
- dopamine D₄ receptor 52, 151–152
- DRD4-7-repeat allele 52, 151–152
- dopamine transporter
- DAT allele 151, 192–193
- dopaminergic system, mesofrontal 170
- dyadic therapy 238
- early trauma outcomes 208, 210–213
- eating disorder measures 209
- education level, maternal and trauma risk exposure 21
- ego strength 40
- emotion(s)
- adaptation 278–280
 - awareness of others' 280
 - communication 279–280
 - coregulation 280
 - cortisol production 146
 - definition 279
 - early life trauma 144
 - feelings 279
 - identifying and expressing 282
 - lateralization 104, 146
 - mentalizing 248
 - self-regulation 280
 - social context 278
 - trauma recovery 278–284
 - emotional awareness 171, 283–284
 - emotional brain 144
 - emotional competence 280–281
 - social competence 280–281
 - emotional development 279–280
 - emotional environment
 - growth-facilitating 145
 - parental care impact 135
 - emotional expression 280, 282–283
 - directing 279
 - fear and anxiety eliciting 282
 - PTSD 281
 - emotional maltreatment,
 - co-occurrence with neglect 133
 - emotional memory 167
 - suppression 183
 - emotional neglect 7
 - long-term outcome studies 35
 - emotional processes, not apparent 279
 - emotional processing
 - brain asymmetry 103
 - theory 270
 - emotional regulation 211, 296–297
 - adaptive 278–280
 - clinical settings 281
 - definition 279
 - impaired in PTSD 182
 - interpersonal difficulties 281
 - learned 278–279
 - maltreatment influence 280–281
 - narration use 283–284
 - sensitivity of system to stress 135
 - social competence 280–281
 - social dysfunction 281
 - therapy 282–283
 - trauma influence 280–281
 - trauma memory processing 281, 283–284
 - trauma recovery 278–284
 - see also* Skills Training in Affective and Interpersonal Regulation
 - emotional responses, analgesia 180
 - emotional responsiveness modulation 167–168
 - emotional undermodulation 181
 - emotionally valenced word retrieval 168
 - environment, definition 152–153
 - epidemiology of early life trauma 13–22
 - role 45
 - study populations 45
 - epigenetic processes, HPA axis control 150
 - epinephrine 162, 191
 - episodic memory 179
 - ethnicity *see* race/ethnicity
 - executive cognitive function 136
 - Experiences in Close Relationships–Revised (ECR-R) 212
 - exposure techniques of CBT 269–271
 - children 273
 - dropout rate 270–271
 - parents of traumatized children 273
 - prolonged 270, 286–287
 - combined with cognitive-processing therapy 271–272
 - expressive gestures
 - asymmetrical organization 104–105
 - FFSF paradigm 104–105
 - modalities 108
 - other-directed 104–105
 - self-directed 104–105
 - expressive language, trauma impact 46
 - expressive systems, linking 108
 - externalizing behavior problems 69
 - dopamine 151–152
 - monoamine oxidase A 151–152
 - neglect 126
 - risk/resilience 151–152
 - see also* attention deficit hyperactivity disorder; conduct disorder
 - extrapyramidal motor system, motor response to threats 168
 - extreme events, recovered memory 29–30
 - eye movement desensitization and reprocessing (EMDR) 272
 - CBT comparison 272
 - face-to-face still-face (FFSF) paradigm 103, 143–144
 - expressive gestures 104–105
 - time of gestures performed with right or left hemibody 106
 - false memory 127.10225–231, 243
 - acceptance correlation with dissociation 227–228
 - anecdotes 226
 - clarification interviews 228
 - complex studies 230
 - criticisms 225
 - extreme events 29–30
 - individual case deep studies 231
 - mechanisms 227–228
 - misunderstandings among researchers 30–31
 - professional consensus 25

Cambridge University Press

978-0-521-88026-8 - The Impact of Early Life Trauma on Health and Disease: The Hidden Epidemic

Edited by Ruth A. Lanius, Eric Vermetten and Clare Pain

Index

[More information](#)

Index

- false memory (*cont.*)
 publications 30
 recovered memory corroboration 226–227
 research 27–28
 Rind study 27–28
 zealotry 26
see also recovered memory
- False Memory Syndrome Foundation 30–31
- family composition, trauma risk exposure 21
- family factors
 refugee children in Western countries 236
 trauma risk exposure 21
- Family Mosaic Program 36
- family resilience 237–238, 242
- family therapies, children traumatized by organized violence 238
- fear 296–297
 brain network 270
 complex PTSD 287
 emotional expression 282
 extinction 194
 processing in amygdala 167
 response 218
 social context 278
 stimuli and dissociation 182–183
- fear conditioning 167, 194
 PTSD 194, 218
 resilience 194
 resistance 194
- fear state-dependency 229
- fear-producing events, afferent input 166
- “feeling but not dealing” 59
- feelings 279
 identifying and expressing 282
 shame 297
- FFSF *see* face-to-face still-face paradigm
- fight or flight or freeze reaction 125
- FKBP5* gene
 polymorphisms 137
 PTSD risk 193
 SNP interactions 150
- flashbacks, complex PTSD 259
- food shortages, war situations 236
- foraging demand, unpredictable in primate neuroendocrine studies 161–162
- forebrain, early life stress 136
- forgetting, motivated 229
- foster care 133–134
 adult outcomes 133–134
 chronic stress 135
- disruption of primary caregiver relationship 133–134
- early life stress risk/resiliency 134–135
- emotional maltreatment
 co-occurrence with neglect 133
- placement for maltreatment 133–134
- therapeutic intervention 138
- fractional anisotropy
 peer verbal bullying 118–119
 verbal abuse 117, 119
- freezing response 179, 180, 190
- Freud, Sigmund 5
 infantile sexuality theory 43–44
 intrapsychic fantasy model 6
 repetition compulsion 33
 seduction term 5
 sexual etiology of hysteria 5
- functioning level
 multiple trauma 38–39
 traumatic experiences 38
- fusiform gyrus 115
- GABA_A receptors, stress 113–114
- galanin 191
- gaze aversion, still-face effect 104
- gender
 anxiety disorders 98–99
 mood disorders 98–99
 psychological trauma studies 71
 PTSD effects on brain development 128
 stress effects 98–99
 trauma exposure risk 20
- gene–environment interactions 52, 148–154, 200–201
- abuse data-gathering methods 152–153
- abuse-related factors 153
- amygdala functional activity 150–151
- dopamine 151–152
- early life stress 148–149
- environment definition 152–153
- externalizing disorder risk/resilience 151–152
- monoamine oxidase A 151–152
- outcomes 153–154
- PTSD 163
- resilience to stress 192–194
- risk/resilience research 153–154
- general abuse outcomes 208–210
 assessment approach 208–209
 generic measures 209
- genetic factors
 HPA axis development 134–135
- maltreatment sequelae 137
- neglect 128–129
- neuroendocrine system 163
- PTSD 192
- stress 129, 137
- genetic predisposition of child, expression with care quality 52–53
- girls, organized violence 239
- Global Assessment of Functioning (GAF) 38
- glucocorticoid receptor (GR), HPA axis 158
- glucocorticoid receptor (GR) gene 150
- glucocorticoids 95
 HPA axis 158
- gray matter, brain development 126–127
- gray matter volume
 peer verbal bullying 118–119
 PTSD effects 114–115
- group therapy 297–298
 CBT 273–274
- growth, optimal and maturational processes 33–34
- guided imagery 290–291
- hallucinations, ACE study 80
- health
 risks in ACE study 80–82
 trauma exposure risk 20
 war situations 236
- healthcare costs 77–78
 ACE study 83
- healthcare implications
 ACE study 84–86
 of early trauma 77–86
- hemispheric development
 asymmetry 145–146
 attachment 144–145
 childhood adversity effects 114
- hemispheric integration in childhood
 adversity 112–113
- heritability 192
- hippocampus
 childhood adversity 113
 episodic memory 220
 memory dysfunction in PTSD 169–170
 memory function 190
 neglect effects 128
 plasticity 170
 stress effects 113, 128, 190
 volume reduction 220, 245
- Hispanic children, Family Mosaic Program 36
- histone acetylation 150

Index

- historical aspects of early life trauma/
 - abuse 3–9
 - 1850s to 1900 3–6
 - 1900 to 1960s 6–7
 - 1960s onwards 7–8
- complex PTSD 257
- neglect 7–8, 123–124
- PTSD research 268–269
- recovered memory 25–31
- Holocaust survivors, children of 237
- HPA axis *see* hypothalamic–pituitary–adrenal axis
- household dysfunction, ACE study
 - reference category 78–79
- 5-HTTLPR polymorphisms 52
 - depression risk 163, 193
 - HPA axis 150
 - risk/resilience for mood/anxiety disorders 149
- humor use by therapist using STAIR 283
- hypervigilance 210–211, 217–218
- hypothalamic–pituitary–adrenal (HPA) axis 95
 - care quality 143
 - depressive disorders 159
 - dysregulation 50
 - early life stress 134, 136
 - adult outcomes 137
 - epigenetic processes in control 150
 - 5-HTTLPR polymorphisms 150
 - infant stress reactions 50
 - inhibition 191–192
 - maternal separation 161
 - neglect 126
 - parental care effects on development 135
 - PTSD 171
 - regulation
 - and quality of care 50
 - by right brain 146
 - risk/resilience for anxiety/mood disorders 149–151
 - stress
 - effects 96
 - sensitivity to 150
 - stress response 125, 191–192
 - regulation 158
 - therapeutic foster care intervention 138
- hypothalamus
 - defensive behaviors 179
 - stress response 168–169, 190
- hysteria 4–5
 - sexual etiology 5
- identity 210–211
- imagery 269–270
 - guided 290–291
- immune system
 - biological stress response systems 126
 - neglect effects 126
 - stress 125, 126
- impact of event scale 210
- impulse dysregulation 62
- impulsive behaviors 51
- incest 7, 58
 - reported prevalence 44
 - taboo 26–27
- income, trauma risk exposure 21
- infancy/infants
 - attachment dysregulation 48–53
 - babbling 109
 - disorganization 40, 49
 - institutionalized 123–124, 143
 - early life stress 146
 - lateral asymmetries of regulatory/communication gestures 103–109, 143–144
 - ISOG coding system 105–106
 - study 105–109
 - maternal depression impact 48–49
 - parental care 48, 49
 - physiological stress reactions 50
 - security of attachment 49
 - sensitive period 48–49
 - threats 48
 - unresponsive early care 48
- Infant Self-directed regulatory and Other-directed Gestures (ISOG) coding system 105–106
 - configurations 105–106
- infantile sexuality theory of Freud 43–44
- information inaccessibility
 - phenomenon 220
- information processing theory 271
 - resilience 194–195
- informed consent 258, 262
- institutionalized infants 123–124, 143
 - early life stress 146
- insula, peer verbal bullying effects 118–119
- internal working models, altered 211
- International Society for Traumatic Stress Studies, practice guidelines for PTSD 269
- interoception capacity increase, childhood interpersonal trauma 64
- interpersonal difficulties 62
- emotional regulation 281
 - see also* childhood interpersonal trauma
- interpersonal functioning, difficulties 271–272
- interpersonal problem measures 209
- interpersonal repertoire expansion 283
- intrapsychic fantasy model of Freud 6
- intravenous drug use, ACE study 80–82
- Inventory of Altered Self Capacities (IASC) 212
- invincibility *see* resilience
- IQ, domestic violence witnessing 128–129
- ISOG *see* Infant Self-directed regulatory and Other-directed Gestures coding system
- Janet, Pierre 5
- just world theory 288
- language, lateralization of function 109, 114
- lateral asymmetries, infant regulatory/communicative gestures 103–109, 143–144
 - ISOG coding system 105–106
 - study 105–109
- lateralization of function 103
 - amygdala 146
 - emotion 104, 146
 - language 109, 114
 - motor 114
- learned helplessness 190
- learning
 - amygdala-based processes 185
 - dissociative states 185
- legal system 45–46
- life expectancy 77–78
 - ACE study 84
- limbic system
 - hyperinhibition 183
 - traumatic attachments 145
- limbic system checklist 33 (LSCL-33) 114, 184
- lingual gyrus 115
- liver disease, ACE study 83
- locus ceruleus–norepinephrine (LC-NE) system 158
- long-term outcomes of childhood trauma 33–41
 - attachment trauma/abuse 39
 - divorce impact 38–39
 - emotional neglect studies 35
 - Family Mosaic Program 36
 - interparent violence 39

Cambridge University Press

978-0-521-88026-8 - The Impact of Early Life Trauma on Health and Disease: The Hidden Epidemic

Edited by Ruth A. Lanius, Eric Vermetten and Clare Pain

Index

[More information](#)

Index

- long-term outcomes of childhood trauma (*cont.*)
 - intervention impact 45
 - mothers abused as children 35–36
 - multiple trauma 38–39
 - physical abuse studies 34–35
 - studies 34–36
 - verbal abuse studies 35
- “lost in the mall” (LIM) study 228
- low birthweight, trauma exposure risk 20
- magnetic resonance imaging (MRI), brain development 126–127
- magnetic resonance spectroscopy (MRS), childhood adversity effects on brain 114
- malingered 231
- maltreatment
 - emotional 7
 - “existence” 8–9
 - foster care placement 133–134
 - historical aspects 6–8
 - professional resistance 8–9
- maternal buffering 52–53
- maternal deprivation
 - preclinical studies 123
 - primate studies 161–162
 - stress 192
 - sensitivity 195
- maternal insensitivity 49
- maternal sensitivity 49
- maturational processes towards
 - optimal growth 34
 - repetition compulsion integration 33–34
- medical disease, adult 77–78
 - ACE study 82–83
 - early life stress 133–138
- memory 243
 - autobiographical 179, 219–222, 265
 - impoverished 220–222
 - central node/core 264
 - controlled exposure 296–297
 - disruptions 217–222
 - dysfunction in PTSD 169–170, 217–218, 244–245
 - emotional 167
 - suppression 183
 - explicit
 - dissociation 218–219
 - PTSD 217–218
 - fragmentation 289–290
 - hippocampus 190
 - impairment for trauma 219
 - implicit 218
 - meta-awareness changes 221
 - ordinary 229–230
 - retrieval 225
 - therapeutic exposure to traumatic 252
 - trace formation 167
 - verbal 169–170
 - see also* false memory; recovered memory
- memory processing 296
 - session for complex PTSD 263–264
- mental health problems
 - parental
 - prevalence of abuse 158
 - trauma risk exposure 21
 - refugee children in Western countries 236
 - trauma exposure risk 20
- mentalization-based therapy 250–251
 - early intervention 252–253
 - intensive outpatient programs 251
 - partial hospital program 251
 - principles 251
 - psychodynamic psychotherapy differences 287
 - safety 295
 - trauma-related interventions 251–252
- mentalizing 247–248
 - attachment
 - insecure 248–249
 - secure 248
 - transgenerational transmission of relationship 248–249
 - treatment for attachment trauma 247–253
 - borderline personality disorder 247, 249–250
 - interventions 250–253
 - definition 247
 - emotion 248
 - psychodynamic psychotherapy 292
 - transgenerational transmission of attachment relationship 248–249
 - treatment for attachment trauma 247–253
- meta-awareness changes 221
- Millon Clinical Multiaxial Inventory (MCMI) 209
- Minding the Baby program 252–253
- minimizing of neglect/abuse 45
- Minnesota Multiphasic Personality Inventory (MMPI) 209
- monoamine oxidase A 151
 - externalizing behavior problems 151–152
- mood disorders 95, 97
 - early onset 98
 - gender 98–99
 - HPA axis 149–151
 - 5-HTTLPR polymorphisms 149
 - resiliency 149–151
 - risk 149–151
- mood state-dependency 229
- mother–infant synchrony 279–280
- mothers abused as children
 - long-term outcome studies 35–36
 - protective factors 35
- motor lateralization 114
- Multidimensional Inventory of Dissociation (MID) 210
- Multidimensional Treatment Foster Care for Preschoolers (MTFC-P) 138
- multiple personality 6
- Multiscale Dissociation Inventory (MDI) 210
- myelin 126
- narration, STAIR therapy 283–284
- narrative
 - individual 46, 283–284
 - verbal 46
- National Child Traumatic Stress Network 58–59
- National Comorbidity Study – Replication (NCS-R) 13
 - age effects 19
 - cohort effects 19
 - data collection methods 19
 - definitions 18–19
 - official data 19
 - population sampled 19
 - prevalence of early trauma 13–18
 - prospective reporting 19
 - retrospective reporting 19
 - self-report data 19
 - survey response rates 19
- neglect 143
 - ACE study reference category 78–79
 - adult outcome 208
 - antisocial behavior 126
 - anxiety 124
 - brain maturation investigations 127–128
 - cognitive development 127
 - corpus callosum effects 127–128
 - cortisol production 126, 143
 - definition 18–19, 123
 - developmental traumatology 124
 - early life stress 124
 - emotional 7
 - long-term outcome studies 35
 - emotional maltreatment
 - co-occurrence 133
 - externalizing behavior problems 126
 - genetic factors 128–129

Index

- hippocampus effects 128
- historical aspects 7–8, 123–124
- HPA axis 126
- immune system 126
- minimizing 45
- neurobiology 112–116, 123–129
- neuroendocrine systems 125–126
- neurotransmitter systems 125–126
- prefrontal cortex effects 127
- prevalence 58, 157–158
- primate studies 162
- PTSD 126
- stressor 124
- “neither feeling nor dealing” 59
- neural systems
 - alterations with early life stress 135–136
 - working model for circuitry of traumatic stress 166–169, 201–202
- neurobiology of disorders
 - causation issues in studies 171–172
 - early life stress 160–163
 - disorders related to 159–160
 - long-lasting effects 166–172
 - psychosocial moderators of stress/trauma 189–196
 - social support in stress resilience 195–196
- neurobiology of neglect 112–116, 123–129
- neurobiology of trauma/adversity 112–120, 142
 - amygdala 113–114
 - cerebral cortex 114–115
 - corpus callosum 112–113
 - hemispheric development 114
 - hippocampus 113
 - parental verbal abuse
 - neuropsychiatric effects 116–117
 - signal strength abnormalities 118
 - white matter tract abnormalities 117–118
 - peer verbal bullying,
 - neuropsychiatric effects 116–117
 - sensitive periods 116
 - white matter tract
 - domestic violence witnessing 118
 - parental verbal abuse effects 117–118
- neurochemistry of resilience 190–192
- neuroendocrine system
 - clinical studies 162–163
 - depressive disorders 163
 - early life stress 160–163
 - early life trauma effects 157–163
- genetic factors 163
- neglect 125–126
- primate studies 161–162
- rodent studies 160–161
- sexual abuse 162
- stress 125–126
 - stress response regulation 158–159
- neurological damage, abused
 - children 58
- neuropeptide Y 191
- neuroscience, developmental 144
- neurotransmitter systems
 - neglect 125–126
 - stress 125–126
- neurotransmitters, stress effects 96
- nicotine use
 - ACE study 80–82
 - adult disease 83
- non-accidental injury, documentation of reality 44
- norepinephrine 162, 163, 191
 - neural circuitry of stress 170
- normality 39
- not-thinking 230
- nutrition, war situations 236
- obesity, ACE study 80
- organized violence 234–239
 - countries at war 235–236
 - culture 235–236, 238, 242
 - definition 234
 - gender-based 239
 - non-Western populations 234–235
 - paradoxical effects 237–238
 - policy issues 237
 - postconflict situations 235–236
 - protection determinants 235–237
 - psychological outcomes 235
 - psychosocial factors 237
 - PTSD 234, 235
 - refugee children in Western countries 236–237
 - resilience 234, 237–238, 242
 - risk determinants 235–237
 - separation 235
 - social implications 237–238, 242–243
 - therapeutic interventions 238
 - transgenerational transmission 237
 - trauma transmission mechanisms 239
- orphans
 - trauma exposure risk 22
 - war situations 235
- other-directed behaviors 103–104, 106
 - differential distribution 107–109
- gesture lateralization 106
- left-sided 108
- linguistic 109
- other-directedness 210–211
- oxytocin 195
- pain perception 180
- parent(s)
 - bereavement and trauma exposure risk 22
 - frightening/frightened behavior 249
 - involvement in CBT for children 273
 - see also* maternal *entries*; mother *entries*
- parental care
 - HPA axis development 135
 - infant physiological stress reactions 50
 - infants 48, 49
 - quality and HPA axis regulation 50
 - sensitivity of stress system 135
 - war situations 235
- parental verbal abuse
 - neuropsychiatric effects 116–117
 - signal strength abnormalities 118
 - white matter tract abnormalities 117–118
- parenting quality 49
 - borderline personality disorder 249–250
 - depression in offspring 51
- parietal cortex, motor response to threats 168
- peer verbal bullying
 - fractional anisotropy 118–119
 - gray matter volume 118–119
 - neuropsychiatric effects 116–117
- periaqueductal gray, defensive behaviors 179
- perpetuation of abuse 38
- phasic trauma treatment, complex PTSD 259–262
- phenotypic plasticity 52
- phenylketonuria 193
- physical abuse
 - long-term outcome studies 34–35
 - neurobiology 112–116
 - prevalence 158
 - primate studies 162
- physical disabilities, trauma exposure risk 20
- physical injuries
 - historical aspects 6–7
 - structural damage 7
- Piaget, Jean 33–34
- playfulness, therapist using STAIR 283

Index

- postconflict situations, organized violence 235–236
- post-traumatic disturbance, complex 212
- post-traumatic stress diagnostic scale (PDS) 210
- post-traumatic stress disorder (PTSD)
- amygdala
 - deactivation 183
 - function 245
 - analgesia state 180
 - autobiographical memory
 - impoverishment 221–222
 - avoidance symptoms 261
 - brain
 - default network 171
 - development 127–128
 - volume 128
 - brief models of treatment 286–287
 - cerebral cortex
 - effects 114–115
 - volume 128
 - child soldiers 236
 - childhood traumatic victimization 69–70
 - chronic 69
 - psychodynamic psychotherapy 286–293
 - psychodynamic psychotherapy adaptation 287–292
 - chronic adaptations 257
 - CBT 268–274, 286–287
 - combined 271–272
 - group 273–274
 - predictors of treatment outcome 274
 - cognitive-processing therapy 271
 - conditioned fear responses 194
 - corpus callosum effects 127–128
 - corticolimbic inhibition failure 181–182
 - depersonalization/derealization
 - dissociative states 184
 - desensitization treatment 185
 - diagnosis 57
 - dissociation 181, 245
 - DRD2* allele 192–193
 - DSM-III 45
 - emotional expression 281
 - emotional regulation 278–284
 - emotional responsiveness
 - modulation 168
 - emotionally valenced word retrieval 168
 - emotions in recovery 278–284
 - explicit memory 217–218
 - exposure techniques of CBT 269–271
 - children 273
 - parents of traumatized children 273
 - prolonged 270, 271–272
 - eye movement desensitization and reprocessing 272
 - fear conditioning 218
 - FKBP5* gene 193
 - SNP interactions 150
 - gene–environment interactions 163
 - genetic factors 192
 - genetic heterogeneity 193
 - hippocampal volume reduction 220, 245
 - hippocampus effects 113
 - history of research 268–269
 - HPA axis 171
 - impaired emotion regulation 182
 - implicit memory 218
 - incorporation of DESNOS
 - (disorders of extreme stress not otherwise specified) 70
 - maltreated children 159
 - measures 210
 - memory dysfunction 169–170, 217–218, 244–245
 - memory processing 296
 - neglect 126
 - neuroendocrine systems 160
 - organized violence 234, 235
 - practice guidelines from the International Society for Traumatic Stress Studies 269
 - prevalence 45
 - prolonged exposure 270, 286–287
 - combined with cognitive-processing therapy 271–272
 - reminders of trauma 252
 - simple 286
 - trauma memory processing 281
 - traumatic attachment 252
 - treatment model 281
 - verbal memory deficit 169–170
 - see also* complex post-traumatic stress disorder
- PTSD *see* post-traumatic stress disorder
- post-traumatic symptoms, autobiographical memory impoverishment 221–222
- poverty, trauma exposure risk 21, 22
- prefrontal cortex 114
 - brain development 126–127
 - emotional responsiveness modulation 167–168
 - inhibitory influence on amygdala 150–151, 168
 - medial 170–171
 - motor response to threats 168
 - neglect 127
 - neural circuitry of stress 170
 - stress
 - early life 127
 - response 125, 190
- preschool children, CBT applications 273
- prescription costs 83
- prevalence of early trauma 13–18, 58, 157–158
 - methodology 18
- prolactin, early life stress 162
- prolonged exposure 270, 286–287
 - combined with cognitive-processing therapy 271–272
- protective factors, trauma exposure 21
- psychasthenia 5
- psychiatric disease, adult 77–78, 89
 - ACE study 79–80
- psychiatric morbidity in adulthood 50–51
- psychoanalysis 6
- psychobiological self-regulatory capacity 69
 - childhood traumatic victimization 71–72
- psychodynamic psychotherapy 286–293
 - adaptation 287
 - for complex PTSD 287–292
 - chronic dissociation 289–290
 - guided imagery 290–291
 - map sharing 289
 - memory fragmentation 289–290
 - mentalization-based therapy
 - differences 287
 - mentalizing 292
 - safety 288–289, 295–296
 - screen technique 290–291
 - sensorimotor psychotherapy 290–291
 - tuning in to the body 291
 - verbal descriptions 291
- Psychological Assessment Inventory (PAI) 209
- psychological trauma
 - chronic PTSD 69
 - complex adult sequelae 69–72
 - current knowledge limitations 70–72
 - denial of significance 44
 - externalizing behavior problems 69
 - gender 71
 - psychobiological self-regulatory capacity effects 69
 - PTSD risk 69–70
 - race/ethnicity 71
 - timing 70–71

Cambridge University Press

978-0-521-88026-8 - The Impact of Early Life Trauma on Health and Disease: The Hidden Epidemic

Edited by Ruth A. Lanius, Eric Vermetten and Clare Pain

Index

[More information](#)

Index

- psychosis, causes 9
 psychosocial factors, organized violence 237
 psychosocial moderators of stress/trauma 189–196
 psychotherapy in the kitchen 252
 public health, adult disease 83
 public policy, early life stress interventions 138
 race/ethnicity
 exposure to potentially traumatic events 16, 18
 Family Mosaic Program 36
 psychological trauma studies 71
 trauma exposure risk 20
 rape 40–41
 recording of abuse 45
 recovered memory 225–231, 243–244
 accuracy 226
 age at trauma 227
 anecdotal evidence 225–226
 bias acknowledgement 230
 clarification interviews 228
 complex studies 230
 concept 225
 content 227
 corroboration 226–227
 dissociation 228–229
 extreme belief 29–30
 extreme events 29–30
 “firewall” between science and politics 28–29
 forensic evaluation 231
 fragments 227
 historical aspects 25–31
 individual case deep studies 231
 lay groups 27
 mechanisms 227–230
 misunderstandings among researchers 30–31
 motivated forgetting 229
 motivational forces 229
 not-thinking 230
 ordinary memory 229–230
 phenomenology of experiences 227
 professional consensus 25
 publications 30
 repression concept 29, 228–229
 research 26–27
 Rind study 27–28
 science/non-science 28–29
 scientific approaches 26–27
 “scientists” versus “clinicians” 28
 sexual abuse 227
 state-dependency 229
 think/no think procedure 229
 timing 227
 triggers 227
 zealotry 26
 refugee children in Western countries 236–237, 242
 policy issues 237
 resettlement 236–237
 unaccompanied 237
 regulation of self *see* self-regulation
 regulatory gestures, lateral asymmetries in infants 103–109, 143–144
 ISOG coding system 105–106
 left-sided 108
 stress 108
 study 105–109
 relatedness 211
 Relationship Questionnaire (RQ) 212
 repetition compulsion 33–34
 repressed trauma, diagnosis 26
 repression in recovered memory 29, 228–229
 criteria 228
 resettlement, refugee children in Western countries 236–237
 resilience 40, 189, 202–203
 childhood traumatic victimization 72
 cognitive flexibility 194–195
 dissociation 202
 family 237–238, 242
 fear conditioning 194
 gene–environment interactions 192–194
 information processing theory 194–195
 neurochemistry 190–192
 neurocircuitry 189–190
 organized violence 234, 237–238, 242
 protective factors 189
 social support 195–196
 resilient groups 40
 Revised Adult Attachment Scale (AAS-Revised) 212
 Rind study of false memory 27–28
 Rorschach test 209, 213
 safety
 complex PTSD therapy 288–289, 295–296
 mentalization-based therapy 295
 STAIR therapy 295–296
 trauma therapy 282, 295–296
 schemata, disrupted 212
 screen technique 290–291
 secondary gain 4, 6
 seduction 40–41
 term 5
 theory 5
 seizures, temporal lobe 184
 self-blame, complex PTSD 288
 self-capacity tests 212–213
 self-control 249
 self-damaging borderline features 51
 self-destructive behaviors
 affect dysregulation 211
 complex PTSD 259–260
 self-directed gestures 103, 106
 stress 106–107
 self-experience 59
 self-loathing, complex PTSD 288
 self-perception distortion, childhood interpersonal trauma 62
 self-regulation 64
 behaviors 103–104
 differential distribution 107–109
 childhood interpersonal trauma 64, 271–272
 complex PTSD 260
 gestures 103, 106, 107
 self-states, dissociative identity disorder 259, 261, 262
 treatment 263
 unknown 263
 sensorimotor psychotherapy 290–291
 separation
 organized violence 235
 primate studies 161–162
 rodent studies 161
 stress 192
 sensitivity 195
 war situations 235
 serotonin system, stress response 125
 serotonin transporter gene (*5-HTTLPR*) polymorphisms 52
 depression risk 163, 193
 HPA axis 150
 risk/resilience for mood/anxiety disorders 149
 sex steroids, brain development 127
 sexual abuse
 adjustment impact 27
 brain development 116
 corticotropin-releasing factor 162
 cortisol production 162
 definition 18–19
 etiology 8
 gray matter volume reduction 115
 historical aspects 4
 neurobiology 112–116
 neuroendocrine system 162
 prevalence 158
 recovered memory 227

Index

- sexual behavior 77–78
ACE study 80, 82
- sexual trauma, severity of adult
outcome 69
- shame
attack other 261–262
avoidance 262
complex PTSD 261–262
feelings 297
self-attack 261
withdrawal 262
- shock, inescapable 180
- simulation model of Babinski 6
- Skills Training in Affective and
Interpersonal Regulation
(STAIR) 271–272, 281
emotional expression/regulation
282–283
feelings expression/identification 282
narration use 283–284
safety 295–296
social repertoire expansion 283
trauma memory processing 283–284
treatment goals 281–282
- smoking
ACE study 80–82, 83
see also nicotine use
- social biofeedback 280
- Social Cognition and Object Relations
Scale (SCORS) 213
- social collusion 45
- social competence 280–281
- social dysfunction 281
- social factors, complex PTSD 258
- social functioning 59
- social isolation 123, 195
- social repertoire expansion 283
- social support, resilience 195–196
- social–emotional development
impairment 145–146
- socioeconomic status
childhood traumatic victimization
71
poverty 21, 22
- somatization
disorders in ACE study 80
dysregulation, childhood
interpersonal trauma 62
- splanchnic nerve 169
- stage-oriented treatment 257–265
- STAIR *see* Skills Training in Affective
and Interpersonal Regulation
- startle response
borderline personality disorder 185
PTSD 218
state reexperiencing 181–182
- state-dependency, recovered memory
229
- still-face effect 104
- stress
abnormal reactions 95
brain effects 96–97, 220
central benzodiazepine receptors
113–114
chronic 83
foster care 135
corpus callosum effects 127–128
emotional regulatory system
sensitivity 135
fight or flight or freeze reaction 125
GABA_A receptors 113–114
gender effects 98–99
genetic factors 129, 137
hippocampus effects 113, 128, 190
HPA axis sensitivity 150
immune system 125, 126
inoculation 136, 137, 191–192
learned helplessness 190
maternal deprivation 192
neuroendocrine systems 125–126
neurotransmitter systems 125–126
prefrontal cortex effects 127
psychosocial moderators 189–196
reactions
adult disease 83
physiological in infants 50
regulatory gestures 108
regulatory neural system
foster care therapeutic intervention
138
plasticity 137–138
repeated 190
self-directed gestures 106–107
separation 192
sensitivity 195
vulnerability 97
working model for neural circuitry
166–169
see also resilience
- stress, early life 96
abuse 124
adult disease 133–138
anxiety disorders 160
brain development 146
caregiver-based therapeutic
interventions 137–138
clinical studies 162–163
corticotropin-releasing factor
160–161
cortisol production 136, 162
definition 157
depressive disorders 159–160, 163
- developmental neurobiological
models 148–154
executive cognitive function 136
foster care 133–134
genetic variables 129
HPA axis 134, 136, 137
individual differences 137
institutionalized infants 146
interventions 138
neglect 124, 127–128
neural system alterations 135–136
neurobiology of disorders 159–163
neuroendocrine effects 157–163
neuroendocrine systems 160–163
prevalence 157–158
primate studies 161–162
resiliency 134–135, 136–137,
148–154
gene–environment interactions
149, 153–154
risks 134–135, 136–137, 148–154
gene–environment interactions
149, 153–154
rodent studies 160–161
severity 136–137
- stress, juvenile 95–99, 142
anxiety levels 97
anxious behavior 97–98
corticosterone levels 99
long-term exposure 97
model 96–97
short-term exposure 97–99
- stress hormone *see* cortisol production
- stress response 95
autonomic nervous system 190–191
brain structure 190
brain volume 190
HPA axis 125, 191–192
regulation 158
hypothalamus 168–169, 190
prefrontal cortex 125, 190
preparation 168–169
regulation 158–159
sympathetic nervous system
190–191
- stress–diathesis theory 193–194
- stressor criterion 45
- stressors
body responses 124
brain responses 124
early life 96
HPA axis response 95
neglect 124
- striatum, motor response to threats 168
- Structured Clinical Interview for
DSM-IV dissociative disorders
(SCID-D) 210

Index

- Structured Interview for disorders of extreme stress (SIDES) 70, 212, 213
- study populations 45
- subdural hematoma
- documentation of reality 44
 - historical aspects 6–7
- Subjective Units of Distress Scale (SUDS) 269–270
- substance abuse
- affect dysregulation 211
 - measures 209
- suicidal ideation, complex PTSD 260
- suicidality
- affect dysregulation 211
 - measures 209
- sympathetic nervous system, stress response 190–191
- Symptom Checklist-90-Revised (SCL-90-R) 209
- systems of meaning distortion, childhood interpersonal trauma 62
- Tardieu, Ambroise 3–4
- temporal lobe
- dissociation 184
 - seizures 184
- Thematic Apperception Test (TAT) 212, 213
- theory of mind 247–248
- threats
- afferent input 166
 - cognitive appraisal 166–167
 - hypervigilance 217–218
 - to infants 48
 - memory trace formation 167
 - motor response 168
 - peripheral responses 168–169
 - response preparation 168–169
 - structural changes to brain 189–190
- transgenerational transmission of traumatic experience 237
- translational developmental science 138
- transmission of abuse 38
- trauma
- attachment effects 243
 - community level factors 21–22
 - definition 13
 - destructiveness 44
 - developmental effects 242
 - directions of study 90–91
 - emotion 144
 - exposure to potentially traumatic events 14, 18
 - incidence 95
 - measurement 45
 - memory processing 281, 283–284
 - mentalization-based therapy 251–252
 - multiple 38–39
 - neurobiology 112–120
 - prior 21
 - protective factors 21
 - psychological 13
 - psychosocial moderators 189–196
 - risk factors for exposure 19–22
 - transgenerational transmission 237
 - treatment of sequelae 91
 - violent 69
- Trauma and Attachment Belief Scale (TABS) 212
- trauma disorder diagnosis 57–65
- Trauma Symptom Inventory (TSI) 209–210, 212–213
- traumatic dissociation, early life related 178–185
- traumatic transference, complex PTSD 260–261
- treatment 295–298
- caregiver-based after early life stress 137–138
 - childhood interpersonal trauma 63–64
 - children traumatized by organized violence 238
 - complex PTSD 257–265
 - stage 3 264–265
 - dissociative identity disorder 259
 - dissociative states 185
 - group 297–298
 - implications of ACE study 85–86
 - informed consent 258, 262
 - mentalizing role for attachment trauma 247–253
 - phasic trauma for complex PTSD 259–262
 - preventive interventions 137–138
 - stage-oriented 257–265
 - trauma sequelae 91
 - see also* cognitive behavioral therapy; mentalization-based therapy; psychodynamic psychotherapy; Skills Training in Affective and Interpersonal Regulation
- tuning in to the body 291
- uncinate fasciculus 146
- undernutrition, trauma exposure risk 22
- vagus nerve 169
- vasopressin 195
- verbal abuse
- fractional anisotropy 117, 118–119
 - gray matter volume 118–119
 - long-term outcome studies 35
 - neuropsychiatric effects 116–117
 - signal strength abnormalities 118
 - see also* parental verbal abuse; peer verbal bullying
- verbal memory, deficit in PTSD 169–170
- verbal narrative, creation of coherent 46
- victimization 89
- adult outcome 208
 - adverse outcomes 69–70
 - current knowledge limitations 70–72
 - externalizing behavior problems 69
 - PTSD risk 69–70
 - trauma exposure risk 21
 - see also* childhood traumatic victimization
- violence
- interparent 39
 - see also* domestic violence; organized violence
- violent trauma, severity of adult outcome 69
- voxel-based morphometry, childhood adversity studies 115–116
- vulnerable groups 40
- wars
- organized violence 235–236
 - psychological effects 44
- weight loss 77
- white matter tract
- deprivation-induced disorganization 146
 - domestic violence witnessing effects 118
 - parental verbal abuse effects 117–118
- Winnicott, Donald 33–34
- withdrawing behavior, parental 51
- word formulation, disruption 46
- zealotry, recovered/false memory 26