

## Index

- absorption edge, 290
- absorption of one photon, 285
- acceptors, 118
- active medium, 287
- active region, 293
- alkanethiol endgroups, 150
- alligator clips, 147
- alloy, 68
- amino acids, 145
- amorphous, 68
- amphoteric, 119
- angular frequency, 16
- angular momentum, 57
- anisotropic two-dimensional layered structures, 102
- annihilation, 290
- antibodies, 145
- antibonding state, 60
- antigens, 145
- approximation, virtual-cathode, 190
- approximation, virtual-crystal, 83
- armchair, 98
- atomic force microscopy, 98
- atomic orbitals, 60
  
- ballistic motion, 8
- bandgap wavelength, 290
- band-to-band, 289
- base of diode, 189
- basis vectors, 71
- biomolecule–inorganic cluster hybrid, 150
- bipolar transistors, 278
- Bloch, 213
- Bloch form, 75
- Bloch function, 75
- block copolymers, 142
- body-centered cubic lattice, 72
- Bohr radius, 57
- bonding orbital, 60
- bonding state, 60
- bound states, 36
- buckyball fullerenes, 102
  
- carbon nanotubes, 98
- carboxyl endgroups, 142
- cascade structure, 305
- cathode, 189
- charge-limited transport, 201
- chemical radicals, 117
- chemical-vapor deposition, 112
- Child’s law, 198
- chiral angle, 99
- classical ballistic regime, 170
- classical description, 22
- classical regime, 170
- classical transport regime, 170
- coherence length, 169
- coherent tunneling, 245
- coherent waves, 19
- collector, 245
- collisionless motion, 8
- complementary, 149
- complex conductivity, 187
- compound semiconductors, 68
- concept of hole, 76
- conduction, 70
- constructive interference, 19
- Coulomb blockade, 212
- covalent, 69
- criterion for laser oscillations, 298
- cross-sectional STM, 122
- crystal, 68
- crystalline potential, 74
- cubic symmetry, 72
- cut-off wavelength, 290
- CVD, 112
- cyclic boundary conditions, 75, 101
  
- dangling bonds, 134
- DBRTD, 8
- de Broglie wavelength, 28
- degeneracy of states, 57
- degenerate state, 174
- density of states, 180
- density of the distribution, 173
- dephasing length, 170

- destructive interference, 19  
 diagonal components, 91  
 diamond lattice, 72  
 differential resistance, 191  
 diffusion, 168  
 diffusive classical size effects, 170  
 diode, 189  
 dip-pen nanolithography, 155  
 direct-bandgap semiconductor, 82  
 discrete energy levels, 41  
 discrete energy portions, 24  
 discrete energy spectrum, 36  
 dispersion relation, 16  
 distribution function, 173  
 donors, 118  
 double-barrier resonant-tunneling diode, 8  
 drain, 255  
 DRAM, 3  
 Drude formula, 188  
 dynamic range, 317
- edge-emitting configuration, 303  
 effective temperature, 193  
 elastic collision, 168  
 elastic constants, 91  
 elastic moduli, 91  
 electric current standard, 274  
 electromagnetic waves in free space, 21  
 electron affinity, 48  
 electron energy band, 76  
 electron mobility, 183  
 electron shuttle, 313  
 electron-affinity rule, 85  
 emission of a photon, 285  
 emitter, 245  
 energy band, 66  
 energy bandgaps, 79  
 energy splitting, 61  
 energy subband, 48  
 energy valleys, 79  
 enzymes, 145  
 epitaxial growth, 112  
 equation, wave, 16  
 equidistant energy levels case, 46  
 etching, 117  
 excess energy, 129  
 expectation value, 37  
 extra elastic energy, 92
- face-centered cubic lattice, 72  
 Fermi distribution function, 175  
 Fermi energy, 175  
 Fermi level, 175  
 Fermi statistics, 175  
 Fermi surface, 177  
 Fermi wavevector, 177
- field-effect devices,  
 field-effect transistors, 255  
 finite conductance, 206  
 finite lattice mismatch, 90  
 finite resistance, 206  
 first Brillouin zone, 75  
 flat band, 293  
 flexural deformations, 159  
 flexural modes, 315  
 forward bias, 278  
 frequency of single-electron tunneling  
   oscillations, 213  
 fullerenes, 98
- gated heterostructures, 220  
 gradient, 12  
 graphene, 98  
 ground state, 41  
 growth chamber, 122  
 gyromagnetic ratio, 57
- Hamiltonian, 12  
 harmonic oscillator, 45  
 heavy hole, 81  
 helicity, 98  
 Hermite polynomial, 46  
 heterojunction field-effect transistor, 93  
 heterostructure field-effect transistor, 261  
 heterostructures, 5  
 high (classical) frequencies, 172  
 high-electron-mobility transistors, 258  
 highest occupied molecular orbital, 153  
 highly degenerate electron gas, 176  
 hole, 76  
 hot-electron effects, 165  
 hot electrons, 193  
 hot-electron transistors, 280  
 hybridized orbitals, 61
- impedance, 188  
 incident waves, 20  
 incoherent waves, 19  
 indirect-bandgap semiconductor, 82  
 induced-base transistor, 283  
 inelastic, 168  
 inelastic scattering, 168  
 inelastic scattering length, 168  
 injection, 190  
 inorganic nanotube, 102  
 insulators, 66  
 interband phototransitions, 289  
 intraband absorption, 304  
 intrinsic density, 118  
 intrinsic material, 118  
 isolated islands, 130  
 isotropic effective mass, 79

- Landauer formula, 206  
laser ablation, 139  
laser diodes, 293  
lattice, 71  
lattice constant, 73  
law of momentum conservation, 11  
law of energy conservation, 12  
light hole, 81  
light-emitting diodes, 302  
linear electron concentration, 179  
longitudinal, 80  
longitudinal modes, 289  
low frequencies, 172  
lowest unoccupied molecular orbital, 152
- macromolecular cells, 143  
magnetic resonance force microscopy, 312  
magnetic resonance imaging, 311  
many-electron system, 172  
many-valley semiconductors, 79  
Mathieu equation with damping, 309  
Maxwellian distribution, 174  
MBE, 112  
mean free path, 168  
mesoscopic device, 264  
mesoscopic systems, 169  
mesoscopic transport regime, 170  
metallic island, 209  
metal–oxide–semiconductor FET, 296  
metal–semiconductor FET, 256  
microelectronics, 1  
microlasers, 300  
miniature styrene chain, 142  
modes, 47  
modulation-doped FET, 258  
molecular-beam epitaxy, 112  
momentum, 76  
Moore's law, 2  
Mott–Gurney law, 191
- nanoelectromechanical systems, 9, 110  
nanoelectronics, 1  
nanolithography methods, 115  
nanoscience, 1  
nanotechnology, 1  
nanowire FET, 261  
NEMS, 9, 110  
non-complementary, 150  
nonlinear optical media, 25  
non-stationary wavefunction, 34  
normally off structure, 226  
normally on structure, 226  
number of quanta, 25
- Ohm's law, 184  
oligonucleotides, 151
- one-dimensional electron system, 228  
one-dimensional transport, 101  
one-dimensional wavevector, 101  
one-particle wavefunction, 74  
open optical resonators, 288  
optical excitation, 292  
optoelectronic devices, 9, 284
- parametric amplification, 308  
parametric resonance, 310  
particular potential profile, 202  
Pauli exclusion principle, 58  
peak-to-valley ratio, 252  
penetration of a particle, 45  
peptides, 145  
period, 16  
periodic, 68  
phase shift, 187  
phase time, 253  
phase velocity, 17  
photolithography, 115  
photons, 24  
photoresists, negative, 115  
photoresists, positive, 115  
phototransistors, 285  
physical statistics, 173  
Planck's constant, 206  
Planck's constant, reduced, 24  
p–n junction, 276  
point particle, 12  
point symmetry, 77  
polarization charge, 212  
polaron, 97  
polycrystalline, 69  
population inversion, 287  
potential-effect transistors, 255  
primitive cell, 71  
primitive translation vectors, 71  
proteins, 145  
pseudomorphic heterostructures, 92  
pump, 273  
pumping, 292  
pumping power, 292
- quality factor, 316  
quanta, 24  
quantization of electron motion, 167  
quantum ballistic transport regime, 170  
quantum ballistics, 206  
quantum boxes, 51  
quantum dots, 51  
quantum number, 41  
quantum point contact, 206  
quantum regimes of transport, 169  
quantum size effects, 168  
quantum wire, 49

- quantum-interference transistor, 264  
 quasiballistic, 167  
 quasiballistic transport, 170  
 quasielectric, 87  
 quasi-Fermi levels, 278
- radially symmetric function, 56  
 radiative recombination, 290  
 range of coordinates, 27  
 range of momenta, 27  
 reactive-ion etching, 117  
 reactor, 114  
 reflected waves, 20  
 relative mismatch, 91  
 relative positions, 84  
 resonant-tunneling process, 244  
 resonators, 308  
 reverse bias, 278
- scanning tunneling microscopy, 120  
 scattering, 168  
 Schottky barrier, 256  
 Schottky depletion region, 225  
 Schottky voltage, 225  
 Schottky-gate structures, 225  
 Schrödinger wave equation, 33  
 self-consistency problem, 220  
 semiclassical transit time, 253  
 separation by implantation of oxygen, 160  
 sequential tunneling, 250  
 sheet concentration of electrons, 178  
 shot noise, 209  
 simple cubic, 72  
 single-electron pump, 274  
 single-electron transport, 209  
 single-electron devices, 209  
 single-electron transistor, 271  
 single-walled nanotube, 98  
 sites, 71  
 source, 255  
 space-charge-limited transport, 214  
 spacer layer, 223  
 specific conductivity, 184  
 spherical functions, 52  
 spin, 58  
 spin number, 174  
 spin-orbit interaction, 80  
 split-gate technique, 269  
 split-off valence band, 81  
 spontaneous emission of a photon, 286  
 standing waves, 20  
 Stark effect, 236  
 stationary states, 171  
 stationary wavefunction, 34  
 stationary-state case, 35  
 sticky ends, 150
- stiff rodlike segment, 142  
 stimulated emission, 285  
 strain tensor, 91  
 superlattice, 93  
 superposition principle, 21  
 surface energy, 129  
 surface reconstruction, 128  
 surface-emitting configuration, 303  
 surface-emitting laser, 299
- temperature effect, 169  
 thermal diffusion length, 169  
 thiol bond, 146  
 TOPO, 135  
 total energy, 12  
 traditional low-dimensional structures, 218  
 transistors, 255  
 transit time, 171  
 translational symmetry, 71  
 transmission coefficient, 203  
 transmission electron microscopy, 125  
 transverse classical size effects, 170  
 transverse effective masses, 80  
 transverse modes, 289  
 traveling plane waves, 17  
 trial wavefunctions, 222  
 triblock polymer, 142  
 tri-n-octylphosphide, 135  
 tunnel channel, 122  
 tunneling, 121  
 tunneling effect, 45  
 tunneling electric current, 121  
 turnstile, 273  
 turnstile operation, 274  
 two-dimensional, 6  
 two-dimensional electron concentration, 178  
 two possible polarizations of the electromagnetic wave, 22  
 type-I heterostructures, 85  
 type-II heterostructure, 86
- ultra-high (quantum) frequencies, 172  
 uncertainty principle, 27  
 uncertainty relation, 35  
 ungated heterostructures, 220  
 unipolar device, 281, 304  
 unipolar intersubband quantum-cascade laser, 304  
 unit cell, 71
- vacuum level, 84  
 valence, 70  
 valence energy, 58  
 valence-mismatched bonds, 88  
 valleys, 79

Cambridge University Press

978-0-521-88172-2 - Introduction to Nanoelectronics, Science, Nanotechnology, Engineering, and Applications

Vladimir V. Mitin, Viatcheslav A. Kochelap and Michael A. Stroscio

Index

[More information](#)

- variation method, 222
- velocity overshoot, 194
- velocity-modulation transistor, 263
- vertical,
- vertical geometry, 299
- virtual-crystal approximation, 83
- voltage-controlled devices, 255
  
- warm electrons, 193
- wave intensity, 18
- wave interference, 18
- wave mechanics, 26
- wave surfaces, 23
- wavefunction, 26
  
- wavefunction mapping, 123
- wavelength, 17
- wavenumber, 20
- wave-particle duality, 28
- wavevector, 16
- wavevector of the electron, 75
- wide-bandgap semiconductors, 300
- work function, 120, 218
- wrapping angle, 99
- wrapping vector, 98
  
- zero-dimensional, 6
- zero-dimensional system, 51, 232
- zero-point vibrations, 47, 284